

INDIANA

2011 Land Line Only Module Variables Report

Behavioral Risk Factor Surveillance System

July 26, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6013	4,203,042	3947	56.6	54.4-58.8	2066	43.4	41.2-45.6
Male	2218	2,045,056	1441	54.5	51.2-57.8	777	45.5	42.2-48.8
Female	3795	2,157,986	2506	58.5	55.8-61.2	1289	41.5	38.8-44.2
White/Non-Hisp	4907	3,479,876	3208	56.7	54.3-59.1	1699	43.3	40.9-45.7
Black or Afr. Am./Non-Hisp	673	335,998	479	63.2	55.8-70.6	194	36.8	29.4-44.2
Oth. Race/Non-Hisp.	85	79,054	48	51.6	33.6-69.6	37	48.4	30.4-66.4
MultiRacial/Non-Hisp.	64	72,847	35	36.0	15.6-56.4	29	64.0	43.6-84.4
Hispanic	176	174,574	106	51.5	38.8-64.2	70	48.5	35.8-61.2
18-24	173	604,421	50	27.0	19.4-34.6	123	73.0	65.4-80.6
25-34	486	777,183	259	49.8	43.9-55.7	227	50.2	44.3-56.1
35-44	781	778,129	430	54.6	50.3-58.9	351	45.4	41.1-49.7
45-54	1145	775,616	745	64.9	61.4-68.4	400	35.1	31.6-38.6
55-64	1365	590,413	988	70.6	67.5-73.7	377	29.4	26.3-32.5
65+	1994	646,696	1427	71.3	68.8-73.8	567	28.7	26.2-31.2
Less Than H.S.	538	602,113	305	45.9	39.2-52.6	233	54.1	47.4-60.8
H.S. or G.E.D.	2235	1,465,449	1396	54.8	51.3-58.3	839	45.2	41.7-48.7
Some Post-H.S.	1460	1,226,274	991	59.3	55.2-63.4	469	40.7	36.6-44.8
College Graduate	1760	898,224	1242	63.2	59.7-66.7	518	36.8	33.3-40.3
Less than \$15,000	600	394,812	361	53.5	46.4-60.6	239	46.5	39.4-53.6
\$15,000- 24,999	988	626,486	616	51.2	45.9-56.5	372	48.8	43.5-54.1
\$25,000- 34,999	642	436,894	439	61.0	54.3-67.7	203	39.0	32.3-45.7
\$35,000- 49,999	824	502,847	564	66.2	61.3-71.1	260	33.8	28.9-38.7
\$50,000- 74,999	797	590,972	527	58.9	53.6-64.2	270	41.1	35.8-46.4
\$75,000+	1204	906,478	848	64.5	60.6-68.4	356	35.5	31.6-39.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2218	2,045,056	1441	54.5	51.2-57.8	777	45.5	42.2-48.8
White/Non-Hisp	1838	1,659,090	1209	56.2	52.7-59.7	629	43.8	40.3-47.3
Black or Afr. Am./Non-Hisp	202	150,379	134	55.1	42.8-67.4	68	44.9	32.6-57.2
Hispanic	62	97,391	35	48.3	29.9-66.7	27	51.7	33.3-70.1
18-24	80	301,952	19	22.2	11.6-32.8	61	77.8	67.2-88.4
25-34	159	404,464	70	42.0	32.8-51.2	89	58.0	48.8-67.2
35-44	310	392,244	166	55.2	48.5-61.9	144	44.8	38.1-51.5
45-54	475	375,720	305	65.2	59.9-70.5	170	34.8	29.5-40.1
55-64	522	295,619	381	71.0	66.1-75.9	141	29.0	24.1-33.9
65+	651	263,516	484	75.2	71.3-79.1	167	24.8	20.9-28.7
Less Than H.S.	215	332,823	114	45.8	36.0-55.6	101	54.2	44.4-64.0
H.S. or G.E.D.	797	752,568	500	51.9	46.4-57.4	297	48.1	42.6-53.6
Some Post-H.S.	504	530,892	337	58.6	52.1-65.1	167	41.4	34.9-47.9
College Graduate	694	421,807	485	61.3	55.8-66.8	209	38.7	33.2-44.2
Less than \$15,000	179	177,442	102	45.4	33.6-57.2	77	54.6	42.8-66.4
\$15,000- 24,999	319	288,619	195	50.0	41.4-58.6	124	50.0	41.4-58.6
\$25,000- 34,999	239	208,648	151	60.0	50.0-70.0	88	40.0	30.0-50.0
\$35,000- 49,999	333	258,307	230	66.0	58.6-73.4	103	34.0	26.6-41.4
\$50,000- 74,999	331	303,102	218	57.3	49.3-65.3	113	42.7	34.7-50.7
\$75,000+	539	461,984	386	63.9	57.6-70.2	153	36.1	29.8-42.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3795	2,157,986	2506	58.5	55.8-61.2	1289	41.5	38.8-44.2
White/Non-Hisp	3069	1,820,786	1999	57.2	54.3-60.1	1070	42.8	39.9-45.7
Black or Afr. Am./Non-Hisp	471	185,618	345	69.7	61.1-78.3	126	30.3	21.7-38.9
Hispanic	114	77,183	71	55.7	39.2-72.2	43	44.3	27.8-60.8
18-24	93	302,470	31	31.8	20.4-43.2	62	68.2	56.8-79.6
25-34	327	372,719	189	58.3	51.6-65.0	138	41.7	35.0-48.4
35-44	471	385,884	264	54.0	48.3-59.7	207	46.0	40.3-51.7
45-54	670	399,895	440	64.7	60.2-69.2	230	35.3	30.8-39.8
55-64	843	294,794	607	70.2	66.3-74.1	236	29.8	25.9-33.7
65+	1343	383,180	943	68.6	65.5-71.7	400	31.4	28.3-34.5
Less Than H.S.	323	269,290	191	46.2	37.0-55.4	132	53.8	44.6-63.0
H.S. or G.E.D.	1438	712,881	896	57.8	53.5-62.1	542	42.2	37.9-46.5
Some Post-H.S.	956	695,382	654	59.7	54.6-64.8	302	40.3	35.2-45.4
College Graduate	1066	476,417	757	64.9	60.6-69.2	309	35.1	30.8-39.4
Less than \$15,000	421	217,370	259	60.1	51.9-68.3	162	39.9	31.7-48.1
\$15,000- 24,999	669	337,867	421	52.3	45.6-59.0	248	47.7	41.0-54.4
\$25,000- 34,999	403	228,245	288	61.8	53.2-70.4	115	38.2	29.6-46.8
\$35,000- 49,999	491	244,540	334	66.5	60.2-72.8	157	33.5	27.2-39.8
\$50,000- 74,999	466	287,870	309	60.6	53.5-67.7	157	39.4	32.3-46.5
\$75,000+	665	444,494	462	65.2	60.3-70.1	203	34.8	29.9-39.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6230	4,367,877	495	6.6	05.6-07.6	87	1.3	00.9-01.7	5648	92.1	91.1-93.1
Male	2293	2,123,287	184	6.4	05.0-07.8				2109	93.6	92.2-95.0
Female	3937	2,244,590	311	6.9	05.5-08.3	87	2.5	01.7-03.3	3539	90.6	89.0-92.2
White/Non-Hisp	5101	3,626,098	403	6.2	05.4-07.0	65	1.3	00.9-01.7	4633	92.5	91.5-93.5
Black or Afr. Am./Non-Hisp	686	347,767	54	7.4	03.5-11.3	13	1.9	00.3-03.5	619	90.7	86.6-94.8
Oth. Race/Non-Hisp.	86	79,918	5	3.1	00.0-06.2	3	2.4	00.0-05.3	78	94.5	90.0-99.0
MultiRacial/Non-Hisp.	66	76,416	6	10.7	00.0-27.2	1	0.2	00.0-00.6	59	89.1	72.6-0100
Hispanic	184	177,070	22	14.5	05.5-23.5	4	1.1	00.0-02.7	158	84.3	75.1-93.5
18-24	183	639,497	6	4.9	01.0-08.8	2	1.1	00.0-02.9	175	94.1	89.8-98.4
25-34	503	806,028	21	3.7	01.7-05.7	11	1.3	00.3-02.3	471	95.0	92.8-97.2
35-44	799	801,301	36	4.7	02.7-06.7	24	1.7	00.7-02.7	739	93.6	91.4-95.8
45-54	1189	806,058	100	8.1	06.1-10.1	22	2.0	01.0-03.0	1067	90.0	87.8-92.2
55-64	1397	606,428	129	9.4	07.4-11.4	8	0.5	00.1-00.9	1260	90.1	87.9-92.3
65+	2086	677,116	201	10.0	08.4-11.6	20	1.0	00.4-01.6	1865	88.9	87.1-90.7
Less Than H.S.	554	611,272	46	7.1	04.0-10.2	13	2.4	00.2-04.6	495	90.5	86.8-94.2
H.S. or G.E.D.	2332	1,526,472	205	7.4	05.6-09.2	26	1.1	00.5-01.7	2101	91.5	89.7-93.3
Some Post-H.S.	1509	1,289,795	115	6.5	04.7-08.3	14	0.5	00.1-00.9	1380	93.0	91.2-94.8
College Graduate	1814	928,812	127	5.1	03.9-06.3	34	2.1	01.3-02.9	1653	92.8	91.4-94.2
Less than \$15,000	625	413,323	55	8.5	04.8-12.2	7	2.7	00.0-05.6	563	88.7	84.0-93.4
\$15,000- 24,999	1023	649,641	107	10.0	06.9-13.1	16	0.7	00.3-01.1	900	89.3	86.2-92.4
\$25,000- 34,999	663	455,115	55	8.1	05.2-11.0	7	0.7	00.0-01.5	601	91.2	88.1-94.3
\$35,000- 49,999	849	528,957	71	7.9	04.8-11.0	9	1.0	00.2-01.8	769	91.1	88.0-94.2
\$50,000- 74,999	814	595,661	57	5.4	03.4-07.4	13	1.0	00.4-01.6	744	93.5	91.5-95.5
\$75,000+	1243	941,248	77	4.4	03.0-05.8	19	1.5	00.7-02.3	1147	94.1	92.5-95.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2293	2,123,287	184	6.4	05.0-07.8	2109	93.6	92.2-95.0
White/Non-Hisp	1901	1,731,605	148	5.9	04.7-07.1	1753	94.1	92.9-95.3
Black or Afr. Am./Non-Hisp	209	154,260	20	10.8	03.0-18.6	189	89.2	81.4-97.0
Hispanic	64	94,794	8	6.7	00.6-12.8	56	93.3	87.2-99.4
18-24	86	327,089	2	3.7	00.0-08.8	84	96.3	91.2-0100
25-34	162	412,671	5	1.8	00.0-04.0	157	98.2	96.0-0100
35-44	320	405,623	12	4.3	01.4-07.2	308	95.7	92.8-98.6
45-54	493	390,407	40	8.1	05.2-11.0	453	91.9	89.0-94.8
55-64	538	302,756	44	10.3	06.8-13.8	494	89.7	86.2-93.2
65+	672	272,770	79	12.5	09.4-15.6	593	87.5	84.4-90.6
Less Than H.S.	220	332,145	20	7.4	03.1-11.7	200	92.6	88.3-96.9
H.S. or G.E.D.	821	775,216	73	7.0	04.5-09.5	748	93.0	90.5-95.5
Some Post-H.S.	526	571,303	41	5.6	03.4-07.8	485	94.4	92.2-96.6
College Graduate	717	437,112	49	5.3	03.3-07.3	668	94.7	92.7-96.7
Less than \$15,000	186	185,026	15	7.3	01.8-12.8	171	92.7	87.2-98.2
\$15,000- 24,999	332	298,570	34	9.3	04.8-13.8	298	90.7	86.2-95.2
\$25,000- 34,999	250	222,726	18	6.0	02.7-09.3	232	94.0	90.7-97.3
\$35,000- 49,999	339	262,855	24	6.7	02.8-10.6	315	93.3	89.4-97.2
\$50,000- 74,999	333	300,440	33	7.5	04.2-10.8	300	92.5	89.2-95.8
\$75,000+	563	486,352	33	4.1	02.3-05.9	530	95.9	94.1-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3937	2,244,590	311	6.9	05.5-08.3	87	2.5	01.7-03.3	3539	90.6	89.0-92.2
White/Non-Hisp	3200	1,894,493	255	6.5	05.3-07.7	65	2.4	01.6-03.2	2880	91.1	89.5-92.7
Black or Afr. Am./Non-Hisp	477	193,507	34	4.7	01.6-07.8	13	3.5	00.6-06.4	430	91.9	87.6-96.2
Hispanic	120	82,277	14	23.5	07.0-40.0	4	2.5	00.0-05.8	102	74.0	57.5-90.5
18-24	97	312,407	4	6.1	00.2-12.0	2	2.2	00.0-05.7	91	91.8	84.9-98.7
25-34	341	393,357	16	5.8	02.3-09.3	11	2.6	00.8-04.4	314	91.6	87.7-95.5
35-44	479	395,677	24	5.0	02.6-07.4	24	3.5	01.5-05.5	431	91.4	88.3-94.5
45-54	696	415,651	60	8.0	05.5-10.5	22	3.8	01.8-05.8	614	88.2	85.1-91.3
55-64	859	303,672	85	8.5	06.3-10.7	8	1.0	00.0-02.0	766	90.5	88.1-92.9
65+	1414	404,346	122	8.3	06.7-09.9	20	1.8	00.6-03.0	1272	89.9	87.9-91.9
Less Than H.S.	334	279,126	26	6.8	02.3-11.3	13	5.3	00.6-10.0	295	87.9	81.6-94.2
H.S. or G.E.D.	1511	751,256	132	7.9	05.7-10.1	26	2.2	01.0-03.4	1353	90.0	87.5-92.5
Some Post-H.S.	983	718,492	74	7.2	04.7-09.7	14	1.0	00.4-01.6	895	91.8	89.3-94.3
College Graduate	1097	491,699	78	5.0	03.4-06.6	34	3.9	02.3-05.5	985	91.1	88.9-93.3
Less than \$15,000	439	228,297	40	9.6	04.5-14.7	7	4.9	00.0-10.2	392	85.5	78.6-92.4
\$15,000- 24,999	691	351,071	73	10.6	06.3-14.9	16	1.3	00.5-02.1	602	88.1	83.8-92.4
\$25,000- 34,999	413	232,389	37	10.1	05.2-15.0	7	1.4	00.0-02.8	369	88.5	83.4-93.6
\$35,000- 49,999	510	266,102	47	9.1	04.4-13.8	9	2.0	00.4-03.6	454	88.9	84.0-93.8
\$50,000- 74,999	481	295,221	24	3.3	01.5-05.1	13	2.1	00.7-03.5	444	94.7	92.5-96.9
\$75,000+	680	454,896	44	4.7	02.7-06.7	19	3.2	01.6-04.8	617	92.1	89.6-94.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1015	479,160	13	3.1	00.7-05.5	67	8.4	05.9-10.9	210	26.6	22.3-30.9	454	43.0	38.5-47.5	271	18.9	16.2-21.6
Male	404	236,533	6	3.9	00.0-07.8	29	6.1	03.2-09.0	72	25.5	19.2-31.8	188	45.5	38.6-52.4	109	19.0	14.7-23.3
Female	611	242,628	7	2.4	00.0-04.8	38	10.6	06.3-14.9	138	27.7	21.6-33.8	266	40.7	35.0-46.4	162	18.7	15.2-22.2
White/Non-Hisp	777	388,179	8	2.3	00.0-04.7	50	8.3	05.4-11.2	149	25.6	20.9-30.3	340	42.8	38.1-47.5	230	20.9	17.8-24.0
Black or Afr. Am./Non-Hisp	169	50,637	2	5.4	00.0-15.4	9	6.2	00.1-12.3	40	25.5	11.4-39.6	89	51.2	34.5-67.9	29	11.7	04.8-18.6
45-54	135	115,834	1	0.9	00.0-02.7	15	8.7	03.0-14.4	57	39.8	28.4-51.2	62	50.7	38.9-62.5			
55-64	296	120,774	3	1.5	00.0-03.1	20	6.2	03.1-09.3	59	20.1	14.0-26.2	198	66.5	59.6-73.4	16	5.8	02.7-08.9
65+	516	170,286	1	0.0	00.0-00.0	13	3.4	01.2-05.6	54	8.3	05.6-11.0	194	39.5	34.2-44.8	254	48.9	43.6-54.2
Less Than H.S.	134	84,226				10	5.8	01.3-10.3	25	29.1	16.6-41.6	51	41.6	28.7-54.5	48	23.5	15.1-31.9
H.S. or G.E.D.	429	189,635	6	3.4	00.0-06.9	26	9.9	05.0-14.8	90	22.5	16.8-28.2	186	43.1	36.6-49.6	121	21.0	16.7-25.3
Some Post-H.S.	242	134,519	4	4.9	00.0-11.2	14	6.9	02.4-11.4	50	26.9	17.9-35.9	126	48.7	39.3-58.1	48	12.6	08.1-17.1
College Graduate	206	68,034	3	3.0	00.0-06.9	16	9.9	03.8-16.0	44	33.1	22.7-43.5	90	34.6	26.2-43.0	53	19.4	13.5-25.3
Less than \$15,000	165	75,787	3	2.5	00.0-05.6	17	12.8	04.2-21.4	44	34.1	22.5-45.7	68	36.9	26.7-47.1	33	13.7	07.8-19.6
\$15,000- 24,999	245	101,362	1	4.2	00.0-12.2	17	9.5	04.0-15.0	42	20.5	13.1-27.9	109	40.2	30.6-49.8	76	25.5	18.6-32.4
\$25,000- 34,999	125	55,801	2	1.9	00.0-05.4	5	9.0	00.0-18.4	25	17.5	08.7-26.3	59	52.1	40.1-64.1	34	19.5	11.5-27.5
\$35,000- 49,999	129	61,978	2	2.2	00.0-05.1	7	5.7	00.8-10.6	24	21.8	11.8-31.8	70	56.5	45.1-67.9	26	13.8	07.9-19.7
\$50,000- 74,999	103	50,121	1	4.0	00.0-11.6	7	6.3	00.8-11.8	21	28.0	12.9-43.1	54	49.1	35.0-63.2	20	12.6	05.7-19.5
\$75,000+	90	58,380	3	3.1	00.0-07.2	6	8.1	00.1-16.1	29	40.7	26.4-55.0	37	39.5	24.6-54.4	15	8.5	03.2-13.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	404	236,533	6	3.9	00.0-08.0	29	6.1	03.2-09.0	72	25.5	19.2-31.8	188	45.5	38.4-52.6	109	19.0	14.7-23.3
White/Non-Hisp	315	184,395	4	3.3	00.0-07.8	19	5.8	02.5-09.1	51	24.2	17.5-30.9	146	44.6	37.3-51.9	95	22.1	17.0-27.2
Black or Afr. Am./Non-Hisp	56	24,509				5	4.8	00.0-09.7	13	26.8	04.5-49.1	27	55.9	29.2-82.6	11	12.5	01.1-23.9
45-54	63	65,021	1	1.5	00.0-04.4	8	9.0	00.8-17.2	23	36.8	21.5-52.1	31	52.6	35.9-69.3			
55-64	111	57,898	1	1.1	00.0-03.3	10	7.0	02.1-11.9	21	20.5	10.3-30.7	74	66.7	55.5-77.9	5	4.7	00.4-09.0
65+	206	85,556				7	3.7	00.6-06.8	13	6.4	02.3-10.5	83	40.6	32.4-48.8	103	49.2	41.0-57.4
Less Than H.S.	51	40,638				5	4.6	00.0-09.5	9	26.3	09.6-43.0	19	43.2	23.2-63.2	18	25.9	12.0-39.8
H.S. or G.E.D.	161	89,024	2	3.0	00.0-07.5	13	9.2	02.9-15.5	23	19.2	10.0-28.4	79	47.7	37.5-57.9	44	20.9	14.0-27.8
Some Post-H.S.	93	67,004	2	7.9	00.0-19.9	4	3.3	00.0-06.8	18	25.2	12.5-37.9	53	53.4	38.7-68.1	16	10.2	04.1-16.3
College Graduate	99	39,867	2	3.3	00.0-09.0	7	5.4	01.1-09.7	22	39.2	24.9-53.5	37	29.6	19.0-40.2	31	22.5	13.5-31.5
\$15,000- 24,999	86	46,140	1	9.3	00.0-26.0	5	3.7	00.0-07.8	11	20.9	08.2-33.6	39	38.1	21.0-55.2	30	28.0	15.7-40.3
\$25,000- 34,999	61	32,181	1	3.1	00.0-09.2	4	11.0	00.0-24.7	10	16.6	04.6-28.6	31	53.2	36.9-69.5	15	16.1	06.7-25.5
\$35,000- 49,999	58	33,550	1	1.9	00.0-05.6	3	4.9	00.0-10.8	12	25.2	10.1-40.3	30	54.3	37.8-70.8	12	13.6	05.0-22.2
\$75,000+	54	35,863	2	3.7	00.0-10.0	2	1.8	00.0-04.3	18	40.7	21.3-60.1	22	43.0	22.8-63.2	10	10.9	03.5-18.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	611	242,628	7	2.4	00.0-04.8	38	10.6	06.3-14.9	138	27.7	21.6-33.8	266	40.7	35.0-46.4	162	18.7	15.2-22.2
White/Non-Hisp	462	203,784	4	1.4	00.0-02.8	31	10.6	05.9-15.3	98	26.9	20.2-33.6	194	41.3	35.0-47.6	135	19.9	16.0-23.8
Black or Afr. Am./Non-Hisp	113	26,128	2	10.5	00.0-28.7	4	7.5	00.0-18.3	27	24.3	06.1-42.5	62	46.8	27.8-65.8	18	10.9	03.3-18.5
45-54	72	50,813				7	8.3	00.7-15.9	34	43.5	26.6-60.4	31	48.2	31.5-64.9			
55-64	185	62,876	2	1.8	00.0-04.2	10	5.4	01.5-09.3	38	19.6	12.5-26.7	124	66.3	57.9-74.7	11	6.8	02.3-11.3
65+	310	84,730	1	0.1	00.0-00.3	6	3.0	00.0-06.1	41	10.1	06.4-13.8	111	38.3	31.6-45.0	151	48.5	41.6-55.4
Less Than H.S.	83	43,588				5	6.9	00.0-14.0	16	31.8	13.6-50.0	32	40.2	23.7-56.7	30	21.2	11.2-31.2
H.S. or G.E.D.	268	100,611	4	3.8	00.0-09.1	13	10.5	03.2-17.8	67	25.4	18.3-32.5	107	39.1	31.3-46.9	77	21.2	15.7-26.7
Some Post-H.S.	149	67,515	2	1.9	00.0-04.8	10	10.6	02.8-18.4	32	28.5	15.4-41.6	73	44.1	32.5-55.7	32	15.0	08.5-21.5
College Graduate	107	28,168	1	2.5	00.0-07.4	9	16.2	03.9-28.5	22	24.5	11.6-37.4	53	41.8	28.9-54.7	22	15.0	07.9-22.1
Less than \$15,000	116	45,393	3	4.1	00.0-09.2	9	14.4	01.5-27.3	34	33.8	19.9-47.7	46	34.7	22.7-46.7	24	13.0	06.5-19.5
\$15,000- 24,999	159	55,222				12	14.4	05.4-23.4	31	20.2	11.6-28.8	70	42.0	31.8-52.2	46	23.4	15.8-31.0
\$25,000- 34,999	64	23,620	1	0.3	00.0-00.9	1	6.4	00.0-18.4	15	18.7	06.0-31.4	28	50.5	33.1-67.9	19	24.2	10.7-37.7
\$35,000- 49,999	71	28,428	1	2.5	00.0-07.2	4	6.6	00.0-14.6	12	17.8	05.6-30.0	40	59.1	44.0-74.2	14	14.0	06.0-22.0
\$50,000- 74,999	61	26,192				5	9.5	00.0-19.5	16	42.2	19.3-65.1	33	43.9	23.7-64.1	7	4.4	00.3-08.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1091	504,307	342	29.1	25.4-32.8	749	70.9	67.2-74.6
Male	429	246,394	145	28.7	22.8-34.6	284	71.3	65.4-77.2
Female	662	257,913	197	29.4	24.3-34.5	465	70.6	65.5-75.7
White/Non-Hisp	819	405,514	239	28.5	24.4-32.6	580	71.5	67.4-75.6
Black or Afr. Am./Non-Hisp	194	56,427	77	39.0	24.7-53.3	117	61.0	46.7-75.3
45-54	140	118,123	50	29.1	19.5-38.7	90	70.9	61.3-80.5
55-64	310	126,148	95	29.2	22.9-35.5	215	70.8	64.5-77.1
65+	570	185,544	172	29.4	24.7-34.1	398	70.6	65.9-75.3
Less Than H.S.	150	89,943	56	32.1	21.9-42.3	94	67.9	57.7-78.1
H.S. or G.E.D.	465	198,017	153	30.4	24.7-36.1	312	69.6	63.9-75.3
Some Post-H.S.	261	144,497	76	28.4	20.4-36.4	185	71.6	63.6-79.6
College Graduate	211	69,104	55	22.9	15.6-30.2	156	77.1	69.8-84.4
Less than \$15,000	174	78,759	65	38.9	28.3-49.5	109	61.1	50.5-71.7
\$15,000- 24,999	270	110,115	97	34.5	25.7-43.3	173	65.5	56.7-74.3
\$25,000- 34,999	128	56,686	39	34.7	22.7-46.7	89	65.3	53.3-77.3
\$35,000- 49,999	135	64,239	45	29.1	19.7-38.5	90	70.9	61.5-80.3
\$50,000- 74,999	106	51,268	21	18.2	09.4-27.0	85	81.8	73.0-90.6
\$75,000+	94	60,234	22	17.3	08.3-26.3	72	82.7	73.7-91.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	429	246,394	145	28.7	22.8-34.6	284	71.3	65.4-77.2
White/Non-Hisp	328	190,094	103	31.3	24.4-38.2	225	68.7	61.8-75.6
Black or Afr. Am./Non-Hisp	66	28,014	31	28.2	12.5-43.9	35	71.8	56.1-87.5
45-54	66	66,659	25	26.6	14.3-38.9	41	73.4	61.1-85.7
55-64	116	60,597	47	32.5	21.9-43.1	69	67.5	56.9-78.1
65+	222	90,079	63	27.3	20.2-34.4	159	72.7	65.6-79.8
Less Than H.S.	55	42,511	23	34.4	18.3-50.5	32	65.6	49.5-81.7
H.S. or G.E.D.	170	91,194	58	29.6	21.0-38.2	112	70.4	61.8-79.0
Some Post-H.S.	101	71,824	31	26.4	13.9-38.9	70	73.6	61.1-86.1
College Graduate	103	40,865	33	24.6	14.8-34.4	70	75.4	65.6-85.2
Less than \$15,000	51	30,660	26	45.5	26.9-64.1	25	54.5	35.9-73.1
\$15,000- 24,999	96	50,449	37	35.0	19.3-50.7	59	65.0	49.3-80.7
\$25,000- 34,999	64	33,066	23	41.5	24.8-58.2	41	58.5	41.8-75.2
\$35,000- 49,999	60	34,288	23	28.9	15.6-42.2	37	71.1	57.8-84.4
\$75,000+	54	35,863	13	15.3	04.5-26.1	41	84.7	73.9-95.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	662	257,913	197	29.4	24.3-34.5	465	70.6	65.5-75.7
White/Non-Hisp	491	215,420	136	26.0	21.1-30.9	355	74.0	69.1-78.9
Black or Afr. Am./Non-Hisp	128	28,413	46	49.7	31.9-67.5	82	50.3	32.5-68.1
45-54	74	51,464	25	32.4	17.5-47.3	49	67.6	52.7-82.5
55-64	194	65,550	48	26.1	18.5-33.7	146	73.9	66.3-81.5
65+	348	95,465	109	31.3	25.0-37.6	239	68.7	62.4-75.0
Less Than H.S.	95	47,432	33	30.0	17.1-42.9	62	70.0	57.1-82.9
H.S. or G.E.D.	295	106,823	95	31.1	23.7-38.5	200	68.9	61.5-76.3
Some Post-H.S.	160	72,673	45	30.3	19.9-40.7	115	69.7	59.3-80.1
College Graduate	108	28,239	22	20.4	09.6-31.2	86	79.6	68.8-90.4
Less than \$15,000	123	48,099	39	34.7	21.6-47.8	84	65.3	52.2-78.4
\$15,000- 24,999	174	59,666	60	34.0	24.6-43.4	114	66.0	56.6-75.4
\$25,000- 34,999	64	23,620	16	25.3	08.8-41.8	48	74.7	58.2-91.2
\$35,000- 49,999	75	29,951	22	29.3	16.0-42.6	53	70.7	57.4-84.0
\$50,000- 74,999	62	26,427	12	22.1	08.2-36.0	50	77.9	64.0-91.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1085	499,051	105	11.4	08.3-14.5	256	24.0	20.3-27.7	714	63.4	59.1-67.7	10	1.2	00.4-02.0
Male	426	241,585	47	12.7	08.2-17.2	112	27.1	21.0-33.2	265	59.5	53.0-66.0	2	0.8	00.0-02.0
Female	659	257,466	58	10.2	05.9-14.5	144	21.2	17.1-25.3	449	67.1	61.6-72.6	8	1.6	00.2-03.0
White/Non-Hisp	816	404,613	78	11.8	08.3-15.3	198	23.8	19.9-27.7	531	63.1	58.4-67.8	9	1.3	00.3-02.3
Black or Afr. Am./Non-Hisp	191	51,963	15	4.0	01.5-06.5	39	17.5	09.3-25.7	137	78.5	69.7-87.3			
45-54	139	114,224	15	14.8	05.2-24.4	33	21.9	13.1-30.7	90	62.8	51.4-74.2	1	0.5	00.0-01.5
55-64	309	125,608	30	11.3	06.4-16.2	81	29.1	22.4-35.8	193	57.3	50.0-64.6	5	2.3	00.0-04.7
65+	566	184,726	52	8.8	06.1-11.5	130	22.1	18.0-26.2	383	69.1	64.4-73.8	1	0.1	00.0-00.3
Less Than H.S.	149	85,688	14	10.0	03.9-16.1	28	18.6	09.6-27.6	107	71.4	61.2-81.6			
H.S. or G.E.D.	463	197,069	39	11.4	06.5-16.3	111	23.6	18.5-28.7	311	64.3	58.2-70.4	2	0.7	00.0-01.7
Some Post-H.S.	259	144,308	26	13.2	05.9-20.5	58	22.6	15.2-30.0	171	62.2	53.2-71.2	4	2.1	00.0-04.3
College Graduate	210	69,240	26	9.6	05.1-14.1	59	35.9	26.3-45.5	121	52.2	42.6-61.8	4	2.3	00.0-05.0
Less than \$15,000	173	78,383	17	9.2	01.9-16.5	23	15.8	08.4-23.2	131	73.0	63.2-82.8	2	2.0	00.0-04.9
\$15,000- 24,999	268	105,799	23	8.6	04.1-13.1	65	28.3	19.5-37.1	178	62.0	53.0-71.0	2	1.1	00.0-03.1
\$25,000- 34,999	127	56,408	14	10.7	03.1-18.3	28	23.4	13.8-33.0	84	64.9	53.7-76.1	1	1.0	00.0-03.0
\$35,000- 49,999	134	63,887	13	15.9	05.5-26.3	32	22.1	13.3-30.9	86	60.2	48.8-71.6	3	1.8	00.0-04.3
\$50,000- 74,999	106	51,268	12	26.0	10.3-41.7	30	20.3	11.5-29.1	64	53.7	39.6-67.8			
\$75,000+	95	60,710	7	4.8	00.9-08.7	31	33.1	20.6-45.6	56	60.9	48.0-73.8	1	1.2	00.0-03.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	426	241,585	47	12.7	08.2-17.2	112	27.1	21.0-33.2	265	59.5	52.8-66.2	2	0.8	00.0-02.0
White/Non-Hisp	326	189,431	37	13.0	07.9-18.1	87	27.2	20.5-33.9	201	59.3	52.0-66.6	1	0.5	00.0-01.5
Black or Afr. Am./Non-Hisp	65	23,759	5	2.5	00.0-05.0	16	16.2	05.4-27.0	44	81.3	69.7-92.9			
45-54	65	62,404	8	14.0	02.6-25.4	13	21.5	08.4-34.6	44	64.5	49.4-79.6			
55-64	115	60,287	11	12.3	04.1-20.5	29	29.2	18.2-40.2	73	55.4	43.6-67.2	2	3.1	00.0-07.4
65+	221	89,835	25	11.4	06.3-16.5	65	27.4	20.5-34.3	131	61.2	53.6-68.8			
Less Than H.S.	54	38,256	6	9.1	00.5-17.7	12	25.1	08.2-42.0	36	65.8	48.6-83.0			
H.S. or G.E.D.	168	90,475	16	14.7	06.3-23.1	47	24.5	16.3-32.7	104	59.8	49.8-69.8	1	1.0	00.0-03.0
Some Post-H.S.	100	71,513	12	13.5	04.7-22.3	26	27.8	15.1-40.5	61	57.3	44.0-70.6	1	1.4	00.0-04.1
College Graduate	104	41,341	13	9.9	03.6-16.2	27	33.2	20.1-46.3	64	56.8	43.7-69.9			
Less than \$15,000	51	30,660	5	7.0	00.0-14.3	8	17.8	04.1-31.5	38	75.1	60.0-90.2			
\$15,000- 24,999	95	46,194	7	6.8	00.9-12.7	25	32.6	16.5-48.7	62	58.5	42.8-74.2	1	2.2	00.0-06.5
\$25,000- 34,999	64	33,066	6	9.2	00.0-19.4	19	28.3	14.0-42.6	39	62.5	46.8-78.2			
\$35,000- 49,999	59	33,936	9	27.1	09.9-44.3	9	15.4	03.4-27.4	41	57.4	40.0-74.8			
\$75,000+	55	36,340	5	5.6	00.5-10.7	18	35.1	18.6-51.6	32	59.4	42.5-76.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	659	257,466	58	10.2	05.9-14.5	144	21.2	16.9-25.5	449	67.1	61.6-72.6	8	1.6	00.2-03.0
White/Non-Hisp	490	215,182	41	10.8	05.7-15.9	111	20.9	16.4-25.4	330	66.4	60.3-72.5	8	1.9	00.3-03.5
Black or Afr. Am./Non-Hisp	126	28,204	10	5.3	01.2-09.4	23	18.5	06.5-30.5	93	76.2	63.3-89.1			
45-54	74	51,821	7	15.8	00.3-31.3	20	22.3	10.7-33.9	46	60.8	44.9-76.7	1	1.1	00.0-03.3
55-64	194	65,321	19	10.3	04.8-15.8	52	28.9	20.9-36.9	120	59.2	50.6-67.8	3	1.6	00.0-03.6
65+	345	94,891	27	6.2	03.7-08.7	65	17.1	12.6-21.6	252	76.5	71.4-81.6	1	0.2	00.0-00.6
Less Than H.S.	95	47,432	8	10.7	02.3-19.1	16	13.4	05.2-21.6	71	75.9	64.3-87.5			
H.S. or G.E.D.	295	106,594	23	8.6	02.7-14.5	64	22.9	16.4-29.4	207	68.0	60.4-75.6	1	0.5	00.0-01.5
Some Post-H.S.	159	72,795	14	12.9	01.7-24.1	32	17.5	10.4-24.6	110	67.0	55.4-78.6	3	2.7	00.0-06.0
College Graduate	106	27,899	13	9.0	02.9-15.1	32	39.7	25.6-53.8	57	45.5	32.2-58.8	4	5.8	00.0-12.7
Less than \$15,000	122	47,723	12	10.6	00.0-21.6	15	14.4	05.8-23.0	93	71.7	58.8-84.6	2	3.3	00.0-08.0
\$15,000- 24,999	173	59,604	16	10.0	03.5-16.5	40	25.1	15.9-34.3	116	64.7	54.9-74.5	1	0.2	00.0-00.6
\$25,000- 34,999	63	23,341	8	12.7	00.9-24.5	9	16.5	04.9-28.1	45	68.4	52.7-84.1	1	2.3	00.0-06.8
\$35,000- 49,999	75	29,951	4	3.1	00.0-06.4	23	29.7	16.8-42.6	45	63.2	49.3-77.1	3	3.9	00.0-09.2
\$50,000- 74,999	62	26,427	7	29.8	05.5-54.1	15	17.5	05.7-29.3	40	52.7	31.5-73.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1051	485,983	626	57.6	53.1-62.1	211	19.3	15.6-23.0	57	5.8	03.6-08.0	19	2.6	00.8-04.4	128	13.3	10.2-16.4	10	1.4	00.4-02.4
Male	414	236,838	225	48.6	41.9-55.3	95	24.8	18.3-31.3	21	5.9	02.4-09.4	10	3.8	00.5-07.1	55	14.3	09.8-18.8	8	2.6	00.4-04.8
Female	637	249,144	401	66.2	60.7-71.7	116	14.2	10.7-17.7	36	5.7	03.3-08.1	9	1.4	00.2-02.6	73	12.3	07.8-16.8	2	0.2	00.0-00.4
White/Non-Hisp	791	396,140	471	58.6	53.9-63.3	158	19.4	15.5-23.3	40	5.0	03.2-06.8	12	0.9	00.3-01.5	101	14.4	10.7-18.1	9	1.7	00.3-03.1
Black or Afr. Am./Non-Hisp	187	48,750	115	67.5	53.0-82.0	39	21.0	06.3-35.7	12	6.0	01.3-10.7	2	0.5	00.0-01.1	18	4.8	01.5-08.1	1	0.2	00.0-00.6
45-54	137	111,156	89	63.4	51.8-75.0	19	17.1	07.1-27.1	9	7.4	00.7-14.1	2	0.2	00.0-00.4	16	10.3	03.8-16.8	2	1.6	00.0-04.3
55-64	305	125,248	181	58.6	51.3-65.9	69	20.7	14.6-26.8	17	6.4	02.7-10.1	2	0.5	00.0-01.3	33	12.8	07.5-18.1	3	1.0	00.0-02.2
65+	539	175,253	318	57.9	52.6-63.2	108	19.0	14.9-23.1	29	5.5	03.1-07.9	11	2.6	00.6-04.6	69	13.6	09.9-17.3	4	1.5	00.0-03.3
Less Than H.S.	145	81,616	84	54.1	41.9-66.3	30	18.4	09.6-27.2	9	9.4	00.8-18.0				19	13.4	02.8-24.0	3	4.7	00.0-09.8
H.S. or G.E.D.	443	190,851	269	56.0	49.5-62.5	85	18.7	13.6-23.8	16	4.6	02.1-07.1	7	2.9	00.0-06.4	63	16.9	11.6-22.2	3	0.8	00.0-02.0
Some Post-H.S.	256	143,513	166	63.5	54.5-72.5	53	22.8	14.2-31.4	13	3.7	01.5-05.9	4	1.3	00.0-02.7	19	8.2	03.5-12.9	1	0.5	00.0-01.5
College Graduate	203	67,257	104	52.5	42.7-62.3	42	15.3	09.4-21.2	19	9.6	03.7-15.5	8	7.4	00.9-13.9	27	14.2	07.9-20.5	3	1.0	00.0-02.2
Less than \$15,000	168	77,270	109	61.9	50.7-73.1	28	13.4	06.9-19.9	7	2.3	00.1-04.5	2	4.2	00.0-11.8	21	16.0	07.0-25.0	1	2.1	00.0-06.2
\$15,000- 24,999	258	101,311	159	59.3	50.3-68.3	57	25.1	16.1-34.1	8	3.4	00.5-06.3	2	1.0	00.0-02.6	31	11.2	06.1-16.3	1	0.1	00.0-00.3
\$25,000- 34,999	124	53,216	68	51.5	39.3-63.7	32	28.8	17.6-40.0	8	7.7	01.0-14.4	4	2.0	00.0-04.2	12	10.1	01.1-19.1			
\$35,000- 49,999	133	64,012	72	55.0	43.6-66.4	27	16.1	06.9-25.3	14	8.3	03.6-13.0	1	0.3	00.0-00.9	16	16.4	07.8-25.0	3	3.9	00.0-08.8
\$50,000- 74,999	105	50,912	63	60.2	46.9-73.5	23	18.4	07.8-29.0	4	6.1	00.0-13.0	3	2.1	00.0-04.6	11	12.8	04.4-21.2	1	0.4	00.0-01.2
\$75,000+	90	59,056	45	51.8	37.1-66.5	16	18.6	04.5-32.7	8	5.8	01.3-10.3	4	9.2	00.4-18.0	15	13.7	04.9-22.5	2	0.8	00.0-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	414	236,838	225	48.6	41.9-55.3	95	24.8	18.3-31.3	21	5.9	02.4-09.4	10	3.8	00.5-07.1	55	14.3	09.8-18.8	8	2.6	00.4-04.8
White/Non-Hisp	319	186,323	177	51.3	44.2-58.4	72	24.9	18.0-31.8	13	3.9	01.4-06.4	6	0.8	00.0-01.6	44	15.8	10.3-21.3	7	3.3	00.6-06.0
Black or Afr. Am./Non-Hisp	63	22,993	36	58.9	32.6-85.2	16	30.0	02.2-57.8	4	5.1	00.0-11.2				6	5.5	00.0-11.6	1	0.5	00.0-01.5
45-54	64	62,234	35	48.3	32.2-64.4	13	25.0	09.3-40.7	6	9.8	00.0-20.4				9	14.2	03.4-25.0	1	2.6	00.0-07.7
55-64	114	60,115	65	55.1	43.1-67.1	26	22.1	11.5-32.7	6	5.2	00.0-10.7	1	0.7	00.0-02.1	14	15.4	06.0-24.8	2	1.5	00.0-03.9
65+	211	85,430	115	52.1	43.9-60.3	49	23.2	16.5-29.9	8	3.7	01.0-06.4	6	3.0	00.0-06.5	29	15.0	09.1-20.9	4	3.0	00.0-06.5
Less Than H.S.	52	36,514	25	39.9	23.2-56.6	15	30.1	13.4-46.8	3	12.1	00.0-28.8				6	7.3	00.6-14.0	3	10.5	00.0-21.3
H.S. or G.E.D.	167	90,112	97	51.8	41.6-62.0	35	20.0	11.4-28.6	5	2.9	00.0-06.4	4	5.7	00.0-13.0	23	17.9	09.5-26.3	3	1.7	00.0-04.2
Some Post-H.S.	98	70,904	57	52.5	38.2-66.8	24	31.0	16.1-45.9	6	4.3	00.6-08.0	1	0.5	00.0-01.5	9	10.7	02.5-18.9	1	1.0	00.0-03.0
College Graduate	97	39,309	46	42.4	29.1-55.7	21	19.7	10.1-29.3	7	10.0	01.0-19.0	5	8.6	00.0-18.2	17	18.8	09.8-27.8	1	0.5	00.0-01.5
Less than \$15,000	51	30,500	33	53.0	34.4-71.6	7	15.8	02.9-28.7	2	1.4	00.0-03.6	1	10.3	00.0-28.7	7	14.3	01.4-27.2	1	5.3	00.0-15.5
\$15,000- 24,999	90	43,560	48	44.8	29.7-59.9	28	39.7	23.0-56.4	2	2.3	00.0-06.0				11	13.0	03.8-22.2	1	0.2	00.0-00.6
\$25,000- 34,999	64	33,066	31	45.2	28.7-61.7	18	30.6	15.3-45.9	3	7.7	00.0-17.3	3	2.3	00.0-05.2	9	14.2	00.5-27.9			
\$35,000- 49,999	59	34,222	32	49.8	33.3-66.3	12	19.4	03.9-34.9	5	4.8	00.3-09.3				7	18.7	05.0-32.4	3	7.3	00.0-16.3
\$75,000+	50	34,686	21	41.3	21.3-61.3	12	24.4	03.2-45.6	3	3.6	00.0-08.1	3	12.4	00.0-26.1	11	18.3	05.2-31.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	637	249,144	401	66.2	60.7-71.7	116	14.2	10.7-17.7	36	5.7	03.3-08.1	9	1.4	00.2-02.6	73	12.3	07.8-16.8	2	0.2	00.0-00.4
White/Non-Hisp	472	209,816	294	65.2	59.1-71.3	86	14.6	10.7-18.5	27	5.9	03.4-08.4	6	1.0	00.0-02.0	57	13.1	07.8-18.4	2	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	124	25,757	79	75.2	63.8-86.6	23	13.0	05.6-20.4	8	6.7	00.0-13.6	2	0.9	00.0-02.1	12	4.2	01.3-07.1			
45-54	73	48,922	54	82.5	71.1-93.9	6	7.1	00.0-15.9	3	4.3	00.0-10.6	2	0.5	00.0-01.1	7	5.2	00.7-09.7	1	0.4	00.0-01.2
55-64	191	65,133	116	61.8	53.4-70.2	43	19.4	12.9-25.9	11	7.5	02.4-12.6	1	0.4	00.0-01.2	19	10.5	05.0-16.0	1	0.5	00.0-01.5
65+	328	89,822	203	63.4	56.9-69.9	59	15.0	10.7-19.3	21	7.3	03.8-10.8	5	2.1	00.1-04.1	40	12.2	07.7-16.7			
Less Than H.S.	93	45,102	59	65.6	48.7-82.5	15	8.9	03.4-14.4	6	7.2	00.0-14.6				13	18.3	00.9-35.7			
H.S. or G.E.D.	276	100,739	172	59.8	51.6-68.0	50	17.6	11.7-23.5	11	6.2	02.3-10.1	3	0.5	00.0-01.1	40	15.9	09.2-22.6			
Some Post-H.S.	158	72,609	109	74.3	65.5-83.1	29	14.8	07.4-22.2	7	3.1	00.6-05.6	3	2.0	00.0-04.4	10	5.9	01.8-10.0			
College Graduate	106	27,948	58	66.8	54.8-78.8	21	9.1	04.4-13.8	12	9.0	02.5-15.5	3	5.7	00.0-13.7	10	7.7	01.6-13.8	2	1.8	00.0-04.3
Less than \$15,000	117	46,770	76	67.7	54.8-80.6	21	11.9	05.6-18.2	5	2.9	00.0-06.0	1	0.2	00.0-00.6	14	17.2	05.0-29.4			
\$15,000- 24,999	168	57,751	111	70.2	61.4-79.0	29	14.2	08.3-20.1	6	4.3	00.0-08.6	2	1.7	00.0-04.2	20	9.8	04.3-15.3			
\$25,000- 34,999	60	20,150	37	61.7	45.0-78.4	14	25.7	09.8-41.6	5	7.8	00.0-15.8	1	1.5	00.0-04.4	3	3.3	00.0-07.0			
\$35,000- 49,999	74	29,790	40	61.0	46.9-75.1	15	12.4	04.4-20.4	9	12.3	03.7-20.9	1	0.7	00.0-02.1	9	13.7	04.5-22.9			
\$50,000- 74,999	62	26,427	37	66.0	47.6-84.4	16	17.4	04.1-30.7	2	6.5	00.0-17.5	2	2.5	00.0-06.2	5	7.6	00.0-15.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1035	479,827	155	15.5	12.2-18.8	226	25.3	21.4-29.2	163	14.5	11.6-17.4	251	22.3	18.6-26.0	140	10.7	08.3-13.1	100	11.7	08.4-15.0
Male	414	237,519	60	16.0	10.7-21.3	97	27.1	21.0-33.2	69	14.1	10.0-18.2	92	23.2	16.9-29.5	54	9.2	05.9-12.5	42	10.5	06.6-14.4
Female	621	242,308	95	15.0	11.1-18.9	129	23.6	18.7-28.5	94	14.9	10.8-19.0	159	21.4	17.1-25.7	86	12.2	08.9-15.5	58	12.9	07.6-18.2
White/Non-Hisp	785	387,551	124	15.4	12.1-18.7	190	27.0	22.9-31.1	120	13.9	11.0-16.8	185	21.5	17.6-25.4	85	9.5	07.0-12.0	81	12.7	08.8-16.6
Black or Afr. Am./Non-Hisp	174	50,686	20	17.4	02.5-32.3	23	21.2	05.5-36.9	36	23.1	09.2-37.0	47	16.9	09.1-24.7	36	13.6	06.7-20.5	12	7.8	00.4-15.2
45-54	130	110,963	22	14.8	05.8-23.8	25	25.7	14.9-36.5	19	13.8	06.0-21.6	23	20.3	10.7-29.9	25	11.1	05.6-16.6	16	14.3	04.9-23.7
55-64	299	121,964	54	17.5	12.2-22.8	64	26.4	19.5-33.3	46	16.2	10.7-21.7	66	19.2	13.1-25.3	38	9.9	06.0-13.8	31	10.8	06.5-15.1
65+	535	174,946	69	14.1	10.2-18.0	117	24.1	19.6-28.6	89	15.1	11.4-18.8	152	27.5	23.0-32.0	63	9.9	06.8-13.0	45	9.2	06.1-12.3
Less Than H.S.	129	80,980	16	11.3	05.0-17.6	37	36.5	23.6-49.4	14	6.5	01.8-11.2	31	22.5	11.7-33.3	23	9.9	04.6-15.2	8	13.2	01.6-24.8
H.S. or G.E.D.	442	187,707	73	17.3	12.2-22.4	87	23.0	17.5-28.5	75	15.4	11.1-19.7	104	21.7	16.4-27.0	60	12.7	08.8-16.6	43	9.9	06.0-13.8
Some Post-H.S.	251	139,617	37	14.5	07.6-21.4	58	24.7	17.4-32.0	41	15.2	09.1-21.3	62	23.5	15.5-31.5	28	9.0	04.5-13.5	25	13.2	05.9-20.5
College Graduate	208	68,639	29	18.1	10.3-25.9	44	20.6	13.9-27.3	31	18.1	09.5-26.7	53	21.5	14.2-28.8	28	9.7	04.4-15.0	23	12.0	05.3-18.7
Less than \$15,000	157	70,994	19	14.5	05.7-23.3	25	17.8	09.4-26.2	23	15.0	06.2-23.8	36	26.7	15.9-37.5	41	16.6	09.7-23.5	13	9.4	02.5-16.3
\$15,000- 24,999	264	107,858	41	13.3	08.0-18.6	62	34.2	24.8-43.6	33	11.3	06.2-16.4	68	20.1	12.3-27.9	41	14.1	08.6-19.6	19	7.0	02.9-11.1
\$25,000- 34,999	123	54,699	14	10.7	03.3-18.1	26	28.5	16.5-40.5	25	17.9	08.5-27.3	27	18.8	10.8-26.8	20	12.4	05.5-19.3	11	11.7	02.5-20.9
\$35,000- 49,999	134	63,599	22	20.5	10.5-30.5	34	27.4	16.4-38.4	27	16.7	09.4-24.0	29	20.7	12.5-28.9	13	7.3	01.6-13.0	9	7.4	01.9-12.9
\$50,000- 74,999	106	51,268	16	16.4	07.6-25.2	28	24.0	13.6-34.4	18	13.7	05.9-21.5	28	18.9	09.7-28.1	5	8.7	00.0-17.5	11	18.2	03.5-32.9
\$75,000+	93	60,344	14	21.8	07.9-35.7	21	22.9	12.1-33.7	18	15.1	07.3-22.9	21	23.5	11.0-36.0	8	5.1	00.0-10.2	11	11.6	02.8-20.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	414	237,519	60	16.0	10.7-21.3	97	27.1	21.0-33.2	69	14.1	10.0-18.2	92	23.2	16.9-29.5	54	9.2	05.9-12.5	42	10.5	06.6-14.4
White/Non-Hisp	315	181,681	46	14.8	09.9-19.7	87	30.7	24.0-37.4	49	13.9	09.4-18.4	68	22.0	15.3-28.7	31	7.1	04.0-10.2	34	11.6	06.7-16.5
Black or Afr. Am./Non-Hisp	62	26,937	9	28.0	01.9-54.1	6	19.5	00.0-45.8	16	19.4	01.0-37.8	12	10.3	00.5-20.1	15	16.1	03.9-28.3	4	6.5	00.0-15.9
45-54	62	63,184	11	18.9	04.4-33.4	12	26.5	11.2-41.8	9	11.1	01.9-20.3	12	23.3	09.0-37.6	9	6.1	01.4-10.8	9	14.1	03.1-25.1
55-64	113	58,503	16	13.0	05.9-20.1	29	32.3	20.5-44.1	23	20.3	10.7-29.9	22	18.7	08.5-28.9	14	9.0	02.9-15.1	9	6.6	01.3-11.9
65+	213	86,635	29	16.4	10.1-22.7	49	25.5	18.4-32.6	33	13.0	07.7-18.3	54	23.5	16.8-30.2	27	9.2	04.9-13.5	21	12.4	06.7-18.1
Less Than H.S.	51	40,060	8	14.3	03.5-25.1	14	40.4	20.6-60.2	6	6.0	00.0-12.7	10	26.3	07.9-44.7	11	8.4	02.1-14.7	2	4.5	00.0-11.8
H.S. or G.E.D.	161	87,499	27	17.2	09.2-25.2	37	25.0	16.2-33.8	26	14.7	08.2-21.2	35	20.6	11.6-29.6	21	11.4	05.3-17.5	15	11.1	04.2-18.0
Some Post-H.S.	98	68,680	13	14.3	02.5-26.1	20	25.6	14.6-36.6	17	11.4	04.3-18.5	25	26.0	12.5-39.5	9	7.5	01.2-13.8	14	15.3	06.3-24.3
College Graduate	103	41,142	12	17.8	07.0-28.6	26	20.9	12.3-29.5	20	25.3	12.2-38.4	22	21.2	11.2-31.2	13	8.2	01.7-14.7	10	6.6	01.7-11.5
\$15,000- 24,999	94	50,189	18	17.8	07.8-27.8	24	39.4	22.9-55.9	15	11.8	04.2-19.4	22	19.6	04.5-34.7	12	7.7	02.2-13.2	3	3.7	00.0-08.2
\$25,000- 34,999	62	32,298	3	4.4	00.0-09.9	14	30.8	14.3-47.3	14	19.4	06.5-32.3	11	12.8	04.0-21.6	13	17.0	06.0-28.0	7	15.7	01.0-30.4
\$35,000- 49,999	59	33,648	10	21.6	05.3-37.9	11	23.5	08.4-38.6	11	13.4	04.2-22.6	14	22.0	09.8-34.2	6	7.9	00.0-16.5	7	11.6	01.8-21.4
\$75,000+	55	36,340	8	25.2	04.4-46.0	12	14.2	05.4-23.0	12	14.0	04.6-23.4	12	29.0	11.0-47.0	5	7.3	00.0-15.5	6	10.4	00.0-22.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	621	242,308	95	15.0	11.1-18.9	129	23.6	18.7-28.5	94	14.9	10.8-19.0	159	21.4	17.1-25.7	86	12.2	08.9-15.5	58	12.9	07.6-18.2
White/Non-Hisp	470	205,870	78	16.0	11.7-20.3	103	23.8	18.5-29.1	71	13.9	10.0-17.8	117	21.0	16.3-25.7	54	11.6	07.9-15.3	47	13.8	07.7-19.9
Black or Afr. Am./Non-Hisp	112	23,749	11	5.2	01.5-08.9	17	23.2	06.7-39.7	20	27.3	06.9-47.7	35	24.3	12.5-36.1	21	10.6	04.5-16.7	8	9.3	00.0-21.1
45-54	68	47,779	11	9.5	02.4-16.6	13	24.6	09.7-39.5	10	17.3	04.2-30.4	11	16.5	04.3-28.7	16	17.6	06.6-28.6	7	14.6	00.0-30.5
55-64	186	63,461	38	21.6	14.2-29.0	35	21.0	13.9-28.1	23	12.4	06.3-18.5	44	19.6	12.7-26.5	24	10.8	05.9-15.7	22	14.7	08.0-21.4
65+	322	88,311	40	11.9	07.2-16.6	68	22.8	17.1-28.5	56	17.2	12.1-22.3	98	31.3	25.0-37.6	36	10.6	06.1-15.1	24	6.2	03.3-09.1
Less Than H.S.	78	40,920	8	8.4	01.9-14.9	23	32.7	16.4-49.0	8	7.1	00.4-13.8	21	18.7	08.1-29.3	12	11.4	03.0-19.8	6	21.7	01.7-41.7
H.S. or G.E.D.	281	100,208	46	17.3	10.4-24.2	50	21.2	14.3-28.1	49	16.0	10.3-21.7	69	22.6	16.5-28.7	39	13.9	08.8-19.0	28	9.0	05.1-12.9
Some Post-H.S.	153	70,937	24	14.6	07.3-21.9	38	23.8	14.8-32.8	24	18.8	09.4-28.2	37	21.1	12.1-30.1	19	10.4	03.9-16.9	11	11.2	00.2-22.2
College Graduate	105	27,497	17	18.5	07.5-29.5	18	20.1	09.7-30.5	11	7.3	02.2-12.4	31	22.0	12.4-31.6	15	12.1	03.1-21.1	13	20.0	06.5-33.5
Less than \$15,000	112	43,680	12	15.6	02.9-28.3	17	11.2	04.7-17.7	20	21.0	07.9-34.1	24	20.4	10.6-30.2	30	21.8	11.6-32.0	9	10.1	01.1-19.1
\$15,000- 24,999	170	57,669	23	9.3	04.6-14.0	38	29.7	19.9-39.5	18	10.9	04.2-17.6	46	20.5	13.4-27.6	29	19.8	11.4-28.2	16	9.8	03.1-16.5
\$25,000- 34,999	61	22,401	11	19.9	04.4-35.4	12	25.2	08.1-42.3	11	15.7	02.2-29.2	16	27.4	13.1-41.7	7	5.7	00.8-10.6	4	6.1	00.0-12.2
\$35,000- 49,999	75	29,951	12	19.3	08.3-30.3	23	31.8	15.9-47.7	16	20.3	08.9-31.7	15	19.2	08.4-30.0	7	6.7	00.0-14.1	2	2.7	00.0-06.4
\$50,000- 74,999	62	26,427	10	17.3	04.4-30.2	16	26.4	10.7-42.1	9	7.7	00.6-14.8	20	22.1	07.6-36.6	3	7.2	00.0-16.2	4	19.2	00.0-44.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1003	466,154	482	51.3	46.8-55.8	342	30.8	26.9-34.7	25	2.5	00.9-04.1	28	2.1	00.7-03.5	70	9.0	05.7-12.3	56	4.2	02.6-05.8
Male	396	227,782	199	51.9	44.8-59.0	124	30.4	24.1-36.7	6	0.9	00.1-01.7	14	1.9	00.5-03.3	32	10.6	05.5-15.7	21	4.2	01.8-06.6
Female	607	238,372	283	50.7	44.8-56.6	218	31.2	26.3-36.1	19	4.0	01.3-06.7	14	2.3	00.0-04.7	38	7.4	03.5-11.3	35	4.3	02.3-06.3
White/Non-Hisp	760	374,873	371	52.5	47.6-57.4	266	32.1	27.6-36.6	21	2.2	01.0-03.4	14	1.5	00.5-02.5	47	7.4	04.3-10.5	41	4.4	02.6-06.2
Black or Afr. Am./Non-Hisp	172	51,846	79	43.2	27.1-59.3	52	22.5	10.9-34.1	3	5.9	00.0-15.9	13	7.9	00.0-17.7	14	15.3	00.0-30.6	11	5.1	00.6-09.6
45-54	132	110,265	61	45.8	33.8-57.8	38	26.0	16.4-35.6	4	4.2	00.0-09.5	4	1.2	00.0-03.0	16	17.2	06.0-28.4	9	5.6	01.1-10.1
55-64	296	121,586	154	56.4	49.1-63.7	104	32.0	25.1-38.9	6	1.9	00.1-03.7	7	1.7	00.1-03.3	17	5.2	02.1-08.3	8	2.8	00.4-05.2
65+	509	165,185	229	47.1	41.8-52.4	181	35.8	30.7-40.9	14	2.7	01.1-04.3	16	2.4	01.0-03.8	31	5.9	03.5-08.3	38	6.1	03.7-08.5
Less Than H.S.	124	78,399	57	56.4	43.3-69.5	34	20.7	12.1-29.3	4	3.0	00.0-06.7	4	1.3	00.0-02.7	12	12.1	01.5-22.7	13	6.3	01.4-11.2
H.S. or G.E.D.	416	177,072	196	50.9	44.4-57.4	136	29.9	24.2-35.6	6	1.5	00.1-02.9	17	4.0	00.7-07.3	31	8.2	04.5-11.9	30	5.5	03.1-07.9
Some Post-H.S.	255	141,747	125	48.6	39.6-57.6	89	34.5	26.1-42.9	12	4.2	00.1-08.3	4	0.8	00.0-02.0	16	8.5	01.8-15.2	9	3.3	00.6-06.0
College Graduate	204	67,570	102	52.2	42.4-62.0	82	37.0	27.4-46.6	3	0.7	00.0-01.5	3	1.2	00.0-02.8	10	8.4	01.5-15.3	4	0.4	00.0-00.8
Less than \$15,000	153	67,886	64	46.0	34.4-57.6	43	26.5	17.1-35.9	7	8.2	00.0-16.6	14	4.4	01.3-07.5	12	6.0	01.9-10.1	13	8.9	02.6-15.2
\$15,000- 24,999	247	100,911	114	47.8	38.2-57.4	85	29.9	20.9-38.9	7	2.5	00.3-04.7	5	1.2	00.0-02.4	21	13.6	04.8-22.4	15	4.9	01.2-08.6
\$25,000- 34,999	122	54,529	59	54.4	42.1-66.7	45	33.3	22.3-44.3	2	0.4	00.0-01.0	3	1.0	00.0-02.4	6	7.2	00.0-15.8	7	3.7	00.0-07.6
\$35,000- 49,999	130	59,621	75	61.4	50.6-72.2	44	28.0	18.4-37.6	4	2.4	00.0-04.9				3	5.2	00.0-11.1	4	3.1	00.0-06.2
\$50,000- 74,999	105	50,713	58	56.5	42.4-70.6	35	27.4	16.6-38.2				2	2.4	00.0-05.9	5	10.4	00.0-25.1	5	3.3	00.0-06.8
\$75,000+	92	59,527	44	53.4	39.1-67.7	39	39.2	25.5-52.9	1	0.3	00.0-00.9	1	0.5	00.0-01.5	6	6.5	00.0-13.2	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	396	227,782	199	51.9	44.8-59.0	124	30.4	24.1-36.7	6	0.9	0.1-01.7	14	1.9	0.5-03.3	32	10.6	05.5-15.7	21	4.2	01.8-06.6
White/Non-Hisp	303	174,186	161	52.7	45.3-60.1	93	31.9	24.8-39.0	5	0.9	0.0-01.9	10	2.2	0.4-04.0	18	7.8	03.3-12.3	16	4.4	01.7-07.1
Black or Afr. Am./Non-Hisp	59	25,941	25	47.6	20.6-74.6	17	22.4	02.8-42.0				4	1.9	0.0-04.1	8	20.9	00.0-47.8	5	7.2	00.0-16.0
45-54	62	61,267	28	45.2	28.3-62.1	18	27.6	13.7-41.5				3	1.9	0.0-04.8	8	19.8	04.7-34.9	5	5.5	00.0-11.4
55-64	112	59,523	58	56.1	44.3-67.9	44	35.9	24.5-47.3	1	0.3	0.0-00.9	3	1.9	0.0-04.6	3	2.2	0.0-05.5	3	3.5	00.0-07.6
65+	198	78,446	99	54.4	46.0-62.8	58	28.8	21.2-36.4	4	2.1	0.0-04.5	8	2.6	0.4-04.8	16	6.8	02.9-10.7	13	5.3	01.6-09.0
H.S. or G.E.D.	153	81,638	77	52.9	42.5-63.3	43	27.0	18.2-35.8				8	3.1	0.4-05.8	15	11.6	04.3-18.9	10	5.4	01.5-09.3
Some Post-H.S.	95	69,106	48	54.5	40.0-69.0	31	32.2	18.3-46.1	3	1.3	0.0-02.9	2	1.3	0.0-03.7	8	9.0	01.0-17.0	3	1.7	00.0-04.1
College Graduate	100	40,437	55	48.4	35.3-61.5	37	41.5	28.0-55.0	2	0.9	0.0-02.1	1	0.7	0.0-02.1	4	8.3	00.0-17.7	1	0.2	00.0-00.6
\$15,000- 24,999	84	44,799	41	45.9	29.0-62.8	22	26.8	09.6-44.0	2	2.4	0.0-05.9	4	1.8	0.0-03.8	8	17.9	00.3-35.5	7	5.2	00.0-10.5
\$25,000- 34,999	59	31,203	28	48.0	30.6-65.4	22	35.4	19.5-51.3	1	0.5	0.0-01.5	1	0.4	0.0-01.2	4	11.7	00.0-26.4	3	4.1	00.0-10.4
\$35,000- 49,999	56	30,392	29	57.3	41.4-73.2	21	30.4	15.9-44.9	1	1.3	0.0-03.8				2	6.4	00.0-15.6	3	4.6	00.0-09.9
\$75,000+	54	35,698	25	44.0	23.4-64.6	23	44.9	25.1-64.7	1	0.4	0.0-01.4	1	0.8	0.0-02.4	4	9.9	00.0-20.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	607	238,372	283	50.7	44.8-56.6	218	31.2	26.3-36.1	19	4.0	01.3-06.7	14	2.3	00.0-04.7	38	7.4	03.5-11.3	35	4.3	02.3-06.3
White/Non-Hisp	457	200,688	210	52.2	45.9-58.5	173	32.3	26.8-37.8	16	3.3	01.3-05.3	4	0.9	00.0-01.9	29	7.0	02.7-11.3	25	4.3	01.9-06.7
Black or Afr. Am./Non-Hisp	113	25,906	54	38.7	21.1-56.3	35	22.7	09.8-35.6	3	11.9	00.0-30.9	9	13.9	00.0-32.1	6	9.8	00.0-21.2	6	3.0	00.1-05.9
45-54	70	48,998	33	46.6	29.5-63.7	20	24.0	11.7-36.3	4	9.5	00.0-21.1	1	0.3	00.0-00.9	8	14.0	00.0-29.5	4	5.7	00.0-12.8
55-64	184	62,063	96	56.8	48.2-65.4	60	28.1	20.5-35.7	5	3.5	00.4-06.6	4	1.4	00.0-03.2	14	8.0	02.9-13.1	5	2.2	00.0-04.7
65+	311	86,739	130	40.5	33.8-47.2	123	42.1	35.2-49.0	10	3.2	00.8-05.6	8	2.1	00.1-04.1	15	5.2	02.5-07.9	25	6.8	03.7-09.9
Less Than H.S.	77	41,937	38	62.9	48.0-77.8	21	18.9	09.1-28.7	3	3.9	00.0-09.8	1	0.9	00.0-02.7	8	10.7	02.3-19.1	6	2.6	00.2-05.0
H.S. or G.E.D.	263	95,434	119	49.3	41.1-57.5	93	32.4	25.1-39.7	6	2.8	00.3-05.3	9	4.7	00.0-10.2	16	5.2	02.3-08.1	20	5.6	02.7-08.5
Some Post-H.S.	160	72,641	77	42.9	31.9-53.9	58	36.7	26.3-47.1	9	7.1	00.0-14.5	2	0.3	00.0-00.7	8	8.1	00.0-18.7	6	4.9	00.0-10.0
College Graduate	104	27,132	47	57.9	44.6-71.2	45	30.3	19.3-41.3	1	0.5	00.0-01.5	2	1.8	00.0-04.9	6	8.6	00.0-18.8	3	0.8	00.0-01.8
Less than \$15,000	106	39,570	44	40.5	27.2-53.8	32	29.9	17.9-41.9	7	14.0	00.1-27.9	8	3.9	00.0-07.8	6	4.1	00.0-08.4	9	7.6	00.9-14.3
\$15,000- 24,999	163	56,113	73	49.4	39.0-59.8	63	32.4	23.2-41.6	5	2.6	00.0-05.3	1	0.8	00.0-02.4	13	10.2	03.7-16.7	8	4.6	00.0-09.9
\$25,000- 34,999	63	23,327	31	62.9	47.6-78.2	23	30.5	16.2-44.8	1	0.4	00.0-01.2	2	1.8	00.0-04.5	2	1.3	00.0-03.5	4	3.1	00.0-06.4
\$35,000- 49,999	74	29,229	46	65.6	51.7-79.5	23	25.5	13.3-37.7	3	3.6	00.0-07.9				1	3.9	00.0-11.3	1	1.5	00.0-04.4
\$50,000- 74,999	62	26,427	31	45.8	25.2-66.4	24	32.6	15.9-49.3				1	1.6	00.0-04.7	4	18.4	00.0-44.1	2	1.7	00.0-04.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1042	482,196	234	22.1	18.6-25.6	191	17.1	14.0-20.2	106	11.5	08.6-14.4	146	11.6	08.7-14.5	82	6.4	04.2-08.6	283	31.2	26.9-35.5
Male	410	233,213	105	24.6	18.9-30.3	71	14.8	10.7-18.9	46	10.7	06.6-14.8	52	12.7	07.6-17.8	27	5.0	02.1-07.9	109	32.3	25.6-39.0
Female	632	248,982	129	19.8	15.5-24.1	120	19.3	14.6-24.0	60	12.3	08.2-16.4	94	10.6	07.9-13.3	55	7.8	04.9-10.7	174	30.3	24.6-36.0
White/Non-Hisp	785	385,432	180	21.4	17.7-25.1	148	17.9	14.2-21.6	73	10.8	07.9-13.7	108	11.7	08.6-14.8	48	4.9	03.3-06.5	228	33.2	28.5-37.9
Black or Afr. Am./Non-Hisp	181	54,799	41	24.9	10.8-39.0	30	13.3	06.0-20.6	29	22.1	08.8-35.4	27	7.4	03.3-11.5	23	11.5	01.9-21.1	31	20.8	05.7-35.9
45-54	135	112,282	30	15.9	07.5-24.3	19	13.3	04.9-21.7	18	19.5	09.9-29.1	11	7.0	00.7-13.3	11	3.4	00.7-06.1	46	40.9	29.1-52.7
55-64	302	123,252	81	27.4	20.9-33.9	56	19.6	13.9-25.3	28	7.8	04.5-11.1	44	12.1	07.6-16.6	19	4.8	02.1-07.5	74	28.3	21.2-35.4
65+	534	173,197	106	21.9	17.4-26.4	103	19.0	14.9-23.1	52	9.3	06.4-12.2	84	14.5	11.0-18.0	45	8.2	05.5-10.9	144	27.2	22.5-31.9
Less Than H.S.	132	78,786	23	18.4	09.8-27.0	23	13.7	06.8-20.6	17	12.2	04.9-19.5	11	9.6	00.8-18.4	15	6.4	02.5-10.3	43	39.7	26.0-53.4
H.S. or G.E.D.	445	191,138	106	22.0	17.1-26.9	73	17.1	12.6-21.6	44	10.2	06.3-14.1	62	8.8	06.3-11.3	37	9.9	05.2-14.6	123	32.1	25.8-38.4
Some Post-H.S.	255	141,255	60	23.2	15.6-30.8	45	16.4	09.1-23.7	27	12.1	06.0-18.2	38	15.5	08.6-22.4	19	3.8	01.8-05.8	66	29.0	21.0-37.0
College Graduate	205	68,132	45	25.5	16.5-34.5	50	23.3	15.7-30.9	16	11.0	03.2-18.8	35	14.1	08.0-20.2	11	2.6	00.8-04.4	48	23.5	15.7-31.3
Less than \$15,000	168	74,139	24	18.6	10.2-27.0	22	12.2	06.1-18.3	15	15.4	06.0-24.8	29	11.5	06.0-17.0	22	11.8	03.4-20.2	56	30.4	20.4-40.4
\$15,000- 24,999	257	104,683	58	20.4	13.7-27.1	48	17.2	11.1-23.3	30	13.5	07.0-20.0	26	9.4	01.6-17.2	25	7.4	03.9-10.9	70	32.1	22.9-41.3
\$25,000- 34,999	125	55,147	27	21.0	11.6-30.4	29	19.5	10.1-28.9	14	9.1	02.4-15.8	16	13.0	05.7-20.3	12	6.7	02.0-11.4	27	30.5	18.2-42.8
\$35,000- 49,999	132	61,726	33	23.9	14.7-33.1	24	17.6	09.6-25.6	14	8.5	03.4-13.6	22	15.1	07.8-22.4	6	2.6	00.1-05.1	33	32.3	20.1-44.5
\$50,000- 74,999	103	49,852	34	31.1	19.5-42.7	24	27.6	12.5-42.7	3	5.0	00.0-11.5	16	8.9	03.2-14.6	6	6.0	00.3-11.7	20	21.4	10.2-32.6
\$75,000+	92	59,932	25	28.5	14.4-42.6	19	17.7	08.7-26.7	9	9.8	02.5-17.1	12	7.6	01.9-13.3	2	0.9	00.0-02.3	25	35.4	21.1-49.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	410	233,213	105	24.6	18.9-30.3	71	14.8	10.7-18.9	46	10.7	06.6-14.8	52	12.7	07.6-17.8	27	5.0	02.1-07.9	109	32.3	25.4-39.2
White/Non-Hisp	312	177,433	78	23.0	17.3-28.7	59	15.8	11.1-20.5	27	9.7	05.4-14.0	42	13.1	07.4-18.8	16	3.5	01.5-05.5	90	34.9	27.6-42.2
Black or Afr. Am./Non-Hisp	63	27,637	19	37.4	11.9-62.9	8	11.7	00.3-23.1	16	22.0	02.8-41.2	4	2.0	00.0-04.4	8	5.8	00.7-10.9	8	21.1	00.0-46.6
45-54	63	62,747	15	18.5	05.2-31.8	8	8.1	01.6-14.6	7	16.0	03.5-28.5	6	10.2	00.0-21.2	3	1.2	00.0-02.8	24	46.1	29.0-63.2
55-64	113	59,011	39	32.4	21.8-43.0	17	16.5	07.9-25.1	9	7.2	01.9-12.5	14	10.5	03.4-17.6	6	4.5	00.4-08.6	28	28.9	16.9-40.9
65+	209	83,425	46	25.2	17.8-32.6	41	17.5	11.4-23.6	26	10.4	05.7-15.1	30	13.8	08.7-18.9	16	5.7	02.6-08.8	50	27.5	20.1-34.9
H.S. or G.E.D.	163	88,172	43	22.7	15.3-30.1	28	18.0	10.7-25.3	19	9.7	04.4-15.0	19	6.3	02.8-09.8	13	8.3	01.0-15.6	41	35.0	24.6-45.4
Some Post-H.S.	98	69,800	28	28.2	15.3-41.1	13	12.3	04.3-20.3	8	6.2	00.0-12.9	15	19.1	06.9-31.3	6	2.7	00.2-05.2	28	31.6	18.7-44.5
College Graduate	101	40,720	25	25.2	13.2-37.2	26	22.6	12.8-32.4	11	15.8	03.5-28.1	14	12.7	04.5-20.9	1	0.7	00.0-02.1	24	22.9	12.5-33.3
\$15,000- 24,999	88	47,044	28	24.7	13.1-36.3	13	15.3	05.5-25.1	10	10.1	00.9-19.3	8	12.7	00.0-29.0	7	5.6	00.7-10.5	22	31.6	14.7-48.5
\$25,000- 34,999	64	33,066	13	20.8	08.5-33.1	15	19.5	06.8-32.2	6	6.3	00.0-12.6	8	12.3	02.5-22.1	8	7.9	00.8-15.0	14	33.1	16.8-49.4
\$35,000- 49,999	57	31,775	13	17.9	05.9-29.9	9	15.2	04.0-26.4	9	11.3	02.7-19.9	11	19.5	07.3-31.7	2	3.1	00.0-07.6	13	32.9	14.9-50.9
\$75,000+	55	36,340	12	28.2	07.4-49.0	13	18.1	06.9-29.3	6	7.8	00.5-15.1	5	6.3	00.0-13.4	1	0.8	00.0-02.4	18	38.8	19.2-58.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	632	248,982	129	19.8	15.5-24.1	120	19.3	14.6-24.0	60	12.3	08.2-16.4	94	10.6	07.9-13.3	55	7.8	04.9-10.7	174	30.3	24.6-36.0
White/Non-Hisp	473	207,999	102	20.1	15.4-24.8	89	19.7	14.4-25.0	46	11.7	07.6-15.8	66	10.5	07.4-13.6	32	6.2	03.8-08.6	138	31.8	25.5-38.1
Black or Afr. Am./Non-Hisp	118	27,162	22	12.1	05.0-19.2	22	14.9	05.9-23.9	13	22.1	03.1-41.1	23	12.9	05.1-20.7	15	17.4	00.0-34.8	23	20.6	04.3-36.9
45-54	72	49,536	15	12.7	04.3-21.1	11	19.9	03.8-36.0	11	24.1	09.2-39.0	5	2.9	00.0-05.8	8	6.3	00.6-12.0	22	34.2	18.7-49.7
55-64	189	64,241	42	22.8	15.4-30.2	39	22.4	15.1-29.7	19	8.3	04.0-12.6	30	13.6	08.1-19.1	13	5.1	01.8-08.4	46	27.7	19.5-35.9
65+	325	89,772	60	18.8	13.5-24.1	62	20.3	14.4-26.2	26	8.3	04.6-12.0	54	15.2	10.5-19.9	29	10.5	06.2-14.8	94	27.0	21.3-32.7
Less Than H.S.	85	44,402	14	15.8	05.2-26.4	19	22.4	10.6-34.2	9	9.1	02.0-16.2	7	4.8	00.0-09.7	8	6.5	01.0-12.0	28	41.5	23.9-59.1
H.S. or G.E.D.	282	102,966	63	21.4	15.1-27.7	45	16.3	10.8-21.8	25	10.7	05.0-16.4	43	10.9	07.0-14.8	24	11.2	05.1-17.3	82	29.5	22.1-36.9
Some Post-H.S.	157	71,455	32	18.3	10.7-25.9	32	20.5	09.3-31.7	19	17.8	08.0-27.6	23	12.0	05.9-18.1	13	4.9	01.8-08.0	38	26.5	16.3-36.7
College Graduate	104	27,413	20	25.8	12.5-39.1	24	24.4	12.8-36.0	5	3.9	00.2-07.6	21	16.3	07.3-25.3	10	5.3	01.6-09.0	24	24.4	12.4-36.4
Less than \$15,000	119	46,553	15	17.1	06.3-27.9	16	14.6	06.8-22.4	11	15.8	03.1-28.5	21	11.1	05.2-17.0	16	10.3	04.0-16.6	40	31.1	18.4-43.8
\$15,000- 24,999	169	57,640	30	16.9	09.3-24.5	35	18.8	11.4-26.2	20	16.2	07.6-24.8	18	6.7	02.8-10.6	18	8.9	04.0-13.8	48	32.6	22.8-42.4
\$25,000- 34,999	61	22,080	14	21.4	08.7-34.1	14	19.5	06.0-33.0	8	13.4	00.1-26.7	8	14.1	03.5-24.7	4	5.1	00.0-10.6	13	26.6	08.2-45.0
\$35,000- 49,999	75	29,951	20	30.2	16.5-43.9	15	20.2	09.0-31.4	5	5.6	00.3-10.9	11	10.3	03.2-17.4	4	2.0	00.0-04.2	20	31.8	15.7-47.9
\$50,000- 74,999	62	26,427	15	18.8	06.8-30.8	16	34.6	10.7-58.5	2	7.0	00.0-18.4	12	10.3	02.1-18.5	5	10.5	00.0-21.1	12	18.8	05.5-32.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1070	496,366	163	15.4	12.1-18.7	580	50.2	45.9-54.5	141	13.7	10.8-16.6	150	16.1	12.8-19.4	36	4.6	02.6-06.6
Male	426	244,180	79	19.4	13.7-25.1	216	47.9	41.2-54.6	45	11.6	07.3-15.9	68	16.5	11.6-21.4	18	4.6	01.9-07.3
Female	644	252,186	84	11.5	08.0-15.0	364	52.5	46.6-58.4	96	15.6	11.3-19.9	82	15.8	11.1-20.5	18	4.6	01.7-07.5
White/Non-Hisp	806	400,325	117	13.1	10.2-16.0	440	50.6	45.9-55.3	109	14.4	11.1-17.7	119	18.0	14.1-21.9	21	3.9	01.7-06.1
Black or Afr. Am./Non-Hisp	188	54,868	31	26.2	10.5-41.9	102	46.9	31.6-62.2	25	12.5	02.5-22.5	18	6.3	02.4-10.2	12	8.1	01.2-15.0
45-54	140	117,702	19	16.4	07.4-25.4	57	37.8	26.8-48.8	18	12.7	04.9-20.5	37	25.7	15.5-35.9	9	7.3	01.4-13.2
55-64	304	124,198	35	10.4	06.1-14.7	164	53.3	46.0-60.6	50	16.7	11.4-22.0	45	16.6	10.7-22.5	10	3.0	00.6-05.4
65+	558	182,649	100	17.6	13.7-21.5	324	56.8	51.7-61.9	63	11.4	08.3-14.5	60	11.9	08.6-15.2	11	2.3	00.5-04.1
Less Than H.S.	146	88,623	20	12.6	05.9-19.3	79	53.5	41.5-65.5	15	10.0	03.9-16.1	27	16.7	08.5-24.9	5	7.1	00.0-14.2
H.S. or G.E.D.	449	192,011	59	13.1	08.2-18.0	244	48.3	42.0-54.6	52	12.7	08.4-17.0	72	19.3	14.0-24.6	22	6.7	03.2-10.2
Some Post-H.S.	259	143,332	38	16.0	08.7-23.3	138	50.4	41.6-59.2	46	17.4	10.5-24.3	33	15.1	08.0-22.2	4	1.0	00.0-02.2
College Graduate	211	69,516	45	24.1	15.1-33.1	118	52.2	42.6-61.8	27	11.7	05.8-17.6	17	9.1	03.6-14.6	4	2.8	00.0-06.9
Less than \$15,000	171	76,766	27	18.1	08.9-27.3	85	44.2	33.8-54.6	21	14.9	05.3-24.5	32	19.6	11.4-27.8	6	3.3	00.0-07.0
\$15,000- 24,999	265	108,588	45	15.6	09.7-21.5	144	50.4	41.4-59.4	32	12.3	07.0-17.6	34	16.0	09.9-22.1	10	5.6	01.5-09.7
\$25,000- 34,999	125	55,403	14	12.8	04.6-21.0	72	50.5	38.3-62.7	21	16.3	07.9-24.7	15	16.2	06.2-26.2	3	4.0	00.0-09.5
\$35,000- 49,999	132	62,444	22	10.5	04.8-16.2	69	52.8	41.2-64.4	18	12.4	05.7-19.1	16	13.7	04.5-22.9	7	10.6	01.2-20.0
\$50,000- 74,999	105	51,035	12	6.8	02.1-11.5	60	48.3	34.4-62.2	17	16.9	07.5-26.3	13	21.3	06.4-36.2	3	6.7	00.0-15.1
\$75,000+	94	60,645	15	21.7	07.6-35.8	61	59.1	44.6-73.6	7	8.7	00.0-17.5	11	10.6	02.8-18.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	426	244,180	79	19.4	13.7-25.1	216	47.9	41.2-54.6	45	11.6	07.5-15.7	68	16.5	11.6-21.4	18	4.6	01.9-07.3
White/Non-Hisp	323	187,265	58	16.3	11.4-21.2	164	47.1	40.0-54.2	38	13.3	08.4-18.2	54	19.5	13.4-25.6	9	3.8	01.1-06.5
Black or Afr. Am./Non-Hisp	66	28,014	13	32.2	07.9-56.5	35	52.3	28.4-76.2	6	6.5	00.0-14.3	6	4.5	00.0-09.4	6	4.4	00.0-09.1
45-54	65	65,735	12	24.2	09.5-38.9	24	36.9	21.2-52.6	5	8.8	00.0-18.8	20	24.8	11.9-37.7	4	5.3	00.0-11.4
55-64	114	60,145	11	8.3	02.0-14.6	63	54.6	42.6-66.6	13	12.7	04.9-20.5	23	21.4	11.2-31.6	4	3.0	00.0-06.7
65+	222	90,269	50	21.5	15.0-28.0	119	52.8	44.8-60.8	23	11.2	06.3-16.1	23	11.0	06.1-15.9	7	3.6	00.3-06.9
Less Than H.S.	55	42,511	9	13.4	02.4-24.4	26	49.7	31.3-68.1	4	8.3	00.5-16.1	13	20.9	07.2-34.6	3	7.8	00.0-16.6
H.S. or G.E.D.	167	89,092	29	17.0	09.0-25.0	80	43.9	34.1-53.7	16	9.1	04.0-14.2	31	22.4	13.2-31.6	11	7.6	01.7-13.5
Some Post-H.S.	100	71,162	16	20.1	07.2-33.0	56	51.4	37.7-65.1	12	16.1	05.1-27.1	14	11.6	04.3-18.9	2	0.8	00.0-02.2
College Graduate	103	41,277	25	30.0	16.9-43.1	54	48.5	35.4-61.6	13	12.9	04.1-21.7	10	7.7	02.0-13.4	1	0.9	00.0-02.7
Less than \$15,000	51	30,242	10	25.2	06.8-43.6	25	46.0	28.0-64.0	2	2.8	00.0-07.7	11	19.9	06.4-33.4	3	6.1	00.0-15.3
\$15,000- 24,999	95	50,163	23	21.0	09.8-32.2	44	48.9	32.8-65.0	10	11.4	03.4-19.4	12	13.7	05.3-22.1	6	4.9	00.0-10.0
\$25,000- 34,999	63	32,405	11	19.7	06.4-33.0	32	39.9	24.0-55.8	9	18.6	05.5-31.7	9	19.0	04.1-33.9	2	2.8	00.0-07.7
\$35,000- 49,999	59	33,122	9	7.9	01.2-14.6	32	57.9	40.8-75.0	10	13.7	03.5-23.9	7	16.3	00.6-32.0	1	4.1	00.0-11.9
\$75,000+	54	36,275	12	32.3	11.1-53.5	33	50.9	31.9-69.9	3	10.2	00.0-24.3	6	6.6	00.1-13.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	644	252,186	84	11.5	08.2-14.8	364	52.5	46.8-58.2	96	15.6	11.3-19.9	82	15.8	11.1-20.5	18	4.6	01.7-07.5
White/Non-Hisp	483	213,060	59	10.3	07.2-13.4	276	53.6	47.3-59.9	71	15.3	10.8-19.8	65	16.8	11.3-22.3	12	4.0	00.9-07.1
Black or Afr. Am./Non-Hisp	122	26,855	18	19.9	02.1-37.7	67	41.3	24.2-58.4	19	18.7	00.9-36.5	12	8.1	02.2-14.0	6	12.0	00.0-24.5
45-54	75	51,968	7	6.5	00.8-12.2	33	39.0	23.5-54.5	13	17.7	05.4-30.0	17	27.0	11.3-42.7	5	9.8	00.0-20.8
55-64	190	64,053	24	12.4	06.3-18.5	101	52.1	43.3-60.9	37	20.4	13.1-27.7	22	12.0	06.1-17.9	6	3.1	00.2-06.0
65+	336	92,380	50	13.8	09.1-18.5	205	60.9	54.6-67.2	40	11.6	07.5-15.7	37	12.7	08.2-17.2	4	1.0	00.0-02.2
Less Than H.S.	91	46,112	11	11.9	03.9-19.9	53	57.1	41.2-73.0	11	11.7	02.9-20.5	14	12.9	03.5-22.3	2	6.5	00.0-17.5
H.S. or G.E.D.	282	102,919	30	9.7	04.0-15.4	164	52.0	44.0-60.0	36	15.7	08.8-22.6	41	16.5	10.6-22.4	11	6.0	01.7-10.3
Some Post-H.S.	159	72,170	22	12.0	05.3-18.7	82	49.5	38.1-60.9	34	18.7	10.1-27.3	19	18.5	06.9-30.1	2	1.3	00.0-03.3
College Graduate	108	28,239	20	15.5	06.3-24.7	64	57.7	44.2-71.2	14	10.0	03.3-16.7	7	11.2	00.8-21.6	3	5.6	00.0-15.2
Less than \$15,000	120	46,524	17	13.5	05.7-21.3	60	43.0	30.7-55.3	19	22.7	08.6-36.8	21	19.4	09.2-29.6	3	1.4	00.0-03.2
\$15,000- 24,999	170	58,425	22	11.0	05.3-16.7	100	51.6	41.4-61.8	22	13.2	06.5-19.9	22	18.0	09.4-26.6	4	6.2	00.0-12.5
\$25,000- 34,999	62	22,998	3	3.1	00.0-07.0	40	65.5	49.2-81.8	12	13.2	04.4-22.0	6	12.3	01.3-23.3	1	5.8	00.0-16.8
\$35,000- 49,999	73	29,322	13	13.4	04.2-22.6	37	47.0	31.7-62.3	8	11.0	03.0-19.0	9	10.8	03.0-18.6	6	17.8	00.7-34.9
\$50,000- 74,999	62	26,427	7	7.0	00.0-14.3	38	46.6	26.0-67.2	12	22.8	07.1-38.5	5	23.6	00.0-48.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1080	500,338	201	18.1	14.6-21.6	879	81.9	78.4-85.4
Male	427	245,087	91	21.4	15.7-27.1	336	78.6	72.9-84.3
Female	653	255,252	110	15.0	11.3-18.7	543	85.0	81.3-88.7
White/Non-Hisp	812	403,338	126	16.1	12.6-19.6	686	83.9	80.4-87.4
Black or Afr. Am./Non-Hisp	192	55,699	51	22.8	11.4-34.2	141	77.2	65.8-88.6
45-54	139	117,833	30	20.3	11.5-29.1	109	79.7	70.9-88.5
55-64	309	125,593	64	17.6	12.5-22.7	245	82.4	77.3-87.5
65+	560	182,281	96	17.8	13.9-21.7	464	82.2	78.3-86.1
Less Than H.S.	147	89,037	37	20.6	12.6-28.6	110	79.4	71.4-87.4
H.S. or G.E.D.	458	196,060	88	17.8	12.9-22.7	370	82.2	77.3-87.1
Some Post-H.S.	259	143,451	42	19.0	11.0-27.0	217	81.0	73.0-89.0
College Graduate	211	68,906	33	14.2	07.9-20.5	178	85.8	79.5-92.1
Less than \$15,000	172	78,055	44	31.8	20.4-43.2	128	68.2	56.8-79.6
\$15,000- 24,999	264	108,672	55	19.6	11.4-27.8	209	80.4	72.2-88.6
\$25,000- 34,999	128	56,686	24	18.0	09.8-26.2	104	82.0	73.8-90.2
\$35,000- 49,999	135	64,239	19	11.9	05.8-18.0	116	88.1	82.0-94.2
\$50,000- 74,999	105	50,594	16	14.9	06.1-23.7	89	85.1	76.3-93.9
\$75,000+	95	60,710	14	13.8	04.0-23.6	81	86.2	76.4-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	427	245,087	91	21.4	15.7-27.1	336	78.6	72.9-84.3
White/Non-Hisp	327	189,885	56	19.4	13.1-25.7	271	80.6	74.3-86.9
Black or Afr. Am./Non-Hisp	65	27,347	22	23.7	08.4-39.0	43	76.3	61.0-91.6
45-54	66	66,659	16	20.3	08.1-32.5	50	79.7	67.5-91.9
55-64	116	60,683	27	20.1	11.7-28.5	89	79.9	71.5-88.3
65+	219	88,548	42	20.4	13.9-26.9	177	79.6	73.1-86.1
Less Than H.S.	54	41,845	18	26.2	12.1-40.3	36	73.8	59.7-87.9
H.S. or G.E.D.	168	90,695	32	19.1	10.9-27.3	136	80.9	72.7-89.1
Some Post-H.S.	100	71,068	22	24.2	10.9-37.5	78	75.8	62.5-89.1
College Graduate	104	41,341	19	17.0	08.2-25.8	85	83.0	74.2-91.8
Less than \$15,000	51	30,500	22	50.6	31.4-69.8	29	49.4	30.2-68.6
\$15,000- 24,999	95	50,159	18	20.7	05.2-36.2	77	79.3	63.8-94.8
\$25,000- 34,999	64	33,066	14	17.6	06.6-28.6	50	82.4	71.4-93.4
\$35,000- 49,999	60	34,288	11	13.4	04.8-22.0	49	86.6	78.0-95.2
\$75,000+	55	36,340	8	18.0	02.3-33.7	47	82.0	66.3-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	653	255,252	110	15.0	11.3-18.7	543	85.0	81.3-88.7
White/Non-Hisp	485	213,453	70	13.2	09.5-16.9	415	86.8	83.1-90.5
Black or Afr. Am./Non-Hisp	127	28,352	29	21.8	04.7-38.9	98	78.2	61.1-95.3
45-54	73	51,174	14	20.2	07.3-33.1	59	79.8	66.9-92.7
55-64	193	64,910	37	15.3	09.6-21.0	156	84.7	79.0-90.4
65+	341	93,733	54	15.4	10.7-20.1	287	84.6	79.9-89.3
Less Than H.S.	93	47,193	19	15.6	06.8-24.4	74	84.4	75.6-93.2
H.S. or G.E.D.	290	105,365	56	16.7	11.2-22.2	234	83.3	77.8-88.8
Some Post-H.S.	159	72,383	20	13.9	05.3-22.5	139	86.1	77.5-94.7
College Graduate	107	27,565	14	10.1	01.9-18.3	93	89.9	81.7-98.1
Less than \$15,000	121	47,555	22	19.8	07.5-32.1	99	80.2	67.9-92.5
\$15,000- 24,999	169	58,513	37	18.7	11.3-26.1	132	81.3	73.9-88.7
\$25,000- 34,999	64	23,620	10	18.6	06.1-31.1	54	81.4	68.9-93.9
\$35,000- 49,999	75	29,951	8	10.2	01.6-18.8	67	89.8	81.2-98.4
\$50,000- 74,999	61	25,753	9	15.1	02.2-28.0	52	84.9	72.0-97.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1092	503,986	667	59.5	55.2-63.8	425	40.5	36.2-44.8
Male	431	245,885	265	62.7	56.4-69.0	166	37.3	31.0-43.6
Female	661	258,102	402	56.5	50.6-62.4	259	43.5	37.6-49.4
White/Non-Hisp	819	406,209	497	60.0	55.3-64.7	322	40.0	35.3-44.7
Black or Afr. Am./Non-Hisp	194	56,427	129	53.9	38.6-69.2	65	46.1	30.8-61.4
45-54	141	118,627	83	56.6	45.0-68.2	58	43.4	31.8-55.0
55-64	311	127,070	207	63.1	55.8-70.4	104	36.9	29.6-44.2
65+	569	185,289	334	59.0	53.9-64.1	235	41.0	35.9-46.1
Less Than H.S.	149	89,646	63	42.1	30.5-53.7	86	57.9	46.3-69.5
H.S. or G.E.D.	466	198,569	273	57.5	51.2-63.8	193	42.5	36.2-48.8
Some Post-H.S.	262	145,000	179	67.5	58.9-76.1	83	32.5	23.9-41.1
College Graduate	210	67,887	148	72.1	63.7-80.5	62	27.9	19.5-36.3
Less than \$15,000	176	79,745	90	49.1	38.3-59.9	86	50.9	40.1-61.7
\$15,000- 24,999	270	110,115	169	57.2	48.2-66.2	101	42.8	33.8-51.8
\$25,000- 34,999	128	56,686	80	61.6	50.0-73.2	48	38.4	26.8-50.0
\$35,000- 49,999	135	64,239	88	60.9	49.5-72.3	47	39.1	27.7-50.5
\$50,000- 74,999	105	51,205	70	66.1	51.8-80.4	35	33.9	19.6-48.2
\$75,000+	94	59,079	69	74.1	62.1-86.1	25	25.9	13.9-37.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	431	245,885	265	62.7	56.2-69.2	166	37.3	30.8-43.8
White/Non-Hisp	329	190,600	200	61.8	54.9-68.7	129	38.2	31.3-45.1
Black or Afr. Am./Non-Hisp	66	28,014	44	62.5	38.4-86.6	22	37.5	13.4-61.6
45-54	66	66,659	40	65.9	51.4-80.4	26	34.1	19.6-48.6
55-64	117	61,104	76	59.1	47.3-70.9	41	40.9	29.1-52.7
65+	223	90,555	133	59.5	51.7-67.3	90	40.5	32.7-48.3
Less Than H.S.	55	42,511	27	48.8	30.2-67.4	28	51.2	32.6-69.8
H.S. or G.E.D.	171	91,701	94	55.6	46.0-65.2	77	44.4	34.8-54.0
Some Post-H.S.	101	71,824	72	73.8	62.8-84.8	29	26.2	15.2-37.2
College Graduate	103	39,711	71	73.6	62.6-84.6	32	26.4	15.4-37.4
Less than \$15,000	52	31,167	30	60.0	42.2-77.8	22	40.0	22.2-57.8
\$15,000- 24,999	96	50,449	56	55.0	39.1-70.9	40	45.0	29.1-60.9
\$25,000- 34,999	64	33,066	38	65.8	51.1-80.5	26	34.2	19.5-48.9
\$35,000- 49,999	60	34,288	37	59.8	43.5-76.1	23	40.2	23.9-56.5
\$75,000+	54	34,709	37	68.8	51.9-85.7	17	31.2	14.3-48.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	661	258,102	402	56.5	50.6-62.4	259	43.5	37.6-49.4
White/Non-Hisp	490	215,609	297	58.4	52.1-64.7	193	41.6	35.3-47.9
Black or Afr. Am./Non-Hisp	128	28,413	85	45.3	28.4-62.2	43	54.7	37.8-71.6
45-54	75	51,968	43	44.6	28.9-60.3	32	55.4	39.7-71.1
55-64	194	65,966	131	66.8	58.8-74.8	63	33.2	25.2-41.2
65+	346	94,734	201	58.6	52.3-64.9	145	41.4	35.1-47.7
Less Than H.S.	94	47,135	36	36.0	22.1-49.9	58	64.0	50.1-77.9
H.S. or G.E.D.	295	106,868	179	59.1	51.1-67.1	116	40.9	32.9-48.9
Some Post-H.S.	161	73,176	107	61.2	49.0-73.4	54	38.8	26.6-51.0
College Graduate	107	28,176	77	69.8	56.7-82.9	30	30.2	17.1-43.3
Less than \$15,000	124	48,578	60	42.2	29.9-54.5	64	57.8	45.5-70.1
\$15,000- 24,999	174	59,666	113	59.1	49.1-69.1	61	40.9	30.9-50.9
\$25,000- 34,999	64	23,620	42	55.7	38.1-73.3	22	44.3	26.7-61.9
\$35,000- 49,999	75	29,951	51	62.2	46.3-78.1	24	37.8	21.9-53.7
\$50,000- 74,999	61	26,364	39	61.6	39.3-83.9	22	38.4	16.1-60.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTION IS ABOUT DISCUSSIONS THAT OCCURRED AS PART OF A ROUTINE HEALTH CARE VISIT. DO NOT INCLUDE VISITS WHILE PREGNANT, ALSO CALLED PRENATAL CARE VISITS. HAS A DOCTOR, NURSE, OR OTHER HEALTH CARE WORKER EVER TALKED WITH YOU ABOUT WAYS TO PREPARE FOR A HEALTHY PREGNANCY AND BABY? (PFPPREPR)	
1	FEMALES ONLY	42
2	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	43
3		44
	4	
	DID YOU OR YOUR HUSBAND/PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVNT)	
4	FEMALES ONLY	45
5	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	46
6		47
	4	
	SOME REASONS FOR NOT DOING ANYTHING TO KEEP YOU FROM GETTING PREGNANT THE LAST TIME YOU HAD SEX MIGHT INCLUDE WANTING A PREGNANCY, NOT BEING ABLE TO PAY FOR BIRTH CONTROL, OR NOT THINKING THAT YOU CAN GET PREGNANT. WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE4)	
7	FEMALES ONLY	48
8	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	49
9		50
	4	
	HOW MANY TIMES A WEEK DO YOU CURRENTLY TAKE A MULTIVITAMIN, A PRENATAL VITAMIN, OR A FOLIC ACID VITAMIN? (PFPVITMN)	
10	FEMALES ONLY	51
11	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	52
12		53
	4	
	17	
13	FEMALES ONLY	54
14	THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
15	56
4	
21	
16 FEMALE ONLY	57
17 THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	58
18	59
4	
25	
19 FEMALE ONLY	60
20 THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)	61
21	62
4	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING**

TABLE 1: THE NEXT QUESTION IS ABOUT DISCUSSIONS THAT OCCURRED AS PART OF A ROUTINE HEALTH CARE VISIT. DO NOT INCLUDE VISITS WHILE PREGNANT, ALSO CALLED PRENATAL CARE VISITS. HAS A DOCTOR, NURSE, OR OTHER HEALTH CARE WORKER EVER TALKED WITH YOU ABOUT WAYS TO PREPARE FOR A HEALTHY PREGNANCY AND BABY? (PFPPREPR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	929	1,063,614	439	46.4	41.9-50.9	490	53.6	49.1-58.1
White/Non-Hisp	711	845,021	322	44.7	39.6-49.8	389	55.3	50.2-60.4
Black or Afr. Am./Non-Hisp	121	123,190	61	55.0	40.5-69.5	60	45.0	30.5-59.5
Hispanic	52	51,755	31	44.9	23.5-66.3	21	55.1	33.7-76.5
18-24	91	290,510	33	35.2	23.4-47.0	58	64.8	53.0-76.6
25-34	323	374,966	160	51.4	44.3-58.5	163	48.6	41.5-55.7
35-44	471	380,633	236	50.6	44.9-56.3	235	49.4	43.7-55.1
Less Than H.S.	76	151,364	40	45.8	31.1-60.5	36	54.2	39.5-68.9
H.S. or G.E.D.	227	280,252	108	47.1	37.5-56.7	119	52.9	43.3-62.5
Some Post-H.S.	283	369,642	139	48.2	40.2-56.2	144	51.8	43.8-59.8
College Graduate	341	260,340	151	43.3	36.6-50.0	190	56.7	50.0-63.4
Less than \$15,000	102	104,880	52	57.9	43.4-72.4	50	42.1	27.6-56.6
\$15,000- 24,999	127	159,229	59	40.5	28.5-52.5	68	59.5	47.5-71.5
\$25,000- 34,999	76	103,107	40	54.7	38.4-71.0	36	45.3	29.0-61.6
\$35,000- 49,999	114	118,285	53	43.4	30.3-56.5	61	56.6	43.5-69.7
\$50,000- 74,999	150	159,114	67	46.4	34.8-58.0	83	53.6	42.0-65.2
\$75,000+	228	222,208	114	51.8	43.8-59.8	114	48.2	40.2-56.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING**

TABLE 2: THE NEXT SET OF QUESTIONS ASKS YOU ABOUT YOUR THOUGHTS AND EXPERIENCES WITH FAMILY PLANNING. PLEASE REMEMBER THAT ALL OF YOUR ANSWERS WILL BE KEPT CONFIDENTIAL. HAVE YOU EVER BEEN PREGNANT? (PFPPRGNT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	934	1,067,379	762	72.7	68.0-77.4	172	27.3	22.6-32.0
White/Non-Hisp	715	848,628	575	71.1	65.8-76.4	140	28.9	23.6-34.2
Black or Afr. Am./Non-Hisp	123	123,431	104	87.4	78.8-96.0	19	12.6	04.0-21.2
Hispanic	51	51,672	45	62.3	37.6-87.0	6	37.7	13.0-62.4
18-24	91	290,510	34	33.3	21.9-44.7	57	66.7	55.3-78.1
25-34	325	376,813	267	84.9	80.2-89.6	58	15.1	10.4-19.8
35-44	474	382,550	425	90.1	86.8-93.4	49	9.9	06.6-13.2
Less Than H.S.	77	152,330	68	74.1	59.0-89.2	9	25.9	10.8-41.0
H.S. or G.E.D.	228	280,360	188	74.8	65.8-83.8	40	25.2	16.2-34.2
Some Post-H.S.	282	368,923	236	70.5	61.9-79.1	46	29.5	20.9-38.1
College Graduate	345	263,749	269	72.8	65.9-79.7	76	27.2	20.3-34.1
Less than \$15,000	105	106,087	86	76.7	62.0-91.4	19	23.3	08.6-38.0
\$15,000- 24,999	126	158,510	96	63.3	50.6-76.0	30	36.7	24.0-49.4
\$25,000- 34,999	76	103,107	62	76.3	61.0-91.6	14	23.7	08.4-39.0
\$35,000- 49,999	115	118,760	92	80.9	69.3-92.5	23	19.1	07.5-30.7
\$50,000- 74,999	149	159,031	122	78.1	67.1-89.1	27	21.9	10.9-32.9
\$75,000+	231	225,093	210	83.5	75.9-91.1	21	16.5	08.9-24.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING**

**TABLE 3: DID YOU OR YOUR HUSBAND/PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVNT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	918	1,053,145	462	49.1	44.4-53.8	392	38.3	34.0-42.6	61	12.3	08.6-16.0	3	0.4	00.0-00.8
White/Non-Hisp	703	839,405	360	49.5	44.4-54.6	297	36.9	32.0-41.8	44	13.3	08.8-17.8	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	119	118,419	59	48.2	33.1-63.3	48	43.1	28.4-57.8	12	8.7	01.8-15.6			
Hispanic	51	51,672	28	51.6	29.3-73.9	21	37.8	17.0-58.6	2	10.7	00.0-28.5			
18-24	89	285,763	43	47.3	35.0-59.6	18	19.0	09.2-28.8	28	33.7	21.9-45.5			
25-34	322	372,184	183	53.6	46.5-60.7	127	41.9	34.8-49.0	11	4.2	01.3-07.1	1	0.3	00.0-00.9
35-44	470	379,509	229	47.2	41.5-52.9	219	47.9	42.2-53.6	20	4.1	01.7-06.5	2	0.7	00.0-01.7
Less Than H.S.	77	152,330	33	42.3	27.8-56.8	34	39.8	25.7-53.9	9	17.2	04.3-30.1	1	0.7	00.0-02.1
H.S. or G.E.D.	223	277,047	112	50.2	40.6-59.8	94	34.4	25.8-43.0	17	15.4	07.2-23.6			
Some Post-H.S.	278	363,927	128	45.6	37.6-53.6	132	43.8	35.8-51.8	16	9.9	04.0-15.8	2	0.8	00.0-02.0
College Graduate	338	257,824	189	57.1	50.2-64.0	130	33.4	27.1-39.7	19	9.5	04.2-14.8			
Less than \$15,000	104	105,815	48	45.2	30.5-59.9	44	42.1	28.4-55.8	10	10.0	00.0-20.0	2	2.7	00.0-06.4
\$15,000- 24,999	125	158,411	54	41.8	29.3-54.3	61	47.8	35.3-60.3	10	10.4	03.3-17.5			
\$25,000- 34,999	76	103,107	39	51.6	34.9-68.3	34	42.6	25.9-59.3	3	5.8	00.0-14.6			
\$35,000- 49,999	115	118,760	57	51.6	38.3-64.9	50	44.0	31.1-56.9	7	3.5	00.6-06.4	1	0.9	00.0-02.7
\$50,000- 74,999	147	158,341	81	58.8	47.0-70.6	61	33.2	22.6-43.8	5	8.0	00.0-17.2			
\$75,000+	228	220,593	128	56.0	48.0-64.0	92	35.9	28.5-43.3	8	8.1	01.6-14.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING**

TABLE 4: WHAT DID YOU OR YOUR HUSBAND/PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCTR6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (1-6)			Drugs (7,8)			Condoms (11,12,13)			External Contraceptives (9,10,11,16)			Withdrawal, Rhythm, No Sex(14,15)			Emergencies or Other (17,18)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	440	493,247	189	36.0	29.9-42.1	98	24.0	18.1-29.9	132	36.0	29.1-42.9	9	1.2	00.2-02.2	9	1.8	00.4-03.2	3	1.1	00.0-02.3
White/Non-Hisp	344	394,353	156	37.6	30.9-44.3	79	23.9	17.6-30.2	93	34.2	26.8-41.6	6	1.2	00.0-02.4	8	2.2	00.6-03.8	2	0.8	00.0-02.0
Black or Afr. Am./Non-Hisp	55	55,087	17	30.5	10.9-50.1	9	23.8	00.7-46.9	26	44.0	20.5-67.5	2	1.3	00.0-03.5	1	0.4	00.0-01.2			
25-34	174	191,909	61	34.1	25.3-42.9	48	28.7	19.5-37.9	57	34.2	24.8-43.6	5	1.2	00.0-02.6	3	1.7	00.0-03.9			
35-44	220	174,458	118	54.9	46.3-63.5	37	15.7	09.6-21.8	54	23.5	16.1-30.9	3	0.8	00.0-02.0	6	3.2	00.5-05.9	2	1.9	00.0-04.4
H.S. or G.E.D.	107	133,587	39	26.5	14.9-38.1	21	22.8	10.5-35.1	36	44.1	29.4-58.8	4	0.9	00.0-02.1	6	4.2	00.3-08.1	1	1.4	00.0-04.1
Some Post-H.S.	122	153,487	58	39.3	27.9-50.7	25	20.6	10.4-30.8	33	35.7	23.0-48.4	1	0.1	00.0-00.3	3	2.1	00.0-04.6	2	2.2	00.0-05.3
College Graduate	181	143,578	81	42.4	33.8-51.0	42	23.6	16.0-31.2	55	32.2	23.4-41.0	3	1.7	00.0-03.7						
\$15,000- 24,999	53	64,206	17	27.9	11.6-44.2	11	17.0	03.1-30.9	19	47.2	26.4-68.0	2	2.0	00.0-04.9	3	3.0	00.0-07.1	1	2.8	00.0-08.3
\$35,000- 49,999	53	59,538	19	29.4	12.7-46.1	10	32.7	09.4-56.0	23	36.4	16.6-56.2				1	1.5	00.0-04.4			
\$50,000- 74,999	78	89,356	35	38.0	24.3-51.7	20	26.4	12.7-40.1	19	31.5	16.8-46.2	2	1.2	00.0-03.4	1	1.3	00.0-03.8	1	1.6	00.0-04.7
\$75,000+	124	118,608	68	51.1	40.7-61.5	27	23.1	13.5-32.7	26	22.3	13.5-31.1	1	0.7	00.0-02.1	1	1.3	00.0-03.8	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING**

TABLE 5: SOME REASONS FOR NOT DOING ANYTHING TO KEEP YOU FROM GETTING PREGNANT THE LAST TIME YOU HAD SEX MIGHT INCLUDE WANTING A PREGNANCY, NOT BEING ABLE TO PAY FOR BIRTH CONTROL, OR NOT THINKING THAT YOU CAN GET PREGNANT. WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, same sex partner(1,17)			Want to get pregnant currently pregnant (2,16)			Don't want to use, can't pay for BC (3,4,5,6,7)			Surgical (11,12,13)			Religious Physical (8,10,14,15)			Lapse Method or Other (9,18)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	357	381,707	4	1.5	00.0-03.3	36	11.5	07.0-16.0	87	26.5	19.8-33.2	131	33.3	27.0-39.6	51	11.7	07.0-16.4	48	15.5	09.8-21.2
White/Non-Hisp	272	291,439	2	0.9	00.0-02.3	33	13.1	07.8-18.4	64	25.6	18.3-32.9	105	35.3	28.2-42.4	36	9.9	04.6-15.2	32	15.2	08.5-21.9
25-34	117	148,235	1	1.3	00.0-03.8	15	15.9	07.1-24.7	48	38.8	27.2-50.4	30	25.8	16.2-35.4	11	7.3	02.4-12.2	12	10.9	03.8-18.0
35-44	205	172,257	3	2.1	00.0-05.2	16	8.6	03.7-13.5	31	14.3	08.4-20.2	97	51.2	43.0-59.4	32	11.0	06.5-15.5	26	12.7	07.4-18.0
H.S. or G.E.D.	87	91,116				6	9.2	01.4-17.0	27	35.8	21.5-50.1	30	30.0	17.8-42.2	14	16.9	06.3-27.5	10	8.1	02.4-13.8
Some Post-H.S.	121	152,689	2	1.4	00.0-03.9	12	10.5	04.0-17.0	23	23.2	12.2-34.2	51	38.6	27.8-49.4	15	7.8	03.1-12.5	18	18.6	08.2-29.0
College Graduate	116	77,484	1	1.0	00.0-03.0	14	12.6	05.7-19.5	29	25.6	15.4-35.8	37	28.9	19.1-38.7	18	10.1	04.2-16.0	17	21.8	10.2-33.4
\$15,000- 24,999	58	74,106				4	7.4	00.0-15.0	14	17.4	04.7-30.1	18	35.2	18.1-52.3	12	18.7	05.6-31.8	10	21.4	03.4-39.4
\$50,000- 74,999	57	50,016				11	15.9	04.9-26.9	15	36.4	14.8-58.0	22	30.8	15.1-46.5	3	6.6	00.0-15.0	6	10.2	00.8-19.6
\$75,000+	83	71,742	1	1.1	00.0-03.3	9	14.8	04.8-24.8	18	27.3	14.8-39.8	40	44.1	31.4-56.8	10	6.6	01.7-11.5	5	6.2	00.7-11.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING**

TABLE 6: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You Do Not Want To Have One			LT 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	592	737,845	317	43.2	37.5-48.9	62	10.2	06.7-13.7	68	8.5	06.0-11.0	88	15.1	10.8-19.4	57	23.1	17.0-29.2
White/Non-Hisp	436	574,195	235	42.0	35.7-48.3	51	10.8	07.1-14.5	52	9.4	06.3-12.5	62	14.9	10.2-19.6	36	22.9	15.8-30.0
Black or Afr. Am./Non-Hisp	93	93,147	49	47.9	30.7-65.1	6	11.1	00.0-24.2	6	2.8	00.0-06.1	18	22.6	04.6-40.6	14	15.7	03.9-27.5
18-24	83	267,551	14	14.0	05.4-22.6	5	6.4	00.5-12.3	3	0.7	00.0-01.5	23	20.6	11.0-30.2	38	58.3	45.8-70.8
25-34	232	268,594	95	43.6	35.0-52.2	33	15.0	08.3-21.7	40	17.5	11.2-23.8	49	19.2	12.1-26.3	15	4.7	01.4-08.0
35-44	252	189,745	184	80.4	74.9-85.9	23	9.1	05.0-13.2	25	7.2	03.7-10.7	16	2.4	00.8-04.0	4	0.9	00.0-01.9
H.S. or G.E.D.	148	206,006	86	43.8	32.4-55.2	14	8.6	02.5-14.7	13	7.5	02.2-12.8	19	16.4	06.0-26.8	16	23.6	12.0-35.2
Some Post-H.S.	172	247,820	92	40.1	30.3-49.9	13	7.7	01.8-13.6	21	8.3	03.8-12.8	30	19.9	11.5-28.3	16	24.0	12.4-35.6
College Graduate	223	174,877	110	45.9	37.5-54.3	31	14.8	09.1-20.5	33	14.5	08.6-20.4	35	13.0	07.7-18.3	14	11.9	03.9-19.9
Less than \$15,000	73	77,517	39	49.5	32.4-66.6	4	5.6	00.0-11.5	6	5.9	00.6-11.2	14	13.1	04.3-21.9	10	26.0	07.6-44.4
\$15,000- 24,999	88	110,883	41	39.4	24.9-53.9	8	8.7	01.4-16.0	12	7.1	01.8-12.4	13	11.6	03.6-19.6	14	33.2	16.3-50.1
\$25,000- 34,999	53	80,151	29	49.3	29.3-69.3	7	11.9	00.0-26.8	6	12.4	00.4-24.4	8	18.9	01.8-36.0	3	7.4	00.0-18.6
\$35,000- 49,999	74	76,778	39	36.8	22.1-51.5	9	13.7	04.1-23.3	7	4.8	00.5-09.1	17	35.5	16.3-54.7	2	9.2	00.0-21.9
\$50,000- 74,999	89	106,220	49	53.9	38.2-69.6	7	6.2	00.9-11.5	15	11.6	04.0-19.2	12	7.3	01.8-12.8	6	21.0	04.5-37.5
\$75,000+	126	131,793	75	53.6	42.4-64.8	15	9.6	04.5-14.7	20	17.0	08.8-25.2	10	13.0	03.2-22.8	6	6.8	00.0-13.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 5: PRECONCEPTION HEALTH, FAMILY PLANNING**

TABLE 7: HOW MANY TIMES A WEEK DO YOU CURRENTLY TAKE A MULTIVITAMIN, A PRENATAL VITAMIN, OR A FOLIC ACID VITAMIN? (PFPVITMN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 times a week			1 to 3 times a week			4 to 6 times a week			Every day of the week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	795	932,909	394	49.7	44.6-54.8	83	11.1	07.8-14.4	50	6.4	03.9-08.9	268	32.8	28.1-37.5
White/Non-Hisp	603	737,231	277	48.5	42.8-54.2	66	10.9	07.2-14.6	40	5.2	03.0-07.4	220	35.4	30.1-40.7
Black or Afr. Am./Non-Hisp	108	111,538	73	56.9	40.8-73.0	7	11.9	01.1-22.7	5	10.7	00.0-22.5	23	20.5	07.4-33.6
18-24	90	288,521	51	50.2	37.9-62.5	11	14.9	05.7-24.1	5	6.0	00.3-11.7	23	28.9	17.5-40.3
25-34	292	337,150	145	51.6	44.2-59.0	16	5.3	02.0-08.6	20	7.3	02.8-11.8	111	35.7	28.8-42.6
35-44	374	291,263	184	47.6	41.1-54.1	51	14.1	09.8-18.4	24	6.2	03.3-09.1	115	32.1	26.0-38.2
Less Than H.S.	60	129,224	33	51.1	34.4-67.8	8	17.9	04.6-31.2	4	8.2	00.0-17.4	15	22.8	09.3-36.3
H.S. or G.E.D.	195	250,328	110	56.8	46.4-67.2	25	8.8	03.5-14.1	4	2.8	00.0-06.5	56	31.6	21.8-41.4
Some Post-H.S.	230	311,732	121	50.9	41.7-60.1	20	9.6	03.7-15.5	5	2.6	00.0-06.5	84	36.9	28.1-45.7
College Graduate	308	240,006	129	39.7	32.6-46.8	30	12.1	06.4-17.8	37	14.2	08.7-19.7	112	34.1	27.6-40.6
Less than \$15,000	93	96,345	61	55.8	40.1-71.5	9	15.0	02.7-27.3	3	2.4	00.0-05.7	20	26.8	12.5-41.1
\$15,000- 24,999	107	132,212	56	54.9	41.4-68.4	12	9.1	02.4-15.8	3	1.6	00.0-04.1	36	34.5	22.0-47.0
\$25,000- 34,999	66	93,586	35	50.6	33.0-68.2	2	2.0	00.0-04.9	4	9.1	00.0-21.8	25	38.2	21.0-55.4
\$35,000- 49,999	94	94,839	46	51.0	35.7-66.3	9	17.8	03.7-31.9	4	3.1	00.0-06.4	35	28.0	17.0-39.0
\$50,000- 74,999	127	143,604	50	41.1	28.9-53.3	21	10.9	05.2-16.6	13	6.9	02.4-11.4	43	41.1	28.4-53.8
\$75,000+	188	189,632	85	49.8	40.8-58.8	12	4.9	02.0-07.8	16	8.9	03.4-14.4	75	36.3	27.9-44.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 9: CARDIOVASCULAR HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)	
1 MALES AND FEMALES	64
2 MALES ONLY	65
3 FEMALES ONLY	66
FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)	
4 MALES AND FEMALES	67
5 MALES ONLY	68
6 FEMALES ONLY	69
DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7 MALES AND FEMALES	70
8 MALES ONLY	71
9 FEMALES ONLY	72
DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10 MALES AND FEMALES	73
11 MALES ONLY	74
12 FEMALES ONLY	75

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 1: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	487	231,623	216	45.0	38.7-51.3	271	55.0	48.7-61.3
Male	243	142,745	127	52.8	44.0-61.6	116	47.2	38.4-56.0
Female	244	88,878	89	32.5	24.9-40.1	155	67.5	59.9-75.1
White/Non-Hisp	388	200,912	180	45.9	38.8-53.0	208	54.1	47.0-61.2
Black or Afr. Am./Non-Hisp	63	18,537	26	45.7	26.7-64.7	37	54.3	35.3-73.3
55-64	106	53,765	46	44.5	33.1-55.9	60	55.5	44.1-66.9
65+	315	116,641	146	46.6	39.5-53.7	169	53.4	46.3-60.5
Less Than H.S.	74	52,232	24	34.7	18.0-51.4	50	65.3	48.6-82.0
H.S. or G.E.D.	219	97,688	93	47.0	37.6-56.4	126	53.0	43.6-62.4
Some Post-H.S.	117	59,303	59	46.7	35.1-58.3	58	53.3	41.7-64.9
College Graduate	74	21,518	40	57.9	44.8-71.0	34	42.1	29.0-55.2
Less than \$15,000	96	51,892	27	31.1	14.4-47.8	69	68.9	52.2-85.6
\$15,000- 24,999	119	48,552	46	36.4	25.2-47.6	73	63.6	52.4-74.8
\$25,000- 34,999	58	28,605	29	50.9	34.0-67.8	29	49.1	32.2-66.0
\$35,000- 49,999	61	28,671	33	54.5	39.6-69.4	28	45.5	30.6-60.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 2: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	243	142,745	127	52.8	43.8-61.8	116	47.2	38.2-56.2
White/Non-Hisp	203	127,198	106	51.7	42.1-61.3	97	48.3	38.7-57.9
55-64	61	36,028	29	47.5	32.8-62.2	32	52.5	37.8-67.2
65+	152	68,200	82	54.5	44.7-64.3	70	45.5	35.7-55.3
H.S. or G.E.D.	98	56,029	48	55.0	42.1-67.9	50	45.0	32.1-57.9
Some Post-H.S.	58	34,439	33	56.5	40.8-72.2	25	43.5	27.8-59.2
College Graduate	53	16,965	31	61.8	47.1-76.5	22	38.2	23.5-52.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 3: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	244	88,878	89	32.5	24.9-40.1	155	67.5	59.9-75.1
White/Non-Hisp	185	73,714	74	35.7	27.3-44.1	111	64.3	55.9-72.7
65+	163	48,441	64	35.4	26.4-44.4	99	64.6	55.6-73.6
H.S. or G.E.D.	121	41,659	45	36.4	25.2-47.6	76	63.6	52.4-74.8
Some Post-H.S.	59	24,863	26	33.1	17.0-49.2	33	66.9	50.8-83.0
Less than \$15,000	59	23,180	13	21.6	07.7-35.5	46	78.4	64.5-92.3
\$15,000- 24,999	73	24,398	27	34.2	20.5-47.9	46	65.8	52.1-79.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 4: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	338	159,008	129	35.1	27.8-42.4	209	64.9	57.6-72.2
Male	132	82,984	56	36.0	24.6-47.4	76	64.0	52.6-75.4
Female	206	76,025	73	34.2	25.4-43.0	133	65.8	57.0-74.6
White/Non-Hisp	254	123,841	93	33.1	25.5-40.7	161	66.9	59.3-74.5
Black or Afr. Am./Non-Hisp	55	23,014	24	45.2	17.2-73.2	31	54.8	26.8-82.8
55-64	86	40,167	35	45.3	31.4-59.2	51	54.7	40.8-68.6
65+	201	68,778	75	38.8	30.0-47.6	126	61.2	52.4-70.0
Less Than H.S.	61	35,696	27	38.4	19.8-57.0	34	61.6	43.0-80.2
H.S. or G.E.D.	147	65,248	52	32.1	21.3-42.9	95	67.9	57.1-78.7
Some Post-H.S.	85	42,275	25	28.6	16.4-40.8	60	71.4	59.2-83.6
Less than \$15,000	89	42,058	41	43.5	27.2-59.8	48	56.5	40.2-72.8
\$15,000- 24,999	83	42,628	29	31.4	16.7-46.1	54	68.6	53.9-83.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 5: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	132	82,984	56	36.0	24.4-47.6	76	64.0	52.4-75.6
White/Non-Hisp	99	61,377	38	32.7	21.3-44.1	61	67.3	55.9-78.7
65+	71	32,657	32	46.9	32.2-61.6	39	53.1	38.4-67.8
H.S. or G.E.D.	58	38,199	21	23.8	10.7-36.9	37	76.2	63.1-89.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 6: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	206	76,025	73	34.2	25.4-43.0	133	65.8	57.0-74.6
White/Non-Hisp	155	62,463	55	33.6	24.0-43.2	100	66.4	56.8-76.0
65+	130	36,121	43	31.4	21.6-41.2	87	68.6	58.8-78.4
H.S. or G.E.D.	89	27,049	31	43.8	30.3-57.3	58	56.2	42.7-69.7
Some Post-H.S.	56	27,182	14	20.9	07.8-34.0	42	79.1	66.0-92.2
Less than \$15,000	63	25,294	26	40.9	22.3-59.5	37	59.1	40.5-77.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6692	4,431,143	2464	27.2	25.6-28.8	4228	72.8	71.2-74.4
Male	2480	2,149,465	1018	29.4	26.9-31.9	1462	70.6	68.1-73.1
Female	4212	2,281,678	1446	25.2	23.2-27.2	2766	74.8	72.8-76.8
White/Non-Hisp	5469	3,699,439	2080	28.5	26.9-30.1	3389	71.5	69.9-73.1
Black or Afr. Am./Non-Hisp	752	345,988	247	22.6	16.9-28.3	505	77.4	71.7-83.1
Oth. Race/Non-Hisp.	90	75,618	26	21.9	07.2-36.6	64	78.1	63.4-92.8
MultiRacial/Non-Hisp.	77	79,436	21	15.1	05.5-24.7	56	84.9	75.3-94.5
Hispanic	185	164,179	53	19.4	10.4-28.4	132	80.6	71.6-89.6
18-24	173	593,467	10	6.6	02.1-11.1	163	93.4	88.9-97.9
25-34	470	750,746	49	11.8	07.9-15.7	421	88.2	84.3-92.1
35-44	778	770,326	100	14.0	10.9-17.1	678	86.0	82.9-89.1
45-54	1214	830,605	294	26.6	23.3-29.9	920	73.4	70.1-76.7
55-64	1580	674,855	679	44.6	41.5-47.7	901	55.4	52.3-58.5
65+	2412	782,136	1309	56.3	53.8-58.8	1103	43.7	41.2-46.2
Less Than H.S.	620	622,038	243	27.8	22.7-32.9	377	72.2	67.1-77.3
H.S. or G.E.D.	2489	1,534,002	1046	33.3	30.6-36.0	1443	66.7	64.0-69.4
Some Post-H.S.	1632	1,312,846	558	23.4	20.9-25.9	1074	76.6	74.1-79.1
College Graduate	1929	949,081	608	22.0	19.6-24.4	1321	78.0	75.6-80.4
Less than \$15,000	734	441,770	287	32.1	27.0-37.2	447	67.9	62.8-73.0
\$15,000- 24,999	1165	683,634	492	31.9	27.8-36.0	673	68.1	64.0-72.2
\$25,000- 34,999	723	472,917	277	26.7	22.0-31.4	446	73.3	68.6-78.0
\$35,000- 49,999	912	542,986	361	33.0	28.7-37.3	551	67.0	62.7-71.3
\$50,000- 74,999	864	614,552	283	24.4	20.5-28.3	581	75.6	71.7-79.5
\$75,000+	1259	927,723	351	21.5	18.8-24.2	908	78.5	75.8-81.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2480	2,149,465	1018	29.4	27.0-31.8	1462	70.6	68.2-73.0
White/Non-Hisp	2057	1,771,215	879	31.3	28.6-34.0	1178	68.7	66.0-71.4
Black or Afr. Am./Non-Hisp	228	144,985	79	24.0	14.8-33.2	149	76.0	66.8-85.2
Hispanic	67	91,598	23	16.8	06.4-27.2	44	83.2	72.8-93.6
18-24	83	304,947	5	5.7	00.0-11.6	78	94.3	88.4-0100
25-34	150	378,059	18	12.5	06.2-18.8	132	87.5	81.2-93.8
35-44	308	392,819	51	17.1	12.0-22.2	257	82.9	77.8-88.0
45-54	506	401,299	143	31.5	26.4-36.6	363	68.5	63.4-73.6
55-64	604	334,976	314	51.2	46.3-56.1	290	48.8	43.9-53.7
65+	809	325,963	481	61.2	57.1-65.3	328	38.8	34.7-42.9
Less Than H.S.	247	340,183	93	26.8	19.5-34.1	154	73.2	65.9-80.5
H.S. or G.E.D.	878	771,403	394	33.1	28.8-37.4	484	66.9	62.6-71.2
Some Post-H.S.	566	576,495	224	26.9	22.4-31.4	342	73.1	68.6-77.6
College Graduate	782	454,615	305	27.7	23.8-31.6	477	72.3	68.4-76.2
Less than \$15,000	218	200,254	79	26.7	18.7-34.7	139	73.3	65.3-81.3
\$15,000- 24,999	388	314,758	171	32.6	25.9-39.3	217	67.4	60.7-74.1
\$25,000- 34,999	289	239,607	123	31.4	23.6-39.2	166	68.6	60.8-76.4
\$35,000- 49,999	366	266,600	178	39.3	32.2-46.4	188	60.7	53.6-67.8
\$50,000- 74,999	349	310,204	148	30.1	24.0-36.2	201	69.9	63.8-76.0
\$75,000+	574	477,058	206	26.6	22.1-31.1	368	73.4	68.9-77.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4212	2,281,678	1446	25.2	23.2-27.2	2766	74.8	72.8-76.8
White/Non-Hisp	3412	1,928,224	1201	25.8	23.8-27.8	2211	74.2	72.2-76.2
Black or Afr. Am./Non-Hisp	524	201,003	168	21.5	14.4-28.6	356	78.5	71.4-85.6
Hispanic	118	72,582	30	22.5	07.6-37.4	88	77.5	62.6-92.4
18-24	90	288,521	5	7.5	00.4-14.6	85	92.5	85.4-99.6
25-34	320	372,687	31	11.1	06.4-15.8	289	88.9	84.2-93.6
35-44	470	377,507	49	10.8	07.3-14.3	421	89.2	85.7-92.7
45-54	708	429,306	151	22.1	18.0-26.2	557	77.9	73.8-82.0
55-64	976	339,879	365	38.2	34.3-42.1	611	61.8	57.9-65.7
65+	1603	456,173	828	52.9	50.0-55.8	775	47.1	44.2-50.0
Less Than H.S.	373	281,855	150	29.1	21.8-36.4	223	70.9	63.6-78.2
H.S. or G.E.D.	1611	762,599	652	33.5	30.0-37.0	959	66.5	63.0-70.0
Some Post-H.S.	1066	736,351	334	20.6	17.5-23.7	732	79.4	76.3-82.5
College Graduate	1147	494,466	303	16.8	14.1-19.5	844	83.2	80.5-85.9
Less than \$15,000	516	241,516	208	36.5	30.0-43.0	308	63.5	57.0-70.0
\$15,000- 24,999	777	368,876	321	31.2	26.1-36.3	456	68.8	63.7-73.9
\$25,000- 34,999	434	233,310	154	21.8	16.7-26.9	280	78.2	73.1-83.3
\$35,000- 49,999	546	276,385	183	27.0	21.9-32.1	363	73.0	67.9-78.1
\$50,000- 74,999	515	304,348	135	18.6	14.1-23.1	380	81.4	76.9-85.9
\$75,000+	685	450,665	145	16.1	12.8-19.4	540	83.9	80.6-87.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4181	3,198,454	353	5.3	04.5-06.1	251	4.3	03.5-05.1	3577	90.5	89.3-91.7
Male	1452	1,504,668	87	2.4	01.8-03.0	55	2.7	01.7-03.7	1310	94.9	93.7-96.1
Female	2729	1,693,786	266	7.8	06.4-09.2	196	5.7	04.3-07.1	2267	86.5	84.7-88.3
White/Non-Hisp	3358	2,625,550	299	5.5	04.7-06.3	202	4.4	03.4-05.4	2857	90.1	88.9-91.3
Black or Afr. Am./Non-Hisp	495	266,138	39	7.1	03.2-11.0	34	4.5	02.3-06.7	422	88.4	83.9-92.9
Oth. Race/Non-Hisp.	63	58,811	1	0.5	00.0-01.5	4	6.7	00.0-17.3	58	92.8	82.0-0100
MultiRacial/Non-Hisp.	53	65,758	3	2.1	00.0-04.8	2	0.8	00.0-02.0	48	97.1	94.0-0100
Hispanic	131	131,939	4	1.5	00.0-03.5	7	2.5	00.1-04.9	120	96.0	93.1-98.9
18-24	163	554,536	2	0.6	00.0-01.6	3	2.3	00.0-05.2	158	97.1	94.0-0100
25-34	418	654,573	16	3.4	01.6-05.2	12	2.1	00.7-03.5	390	94.5	92.3-96.7
35-44	670	654,797	28	3.8	02.0-05.6	18	2.9	01.1-04.7	624	93.3	90.9-95.7
45-54	912	607,015	53	5.8	03.8-07.8	54	5.7	03.7-07.7	805	88.5	86.0-91.0
55-64	898	371,619	74	7.3	05.3-09.3	66	6.8	04.8-08.8	758	85.9	83.2-88.6
65+	1079	335,835	180	16.8	14.1-19.5	95	8.6	06.6-10.6	804	74.6	71.5-77.7
Less Than H.S.	370	446,425	49	6.8	04.1-09.5	29	5.3	02.2-08.4	292	87.9	83.8-92.0
H.S. or G.E.D.	1423	1,014,873	127	5.2	04.0-06.4	93	4.4	03.2-05.6	1203	90.4	88.6-92.2
Some Post-H.S.	1063	994,873	92	5.8	04.2-07.4	71	4.6	02.8-06.4	900	89.6	87.2-92.0
College Graduate	1313	736,187	84	3.5	02.5-04.5	58	3.1	02.1-04.1	1171	93.4	92.0-94.8
Less than \$15,000	432	296,466	65	10.6	06.7-14.5	46	8.0	03.7-12.3	321	81.4	75.9-86.9
\$15,000- 24,999	667	461,050	70	6.1	03.9-08.3	49	5.6	03.2-08.0	548	88.2	85.1-91.3
\$25,000- 34,999	445	346,406	41	6.1	03.7-08.5	30	5.8	02.9-08.7	374	88.1	84.4-91.8
\$35,000- 49,999	546	361,384	52	6.1	03.9-08.3	31	3.3	01.5-05.1	463	90.6	87.9-93.3
\$50,000- 74,999	576	461,102	33	4.0	02.2-05.8	25	4.2	01.1-07.3	518	91.8	88.3-95.3
\$75,000+	906	725,433	27	2.3	01.3-03.3	36	2.9	01.7-04.1	843	94.8	93.2-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1452	1,504,668	87	2.4	01.8-03.0	55	2.7	01.7-03.7	1310	94.9	93.7-96.1
White/Non-Hisp	1171	1,205,381	76	2.7	01.9-03.5	46	2.7	01.7-03.7	1049	94.5	93.1-95.9
Black or Afr. Am./Non-Hisp	147	109,292	7	1.0	00.2-01.8	5	1.8	00.0-04.0	135	97.1	94.7-99.5
18-24	78	287,578							78	100.0	0100-0100
25-34	130	324,960	1	0.3	00.0-00.9	1	0.5	00.0-01.5	128	99.2	98.0-0100
35-44	256	323,423	5	1.2	00.0-02.8	5	2.8	00.0-05.7	246	96.0	92.7-99.3
45-54	361	273,611	16	3.7	01.5-05.9	17	5.4	02.5-08.3	328	90.9	87.4-94.4
55-64	288	161,938	14	2.6	01.0-04.2	12	4.4	01.5-07.3	262	93.0	89.7-96.3
65+	325	124,904	51	13.4	09.3-17.5	20	6.1	03.2-09.0	254	80.5	75.6-85.4
Less Than H.S.	151	247,650	16	3.8	01.4-06.2	7	3.5	00.2-06.8	128	92.7	88.6-96.8
H.S. or G.E.D.	479	511,914	32	2.4	01.4-03.4	18	3.0	01.2-04.8	429	94.6	92.4-96.8
Some Post-H.S.	340	415,113	14	1.7	00.3-03.1	13	2.2	00.6-03.8	313	96.1	93.9-98.3
College Graduate	477	327,381	25	2.1	01.1-03.1	17	2.2	00.8-03.6	435	95.7	93.9-97.5
Less than \$15,000	135	145,459	19	5.2	02.1-08.3	7	3.4	00.5-06.3	109	91.3	86.8-95.8
\$15,000- 24,999	215	208,084	15	3.9	00.8-07.0	10	4.6	00.5-08.7	190	91.5	86.4-96.6
\$25,000- 34,999	166	164,047	10	2.1	00.5-03.7	6	4.3	00.0-08.6	150	93.6	89.1-98.1
\$35,000- 49,999	187	161,675	17	3.8	01.4-06.2	7	2.4	00.0-04.8	163	93.7	90.6-96.8
\$50,000- 74,999	201	215,900	6	0.7	00.1-01.3	7	2.5	00.0-05.0	188	96.8	94.3-99.3
\$75,000+	368	347,859	7	0.9	00.1-01.7	8	1.3	00.3-02.3	353	97.8	96.4-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 9: CARDIOVASCULAR HEALTH**

TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	1,693,786	266	7.8	06.4-09.2	196	5.7	04.3-07.1	2267	86.5	84.7-88.3
White/Non-Hisp	2187	1,420,169	223	7.8	06.4-09.2	156	5.9	04.3-07.5	1808	86.4	84.4-88.4
Black or Afr. Am./Non-Hisp	348	156,846	32	11.3	04.8-17.8	29	6.3	02.8-09.8	287	82.4	75.1-89.7
Hispanic	88	56,400	4	3.6	00.0-07.9	5	2.4	00.0-04.9	79	94.0	88.9-99.1
18-24	85	266,958	2	1.3	00.0-03.3	3	4.8	00.0-10.9	80	93.9	87.4-0100
25-34	288	329,613	15	6.5	03.0-10.0	11	3.6	01.2-06.0	262	89.9	85.8-94.0
35-44	414	331,373	23	6.2	03.1-09.3	13	3.1	01.1-05.1	378	90.7	87.2-94.2
45-54	551	333,404	37	7.5	04.4-10.6	37	6.0	03.6-08.4	477	86.5	82.8-90.2
55-64	610	209,682	60	10.9	07.8-14.0	54	8.7	06.0-11.4	496	80.5	76.6-84.4
65+	754	210,931	129	18.8	15.3-22.3	75	10.1	07.6-12.6	550	71.1	67.2-75.0
Less Than H.S.	219	198,776	33	10.5	05.4-15.6	22	7.6	01.7-13.5	164	82.0	74.4-89.6
H.S. or G.E.D.	944	502,959	95	8.1	05.7-10.5	75	5.8	04.0-07.6	774	86.2	83.3-89.1
Some Post-H.S.	723	579,760	78	8.7	06.2-11.2	58	6.3	03.6-09.0	587	85.0	81.3-88.7
College Graduate	836	408,806	59	4.7	03.1-06.3	41	3.8	02.4-05.2	736	91.5	89.3-93.7
Less than \$15,000	297	151,006	46	15.8	09.3-22.3	39	12.5	05.1-19.9	212	71.8	62.8-80.8
\$15,000- 24,999	452	252,966	55	7.9	04.8-11.0	39	6.5	03.8-09.2	358	85.6	81.5-89.7
\$25,000- 34,999	279	182,360	31	9.7	05.4-14.0	24	7.1	03.2-11.0	224	83.2	77.3-89.1
\$35,000- 49,999	359	199,709	35	7.9	04.6-11.2	24	4.0	01.6-06.4	300	88.1	84.0-92.2
\$50,000- 74,999	375	245,202	27	6.9	03.6-10.2	18	5.7	00.4-11.0	330	87.4	81.5-93.3
\$75,000+	538	377,574	20	3.6	01.8-05.4	28	4.5	02.5-06.5	490	92.0	89.5-94.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)	
1	MALES AND FEMALES	78
2	MALES ONLY	79
3	FEMALES ONLY	80
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)	
4	MALES AND FEMALES	81
5	MALES ONLY	82
6	FEMALES ONLY	83
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)	
7	MALES AND FEMALES	84
8	MALES ONLY	85
9	FEMALES ONLY	86
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)	
10	MALES AND FEMALES	87
11	MALES ONLY	88
12	FEMALES ONLY	89
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)	
13	MALES AND FEMALES	90
14	MALES ONLY	91
15	FEMALES ONLY	92
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)	
16	MALES AND FEMALES	93
17	MALES ONLY	94
18	FEMALES ONLY	95

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)	
19	MALES AND FEMALES	96
20	MALES ONLY	97
21	FEMALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)	
22	MALES AND FEMALES	99
23	MALES ONLY	100
24	FEMALES ONLY	101
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)	
25	MALES AND FEMALES	102
26	MALES ONLY	103
27	FEMALES ONLY	104
	WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)	
28	MALES AND FEMALES	105
29	MALES ONLY	106
30	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 1: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3046	1,466,927	2236	73.1	70.6-75.6	810	26.9	24.4-29.4
Male	1142	747,507	812	70.1	65.8-74.4	330	29.9	25.6-34.2
Female	1904	719,421	1424	76.3	73.6-79.0	480	23.7	21.0-26.4
White/Non-Hisp	2419	1,229,240	1731	73.0	70.5-75.5	688	27.0	24.5-29.5
Black or Afr. Am./Non-Hisp	444	143,797	366	80.8	72.2-89.4	78	19.2	10.6-27.8
Hispanic	66	31,432	50	48.7	27.9-69.5	16	51.3	30.5-72.1
25-34	62	125,189	42	64.9	48.8-81.0	20	35.1	19.0-51.2
35-44	146	155,123	114	76.2	67.4-85.0	32	23.8	15.0-32.6
45-54	408	287,992	330	81.6	76.9-86.3	78	18.4	13.7-23.1
55-64	816	336,928	654	79.2	75.7-82.7	162	20.8	17.3-24.3
65+	1577	511,262	1070	67.6	64.7-70.5	507	32.4	29.5-35.3
Less Than H.S.	341	217,627	238	66.9	59.1-74.7	103	33.1	25.3-40.9
H.S. or G.E.D.	1247	548,248	929	74.7	70.6-78.8	318	25.3	21.2-29.4
Some Post-H.S.	746	447,431	565	74.3	69.4-79.2	181	25.7	20.8-30.6
College Graduate	698	246,723	495	73.0	68.5-77.5	203	27.0	22.5-31.5
Less than \$15,000	416	201,426	319	79.0	72.7-85.3	97	21.0	14.7-27.3
\$15,000- 24,999	677	293,795	489	70.7	65.0-76.4	188	29.3	23.6-35.0
\$25,000- 34,999	353	163,168	257	71.0	63.6-78.4	96	29.0	21.6-36.4
\$35,000- 49,999	425	196,455	306	71.7	66.0-77.4	119	28.3	22.6-34.0
\$50,000- 74,999	331	178,121	248	68.4	59.2-77.6	83	31.6	22.4-40.8
\$75,000+	368	212,105	284	79.0	73.7-84.3	84	21.0	15.7-26.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 2: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1142	747,507	812	70.1	65.8-74.4	330	29.9	25.6-34.2
White/Non-Hisp	931	622,608	649	70.4	66.1-74.7	282	29.6	25.3-33.9
Black or Afr. Am./Non-Hisp	141	70,620	113	77.0	61.3-92.7	28	23.0	07.3-38.7
35-44	73	98,698	56	78.1	66.7-89.5	17	21.9	10.5-33.3
45-54	184	149,850	142	76.0	68.4-83.6	42	24.0	16.4-31.6
55-64	317	173,415	254	79.4	73.9-84.9	63	20.6	15.1-26.1
65+	526	212,372	332	62.6	57.5-67.7	194	37.4	32.3-42.5
Less Than H.S.	119	111,843	80	63.7	50.8-76.6	39	36.3	23.4-49.2
H.S. or G.E.D.	432	276,464	311	69.9	62.8-77.0	121	30.1	23.0-37.2
Some Post-H.S.	270	214,138	200	72.9	64.7-81.1	70	27.1	18.9-35.3
College Graduate	317	142,664	219	71.5	64.8-78.2	98	28.5	21.8-35.2
Less than \$15,000	118	86,281	86	77.3	65.1-89.5	32	22.7	10.5-34.9
\$15,000- 24,999	205	111,573	147	65.2	54.2-76.2	58	34.8	23.8-45.8
\$25,000- 34,999	157	99,221	104	69.0	58.6-79.4	53	31.0	20.6-41.4
\$35,000- 49,999	189	109,965	135	69.0	60.4-77.6	54	31.0	22.4-39.6
\$50,000- 74,999	145	102,523	103	59.1	45.6-72.6	42	40.9	27.4-54.4
\$75,000+	197	130,290	144	75.8	68.5-83.1	53	24.2	16.9-31.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 3: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1904	719,421	1424	76.3	73.6-79.0	480	23.7	21.0-26.4
White/Non-Hisp	1488	606,632	1082	75.6	72.7-78.5	406	24.4	21.5-27.3
Black or Afr. Am./Non-Hisp	303	73,177	253	84.5	77.2-91.8	50	15.5	08.2-22.8
35-44	73	56,426	58	73.0	59.3-86.7	15	27.0	13.3-40.7
45-54	224	138,142	188	87.6	82.7-92.5	36	12.4	07.5-17.3
55-64	499	163,513	400	78.9	74.4-83.4	99	21.1	16.6-25.6
65+	1051	298,890	738	71.2	67.7-74.7	313	28.8	25.3-32.3
Less Than H.S.	222	105,784	158	70.3	61.7-78.9	64	29.7	21.1-38.3
H.S. or G.E.D.	815	271,785	618	79.6	76.3-82.9	197	20.4	17.1-23.7
Some Post-H.S.	476	233,293	365	75.6	70.1-81.1	111	24.4	18.9-29.9
College Graduate	381	104,059	276	75.0	69.5-80.5	105	25.0	19.5-30.5
Less than \$15,000	298	115,145	233	80.3	74.0-86.6	65	19.7	13.4-26.0
\$15,000- 24,999	472	182,222	342	74.1	68.6-79.6	130	25.9	20.4-31.4
\$25,000- 34,999	196	63,947	153	74.3	63.9-84.7	43	25.7	15.3-36.1
\$35,000- 49,999	236	86,491	171	75.1	68.4-81.8	65	24.9	18.2-31.6
\$50,000- 74,999	186	75,598	145	81.0	73.4-88.6	41	19.0	11.4-26.6
\$75,000+	171	81,815	140	84.1	77.2-91.0	31	15.9	09.0-22.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 4: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3054	1,470,968	2394	77.5	75.1-79.9	431	15.8	13.6-18.0	229	6.7	05.5-07.9
Male	1144	748,673	861	74.4	70.5-78.3	192	18.7	15.0-22.4	91	6.9	04.9-08.9
Female	1910	722,295	1533	80.6	78.1-83.1	239	12.9	10.7-15.1	138	6.5	04.9-08.1
White/Non-Hisp	2427	1,232,793	1873	77.4	75.0-79.8	383	16.0	13.8-18.2	171	6.6	05.2-08.0
Black or Afr. Am./Non-Hisp	443	144,222	376	79.0	69.4-88.6	25	12.3	03.5-21.1	42	8.7	03.2-14.2
Hispanic	66	31,432	53	80.7	67.6-93.8	9	16.5	03.8-29.2	4	2.8	00.0-05.9
25-34	62	125,189	48	77.3	63.2-91.4	11	16.5	03.6-29.4	3	6.1	00.0-13.9
35-44	145	154,406	118	77.0	68.2-85.8	22	18.8	10.8-26.8	5	4.2	00.0-08.5
45-54	412	290,532	312	79.1	74.2-84.0	70	15.6	11.3-19.9	30	5.4	02.7-08.1
55-64	819	338,415	655	78.7	75.0-82.4	110	14.7	11.4-18.0	54	6.7	04.5-08.9
65+	1581	512,374	1235	77.8	75.3-80.3	212	13.7	11.5-15.9	134	8.5	06.7-10.3
Less Than H.S.	341	216,423	275	81.1	74.4-87.8	33	11.9	05.6-18.2	33	7.1	04.0-10.2
H.S. or G.E.D.	1252	549,063	978	75.2	71.1-79.3	165	16.5	12.6-20.4	109	8.3	05.9-10.7
Some Post-H.S.	748	450,789	594	78.3	74.0-82.6	103	16.0	12.1-19.9	51	5.6	03.2-08.0
College Graduate	698	247,125	539	78.4	74.3-82.5	125	16.9	13.4-20.4	34	4.8	02.4-07.2
Less than \$15,000	416	201,602	328	77.7	71.0-84.4	44	13.1	07.8-18.4	44	9.3	04.4-14.2
\$15,000- 24,999	678	295,062	538	75.4	69.7-81.1	83	17.2	11.9-22.5	57	7.5	04.6-10.4
\$25,000- 34,999	354	163,234	280	78.5	71.6-85.4	52	17.8	11.1-24.5	22	3.7	01.7-05.7
\$35,000- 49,999	424	196,197	326	75.8	70.3-81.3	71	15.9	11.2-20.6	27	8.3	04.8-11.8
\$50,000- 74,999	334	180,035	266	78.3	71.0-85.6	46	14.2	07.7-20.7	22	7.5	03.4-11.6
\$75,000+	370	212,704	288	79.6	74.7-84.5	67	16.6	12.1-21.1	15	3.7	01.3-06.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 5: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1144	748,673	861	74.4	70.5-78.3	192	18.7	15.0-22.4	91	6.9	04.9-08.9
White/Non-Hisp	934	623,872	688	74.7	70.8-78.6	170	17.9	14.4-21.4	76	7.4	05.2-09.6
Black or Afr. Am./Non-Hisp	140	70,523	119	75.5	59.0-92.0	12	20.4	03.7-37.1	9	4.1	00.0-08.2
35-44	73	98,698	59	77.2	65.6-88.8	11	17.1	06.7-27.5	3	5.7	00.0-12.2
45-54	185	150,118	144	78.0	70.6-85.4	31	18.1	11.0-25.2	10	3.9	00.6-07.2
55-64	318	174,107	247	76.7	70.8-82.6	49	16.8	11.5-22.1	22	6.5	03.4-09.6
65+	526	212,579	382	72.4	67.7-77.1	91	16.9	13.0-20.8	53	10.7	07.6-13.8
Less Than H.S.	119	111,705	97	80.6	69.4-91.8	10	13.3	02.5-24.1	12	6.2	01.7-10.7
H.S. or G.E.D.	434	276,870	319	69.3	62.2-76.4	71	21.8	14.7-28.9	44	9.0	05.7-12.3
Some Post-H.S.	268	213,772	203	76.5	69.4-83.6	49	18.1	11.8-24.4	16	5.4	01.5-09.3
College Graduate	318	143,257	241	77.7	71.6-83.8	59	16.7	11.6-21.8	18	5.7	02.0-09.4
Less than \$15,000	118	86,682	90	76.8	65.0-88.6	14	15.2	05.0-25.4	14	8.0	01.3-14.7
\$15,000- 24,999	206	112,344	148	62.3	51.1-73.5	40	29.3	18.1-40.5	18	8.4	01.9-14.9
\$25,000- 34,999	157	98,620	121	79.3	70.3-88.3	30	18.5	09.7-27.3	6	2.2	00.2-04.2
\$35,000- 49,999	186	108,811	136	71.0	62.4-79.6	30	16.6	09.2-24.0	20	12.4	06.3-18.5
\$50,000- 74,999	147	103,197	114	73.6	62.2-85.0	19	16.9	06.5-27.3	14	9.5	03.2-15.8
\$75,000+	198	130,558	151	79.2	72.5-85.9	38	17.0	10.7-23.3	9	3.8	00.9-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 6: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1910	722,295	1533	80.6	78.1-83.1	239	12.9	10.7-15.1	138	6.5	04.9-08.1
White/Non-Hisp	1493	608,922	1185	80.3	77.6-83.0	213	14.1	11.7-16.5	95	5.7	04.3-07.1
Black or Afr. Am./Non-Hisp	303	73,699	257	82.3	72.3-92.3	13	4.6	01.1-08.1	33	13.1	03.5-22.7
35-44	72	55,709	59	76.6	63.7-89.5	11	21.8	09.1-34.5	2	1.6	00.0-04.5
45-54	227	140,414	168	80.2	74.1-86.3	39	12.9	08.2-17.6	20	6.9	02.8-11.0
55-64	501	164,308	408	80.7	76.4-85.0	61	12.5	09.0-16.0	32	6.8	04.1-09.5
65+	1055	299,795	853	81.6	78.7-84.5	121	11.5	09.0-14.0	81	7.0	05.2-08.8
Less Than H.S.	222	104,718	178	81.6	74.7-88.5	23	10.3	04.6-16.0	21	8.1	03.8-12.4
H.S. or G.E.D.	818	272,193	659	81.2	77.3-85.1	94	11.2	08.5-13.9	65	7.6	04.5-10.7
Some Post-H.S.	480	237,017	391	80.0	74.9-85.1	54	14.2	09.5-18.9	35	5.9	03.4-08.4
College Graduate	380	103,868	298	79.4	74.3-84.5	66	17.1	12.4-21.8	16	3.5	01.5-05.5
Less than \$15,000	298	114,920	238	78.3	70.5-86.1	30	11.5	06.0-17.0	30	10.3	03.6-17.0
\$15,000- 24,999	472	182,719	390	83.4	78.7-88.1	43	9.7	05.8-13.6	39	6.9	04.2-09.6
\$25,000- 34,999	197	64,614	159	77.1	66.7-87.5	22	16.8	06.4-27.2	16	6.0	02.5-09.5
\$35,000- 49,999	238	87,386	190	81.8	75.9-87.7	41	15.0	09.7-20.3	7	3.3	00.8-05.8
\$50,000- 74,999	187	76,838	152	84.5	77.8-91.2	27	10.7	05.6-15.8	8	4.8	00.5-09.1
\$75,000+	172	82,145	137	80.4	73.1-87.7	29	16.0	09.5-22.5	6	3.6	00.0-07.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 7: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3056	1,470,065	972	36.0	33.3-38.7	599	20.9	18.5-23.3	1485	43.1	40.4-45.8
Male	1145	746,756	424	39.9	35.6-44.2	291	26.2	22.3-30.1	430	33.9	29.8-38.0
Female	1911	723,310	548	32.0	28.9-35.1	308	15.4	13.2-17.6	1055	52.6	49.3-55.9
White/Non-Hisp	2429	1,232,096	743	34.6	31.7-37.5	524	22.2	19.7-24.7	1162	43.2	40.5-45.9
Black or Afr. Am./Non-Hisp	443	144,016	166	44.1	33.9-54.3	47	10.9	05.0-16.8	230	45.0	35.0-55.0
Hispanic	66	31,432	28	51.2	30.2-72.2	10	18.9	04.4-33.4	28	29.9	11.9-47.9
25-34	61	124,250	28	48.3	31.8-64.8	15	28.9	13.0-44.8	18	22.7	10.7-34.7
35-44	146	154,663	62	41.0	30.8-51.2	34	24.1	15.5-32.7	50	34.9	24.9-44.9
45-54	411	289,765	152	39.2	33.1-45.3	85	21.4	16.1-26.7	174	39.4	33.3-45.5
55-64	814	334,891	317	40.6	36.1-45.1	152	19.0	15.7-22.3	345	40.4	36.1-44.7
65+	1588	516,164	399	26.5	23.6-29.4	309	19.9	17.5-22.3	880	53.6	50.5-56.7
Less Than H.S.	342	215,180	83	32.9	24.7-41.1	31	8.3	04.0-12.6	228	58.9	50.7-67.1
H.S. or G.E.D.	1252	551,168	395	34.3	30.0-38.6	186	19.1	15.2-23.0	671	46.6	42.3-50.9
Some Post-H.S.	749	449,476	262	40.2	34.9-45.5	156	23.2	18.3-28.1	331	36.6	31.7-41.5
College Graduate	698	246,673	227	35.1	29.8-40.4	222	31.4	26.7-36.1	249	33.5	28.0-39.0
Less than \$15,000	416	201,278	138	38.2	30.2-46.2	37	9.7	05.2-14.2	241	52.1	44.3-59.9
\$15,000- 24,999	678	294,850	198	32.5	26.6-38.4	94	15.8	11.3-20.3	386	51.8	45.9-57.7
\$25,000- 34,999	355	163,975	131	45.5	36.5-54.5	57	16.0	09.7-22.3	167	38.5	30.9-46.1
\$35,000- 49,999	429	197,786	140	35.2	29.1-41.3	95	21.4	16.3-26.5	194	43.4	37.1-49.7
\$50,000- 74,999	333	180,742	110	32.8	25.2-40.4	102	33.9	25.3-42.5	121	33.3	25.1-41.5
\$75,000+	368	210,600	137	43.0	36.3-49.7	125	31.3	25.0-37.6	106	25.7	20.2-31.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 8: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1145	746,756	424	39.9	35.4-44.4	291	26.2	22.3-30.1	430	33.9	29.8-38.0
White/Non-Hisp	934	621,857	329	37.0	32.5-41.5	260	28.0	23.7-32.3	345	34.9	30.6-39.2
Black or Afr. Am./Non-Hisp	141	70,620	66	58.7	42.8-74.6	18	10.9	00.5-21.3	57	30.3	15.4-45.2
35-44	73	98,698	29	39.5	26.0-53.0	22	31.1	18.6-43.6	22	29.4	16.7-42.1
45-54	185	150,118	73	38.6	30.0-47.2	50	27.8	19.4-36.2	62	33.6	25.4-41.8
55-64	315	170,921	142	48.3	41.2-55.4	64	20.8	15.3-26.3	109	30.9	24.8-37.0
65+	530	213,848	162	33.2	28.1-38.3	146	27.0	22.5-31.5	222	39.8	34.7-44.9
Less Than H.S.	120	110,855	38	39.3	26.4-52.2	9	7.4	00.3-14.5	73	53.3	40.4-66.2
H.S. or G.E.D.	433	276,740	166	38.4	31.5-45.3	88	26.4	19.5-33.3	179	35.3	29.0-41.6
Some Post-H.S.	269	213,532	112	46.0	37.0-55.0	71	29.6	21.0-38.2	86	24.5	17.8-31.2
College Graduate	318	142,560	108	35.3	27.7-42.9	119	34.4	27.1-41.7	91	30.4	21.8-39.0
Less than \$15,000	118	86,649	47	50.8	36.7-64.9	13	11.5	02.3-20.7	58	37.7	25.4-50.0
\$15,000- 24,999	206	112,344	71	33.1	24.1-42.1	41	23.7	14.5-32.9	94	43.2	32.8-53.6
\$25,000- 34,999	158	99,361	59	50.7	38.0-63.4	30	15.6	07.6-23.6	69	33.7	23.3-44.1
\$35,000- 49,999	190	110,214	76	37.8	28.8-46.8	41	21.9	14.3-29.5	73	40.4	31.4-49.4
\$50,000- 74,999	146	102,821	52	31.0	20.4-41.6	53	42.0	29.1-54.9	41	27.0	15.6-38.4
\$75,000+	197	130,003	75	43.0	34.0-52.0	80	36.5	27.7-45.3	42	20.4	13.7-27.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 9: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1911	723,310	548	32.0	28.9-35.1	308	15.4	13.2-17.6	1055	52.6	49.3-55.9
White/Non-Hisp	1495	610,239	414	32.2	28.9-35.5	264	16.3	13.9-18.7	817	51.5	48.0-55.0
Black or Afr. Am./Non-Hisp	302	73,396	100	30.0	19.0-41.0	29	10.9	04.8-17.0	173	59.1	47.5-70.7
35-44	73	55,965	33	43.6	29.1-58.1	12	11.7	03.7-19.7	28	44.7	29.6-59.8
45-54	226	139,647	79	39.9	31.5-48.3	35	14.4	08.9-19.9	112	45.7	36.9-54.5
55-64	499	163,970	175	32.6	27.5-37.7	88	17.1	13.2-21.0	236	50.3	44.8-55.8
65+	1058	302,316	237	21.7	18.6-24.8	163	14.8	12.3-17.3	658	63.5	60.0-67.0
Less Than H.S.	222	104,325	45	26.1	16.7-35.5	22	9.2	04.3-14.1	155	64.7	55.3-74.1
H.S. or G.E.D.	819	274,428	229	30.2	25.3-35.1	98	11.7	09.0-14.4	492	58.1	53.0-63.2
Some Post-H.S.	480	235,944	150	35.0	28.9-41.1	85	17.5	12.8-22.2	245	47.5	41.2-53.8
College Graduate	380	104,113	119	35.0	28.1-41.9	103	27.2	21.3-33.1	158	37.8	31.3-44.3
Less than \$15,000	298	114,628	91	28.6	21.5-35.7	24	8.3	04.4-12.2	183	63.1	55.5-70.7
\$15,000- 24,999	472	182,506	127	32.1	24.5-39.7	53	10.9	07.0-14.8	292	57.0	49.6-64.4
\$25,000- 34,999	197	64,614	72	37.6	27.8-47.4	27	16.5	06.5-26.5	98	45.9	36.1-55.7
\$35,000- 49,999	239	87,572	64	31.9	23.7-40.1	54	20.8	14.5-27.1	121	47.2	39.2-55.2
\$50,000- 74,999	187	77,921	58	35.0	24.4-45.6	49	23.3	15.3-31.3	80	41.7	30.5-52.9
\$75,000+	171	80,596	62	42.8	33.0-52.6	45	22.9	15.5-30.3	64	34.3	25.5-43.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 10: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3034	1,462,131	1914	64.2	61.5-66.9	1120	35.8	33.1-38.5
Male	1134	741,260	735	65.7	61.4-70.0	399	34.3	30.0-38.6
Female	1900	720,871	1179	62.6	59.5-65.7	721	37.4	34.3-40.5
White/Non-Hisp	2413	1,225,247	1518	64.2	61.5-66.9	895	35.8	33.1-38.5
Black or Afr. Am./Non-Hisp	443	144,299	288	67.4	58.4-76.4	155	32.6	23.6-41.6
Hispanic	64	30,735	37	52.8	30.8-74.8	27	47.2	25.2-69.2
25-34	62	125,189	43	64.4	48.3-80.5	19	35.6	19.5-51.7
35-44	145	150,405	97	61.3	51.1-71.5	48	38.7	28.5-48.9
45-54	408	288,182	272	69.0	63.3-74.7	136	31.0	25.3-36.7
55-64	813	336,990	514	64.3	60.0-68.6	299	35.7	31.4-40.0
65+	1569	510,933	962	62.4	59.5-65.3	607	37.6	34.7-40.5
Less Than H.S.	340	212,906	186	57.1	49.1-65.1	154	42.9	34.9-50.9
H.S. or G.E.D.	1240	546,902	745	60.5	56.2-64.8	495	39.5	35.2-43.8
Some Post-H.S.	747	449,664	498	69.4	64.7-74.1	249	30.6	25.9-35.3
College Graduate	693	245,762	477	69.1	63.6-74.6	216	30.9	25.4-36.4
Less than \$15,000	410	199,017	255	60.1	52.5-67.7	155	39.9	32.3-47.5
\$15,000- 24,999	672	293,595	394	60.9	55.2-66.6	278	39.1	33.4-44.8
\$25,000- 34,999	353	163,412	206	59.5	50.9-68.1	147	40.5	31.9-49.1
\$35,000- 49,999	423	196,184	274	65.5	59.4-71.6	149	34.5	28.4-40.6
\$50,000- 74,999	332	179,827	230	69.1	61.3-76.9	102	30.9	23.1-38.7
\$75,000+	370	212,735	260	71.8	66.1-77.5	110	28.2	22.5-33.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 11: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1134	741,260	735	65.7	61.4-70.0	399	34.3	30.0-38.6
White/Non-Hisp	927	617,464	596	64.6	60.3-68.9	331	35.4	31.1-39.7
Black or Afr. Am./Non-Hisp	140	70,524	94	80.7	70.7-90.7	46	19.3	09.3-29.3
35-44	72	94,440	44	58.5	44.8-72.2	28	41.5	27.8-55.2
45-54	184	150,006	126	69.9	62.1-77.7	58	30.1	22.3-37.9
55-64	316	173,836	207	66.2	59.7-72.7	109	33.8	27.3-40.3
65+	520	209,806	330	65.6	60.7-70.5	190	34.4	29.5-39.3
Less Than H.S.	116	106,930	74	58.9	45.6-72.2	42	41.1	27.8-54.4
H.S. or G.E.D.	428	274,561	259	62.8	55.9-69.7	169	37.2	30.3-44.1
Some Post-H.S.	270	214,734	179	71.4	64.1-78.7	91	28.6	21.3-35.9
College Graduate	316	142,637	221	68.1	59.7-76.5	95	31.9	23.5-40.3
Less than \$15,000	115	85,287	80	70.1	57.0-83.2	35	29.9	16.8-43.0
\$15,000- 24,999	201	110,799	118	62.5	52.7-72.3	83	37.5	27.7-47.3
\$25,000- 34,999	158	99,361	96	62.7	50.4-75.0	62	37.3	25.0-49.6
\$35,000- 49,999	185	108,798	121	64.8	56.0-73.6	64	35.2	26.4-44.0
\$50,000- 74,999	147	103,197	102	68.0	56.4-79.6	45	32.0	20.4-43.6
\$75,000+	198	130,558	138	69.0	61.0-77.0	60	31.0	23.0-39.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 12: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1900	720,871	1179	62.6	59.5-65.7	721	37.4	34.3-40.5
White/Non-Hisp	1486	607,783	922	63.7	60.4-67.0	564	36.3	33.0-39.6
Black or Afr. Am./Non-Hisp	303	73,775	194	54.7	42.7-66.7	109	45.3	33.3-57.3
35-44	73	55,965	53	65.9	51.2-80.6	20	34.1	19.4-48.8
45-54	224	138,175	146	68.0	60.2-75.8	78	32.0	24.2-39.8
55-64	497	163,154	307	62.3	57.0-67.6	190	37.7	32.4-43.0
65+	1049	301,126	632	60.2	56.5-63.9	417	39.8	36.1-43.5
Less Than H.S.	224	105,976	112	55.3	46.1-64.5	112	44.7	35.5-53.9
H.S. or G.E.D.	812	272,341	486	58.1	53.0-63.2	326	41.9	36.8-47.0
Some Post-H.S.	477	234,930	319	67.6	61.5-73.7	158	32.4	26.3-38.5
College Graduate	377	103,124	256	70.6	64.7-76.5	121	29.4	23.5-35.3
Less than \$15,000	295	113,729	175	52.7	44.1-61.3	120	47.3	38.7-55.9
\$15,000- 24,999	471	182,796	276	60.0	52.7-67.3	195	40.0	32.7-47.3
\$25,000- 34,999	195	64,051	110	54.6	44.2-65.0	85	45.4	35.0-55.8
\$35,000- 49,999	238	87,386	153	66.4	58.8-74.0	85	33.6	26.0-41.2
\$50,000- 74,999	185	76,630	128	70.7	61.1-80.3	57	29.3	19.7-38.9
\$75,000+	172	82,176	122	76.4	69.1-83.7	50	23.6	16.3-30.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 13: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3041	1,468,806	1917	65.5	63.0-68.0	1124	34.5	32.0-37.0
Male	1143	747,232	762	68.1	63.8-72.4	381	31.9	27.6-36.2
Female	1898	721,573	1155	62.8	59.7-65.9	743	37.2	34.1-40.3
White/Non-Hisp	2417	1,231,529	1470	64.5	61.8-67.2	947	35.5	32.8-38.2
Black or Afr. Am./Non-Hisp	445	144,430	334	79.1	71.7-86.5	111	20.9	13.5-28.3
Hispanic	65	31,253	44	63.3	41.0-85.6	21	36.7	14.4-59.0
25-34	62	125,189	37	57.5	41.0-74.0	25	42.5	26.0-59.0
35-44	146	154,663	114	74.3	65.1-83.5	32	25.7	16.5-34.9
45-54	411	291,389	289	72.3	66.8-77.8	122	27.7	22.2-33.2
55-64	812	335,258	597	73.6	69.7-77.5	215	26.4	22.5-30.3
65+	1573	512,281	860	55.6	52.5-58.7	713	44.4	41.3-47.5
Less Than H.S.	339	217,203	215	67.3	59.9-74.7	124	32.7	25.3-40.1
H.S. or G.E.D.	1245	547,382	789	66.2	62.1-70.3	456	33.8	29.7-37.9
Some Post-H.S.	748	450,130	501	68.4	63.3-73.5	247	31.6	26.5-36.7
College Graduate	695	246,665	403	56.8	51.1-62.5	292	43.2	37.5-48.9
Less than \$15,000	417	201,669	274	71.5	64.6-78.4	143	28.5	21.6-35.4
\$15,000- 24,999	675	293,838	415	60.1	54.2-66.0	260	39.9	34.0-45.8
\$25,000- 34,999	352	162,680	211	67.7	60.6-74.8	141	32.3	25.2-39.4
\$35,000- 49,999	422	194,823	282	68.7	63.0-74.4	140	31.3	25.6-37.0
\$50,000- 74,999	331	180,304	218	67.8	59.0-76.6	113	32.2	23.4-41.0
\$75,000+	368	212,123	246	69.2	63.3-75.1	122	30.8	24.9-36.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 14: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1143	747,232	762	68.1	63.8-72.4	381	31.9	27.6-36.2
White/Non-Hisp	933	622,510	616	68.0	63.7-72.3	317	32.0	27.7-36.3
Black or Afr. Am./Non-Hisp	140	70,443	100	80.4	68.6-92.2	40	19.6	07.8-31.4
35-44	73	98,698	54	73.4	60.9-85.9	19	26.6	14.1-39.1
45-54	184	150,006	136	74.7	67.1-82.3	48	25.3	17.7-32.9
55-64	316	172,532	235	74.5	68.4-80.6	81	25.5	19.4-31.6
65+	528	213,231	310	60.0	54.9-65.1	218	40.0	34.9-45.1
Less Than H.S.	118	112,014	83	71.1	59.1-83.1	35	28.9	16.9-40.9
H.S. or G.E.D.	431	274,747	289	69.0	62.3-75.7	142	31.0	24.3-37.7
Some Post-H.S.	269	214,004	191	71.6	63.6-79.6	78	28.4	20.4-36.4
College Graduate	320	143,400	195	58.5	50.1-66.9	125	41.5	33.1-49.9
Less than \$15,000	118	86,668	87	76.5	63.6-89.4	31	23.5	10.6-36.4
\$15,000- 24,999	205	111,409	138	67.3	57.9-76.7	67	32.7	23.3-42.1
\$25,000- 34,999	157	98,812	97	69.6	59.6-79.6	60	30.4	20.4-40.4
\$35,000- 49,999	188	108,972	128	69.9	61.9-77.9	60	30.1	22.1-38.1
\$50,000- 74,999	145	102,465	101	68.1	55.0-81.2	44	31.9	18.8-45.0
\$75,000+	198	130,558	133	71.5	64.1-78.9	65	28.5	21.1-35.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 15: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1898	721,573	1155	62.8	59.7-65.9	743	37.2	34.1-40.3
White/Non-Hisp	1484	609,019	854	60.9	57.6-64.2	630	39.1	35.8-42.4
Black or Afr. Am./Non-Hisp	305	73,987	234	77.9	68.7-87.1	71	22.1	12.9-31.3
35-44	73	55,965	60	75.9	62.6-89.2	13	24.1	10.8-37.4
45-54	227	141,383	153	69.8	61.8-77.8	74	30.2	22.2-38.2
55-64	496	162,726	362	72.6	67.7-77.5	134	27.4	22.5-32.3
65+	1045	299,050	550	52.4	48.5-56.3	495	47.6	43.7-51.5
Less Than H.S.	221	105,189	132	63.2	54.6-71.8	89	36.8	28.2-45.4
H.S. or G.E.D.	814	272,635	500	63.4	58.5-68.3	314	36.6	31.7-41.5
Some Post-H.S.	479	236,126	310	65.4	59.3-71.5	169	34.6	28.5-40.7
College Graduate	375	103,265	208	54.6	47.7-61.5	167	45.4	38.5-52.3
Less than \$15,000	299	115,000	187	67.8	60.4-75.2	112	32.2	24.8-39.6
\$15,000- 24,999	470	182,430	277	55.7	48.4-63.0	193	44.3	37.0-51.6
\$25,000- 34,999	195	63,868	114	64.7	55.9-73.5	81	35.3	26.5-44.1
\$35,000- 49,999	234	85,850	154	67.2	59.4-75.0	80	32.8	25.0-40.6
\$50,000- 74,999	186	77,839	117	67.4	56.6-78.2	69	32.6	21.8-43.4
\$75,000+	170	81,565	113	65.6	56.4-74.8	57	34.4	25.2-43.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 16: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3047	1,471,134	2192	71.7	69.2-74.2	790	26.6	24.1-29.1	65	1.8	01.2-02.4
Male	1140	748,214	834	71.7	67.6-75.8	277	26.3	22.2-30.4	29	2.0	01.0-03.0
Female	1907	722,920	1358	71.6	68.5-74.7	513	26.9	24.0-29.8	36	1.5	00.9-02.1
White/Non-Hisp	2421	1,234,113	1697	70.1	67.4-72.8	678	28.1	25.4-30.8	46	1.7	01.1-02.3
Black or Afr. Am./Non-Hisp	444	143,598	361	83.3	76.0-90.6	68	14.1	07.2-21.0	15	2.5	00.3-04.7
Hispanic	65	31,253	51	81.4	69.1-93.7	13	18.0	05.8-30.2	1	0.6	00.0-01.8
25-34	62	125,189	41	63.0	46.5-79.5	21	37.0	20.5-53.5			
35-44	146	154,663	116	74.6	65.6-83.6	28	24.0	15.0-33.0	2	1.4	00.0-03.4
45-54	407	288,529	301	77.5	72.4-82.6	96	20.7	15.8-25.6	10	1.9	00.1-03.7
55-64	813	337,037	623	75.9	72.2-79.6	173	21.9	18.2-25.6	17	2.1	00.7-03.5
65+	1581	514,880	1095	69.7	66.8-72.6	450	28.1	25.4-30.8	36	2.2	01.2-03.2
Less Than H.S.	343	218,859	257	77.4	71.1-83.7	76	20.9	14.6-27.2	10	1.7	00.3-03.1
H.S. or G.E.D.	1246	548,352	915	71.0	66.7-75.3	303	27.1	22.8-31.4	28	2.0	01.0-03.0
Some Post-H.S.	750	451,082	543	72.8	67.9-77.7	190	25.3	20.4-30.2	17	1.9	00.7-03.1
College Graduate	693	245,274	467	65.7	60.2-71.2	217	33.1	27.6-38.6	9	1.2	00.0-02.4
Less than \$15,000	416	201,353	305	75.5	69.0-82.0	95	21.7	15.4-28.0	16	2.8	01.2-04.4
\$15,000- 24,999	676	294,813	493	71.5	66.0-77.0	167	27.0	21.5-32.5	16	1.6	00.6-02.6
\$25,000- 34,999	353	163,212	251	74.7	67.8-81.6	98	24.8	17.9-31.7	4	0.6	00.0-01.2
\$35,000- 49,999	421	194,107	312	72.0	66.3-77.7	102	25.5	19.8-31.2	7	2.6	00.4-04.8
\$50,000- 74,999	335	181,181	231	66.0	57.0-75.0	98	31.1	22.1-40.1	6	2.8	00.1-05.5
\$75,000+	366	211,523	263	71.3	65.2-77.4	100	28.0	21.9-34.1	3	0.6	00.0-01.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 17: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1140	748,214	834	71.7	67.6-75.8	277	26.3	22.2-30.4	29	2.0	01.0-03.0
White/Non-Hisp	932	623,878	666	69.4	64.9-73.9	242	28.5	24.0-33.0	24	2.1	01.1-03.1
Black or Afr. Am./Non-Hisp	139	70,409	114	89.8	83.1-96.5	20	7.2	01.9-12.5	5	3.0	00.0-06.9
35-44	73	98,698	53	70.6	58.3-82.9	18	27.2	15.0-39.4	2	2.2	00.0-05.3
45-54	182	148,934	138	77.0	69.4-84.6	39	21.0	13.7-28.3	5	2.1	00.0-04.8
55-64	317	173,968	238	74.9	69.0-80.8	71	22.5	16.8-28.2	8	2.6	00.4-04.8
65+	525	213,039	379	72.1	67.6-76.6	132	25.3	21.0-29.6	14	2.6	01.0-04.2
Less Than H.S.	119	112,884	97	82.5	72.9-92.1	18	16.2	06.6-25.8	4	1.3	00.0-02.9
H.S. or G.E.D.	431	275,567	312	69.4	62.5-76.3	107	28.5	21.6-35.4	12	2.1	00.7-03.5
Some Post-H.S.	269	214,595	196	72.1	63.7-80.5	66	25.4	17.2-33.6	7	2.5	00.1-04.9
College Graduate	316	142,100	224	66.3	57.9-74.7	86	31.8	23.4-40.2	6	1.9	00.0-04.1
Less than \$15,000	117	86,550	87	80.1	69.7-90.5	24	17.6	07.6-27.6	6	2.3	00.1-04.5
\$15,000- 24,999	204	112,062	151	76.5	68.5-84.5	46	21.6	13.8-29.4	7	1.9	00.0-03.9
\$25,000- 34,999	157	99,009	117	77.8	69.0-86.6	38	21.8	13.0-30.6	2	0.4	00.0-01.0
\$35,000- 49,999	185	108,126	142	70.2	61.4-79.0	38	25.7	17.1-34.3	5	4.1	00.4-07.8
\$50,000- 74,999	147	103,197	107	61.7	48.0-75.4	36	34.9	21.0-48.8	4	3.4	00.0-07.3
\$75,000+	195	129,710	140	72.3	64.1-80.5	52	26.7	18.7-34.7	3	1.0	00.0-02.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 18: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1907	722,920	1358	71.6	68.5-74.7	513	26.9	24.0-29.8	36	1.5	00.9-02.1
White/Non-Hisp	1489	610,235	1031	70.9	67.6-74.2	436	27.8	24.5-31.1	22	1.4	00.6-02.2
Black or Afr. Am./Non-Hisp	305	73,189	247	77.1	65.5-88.7	48	20.8	09.2-32.4	10	2.1	00.1-04.1
35-44	73	55,965	63	81.5	69.2-93.8	10	18.5	06.2-30.8			
45-54	225	139,595	163	78.0	71.5-84.5	57	20.3	14.0-26.6	5	1.7	00.0-03.9
55-64	496	163,069	385	77.0	72.3-81.7	102	21.4	16.9-25.9	9	1.6	00.2-03.0
65+	1056	301,842	716	67.9	64.4-71.4	318	30.1	26.6-33.6	22	2.0	01.0-03.0
Less Than H.S.	224	105,976	160	72.0	64.2-79.8	58	25.9	18.3-33.5	6	2.1	00.0-04.3
H.S. or G.E.D.	815	272,785	603	72.6	67.5-77.7	196	25.6	20.5-30.7	16	1.8	00.4-03.2
Some Post-H.S.	481	236,487	347	73.5	67.8-79.2	124	25.2	19.7-30.7	10	1.3	00.3-02.3
College Graduate	377	103,173	243	64.7	58.2-71.2	131	35.0	28.5-41.5	3	0.3	00.0-00.7
Less than \$15,000	299	114,802	218	72.1	64.1-80.1	71	24.7	16.7-32.7	10	3.2	00.8-05.6
\$15,000- 24,999	472	182,751	342	68.4	61.1-75.7	121	30.3	23.0-37.6	9	1.4	00.2-02.6
\$25,000- 34,999	196	64,202	134	69.9	59.5-80.3	60	29.4	19.0-39.8	2	0.8	00.0-02.0
\$35,000- 49,999	236	85,981	170	74.1	67.4-80.8	64	25.2	18.5-31.9	2	0.7	00.0-01.7
\$50,000- 74,999	188	77,984	124	71.8	63.0-80.6	62	26.2	18.0-34.4	2	2.1	00.0-05.8
\$75,000+	171	81,812	123	69.9	61.1-78.7	48	30.1	21.3-38.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 19: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3056	1,473,624	836	32.7	30.0-35.4	1419	46.2	43.5-48.9	801	21.1	19.1-23.1
Male	1145	749,649	398	40.0	35.5-44.5	520	44.5	40.2-48.8	227	15.5	12.8-18.2
Female	1911	723,975	438	25.2	22.3-28.1	899	47.9	44.6-51.2	574	26.9	24.2-29.6
White/Non-Hisp	2429	1,236,649	607	29.7	27.0-32.4	1209	48.8	45.9-51.7	613	21.5	19.3-23.7
Black or Afr. Am./Non-Hisp	444	143,375	166	50.9	40.9-60.9	142	28.2	19.8-36.6	136	20.9	14.6-27.2
Hispanic	66	31,432	29	45.3	23.3-67.3	26	47.5	26.7-68.3	11	7.3	01.6-13.0
25-34	62	125,189	23	45.0	28.5-61.5	33	48.6	32.1-65.1	6	6.4	00.0-13.1
35-44	146	154,663	65	46.6	36.2-57.0	60	42.6	32.4-52.8	21	10.8	05.3-16.3
45-54	407	289,308	147	37.6	31.5-43.7	169	41.2	35.1-47.3	91	21.2	15.9-26.5
55-64	815	337,398	279	37.9	33.4-42.4	360	42.0	37.7-46.3	176	20.0	16.7-23.3
65+	1589	516,367	316	21.0	18.3-23.7	772	49.8	46.7-52.9	501	29.3	26.6-32.0
Less Than H.S.	344	218,977	103	38.2	30.2-46.2	116	35.3	27.5-43.1	125	26.5	20.2-32.8
H.S. or G.E.D.	1249	550,095	357	33.7	29.2-38.2	526	43.3	39.0-47.6	366	23.0	20.1-25.9
Some Post-H.S.	749	450,155	216	34.0	28.7-39.3	367	47.5	42.2-52.8	166	18.5	14.6-22.4
College Graduate	699	246,829	158	24.0	19.5-28.5	401	59.6	54.3-64.9	140	16.3	13.0-19.6
Less than \$15,000	417	201,953	147	45.6	37.8-53.4	127	27.4	20.9-33.9	143	27.0	21.1-32.9
\$15,000- 24,999	680	294,938	166	29.1	23.2-35.0	295	44.6	38.7-50.5	219	26.2	21.7-30.7
\$25,000- 34,999	353	163,731	112	37.4	28.4-46.4	161	44.7	36.1-53.3	80	17.9	13.0-22.8
\$35,000- 49,999	428	197,506	117	29.8	23.7-35.9	212	49.5	43.2-55.8	99	20.8	15.7-25.9
\$50,000- 74,999	331	179,922	82	26.6	19.5-33.7	184	52.1	43.5-60.7	65	21.2	13.4-29.0
\$75,000+	368	211,655	111	35.2	28.5-41.9	204	54.1	47.4-60.8	53	10.8	07.3-14.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 20: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPAFCADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1145	749,649	398	40.0	35.5-44.5	520	44.5	40.2-48.8	227	15.5	12.8-18.2
White/Non-Hisp	936	625,197	302	35.9	31.4-40.4	455	47.8	43.1-52.5	179	16.3	13.2-19.4
Black or Afr. Am./Non-Hisp	140	70,527	67	66.9	54.0-79.8	42	22.0	11.2-32.8	31	11.1	05.0-17.2
35-44	73	98,698	33	47.1	33.4-60.8	30	42.1	28.4-55.8	10	10.8	03.4-18.2
45-54	183	149,653	77	42.6	33.8-51.4	78	42.6	33.8-51.4	28	14.8	08.9-20.7
55-64	316	173,452	126	45.9	38.8-53.0	131	40.1	33.4-46.8	59	14.1	09.8-18.4
65+	530	214,271	145	28.4	23.3-33.5	261	49.2	43.9-54.5	124	22.4	18.3-26.5
Less Than H.S.	120	113,002	50	44.1	31.4-56.8	36	34.9	22.2-47.6	34	21.0	11.2-30.8
H.S. or G.E.D.	431	276,216	157	43.4	36.0-50.8	181	40.9	34.0-47.8	93	15.8	11.9-19.7
Some Post-H.S.	269	213,871	106	43.0	34.2-51.8	120	42.9	34.1-51.7	43	14.1	08.6-19.6
College Graduate	320	143,493	85	26.6	19.9-33.3	179	60.4	52.8-68.0	56	13.0	08.7-17.3
Less than \$15,000	118	86,668	58	63.1	51.1-75.1	26	16.8	08.0-25.6	34	20.1	11.1-29.1
\$15,000- 24,999	206	112,344	68	40.0	29.0-51.0	86	40.1	30.3-49.9	52	19.9	13.0-26.8
\$25,000- 34,999	157	99,268	55	41.7	28.8-54.6	67	42.1	29.9-54.3	35	16.2	09.5-22.9
\$35,000- 49,999	190	110,214	64	33.4	24.4-42.4	82	44.1	34.9-53.3	44	22.5	14.9-30.1
\$50,000- 74,999	143	101,938	53	30.9	20.5-41.3	68	49.9	37.2-62.6	22	19.2	08.0-30.4
\$75,000+	198	130,558	63	41.6	32.4-50.8	114	51.7	42.7-60.7	21	6.6	03.3-09.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 21: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPAFCADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1911	723,975	438	25.2	22.3-28.1	899	47.9	44.6-51.2	574	26.9	24.2-29.6
White/Non-Hisp	1493	611,453	305	23.4	20.5-26.3	754	49.9	46.4-53.4	434	26.7	23.8-29.6
Black or Afr. Am./Non-Hisp	304	72,848	99	35.5	24.1-46.9	100	34.2	22.4-46.0	105	30.3	20.3-40.3
35-44	73	55,965	32	45.6	30.7-60.5	30	43.5	28.8-58.2	11	10.8	03.0-18.6
45-54	224	139,655	70	32.2	24.0-40.4	91	39.6	31.4-47.8	63	28.1	19.7-36.5
55-64	499	163,946	153	29.5	24.6-34.4	229	44.1	38.6-49.6	117	26.3	21.4-31.2
65+	1059	302,097	171	15.7	13.0-18.4	511	50.2	46.5-53.9	377	34.2	30.7-37.7
Less Than H.S.	224	105,976	53	31.9	22.1-41.7	80	35.8	27.2-44.4	91	32.3	24.5-40.1
H.S. or G.E.D.	818	273,879	200	24.0	20.1-27.9	345	45.7	40.6-50.8	273	30.3	26.2-34.4
Some Post-H.S.	480	236,285	110	25.9	20.4-31.4	247	51.6	45.3-57.9	123	22.6	17.1-28.1
College Graduate	379	103,337	73	20.5	14.8-26.2	222	58.6	51.9-65.3	84	20.9	15.6-26.2
Less than \$15,000	299	115,284	89	32.6	25.0-40.2	101	35.3	26.9-43.7	109	32.2	24.8-39.6
\$15,000- 24,999	474	182,595	98	22.4	16.1-28.7	209	47.4	40.3-54.5	167	30.2	24.3-36.1
\$25,000- 34,999	196	64,463	57	30.8	21.4-40.2	94	48.6	38.4-58.8	45	20.6	13.9-27.3
\$35,000- 49,999	238	87,292	53	25.2	17.6-32.8	130	56.2	48.0-64.4	55	18.6	12.7-24.5
\$50,000- 74,999	188	77,984	29	21.1	11.7-30.5	116	55.0	43.8-66.2	43	23.9	13.1-34.7
\$75,000+	170	81,097	48	24.8	16.8-32.8	90	57.8	48.4-67.2	32	17.5	10.4-24.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 22: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3039	1,468,337	2297	76.7	74.3-79.1	742	23.3	20.9-25.7
Male	1144	747,751	899	78.4	74.7-82.1	245	21.6	17.9-25.3
Female	1895	720,586	1398	74.9	72.0-77.8	497	25.1	22.2-28.0
White/Non-Hisp	2416	1,230,928	1796	76.3	73.9-78.7	620	23.7	21.3-26.1
Black or Afr. Am./Non-Hisp	442	144,268	364	83.1	76.6-89.6	78	16.9	10.4-23.4
Hispanic	65	31,323	51	81.6	68.9-94.3	14	18.4	05.7-31.1
25-34	62	125,189	47	72.6	57.1-88.1	15	27.4	11.9-42.9
35-44	146	154,663	118	74.3	64.5-84.1	28	25.7	15.9-35.5
45-54	410	289,562	345	87.1	83.4-90.8	65	12.9	09.2-16.6
55-64	809	334,645	661	81.0	77.5-84.5	148	19.0	15.5-22.5
65+	1574	513,442	1099	69.4	66.5-72.3	475	30.6	27.7-33.5
Less Than H.S.	342	218,472	245	74.1	66.8-81.4	97	25.9	18.6-33.2
H.S. or G.E.D.	1231	543,714	924	74.1	70.0-78.2	307	25.9	21.8-30.0
Some Post-H.S.	751	450,994	589	80.5	76.8-84.2	162	19.5	15.8-23.2
College Graduate	700	247,588	530	78.1	74.0-82.2	170	21.9	17.8-26.0
Less than \$15,000	410	199,009	311	77.7	71.4-84.0	99	22.3	16.0-28.6
\$15,000- 24,999	676	294,849	495	70.4	64.9-75.9	181	29.6	24.1-35.1
\$25,000- 34,999	352	163,479	265	76.9	69.3-84.5	87	23.1	15.5-30.7
\$35,000- 49,999	425	196,115	345	79.8	74.9-84.7	80	20.2	15.3-25.1
\$50,000- 74,999	333	180,513	266	85.7	80.6-90.8	67	14.3	09.2-19.4
\$75,000+	366	210,842	299	83.0	78.5-87.5	67	17.0	12.5-21.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 23: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1144	747,751	899	78.4	74.7-82.1	245	21.6	17.9-25.3
White/Non-Hisp	935	623,243	732	78.5	74.8-82.2	203	21.5	17.8-25.2
Black or Afr. Am./Non-Hisp	140	70,527	115	85.9	76.9-94.9	25	14.1	05.1-23.1
35-44	73	98,698	54	69.7	56.4-83.0	19	30.3	17.0-43.6
45-54	183	149,148	158	86.8	81.1-92.5	25	13.2	07.5-18.9
55-64	315	171,891	262	81.2	75.7-86.7	53	18.8	13.3-24.3
65+	530	214,439	392	75.2	70.9-79.5	138	24.8	20.5-29.1
Less Than H.S.	120	113,002	96	75.5	63.3-87.7	24	24.5	12.3-36.7
H.S. or G.E.D.	428	273,339	327	74.3	67.6-81.0	101	25.7	19.0-32.4
Some Post-H.S.	271	214,830	221	84.1	78.6-89.6	50	15.9	10.4-21.4
College Graduate	320	143,512	253	80.6	74.7-86.5	67	19.4	13.5-25.3
Less than \$15,000	115	84,556	92	81.1	70.1-92.1	23	18.9	07.9-29.9
\$15,000- 24,999	205	111,876	152	73.6	65.2-82.0	53	26.4	18.0-34.8
\$25,000- 34,999	157	99,268	121	75.5	63.7-87.3	36	24.5	12.7-36.3
\$35,000- 49,999	189	109,355	157	81.5	74.4-88.6	32	18.5	11.4-25.6
\$50,000- 74,999	147	103,197	123	85.1	77.1-93.1	24	14.9	06.9-22.9
\$75,000+	196	129,939	162	84.3	78.4-90.2	34	15.7	09.8-21.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 24: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1895	720,586	1398	74.9	72.0-77.8	497	25.1	22.2-28.0
White/Non-Hisp	1481	607,684	1064	74.2	71.1-77.3	417	25.8	22.7-28.9
Black or Afr. Am./Non-Hisp	302	73,741	249	80.4	71.2-89.6	53	19.6	10.4-28.8
35-44	73	55,965	64	82.5	70.0-95.0	9	17.5	05.0-30.0
45-54	227	140,414	187	87.4	82.7-92.1	40	12.6	07.9-17.3
55-64	494	162,754	399	80.8	76.5-85.1	95	19.2	14.9-23.5
65+	1044	299,003	707	65.2	61.5-68.9	337	34.8	31.1-38.5
Less Than H.S.	222	105,471	149	72.5	64.9-80.1	73	27.5	19.9-35.1
H.S. or G.E.D.	803	270,375	597	73.9	69.0-78.8	206	26.1	21.2-31.0
Some Post-H.S.	480	236,164	368	77.2	72.1-82.3	112	22.8	17.7-27.9
College Graduate	380	104,076	277	74.6	68.9-80.3	103	25.4	19.7-31.1
Less than \$15,000	295	114,453	219	75.2	68.1-82.3	76	24.8	17.7-31.9
\$15,000- 24,999	471	182,973	343	68.4	61.1-75.7	128	31.6	24.3-38.9
\$25,000- 34,999	195	64,211	144	79.0	72.1-85.9	51	21.0	14.1-27.9
\$35,000- 49,999	236	86,759	188	77.8	71.1-84.5	48	22.2	15.5-28.9
\$50,000- 74,999	186	77,316	143	86.4	81.1-91.7	43	13.6	08.3-18.9
\$75,000+	170	80,903	137	80.8	73.5-88.1	33	19.2	11.9-26.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 25: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3064	1,476,289	2843	88.1	85.7-90.5	221	11.9	09.5-14.3
Male	1147	750,009	1041	84.3	80.0-88.6	106	15.7	11.4-20.0
Female	1917	726,279	1802	92.0	90.0-94.0	115	8.0	06.0-10.0
White/Non-Hisp	2436	1,238,761	2261	89.0	86.6-91.4	175	11.0	08.6-13.4
Black or Afr. Am./Non-Hisp	445	144,207	417	90.6	84.1-97.1	28	9.4	02.9-15.9
Hispanic	65	30,800	58	65.4	41.3-89.5	7	34.6	10.5-58.7
25-34	62	125,189	42	62.5	46.0-79.0	20	37.5	21.0-54.0
35-44	146	154,663	114	76.9	67.9-85.9	32	23.1	14.1-32.1
45-54	410	291,068	362	89.5	86.0-93.0	48	10.5	07.0-14.0
55-64	817	337,793	770	94.8	92.8-96.8	47	5.2	03.2-07.2
65+	1591	516,740	1528	95.8	94.6-97.0	63	4.2	03.0-05.4
Less Than H.S.	344	218,977	314	82.6	74.4-90.8	30	17.4	09.2-25.6
H.S. or G.E.D.	1250	550,154	1165	88.9	84.8-93.0	85	11.1	07.0-15.2
Some Post-H.S.	752	451,585	703	91.0	87.7-94.3	49	9.0	05.7-12.3
College Graduate	703	248,005	647	85.9	80.2-91.6	56	14.1	08.4-19.8
Less than \$15,000	417	201,918	387	88.5	82.6-94.4	30	11.5	05.6-17.4
\$15,000- 24,999	680	295,627	619	88.0	83.7-92.3	61	12.0	07.7-16.3
\$25,000- 34,999	353	163,548	331	84.1	73.9-94.3	22	15.9	05.7-26.1
\$35,000- 49,999	428	197,250	400	91.6	87.3-95.9	28	8.4	04.1-12.7
\$50,000- 74,999	335	181,181	306	87.0	80.3-93.7	29	13.0	06.3-19.7
\$75,000+	370	212,405	342	90.7	87.0-94.4	28	9.3	05.6-13.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 26: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1147	750,009	1041	84.3	80.0-88.6	106	15.7	11.4-20.0
White/Non-Hisp	938	625,835	855	85.8	81.5-90.1	83	14.2	09.9-18.5
Black or Afr. Am./Non-Hisp	140	70,527	126	90.2	79.6-100	14	9.8	00.0-20.4
35-44	73	98,698	54	74.7	62.4-87.0	19	25.3	13.0-37.6
45-54	184	150,006	162	89.6	84.9-94.3	22	10.4	05.7-15.1
55-64	318	174,107	296	95.4	92.7-98.1	22	4.6	01.9-07.3
65+	529	213,623	504	94.8	92.4-97.2	25	5.2	02.8-07.6
Less Than H.S.	120	113,002	105	72.5	58.2-86.8	15	27.5	13.2-41.8
H.S. or G.E.D.	431	275,675	388	83.7	76.3-91.1	43	16.3	08.9-23.7
Some Post-H.S.	270	214,688	247	90.7	85.8-95.6	23	9.3	04.4-14.2
College Graduate	321	143,577	297	85.3	76.5-94.1	24	14.7	05.9-23.5
Less than \$15,000	118	86,668	107	85.2	73.8-96.6	11	14.8	03.4-26.2
\$15,000- 24,999	205	112,201	178	83.6	74.8-92.4	27	16.4	07.6-25.2
\$25,000- 34,999	157	99,268	146	81.3	66.0-96.6	11	18.7	03.4-34.0
\$35,000- 49,999	190	110,214	178	92.2	85.7-98.7	12	7.8	01.3-14.3
\$50,000- 74,999	147	103,197	130	82.0	71.0-93.0	17	18.0	07.0-29.0
\$75,000+	197	130,003	182	90.2	84.9-95.5	15	9.8	04.5-15.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 27: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1917	726,279	1802	92.0	90.0-94.0	115	8.0	06.0-10.0
White/Non-Hisp	1498	612,926	1406	92.2	90.2-94.2	92	7.8	05.8-09.8
Black or Afr. Am./Non-Hisp	305	73,679	291	91.0	83.4-98.6	14	9.0	01.4-16.6
35-44	73	55,965	60	80.6	68.6-92.6	13	19.4	07.4-31.4
45-54	226	141,061	200	89.4	84.3-94.5	26	10.6	05.5-15.7
55-64	499	163,686	474	94.1	91.4-96.8	25	5.9	03.2-08.6
65+	1062	303,117	1024	96.5	95.1-97.9	38	3.5	02.1-04.9
Less Than H.S.	224	105,976	209	93.3	89.2-97.4	15	6.7	02.6-10.8
H.S. or G.E.D.	819	274,479	777	94.2	92.0-96.4	42	5.8	03.6-08.0
Some Post-H.S.	482	236,897	456	91.2	86.9-95.5	26	8.8	04.5-13.1
College Graduate	382	104,428	350	86.7	81.2-92.2	32	13.3	07.8-18.8
Less than \$15,000	299	115,249	280	91.0	85.3-96.7	19	9.0	03.3-14.7
\$15,000- 24,999	475	183,426	441	90.6	86.5-94.7	34	9.4	05.3-13.5
\$25,000- 34,999	196	64,279	185	88.6	78.4-98.8	11	11.4	01.2-21.6
\$35,000- 49,999	238	87,036	222	90.7	85.4-96.0	16	9.3	04.0-14.6
\$50,000- 74,999	188	77,984	176	93.5	89.0-98.0	12	6.5	02.0-11.0
\$75,000+	173	82,402	160	91.4	86.1-96.7	13	8.6	03.3-13.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3004	1,461,246	2459	81.1	78.9-83.3	5	0.2	00.0-00.4	520	18.1	15.9-20.3	20	0.7	00.3-01.1
Male	1131	746,894	916	79.7	76.2-83.2				204	19.5	16.0-23.0	11	0.8	00.2-01.4
Female	1873	714,352	1543	82.6	80.1-85.1	5	0.4	00.0-00.8	316	16.6	14.2-19.0	9	0.5	00.1-00.9
White/Non-Hisp	2388	1,225,193	1939	80.2	77.8-82.6	2	0.1	00.0-00.3	431	18.9	16.5-21.3	16	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	437	143,893	364	83.5	76.2-90.8	3	0.5	00.0-01.3	68	15.8	08.5-23.1	2	0.1	00.0-00.3
Hispanic	63	29,885	53	83.4	69.3-97.5				10	16.6	02.5-30.7			
25-34	61	122,752	47	81.3	70.3-92.3	1	1.4	00.0-04.1	13	17.4	06.8-28.0			
35-44	147	160,695	112	79.4	71.6-87.2	1	0.1	00.0-00.3	34	20.5	12.7-28.3			
45-54	408	289,467	326	79.1	74.2-84.0				78	19.6	14.9-24.3	4	1.3	00.0-02.7
55-64	802	331,030	658	82.1	78.8-85.4	2	0.0	00.0-00.0	134	16.7	13.4-20.0	8	1.1	00.1-02.1
65+	1549	506,748	1291	84.3	82.1-86.5	1	0.1	00.0-00.3	249	15.1	12.9-17.3	8	0.4	00.0-00.8
Less Than H.S.	333	213,841	281	81.4	74.5-88.3	1	0.3	00.0-00.9	49	17.5	10.6-24.4	2	0.9	00.0-02.3
H.S. or G.E.D.	1224	541,197	996	82.1	79.2-85.0				223	17.5	14.6-20.4	5	0.5	00.1-00.9
Some Post-H.S.	743	454,527	618	82.2	78.3-86.1	1	0.0	00.0-00.0	116	17.0	13.1-20.9	8	0.8	00.0-01.6
College Graduate	689	244,113	554	76.7	71.2-82.2	3	0.8	00.0-02.2	127	21.9	16.4-27.4	5	0.7	00.1-01.3
Less than \$15,000	405	196,853	339	84.6	79.5-89.7	1	0.3	00.0-00.9	62	14.0	09.1-18.9	3	1.1	00.0-02.7
\$15,000- 24,999	670	293,130	556	82.0	77.5-86.5	1	0.0	00.0-00.0	111	17.5	13.0-22.0	2	0.5	00.0-01.3
\$25,000- 34,999	345	161,401	275	80.3	74.0-86.6				69	19.5	13.2-25.8	1	0.2	00.0-00.6
\$35,000- 49,999	422	195,323	351	81.3	76.0-86.6				71	18.7	13.4-24.0			
\$50,000- 74,999	328	178,564	262	79.7	72.3-87.1	3	1.1	00.0-02.9	59	18.2	10.9-25.5	4	1.1	00.0-02.5
\$75,000+	367	217,501	289	77.8	72.3-83.3				73	21.1	15.8-26.4	5	1.1	00.0-02.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1131	746,894	916	79.7	76.2-83.2	204	19.5	16.0-23.0	11	0.8	00.2-01.4
White/Non-Hisp	924	622,889	744	78.5	74.6-82.4	172	20.6	16.7-24.5	8	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	138	70,358	114	85.2	73.4-97.0	23	14.7	02.9-26.5	1	0.2	00.0-00.6
35-44	74	104,730	54	78.2	67.8-88.6	20	21.8	11.4-32.2			
45-54	182	148,821	142	75.7	68.3-83.1	37	22.5	15.2-29.8	3	1.8	00.0-04.2
55-64	313	171,329	247	79.8	74.3-85.3	61	18.5	13.2-23.8	5	1.7	00.0-03.5
65+	520	210,876	442	85.7	82.0-89.4	75	14.0	10.5-17.5	3	0.3	00.0-00.7
Less Than H.S.	117	111,069	98	77.3	65.3-89.3	18	21.4	09.4-33.4	1	1.3	00.0-03.8
H.S. or G.E.D.	426	271,925	345	81.2	76.3-86.1	80	18.7	13.8-23.6	1	0.1	00.0-00.3
Some Post-H.S.	268	219,221	214	82.1	76.0-88.2	49	16.6	10.7-22.5	5	1.3	00.0-02.7
College Graduate	315	141,610	256	75.1	66.5-83.7	55	23.9	15.3-32.5	4	1.0	00.0-02.2
Less than \$15,000	114	84,838	98	88.1	80.5-95.7	15	10.2	03.1-17.3	1	1.7	00.0-05.0
\$15,000- 24,999	204	111,429	162	75.7	66.3-85.1	40	23.1	13.9-32.3	2	1.2	00.0-03.0
\$25,000- 34,999	156	98,954	129	82.9	75.3-90.5	27	17.1	09.5-24.7			
\$35,000- 49,999	186	108,837	153	79.3	71.3-87.3	33	20.7	12.7-28.7			
\$50,000- 74,999	144	101,543	115	78.1	66.7-89.5	27	21.2	09.8-32.6	2	0.7	00.0-01.9
\$75,000+	195	135,161	151	77.1	69.7-84.5	40	21.3	14.0-28.6	4	1.6	00.0-03.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 30: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1873	714,352	1543	82.6	80.1-85.1	5	0.4	00.0-00.8	316	16.6	14.2-19.0	9	0.5	00.1-00.9
White/Non-Hisp	1464	602,304	1195	81.9	79.2-84.6	2	0.3	00.0-00.9	259	17.2	14.5-19.9	8	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	299	73,535	250	82.0	73.2-90.8	3	1.0	00.0-02.6	45	16.9	08.1-25.7	1	0.1	00.0-00.3
35-44	73	55,965	58	81.7	69.9-93.5	1	0.2	00.0-00.6	14	18.1	06.3-29.9			
45-54	226	140,646	184	82.7	76.4-89.0				41	16.5	10.4-22.6	1	0.8	00.0-02.4
55-64	489	159,701	411	84.7	81.0-88.4	2	0.1	00.0-00.3	73	14.8	11.1-18.5	3	0.5	00.0-01.1
65+	1029	295,873	849	83.4	80.7-86.1	1	0.2	00.0-00.6	174	16.0	13.3-18.7	5	0.5	00.1-00.9
Less Than H.S.	216	102,772	183	85.8	80.1-91.5	1	0.5	00.0-01.5	31	13.3	07.8-18.8	1	0.4	00.0-01.2
H.S. or G.E.D.	798	269,272	651	82.9	79.6-86.2				143	16.3	13.0-19.6	4	0.8	00.0-01.8
Some Post-H.S.	475	235,306	404	82.3	77.0-87.6	1	0.1	00.0-00.3	67	17.4	12.1-22.7	3	0.2	00.0-00.6
College Graduate	374	102,502	298	78.8	72.9-84.7	3	1.8	00.0-04.9	72	19.1	13.8-24.4	1	0.3	00.0-00.9
Less than \$15,000	291	112,016	241	82.0	75.5-88.5	1	0.5	00.0-01.5	47	16.9	10.6-23.2	2	0.6	00.0-01.4
\$15,000- 24,999	466	181,700	394	85.8	81.3-90.3	1	0.0	00.0-00.0	71	14.2	09.7-18.7			
\$25,000- 34,999	189	62,447	146	76.3	65.9-86.7				42	23.3	12.9-33.7	1	0.4	00.0-01.2
\$35,000- 49,999	236	86,486	198	83.9	77.6-90.2				38	16.1	09.8-22.4			
\$50,000- 74,999	184	77,021	147	81.8	73.6-90.0	3	2.5	00.0-06.8	32	14.2	07.5-20.9	2	1.6	00.0-04.5
\$75,000+	172	82,340	138	78.8	71.0-86.6				33	20.8	13.0-28.6	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 16: SECONDHAND SMOKE I CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSNWRK1)	
1 MALES AND FEMALES	110
2 MALES ONLY	111
3 FEMALES ONLY	112
NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (SHSNHOM1)	
4 MALES AND FEMALES	113
5 MALES ONLY	114
6 FEMALES ONLY	115
DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSRIDEV)	
7 MALES AND FEMALES	116
8 MALES ONLY	117
9 FEMALES ONLY	118
THE NEXT QUESTION ASKS ABOUT TOBACCO USE IN INDOOR PUBLIC PLACES. EXAMPLES OF INDOOR PUBLIC PLACES ARE THE INDOOR AREAS OF STORES, RESTAURANTS, BARS, CASINOS, CLUBS, AND SPORTS ARENAS. [IF Q8.9 = 1 (EMPLOYED) OR Q8.9 = 2 (SELF-EMPLOYED)]	
10 MALES AND FEMALES	119
11 MALES ONLY	120
12 FEMALES ONLY	121
NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (SHSHOMES)	
13 MALES AND FEMALES	122
14 MALES ONLY	123
15 FEMALES ONLY	124
NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSVHICL)	
16 MALES AND FEMALES	125
17 MALES ONLY	126
18 FEMALES ONLY	127
AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW1)	
19 MALES AND FEMALES	128

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 16: SECONDHAND SMOKE I CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
20	MALES ONLY	129
21	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 1: NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSNWRK1)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2923	2,263,474	125	5.9	04.3-07.5	153	6.6	05.0-08.2	95	4.6	03.2-06.0	2550	83.0	80.6-85.4
Male	1217	1,181,699	66	6.7	04.3-09.1	94	8.9	06.4-11.4	57	5.9	03.9-07.9	1000	78.6	75.1-82.1
Female	1706	1,081,775	59	5.0	02.8-07.2	59	4.1	02.3-05.9	38	3.1	01.5-04.7	1550	87.8	84.9-90.7
White/Non-Hisp	2441	1,913,173	96	5.5	03.9-07.1	116	6.1	04.5-07.7	70	4.2	02.8-05.6	2159	84.2	81.8-86.6
Black or Afr. Am./Non-Hisp	257	148,828	16	9.9	01.9-17.9	22	16.3	05.3-27.3	12	3.5	00.4-06.6	207	70.3	58.0-82.6
Hispanic	95	84,355	9	13.2	00.7-25.7	2	0.4	00.0-01.0	6	10.1	00.0-21.9	78	76.3	60.8-91.8
18-24	67	198,439	10	19.3	07.0-31.6	5	5.8	00.0-12.1	3	5.2	00.0-12.3	49	69.7	56.0-83.4
25-34	286	449,756	17	6.3	02.6-10.0	20	10.1	04.6-15.6	16	6.0	02.3-09.7	233	77.6	70.7-84.5
35-44	567	554,655	28	5.1	02.7-07.5	33	6.7	04.0-09.4	21	5.5	02.6-08.4	485	82.6	78.3-86.9
45-54	848	584,484	37	4.3	02.5-06.1	48	5.7	03.7-07.7	27	3.7	01.9-05.5	736	86.2	83.3-89.1
55-64	834	366,392	29	3.0	01.6-04.4	37	4.9	03.1-06.7	19	2.3	00.9-03.7	749	89.8	87.3-92.3
65+	289	93,197	4	1.5	00.0-03.1	8	3.1	00.6-05.6	8	5.0	01.3-08.7	269	90.4	85.7-95.1
Less Than H.S.	137	181,174	6	6.0	00.0-12.7	15	14.8	05.6-24.0	13	9.7	02.6-16.8	103	69.5	57.9-81.1
H.S. or G.E.D.	904	726,747	47	7.6	04.7-10.5	69	9.3	06.0-12.6	48	7.1	04.0-10.2	740	76.0	71.3-80.7
Some Post-H.S.	754	704,478	37	6.8	03.5-10.1	46	5.5	03.1-07.9	21	3.3	01.7-04.9	650	84.4	80.3-88.5
College Graduate	1121	647,776	35	2.8	01.6-04.0	22	2.4	01.2-03.6	12	1.6	00.4-02.8	1052	93.1	91.1-95.1
Less than \$15,000	101	83,690	12	10.7	00.1-21.3	4	2.4	00.0-05.1	4	3.9	00.0-08.6	81	82.9	71.3-94.5
\$15,000- 24,999	292	251,951	13	9.3	02.2-16.4	25	11.6	05.1-18.1	22	8.4	03.7-13.1	232	70.7	61.5-79.9
\$25,000- 34,999	289	238,313	19	6.8	01.5-12.1	17	6.8	01.5-12.1	11	6.8	00.3-13.3	242	79.6	70.8-88.4
\$35,000- 49,999	451	305,733	17	3.4	01.2-05.6	38	12.1	06.4-17.8	15	4.4	01.7-07.1	381	80.2	73.9-86.5
\$50,000- 74,999	551	424,893	22	6.1	02.8-09.4	26	6.8	03.7-09.9	18	6.0	02.1-09.9	485	81.1	75.6-86.6
\$75,000+	954	712,689	29	2.9	01.5-04.3	26	2.7	01.3-04.1	19	2.6	01.2-04.0	880	91.8	89.4-94.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 2: NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSNWRK1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1217	1,181,699	66	6.7	04.3-09.1	94	8.9	06.4-11.4	57	5.9	03.9-07.9	1000	78.6	75.1-82.1
White/Non-Hisp	1049	995,703	51	6.0	03.6-08.4	75	9.0	06.3-11.7	45	5.7	03.5-07.9	878	79.4	75.7-83.1
Black or Afr. Am./Non-Hisp	64	55,557	8	22.0	03.0-41.0	9	14.9	00.0-31.2	4	2.0	00.0-04.4	43	61.2	40.6-81.8
25-34	103	244,686	6	5.6	00.9-10.3	13	13.6	05.2-22.0	7	6.7	00.8-12.6	77	74.0	63.6-84.4
35-44	241	293,294	15	5.7	01.8-09.6	21	8.7	04.4-13.0	15	8.9	03.6-14.2	190	76.8	69.7-83.9
45-54	376	296,519	21	5.5	02.4-08.6	33	7.9	04.8-11.0	18	5.0	02.3-07.7	304	81.6	76.7-86.5
55-64	328	193,565	14	3.6	01.2-06.0	20	6.2	03.3-09.1	9	3.5	00.8-06.2	285	86.7	82.4-91.0
65+	124	51,635	3	1.6	00.0-03.6	2	2.2	00.0-05.7	6	7.6	01.1-14.1	113	88.6	81.2-96.0
Less Than H.S.	65	113,895	3	4.8	00.0-12.4	12	19.5	06.2-32.8	6	10.5	00.1-20.9	44	65.2	49.3-81.1
H.S. or G.E.D.	391	411,977	30	10.8	05.9-15.7	44	11.5	06.8-16.2	29	8.6	04.5-12.7	288	69.1	62.2-76.0
Some Post-H.S.	277	322,990	17	6.8	01.9-11.7	26	8.4	03.9-12.9	15	4.8	01.9-07.7	219	80.0	73.3-86.7
College Graduate	481	331,367	16	2.1	00.5-03.7	11	2.2	00.6-03.8	7	2.1	00.0-04.3	447	93.7	90.8-96.6
\$15,000- 24,999	99	121,056	6	8.8	00.0-18.0	15	18.9	06.7-31.1	9	9.9	01.9-17.9	69	62.4	47.9-76.9
\$25,000- 34,999	110	129,576	11	9.3	00.0-18.7	10	8.9	00.3-17.5	5	10.1	00.0-21.1	84	71.7	57.4-86.0
\$35,000- 49,999	169	155,645	7	3.4	00.1-06.7	23	14.9	07.8-22.0	10	6.8	01.9-11.7	129	74.9	66.3-83.5
\$50,000- 74,999	223	227,187	12	7.3	02.2-12.4	16	8.6	03.5-13.7	14	6.9	02.6-11.2	181	77.2	69.6-84.8
\$75,000+	461	382,845	17	3.4	01.2-05.6	18	3.3	01.1-05.5	15	3.8	01.4-06.2	411	89.5	85.8-93.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 3: NOW I'M GOING TO ASK YOU ABOUT SMOKE YOU MIGHT HAVE BREATHED AT WORK BECAUSE SOMEONE ELSE WAS SMOKING INDOORS. DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF THE WEEK], ON HOW MANY DAYS DID YOU BREATHE THE SMOKE AT YOUR WORKPLACE FROM SOMEONE OTHER THAN YOU WHO WAS SMOKING TOBACCO? (SHSNWRK1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1706	1,081,775	59	5.0	02.8-07.2	59	4.1	02.3-05.9	38	3.1	01.5-04.7	1550	87.8	84.9-90.7
White/Non-Hisp	1392	917,471	45	4.9	02.5-07.3	41	3.0	01.8-04.2	25	2.6	00.8-04.4	1281	89.4	86.5-92.3
Black or Afr. Am./Non-Hisp	193	93,271	8	2.7	00.0-05.4	13	17.2	02.5-31.9	8	4.4	00.0-09.1	164	75.8	61.1-90.5
Hispanic	56	29,975	4	17.3	00.0-37.9	1	0.5	00.0-01.5	1	3.0	00.0-08.9	50	79.1	58.5-99.7
25-34	183	205,070	11	7.2	01.5-12.9	7	5.8	00.0-12.9	9	5.1	01.4-08.8	156	81.9	73.1-90.7
35-44	326	261,362	13	4.4	01.7-07.1	12	4.6	01.7-07.5	6	1.8	00.0-03.6	295	89.2	85.1-93.3
45-54	472	287,965	16	3.1	01.3-04.9	15	3.5	01.1-05.9	9	2.4	00.6-04.2	432	91.0	87.7-94.3
55-64	506	172,828	15	2.3	00.9-03.7	17	3.6	01.6-05.6	10	1.0	00.2-01.8	464	93.2	90.7-95.7
65+	165	41,562	1	1.4	00.0-04.1	6	4.3	00.6-08.0	2	1.8	00.0-04.3	156	92.5	87.4-97.6
Less Than H.S.	72	67,279	3	8.1	00.0-20.6	3	6.7	00.0-15.3	7	8.3	00.5-16.1	59	76.9	61.8-92.0
H.S. or G.E.D.	513	314,771	17	3.5	01.3-05.7	25	6.5	01.8-11.2	19	5.0	00.5-09.5	452	85.0	78.5-91.5
Some Post-H.S.	477	381,488	20	6.8	01.9-11.7	20	3.0	01.2-04.8	6	2.0	00.2-03.8	431	88.2	82.9-93.5
College Graduate	640	316,409	19	3.6	01.6-05.6	11	2.7	00.9-04.5	5	1.2	00.0-02.4	605	92.5	89.8-95.2
Less than \$15,000	65	41,505	6	5.5	00.0-11.0	3	3.5	00.0-08.2	3	5.5	00.0-13.7	53	85.5	74.3-96.7
\$15,000- 24,999	193	130,895	7	9.8	00.0-20.6	10	4.8	00.5-09.1	13	7.0	01.9-12.1	163	78.4	67.0-89.8
\$25,000- 34,999	179	108,737	8	3.8	00.7-06.9	7	4.2	00.0-09.1	6	2.9	00.0-06.4	158	89.1	82.4-95.8
\$35,000- 49,999	282	150,088	10	3.4	00.9-05.9	15	9.1	00.0-18.3	5	1.9	00.0-04.3	252	85.7	76.5-94.9
\$50,000- 74,999	328	197,707	10	4.8	00.7-08.9	10	4.7	01.6-07.8	4	4.9	00.0-11.8	304	85.6	77.6-93.6
\$75,000+	493	329,843	12	2.2	00.8-03.6	8	2.1	00.5-03.7	4	1.2	00.0-02.6	469	94.5	92.1-96.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 4: NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (SHSNHOM1)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6645	4,391,935	283	4.4	03.6-05.2	115	2.4	01.6-03.2	422	10.0	08.6-11.4	5825	83.1	81.5-84.7
Male	2459	2,130,823	106	4.1	02.9-05.3	55	3.0	01.8-04.2	174	10.8	08.6-13.0	2124	82.1	79.6-84.6
Female	4186	2,261,112	177	4.7	03.5-05.9	60	1.9	01.1-02.7	248	9.3	07.5-11.1	3701	84.0	81.8-86.2
White/Non-Hisp	5441	3,674,917	200	4.1	03.1-05.1	84	2.2	01.4-03.0	333	9.9	08.5-11.3	4824	83.8	82.0-85.6
Black or Afr. Am./Non-Hisp	740	334,477	54	8.1	04.4-11.8	21	3.8	01.1-06.5	46	8.5	03.2-13.8	619	79.7	73.2-86.2
Oth. Race/Non-Hisp.	88	75,290	8	8.0	00.0-16.4	6	13.1	00.0-27.6	9	9.6	01.2-18.0	65	69.3	53.0-85.6
MultiRacial/Non-Hisp.	77	79,436	3	2.6	00.0-06.7	3	4.7	00.0-11.2	17	35.4	15.0-55.8	54	57.2	37.0-77.4
Hispanic	183	162,264	12	4.5	00.8-08.2				9	6.5	00.8-12.2	162	89.0	82.3-95.7
18-24	170	581,156	7	2.9	00.2-05.6	7	5.9	01.4-10.4	27	16.0	09.7-22.3	129	75.3	67.7-82.9
25-34	467	746,082	16	4.5	01.6-07.4	10	1.6	00.2-03.0	38	10.2	06.1-14.3	403	83.7	78.8-88.6
35-44	769	761,708	35	4.6	02.6-06.6	11	1.7	00.3-03.1	58	10.1	07.0-13.2	665	83.6	79.9-87.3
45-54	1201	824,213	74	6.1	04.3-07.9	30	2.1	00.9-03.3	104	11.6	09.1-14.1	993	80.2	77.1-83.3
55-64	1574	671,696	68	5.1	03.5-06.7	36	3.4	02.0-04.8	97	8.5	06.5-10.5	1373	83.0	80.3-85.7
65+	2403	779,763	79	3.0	02.2-03.8	20	0.9	00.5-01.3	95	5.4	04.0-06.8	2209	90.7	89.1-92.3
Less Than H.S.	610	615,401	47	5.9	03.5-08.3	26	6.4	02.7-10.1	77	17.8	12.7-22.9	460	69.9	63.8-76.0
H.S. or G.E.D.	2468	1,515,245	136	6.4	04.8-08.0	56	2.2	01.4-03.0	190	12.0	09.5-14.5	2086	79.4	76.5-82.3
Some Post-H.S.	1623	1,304,880	62	3.5	01.9-05.1	23	2.0	00.6-03.4	119	9.8	07.6-12.0	1419	84.7	82.0-87.4
College Graduate	1922	943,233	37	1.6	00.8-02.4	8	0.4	00.0-00.8	36	2.3	01.1-03.5	1841	95.7	94.3-97.1
Less than \$15,000	723	432,824	67	9.8	06.5-13.1	27	3.0	01.0-05.0	74	19.1	13.4-24.8	555	68.1	62.0-74.2
\$15,000- 24,999	1162	682,052	69	6.3	03.9-08.7	28	3.4	01.6-05.2	108	13.8	10.5-17.1	957	76.5	72.4-80.6
\$25,000- 34,999	718	460,889	30	5.0	01.7-08.3	8	1.0	00.2-01.8	55	12.7	07.8-17.6	625	81.3	75.8-86.8
\$35,000- 49,999	905	539,126	31	3.3	01.7-04.9	21	5.5	01.8-09.2	58	10.9	07.0-14.8	795	80.3	75.2-85.4
\$50,000- 74,999	865	613,456	31	3.9	01.9-05.9	8	2.0	00.0-04.0	36	3.7	02.1-05.3	790	90.5	87.4-93.6
\$75,000+	1254	923,142	20	2.1	00.9-03.3	10	1.2	00.0-02.6	32	3.4	01.8-05.0	1192	93.2	90.8-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 5: NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (SHSNHOM1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2459	2,130,823	106	4.1	02.9-05.3	55	3.0	01.8-04.2	174	10.8	08.6-13.0	2124	82.1	79.6-84.6
White/Non-Hisp	2044	1,758,086	79	3.8	02.6-05.0	40	2.5	01.3-03.7	145	10.7	08.5-12.9	1780	83.0	80.5-85.5
Black or Afr. Am./Non-Hisp	222	140,736	16	6.8	00.9-12.7	8	6.2	00.0-12.5	9	5.9	00.2-11.6	189	81.1	71.5-90.7
Hispanic	66	90,648	7	6.2	00.1-12.3				4	6.2	00.0-13.5	55	87.7	78.3-97.1
18-24	82	301,801	2	0.7	00.0-01.7	5	7.6	00.5-14.7	13	15.0	06.6-23.4	62	76.8	66.4-87.2
25-34	147	373,395	7	5.3	00.6-10.0	6	2.5	00.0-05.0	10	7.8	02.1-13.5	124	84.4	77.0-91.8
35-44	303	388,102	13	4.1	01.6-06.6	4	1.1	00.0-02.5	31	14.5	09.2-19.8	255	80.4	74.5-86.3
45-54	500	397,310	27	4.9	02.5-07.3	12	2.5	00.3-04.7	44	11.4	07.7-15.1	417	81.2	76.7-85.7
55-64	600	332,615	29	6.2	03.7-08.7	17	3.7	01.5-05.9	39	9.5	06.2-12.8	515	80.6	76.3-84.9
65+	808	326,344	28	3.2	01.8-04.6	11	1.6	00.6-02.6	35	6.8	04.1-09.5	734	88.4	85.3-91.5
Less Than H.S.	240	336,555	15	4.5	01.4-07.6	17	8.8	02.9-14.7	33	16.6	10.1-23.1	175	70.1	61.7-78.5
H.S. or G.E.D.	869	762,354	58	6.9	04.4-09.4	23	1.9	00.9-02.9	75	12.1	08.2-16.0	713	79.1	74.6-83.6
Some Post-H.S.	564	574,559	23	2.5	01.1-03.9	10	2.3	00.0-04.7	50	11.8	07.9-15.7	481	83.4	78.9-87.9
College Graduate	779	450,586	10	1.4	00.2-02.6	4	0.7	00.0-01.5	16	3.0	00.8-05.2	749	94.9	92.4-97.4
Less than \$15,000	213	195,406	25	10.7	05.0-16.4	8	2.8	00.0-06.5	33	26.1	16.1-36.1	147	60.5	49.9-71.1
\$15,000- 24,999	386	314,495	22	5.5	02.4-08.6	17	5.8	02.3-09.3	34	12.8	07.7-17.9	313	76.0	69.5-82.5
\$25,000- 34,999	285	233,993	15	6.3	00.4-12.2	4	1.3	00.0-02.7	25	13.3	06.8-19.8	241	79.1	71.1-87.1
\$35,000- 49,999	362	264,170	9	1.8	00.4-03.2	10	5.3	00.0-10.6	28	12.3	07.0-17.6	315	80.5	73.4-87.6
\$50,000- 74,999	350	309,108	16	5.0	01.7-08.3	4	1.1	00.0-02.7	14	4.3	01.8-06.8	316	89.7	85.4-94.0
\$75,000+	573	474,807	11	1.9	00.5-03.3	6	2.1	00.0-04.8	16	3.1	00.9-05.3	540	93.0	89.5-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 6: NOT COUNTING DECKS, PORCHES, OR GARAGES, DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID SOMEONE OTHER THAN YOU SMOKE TOBACCO INSIDE YOUR HOME WHILE YOU WERE AT HOME? (SHSNHOM1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4186	2,261,112	177	4.7	03.5-05.9	60	1.9	01.1-02.7	248	9.3	07.5-11.1	3701	84.0	81.8-86.2
White/Non-Hisp	3397	1,916,831	121	4.4	03.2-05.6	44	1.9	00.9-02.9	188	9.0	07.0-11.0	3044	84.6	82.2-87.0
Black or Afr. Am./Non-Hisp	518	193,741	38	9.0	04.3-13.7	13	2.0	00.4-03.6	37	10.3	02.3-18.3	430	78.7	70.1-87.3
Hispanic	117	71,615	5	2.5	00.0-05.8				5	6.9	00.0-15.7	107	90.6	81.2-0100
18-24	88	279,354	5	5.3	00.0-10.8	2	4.0	00.0-09.3	14	17.0	07.6-26.4	67	73.7	62.5-84.9
25-34	320	372,687	9	3.7	00.4-07.0	4	0.8	00.0-01.6	28	12.5	06.8-18.2	279	83.1	76.8-89.4
35-44	466	373,607	22	5.1	02.2-08.0	7	2.3	00.0-04.8	27	5.6	02.7-08.5	410	87.0	82.5-91.5
45-54	701	426,903	47	7.3	04.8-09.8	18	1.8	00.8-02.8	60	11.7	08.2-15.2	576	79.2	75.1-83.3
55-64	974	339,082	39	4.0	02.4-05.6	19	3.0	01.4-04.6	58	7.6	05.2-10.0	858	85.5	82.4-88.6
65+	1595	453,419	51	2.9	01.9-03.9	9	0.5	00.1-00.9	60	4.4	03.0-05.8	1475	92.3	90.5-94.1
Less Than H.S.	370	278,846	32	7.5	03.8-11.2	9	3.5	00.0-07.6	44	19.3	11.1-27.5	285	69.6	60.8-78.4
H.S. or G.E.D.	1599	752,891	78	5.9	03.9-07.9	33	2.5	01.1-03.9	115	11.9	08.4-15.4	1373	79.7	75.8-83.6
Some Post-H.S.	1059	730,321	39	4.3	01.9-06.7	13	1.9	00.3-03.5	69	8.2	05.8-10.6	938	85.6	82.1-89.1
College Graduate	1143	492,646	27	1.8	00.6-03.0	4	0.2	00.0-00.4	20	1.6	00.8-02.4	1092	96.4	95.0-97.8
Less than \$15,000	510	237,419	42	9.1	05.4-12.8	19	3.2	01.4-05.0	41	13.3	07.2-19.4	408	74.4	67.7-81.1
\$15,000- 24,999	776	367,557	47	6.9	03.4-10.4	11	1.3	00.3-02.3	74	14.7	10.2-19.2	644	77.0	71.7-82.3
\$25,000- 34,999	433	226,896	15	3.7	01.2-06.2	4	0.8	00.0-01.6	30	11.9	04.6-19.2	384	83.6	76.2-91.0
\$35,000- 49,999	543	274,955	22	4.7	02.0-07.4	11	5.6	00.5-10.7	30	9.5	03.6-15.4	480	80.1	72.8-87.4
\$50,000- 74,999	515	304,348	15	2.7	00.9-04.5	4	2.9	00.0-06.6	22	3.1	01.3-04.9	474	91.3	87.0-95.6
\$75,000+	681	448,335	9	2.4	00.2-04.6	4	0.3	00.0-00.7	16	3.8	01.6-06.0	652	93.5	90.6-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 7: DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSRIDEV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6659	4,410,162	499	10.1	08.7-11.5	248	6.3	05.1-07.5	141	4.2	03.2-05.2	5771	79.4	77.6-81.2
Male	2470	2,140,433	186	11.1	08.9-13.3	122	7.5	05.5-09.5	71	4.7	03.1-06.3	2091	76.8	73.9-79.7
Female	4189	2,269,729	313	9.1	07.5-10.7	126	5.1	03.5-06.7	70	3.8	02.4-05.2	3680	82.0	79.6-84.4
White/Non-Hisp	5449	3,684,342	385	9.2	07.8-10.6	191	6.0	04.8-07.2	105	4.0	03.0-05.0	4768	80.8	78.8-82.8
Black or Afr. Am./Non-Hisp	747	344,487	69	15.5	09.0-22.0	39	5.9	02.4-09.4	17	3.5	00.8-06.2	622	75.1	68.0-82.2
Oth. Race/Non-Hisp.	86	74,634	12	19.8	03.9-35.7	3	9.1	00.0-23.4	6	11.3	00.1-22.5	65	59.7	41.7-77.7
MultiRacial/Non-Hisp.	77	79,436	13	25.3	09.4-41.2	2	9.8	00.0-25.9	6	14.2	00.0-31.1	56	50.7	30.5-70.9
Hispanic	183	161,002	11	8.7	00.0-17.5	9	10.2	00.6-19.8	4	4.2	00.0-10.1	159	76.9	64.2-89.6
18-24	172	590,815	19	11.6	05.7-17.5	23	15.0	08.5-21.5	11	7.2	02.5-11.9	119	66.2	57.8-74.6
25-34	468	749,362	64	15.2	10.7-19.7	38	9.1	05.4-12.8	17	5.9	02.6-09.2	349	69.7	63.8-75.6
35-44	771	763,493	66	10.3	07.4-13.2	31	4.2	02.4-06.0	22	4.4	02.2-06.6	652	81.1	77.4-84.8
45-54	1205	824,854	133	11.5	09.1-13.9	48	4.6	03.0-06.2	42	5.2	03.2-07.2	982	78.7	75.6-81.8
55-64	1579	673,175	108	8.1	06.3-09.9	63	4.8	03.4-06.2	24	1.9	00.9-02.9	1384	85.2	82.8-87.6
65+	2401	780,329	106	4.2	03.2-05.2	43	2.1	01.1-03.1	24	1.2	00.6-01.8	2228	92.6	91.2-94.0
Less Than H.S.	614	617,425	79	11.1	07.6-14.6	45	10.3	05.8-14.8	37	10.8	06.3-15.3	453	67.9	61.6-74.2
H.S. or G.E.D.	2476	1,529,613	219	12.9	10.4-15.4	107	8.0	05.6-10.4	67	5.1	03.1-07.1	2083	74.0	70.5-77.5
Some Post-H.S.	1626	1,305,705	116	9.6	07.1-12.1	59	4.8	03.0-06.6	28	2.9	01.5-04.3	1423	82.7	79.6-85.8
College Graduate	1922	944,384	84	5.4	03.8-07.0	35	2.6	01.4-03.8	8	0.5	00.1-00.9	1795	91.6	89.6-93.6
Less than \$15,000	730	436,716	94	16.6	11.7-21.5	40	6.4	03.3-09.5	27	8.3	04.0-12.6	569	68.7	62.6-74.8
\$15,000- 24,999	1162	682,217	121	15.3	11.4-19.2	57	7.5	04.6-10.4	37	5.1	02.7-07.5	947	72.1	67.4-76.8
\$25,000- 34,999	722	471,754	58	10.7	06.8-14.6	23	6.0	01.9-10.1	19	4.6	01.5-07.7	622	78.8	72.9-84.7
\$35,000- 49,999	905	539,909	66	10.5	06.8-14.2	33	6.0	03.1-08.9	17	2.8	01.2-04.4	789	80.7	76.2-85.2
\$50,000- 74,999	865	613,456	56	7.7	05.2-10.2	35	7.3	04.0-10.6	9	3.3	00.4-06.2	765	81.6	76.9-86.3
\$75,000+	1254	923,079	45	4.5	02.7-06.3	21	2.0	00.8-03.2	6	1.0	00.0-02.0	1182	92.5	90.1-94.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 8: DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSRIDEV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2470	2,140,433	186	11.1	08.9-13.3	122	7.5	05.5-09.5	71	4.7	03.1-06.3	2091	76.8	73.9-79.7
White/Non-Hisp	2050	1,766,214	140	10.0	07.8-12.2	98	7.2	05.2-09.2	57	4.5	02.9-06.1	1755	78.4	75.5-81.3
Black or Afr. Am./Non-Hisp	227	143,315	26	12.8	03.8-21.8	15	6.2	00.9-11.5	3	0.7	00.0-01.7	183	80.3	70.3-90.3
Hispanic	66	89,386	5	14.2	00.0-29.3	3	8.8	00.0-23.1	2	2.3	00.0-06.2	56	74.6	55.8-93.4
18-24	83	304,947	13	16.7	07.1-26.3	15	17.2	08.0-26.4	1	1.7	00.0-05.0	54	64.4	52.4-76.4
25-34	149	376,798	25	14.3	07.8-20.8	15	10.4	04.3-16.5	8	7.6	01.7-13.5	101	67.7	58.7-76.7
35-44	306	389,997	29	13.9	08.8-19.0	11	2.7	00.7-04.7	12	6.2	02.5-09.9	254	77.1	71.0-83.2
45-54	505	399,178	56	10.6	07.3-13.9	26	5.8	03.1-08.5	28	7.6	04.5-10.7	395	76.0	71.1-80.9
55-64	602	332,993	37	6.7	04.2-09.2	33	6.9	04.4-09.4	13	2.5	00.9-04.1	519	83.9	80.2-87.6
65+	806	325,264	26	4.0	02.2-05.8	20	3.4	01.4-05.4	9	1.1	00.1-02.1	751	91.5	88.8-94.2
Less Than H.S.	244	337,711	29	13.0	07.3-18.7	28	10.0	04.3-15.7	17	7.6	02.9-12.3	170	69.4	61.0-77.8
H.S. or G.E.D.	875	770,292	85	13.5	09.4-17.6	59	10.9	07.0-14.8	35	6.5	03.6-09.4	696	69.0	63.7-74.3
Some Post-H.S.	564	573,900	44	10.5	06.2-14.8	23	5.0	02.5-07.5	14	3.8	01.3-06.3	483	80.8	75.5-86.1
College Graduate	780	451,761	28	6.4	03.5-09.3	10	2.1	00.3-03.9	5	0.7	00.0-01.5	737	90.9	87.6-94.2
Less than \$15,000	216	197,932	31	14.3	07.6-21.0	20	10.8	04.3-17.3	14	10.9	03.5-18.3	151	63.9	53.7-74.1
\$15,000- 24,999	386	314,466	43	16.4	10.1-22.7	26	9.2	04.1-14.3	16	6.2	02.5-09.9	301	68.2	60.6-75.8
\$25,000- 34,999	288	238,176	27	12.3	05.6-19.0	11	6.5	01.0-12.0	13	6.7	01.6-11.8	237	74.5	65.5-83.5
\$35,000- 49,999	362	264,954	25	9.7	05.0-14.4	19	7.2	02.7-11.7	10	4.4	01.5-07.3	308	78.7	72.2-85.2
\$50,000- 74,999	350	309,108	25	10.0	05.5-14.5	21	8.2	03.9-12.5	3	1.3	00.0-03.1	301	80.6	74.5-86.7
\$75,000+	573	474,807	16	4.0	01.1-06.9	7	1.6	00.0-03.2	2	0.5	00.0-01.3	548	93.9	90.6-97.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 9: DURING THE PAST 7 DAYS, THAT IS, SINCE LAST [TODAY'S DAY OF WEEK], ON HOW MANY DAYS DID YOU RIDE IN A VEHICLE WHERE SOMEONE OTHER THAN YOU WAS SMOKING TOBACCO? (SHSRIDEV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4189	2,269,729	313	9.1	07.5-10.7	126	5.1	03.5-06.7	70	3.8	02.4-05.2	3680	82.0	79.6-84.4
White/Non-Hisp	3399	1,918,127	245	8.4	06.8-10.0	93	4.9	03.3-06.5	48	3.6	02.0-05.2	3013	83.1	80.6-85.6
Black or Afr. Am./Non-Hisp	520	201,173	43	17.4	08.4-26.4	24	5.7	01.2-10.2	14	5.4	00.9-09.9	439	71.4	61.8-81.0
Hispanic	117	71,615	6	1.9	00.0-03.9	6	12.0	00.0-24.3	2	6.5	00.0-18.5	103	79.6	63.9-95.3
18-24	89	285,868	6	6.1	00.2-12.0	8	12.7	03.9-21.5	10	13.2	04.4-22.0	65	68.1	56.1-80.1
25-34	319	372,564	39	16.1	09.8-22.4	23	7.8	03.5-12.1	9	4.3	01.0-07.6	248	71.7	64.4-79.0
35-44	465	373,496	37	6.4	03.9-08.9	20	5.7	02.6-08.8	10	2.6	00.6-04.6	398	85.3	81.2-89.4
45-54	700	425,676	77	12.3	09.0-15.6	22	3.5	01.9-05.1	14	3.0	00.8-05.2	587	81.2	77.3-85.1
55-64	977	340,181	71	9.4	06.9-11.9	30	2.7	01.5-03.9	11	1.4	00.4-02.4	865	86.4	83.5-89.3
65+	1595	455,065	80	4.4	03.2-05.6	23	1.2	00.6-01.8	15	1.2	00.4-02.0	1477	93.3	91.7-94.9
Less Than H.S.	370	279,714	50	8.8	05.1-12.5	17	10.6	03.3-17.9	20	14.6	06.8-22.4	283	66.1	56.9-75.3
H.S. or G.E.D.	1601	759,320	134	12.4	09.3-15.5	48	5.0	02.5-07.5	32	3.6	01.1-06.1	1387	79.0	74.7-83.3
Some Post-H.S.	1062	731,805	72	8.9	05.8-12.0	36	4.7	02.3-07.1	14	2.2	01.0-03.4	940	84.2	80.5-87.9
College Graduate	1142	492,623	56	4.5	02.9-06.1	25	3.0	01.4-04.6	3	0.3	00.0-00.7	1058	92.3	90.1-94.5
Less than \$15,000	514	238,784	63	18.5	11.6-25.4	20	2.7	01.3-04.1	13	6.1	01.0-11.2	418	72.6	65.0-80.2
\$15,000- 24,999	776	367,752	78	14.4	09.7-19.1	31	6.0	02.9-09.1	21	4.1	01.2-07.0	646	75.5	69.8-81.2
\$25,000- 34,999	434	233,578	31	9.0	04.7-13.3	12	5.4	00.0-11.3	6	2.5	00.0-06.2	385	83.1	75.7-90.5
\$35,000- 49,999	543	274,955	41	11.4	05.5-17.3	14	4.8	01.3-08.3	7	1.2	00.0-02.4	481	82.6	76.1-89.1
\$50,000- 74,999	515	304,348	31	5.4	03.0-07.8	14	6.5	01.6-11.4	6	5.4	00.0-11.1	464	82.7	75.6-89.8
\$75,000+	681	448,272	29	5.0	02.8-07.2	14	2.5	00.9-04.1	4	1.6	00.0-03.4	634	90.9	87.8-94.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 10: THE NEXT QUESTION ASKS ABOUT TOBACCO USE IN INDOOR PUBLIC PLACES. EXAMPLES OF INDOOR PUBLIC PLACES ARE THE INDOOR AREAS OF STORES, RESTAURANTS, BARS, CASINOS, CLUBS, AND SPORTS ARENAS. [IF Q8.9 = 1 (EMPLOYED) OR Q8.9 = 2 (SELF-EMPLOYED)]
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6608	4,379,126	949	14.8	13.4-16.2	224	4.2	03.2-05.2	77	1.4	00.8-02.0	5358	79.5	77.7-81.3
Male	2451	2,124,032	423	16.4	14.0-18.8	125	6.5	04.7-08.3	39	1.6	00.8-02.4	1864	75.5	72.8-78.2
Female	4157	2,255,094	526	13.3	11.5-15.1	99	2.1	01.5-02.7	38	1.3	00.5-02.1	3494	83.3	81.3-85.3
White/Non-Hisp	5415	3,661,857	766	14.4	12.8-16.0	169	3.9	02.9-04.9	52	1.2	00.6-01.8	4428	80.5	78.7-82.3
Black or Afr. Am./Non-Hisp	734	339,008	118	16.4	10.7-22.1	36	4.8	01.5-08.1	10	1.9	00.0-04.1	570	76.9	70.4-83.4
Oth. Race/Non-Hisp.	87	74,784	9	10.5	01.7-19.3	3	6.1	00.0-14.9	4	3.9	00.0-08.2	71	79.5	67.0-92.0
MultiRacial/Non-Hisp.	77	79,436	11	21.5	03.3-39.7	3	10.9	00.0-25.4	2	1.5	00.0-04.0	61	66.1	45.9-86.3
Hispanic	181	159,014	32	19.9	08.3-31.5	9	7.2	00.0-15.4	8	4.8	00.0-10.7	132	68.1	55.0-81.2
18-24	171	587,086	27	15.1	09.0-21.2	8	5.3	01.4-09.2	2	2.0	00.0-04.7	134	77.6	70.3-84.9
25-34	463	741,570	70	17.9	13.0-22.8	18	4.8	02.1-07.5	3	0.9	00.0-02.1	372	76.5	71.0-82.0
35-44	770	761,240	123	14.1	11.2-17.0	28	4.5	02.3-06.7	10	1.1	00.3-01.9	609	80.4	76.9-83.9
45-54	1198	820,930	177	14.0	11.5-16.5	49	4.9	03.3-06.5	21	2.2	00.8-03.6	951	78.9	76.0-81.8
55-64	1569	670,009	255	16.0	13.6-18.4	48	2.8	01.8-03.8	13	1.1	00.1-02.1	1253	80.1	77.6-82.6
65+	2373	770,011	287	12.2	10.4-14.0	70	3.2	02.2-04.2	28	1.5	00.9-02.1	1988	83.2	81.2-85.2
Less Than H.S.	601	607,353	74	13.6	09.3-17.9	27	5.4	02.7-08.1	13	2.5	00.5-04.5	487	78.5	73.2-83.8
H.S. or G.E.D.	2450	1,514,047	344	14.1	11.7-16.5	102	5.6	03.6-07.6	34	1.6	00.6-02.6	1970	78.7	75.8-81.6
Some Post-H.S.	1617	1,301,724	244	16.1	13.2-19.0	56	3.7	02.1-05.3	19	1.4	00.2-02.6	1298	78.8	75.5-82.1
College Graduate	1919	943,295	285	15.0	12.6-17.4	39	2.2	01.2-03.2	9	0.4	00.0-00.8	1586	82.3	79.8-84.8
Less than \$15,000	717	430,225	102	17.2	12.3-22.1	25	5.3	02.0-08.6	14	1.9	00.7-03.1	576	75.6	70.1-81.1
\$15,000- 24,999	1148	672,838	147	15.8	11.7-19.9	42	4.4	02.2-06.6	25	2.6	01.0-04.2	934	77.2	72.7-81.7
\$25,000- 34,999	715	468,694	108	17.2	12.1-22.3	23	5.4	01.5-09.3	7	1.1	00.0-02.3	577	76.4	70.5-82.3
\$35,000- 49,999	903	538,696	146	15.2	11.5-18.9	28	3.8	01.6-06.0	9	1.2	00.0-02.4	720	79.9	75.6-84.2
\$50,000- 74,999	863	611,495	124	13.8	10.1-17.5	36	5.5	03.0-08.0	9	0.7	00.1-01.3	694	80.0	75.7-84.3
\$75,000+	1250	921,024	199	14.2	11.8-16.6	33	2.3	01.3-03.3	8	1.3	00.0-02.7	1010	82.2	79.5-84.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 11: THE NEXT QUESTION ASKS ABOUT TOBACCO USE IN INDOOR PUBLIC PLACES. EXAMPLES OF INDOOR PUBLIC PLACES ARE THE INDOOR AREAS OF STORES, RESTAURANTS, BARS, CASINOS, CLUBS, AND SPORTS ARENAS. [IF Q8.9 = 1 (EMPLOYED) OR Q8.9 = 2 (SELF-EMPLOYED)]
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2451	2,124,032	423	16.4	14.0-18.8	125	6.5	04.7-08.3	39	1.6	00.8-02.4	1864	75.5	72.8-78.2
White/Non-Hisp	2038	1,752,702	351	16.2	13.8-18.6	97	6.0	04.2-07.8	30	1.7	00.7-02.7	1560	76.1	73.2-79.0
Black or Afr. Am./Non-Hisp	220	142,155	36	13.8	05.0-22.6	16	6.6	00.0-13.3	3	0.7	00.0-01.5	165	78.9	68.5-89.3
Hispanic	65	87,507	13	18.0	02.3-33.7	5	11.9	00.0-26.6	3	1.3	00.0-03.3	44	68.8	49.8-87.8
18-24	82	301,217	14	14.3	06.1-22.5	7	10.0	02.4-17.6	1	2.1	00.0-06.2	60	73.6	62.8-84.4
25-34	146	372,340	25	19.4	11.2-27.6	9	7.4	02.1-12.7	1	0.2	00.0-00.6	111	72.9	63.9-81.9
35-44	305	388,734	61	17.6	12.7-22.5	13	6.2	02.3-10.1	3	1.0	00.0-02.2	228	75.3	69.4-81.2
45-54	502	397,208	82	15.3	11.4-19.2	30	6.4	03.7-09.1	8	1.9	00.3-03.5	382	76.4	71.7-81.1
55-64	598	331,727	112	17.3	13.8-20.8	23	4.0	02.0-06.0	7	1.9	00.1-03.7	456	76.7	72.6-80.8
65+	798	321,403	126	14.4	11.5-17.3	41	5.4	03.2-07.6	19	2.7	01.3-04.1	612	77.5	74.0-81.0
Less Than H.S.	238	332,387	38	15.1	08.4-21.8	17	7.6	03.1-12.1	6	1.4	00.2-02.6	177	75.9	68.1-83.7
H.S. or G.E.D.	866	760,691	138	14.5	10.8-18.2	54	8.9	05.4-12.4	16	1.7	00.5-02.9	658	74.9	70.0-79.8
Some Post-H.S.	562	573,191	103	17.9	13.2-22.6	32	6.1	03.0-09.2	13	2.5	00.1-04.9	414	73.5	67.8-79.2
College Graduate	779	451,463	144	19.0	15.1-22.9	22	2.4	01.0-03.8	4	0.3	00.0-00.7	609	78.3	74.2-82.4
Less than \$15,000	212	196,082	41	20.9	12.3-29.5	10	7.8	00.9-14.7	6	1.4	00.0-02.8	155	69.8	59.8-79.8
\$15,000- 24,999	382	307,656	63	14.8	09.7-19.9	19	7.1	02.6-11.6	13	2.9	01.1-04.7	287	75.3	68.8-81.8
\$25,000- 34,999	284	235,823	61	22.2	14.0-30.4	16	9.2	01.8-16.6	4	1.7	00.0-03.9	203	66.9	57.1-76.7
\$35,000- 49,999	360	263,741	61	15.2	09.7-20.7	17	6.2	02.1-10.3	5	1.9	00.0-04.1	277	76.7	70.0-83.4
\$50,000- 74,999	350	309,108	56	16.2	10.1-22.3	22	8.0	03.5-12.5	6	1.3	00.1-02.5	266	74.6	67.5-81.7
\$75,000+	573	474,807	99	15.2	11.5-18.9	19	2.4	01.0-03.8	4	1.8	00.0-04.5	451	80.6	76.1-85.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

**TABLE 12: THE NEXT QUESTION ASKS ABOUT TOBACCO USE IN INDOOR PUBLIC PLACES. EXAMPLES OF INDOOR PUBLIC PLACES ARE THE INDOOR AREAS OF STORES, RESTAURANTS, BARS, CASINOS, CLUBS, AND SPORTS ARENAS. [IF Q8.9 = 1 (EMPLOYED) OR Q8.9 = 2 (SELF-EMPLOYED)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 days			3-5 days			6-7 days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4157	2,255,094	526	13.3	11.5-15.1	99	2.1	01.5-02.7	38	1.3	00.5-02.1	3494	83.3	81.3-85.3
White/Non-Hisp	3377	1,909,156	415	12.6	10.8-14.4	72	2.0	01.4-02.6	22	0.8	00.2-01.4	2868	84.5	82.5-86.5
Black or Afr. Am./Non-Hisp	514	196,852	82	18.3	11.0-25.6	20	3.5	00.6-06.4	7	2.8	00.0-06.3	405	75.4	67.4-83.4
Hispanic	116	71,507	19	22.3	05.4-39.2	4	1.4	00.0-03.0	5	9.2	00.0-21.4	88	67.1	49.1-85.1
18-24	89	285,868	13	15.9	06.7-25.1	1	0.4	00.0-01.2	1	1.9	00.0-05.6	74	81.9	72.1-91.7
25-34	317	369,231	45	16.3	10.8-21.8	9	2.2	00.4-04.0	2	1.5	00.0-04.0	261	80.0	74.1-85.9
35-44	465	372,505	62	10.4	07.3-13.5	15	2.7	00.9-04.5	7	1.2	00.0-02.4	381	85.7	82.0-89.4
45-54	696	423,722	95	12.7	09.6-15.8	19	3.5	01.7-05.3	13	2.6	00.6-04.6	569	81.2	77.3-85.1
55-64	971	338,282	143	14.8	12.1-17.5	25	1.6	00.8-02.4	6	0.2	00.0-00.4	797	83.3	80.4-86.2
65+	1575	448,608	161	10.6	08.6-12.6	29	1.6	01.0-02.2	9	0.6	00.0-01.2	1376	87.3	85.1-89.5
Less Than H.S.	363	274,966	36	11.8	06.7-16.9	10	2.7	00.2-05.2	7	3.9	00.0-08.0	310	81.6	74.9-88.3
H.S. or G.E.D.	1584	753,356	206	13.8	10.9-16.7	48	2.2	01.4-03.0	18	1.5	00.0-03.1	1312	82.6	79.3-85.9
Some Post-H.S.	1055	728,533	141	14.6	10.9-18.3	24	1.8	00.8-02.8	6	0.6	00.0-01.2	884	83.0	79.1-86.9
College Graduate	1140	491,832	141	11.4	08.9-13.9	17	2.1	00.7-03.5	5	0.6	00.0-01.2	977	85.9	83.2-88.6
Less than \$15,000	505	234,143	61	14.1	09.0-19.2	15	3.2	01.0-05.4	8	2.2	00.4-04.0	421	80.5	74.8-86.2
\$15,000- 24,999	766	365,182	84	16.6	10.5-22.7	23	2.1	00.5-03.7	12	2.4	00.0-04.9	647	78.8	72.3-85.3
\$25,000- 34,999	431	232,871	47	12.1	06.4-17.8	7	1.5	00.1-02.9	3	0.5	00.0-01.1	374	85.9	80.0-91.8
\$35,000- 49,999	543	274,955	85	15.1	10.0-20.2	11	1.5	00.3-02.7	4	0.5	00.0-01.3	443	82.9	77.8-88.0
\$50,000- 74,999	513	302,388	68	11.4	07.5-15.3	14	2.9	01.1-04.7	3	0.1	00.0-00.3	428	85.6	81.3-89.9
\$75,000+	677	446,217	100	13.2	10.1-16.3	14	2.1	00.7-03.5	4	0.7	00.0-01.7	559	83.9	80.4-87.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 16: SECONDHAND SMOKE I

TABLE 13: NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (SHSHOMES)

Denominator excludes: Respondents with refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 16: SECONDHAND SMOKE I

TABLE 14: NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (SHSHOMES)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 16: SECONDHAND SMOKE I

TABLE 15: NOT COUNTING DECKS, PORCHES, OR GARAGES, INSIDE YOUR HOME, IS SMOKING... (SHSHOMES)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

**TABLE 16: NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSVHICL)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed in all vehicles			Sometimes allowed in at least one vehicle			Never allowed in any vehicle			Family does not have a vehicle smoking policy			5		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6561	4,372,045	707	13.2	11.8-14.6	906	19.2	17.4-21.0	4800	66.3	64.3-68.3	89	0.9	00.7-01.1	59	0.5	00.3-00.7
Male	2436	2,123,678	329	14.5	12.3-16.7	367	21.1	18.4-23.8	1695	63.3	60.2-66.4	30	0.8	00.4-01.2	15	0.3	00.1-00.5
Female	4125	2,248,367	378	11.9	09.9-13.9	539	17.3	15.1-19.5	3105	69.1	66.6-71.6	59	1.0	00.6-01.4	44	0.6	00.4-00.8
White/Non-Hisp	5380	3,652,722	584	13.0	11.4-14.6	711	18.7	16.7-20.7	3974	67.1	64.9-69.3	76	0.9	00.7-01.1	35	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	729	340,508	69	11.2	05.9-16.5	116	22.2	15.3-29.1	526	64.3	56.7-71.9	4	1.1	00.0-02.5	14	1.1	00.0-02.3
Oth. Race/Non-Hisp.	87	74,784	14	19.2	06.7-31.7	14	20.7	05.4-36.0	57	58.5	41.6-75.4				2	1.6	00.0-04.5
MultiRacial/Non-Hisp.	76	78,657	16	32.8	12.0-53.6	17	32.3	13.5-51.1	38	33.7	15.9-51.5	1	0.5	00.0-01.5	4	0.7	00.0-01.5
Hispanic	179	160,921	10	10.7	01.3-20.1	29	14.8	05.2-24.4	137	73.9	61.7-86.1	3	0.7	00.0-01.5			
18-24	171	590,152	26	16.0	09.5-22.5	48	27.0	19.2-34.8	95	56.6	48.0-65.2	1	0.1	00.0-00.3	1	0.2	00.0-00.6
25-34	467	748,445	50	11.1	07.2-15.0	110	28.8	23.1-34.5	300	58.9	52.8-65.0	5	0.9	00.0-01.9	2	0.3	00.0-00.9
35-44	766	758,508	82	13.9	10.4-17.4	133	19.2	15.5-22.9	544	66.0	61.5-70.5	2	0.3	00.0-00.7	5	0.6	00.0-01.2
45-54	1194	820,750	178	16.3	13.6-19.0	213	18.9	16.0-21.8	785	63.6	60.1-67.1	7	0.6	00.0-01.2	11	0.5	00.1-00.9
55-64	1566	666,851	184	13.8	11.4-16.2	215	14.8	12.4-17.2	1135	70.1	67.2-73.0	21	0.9	00.5-01.3	11	0.3	00.1-00.5
65+	2339	761,261	183	8.6	07.0-10.2	181	7.8	06.4-09.2	1894	80.5	78.3-82.7	52	2.3	01.5-03.1	29	0.8	00.4-01.2
Less Than H.S.	588	602,872	113	21.8	16.3-27.3	102	21.5	15.8-27.2	343	53.9	47.2-60.6	13	1.5	00.5-02.5	17	1.3	00.3-02.3
H.S. or G.E.D.	2443	1,517,068	330	16.6	13.9-19.3	350	21.1	18.0-24.2	1693	60.5	57.2-63.8	41	1.2	00.6-01.8	29	0.6	00.4-00.8
Some Post-H.S.	1604	1,299,239	172	12.0	09.6-14.4	266	21.4	17.9-24.9	1148	66.3	62.6-70.0	12	0.4	00.2-00.6	6	0.0	00.0-00.0
College Graduate	1906	940,829	92	3.9	02.7-05.1	185	11.7	09.5-13.9	1599	83.4	80.9-85.9	23	0.7	00.3-01.1	7	0.3	00.0-00.7
Less than \$15,000	713	431,568	126	21.9	16.8-27.0	118	19.9	14.6-25.2	424	54.2	47.9-60.5	12	1.0	00.4-01.6	33	3.0	01.4-04.6
\$15,000- 24,999	1141	675,149	158	16.2	12.7-19.7	175	23.2	18.5-27.9	776	58.6	53.5-63.7	22	1.6	00.8-02.4	10	0.4	00.2-00.6
\$25,000- 34,999	713	468,025	90	16.2	11.1-21.3	111	22.2	16.5-27.9	501	60.4	53.9-66.9	9	1.1	00.0-02.5	2	0.1	00.0-00.3
\$35,000- 49,999	893	533,661	103	15.4	11.1-19.7	134	20.5	15.6-25.4	648	63.5	58.0-69.0	8	0.7	00.1-01.3			
\$50,000- 74,999	856	607,069	77	9.8	06.9-12.7	134	22.7	17.8-27.6	640	67.1	61.8-72.4	5	0.4	00.0-00.8			
\$75,000+	1249	921,521	59	4.9	03.3-06.5	123	11.8	09.1-14.5	1057	82.8	79.7-85.9	9	0.4	00.0-00.8	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 17: NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSVHICL)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed in all vehicles			Sometimes allowed in at least one vehicle			Never allowed in any vehicle			Family does not have a vehicle smoking policy			5		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2436	2,123,678	329	14.5	12.3-16.7	367	21.1	18.4-23.8	1695	63.3	60.2-66.4	30	0.8	00.4-01.2	15	0.3	00.1-00.5
White/Non-Hisp	2030	1,752,476	269	14.2	12.0-16.4	299	21.2	18.1-24.3	1424	63.4	60.1-66.7	27	0.9	00.5-01.3	11	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	219	141,344	31	8.4	04.3-12.5	34	20.0	09.6-30.4	153	71.6	60.8-82.4				1	0.1	00.0-00.3
Hispanic	64	90,197	7	14.3	00.0-29.2	10	14.7	00.0-29.4	46	70.3	51.7-88.9	1	0.7	00.0-02.1			
18-24	83	304,947	12	14.6	05.8-23.4	28	31.5	20.1-42.9	42	53.5	41.2-65.8				1	0.4	00.0-01.2
25-34	149	376,798	16	8.3	02.8-13.8	46	34.6	25.2-44.0	86	56.3	46.7-65.9	1	0.8	00.0-02.4			
35-44	302	386,169	40	17.2	11.7-22.7	54	20.7	15.0-26.4	206	61.7	54.8-68.6	1	0.1	00.0-00.3	1	0.3	00.0-00.9
45-54	502	398,769	89	19.0	14.5-23.5	93	17.2	13.3-21.1	310	62.6	57.3-67.9	4	0.6	00.0-01.2	6	0.7	00.1-01.3
55-64	594	327,361	85	15.7	12.0-19.4	76	13.7	10.2-17.2	422	69.3	64.6-74.0	9	1.1	00.3-01.9	2	0.2	00.0-00.4
65+	789	319,631	84	11.8	08.9-14.7	68	8.6	06.1-11.1	617	77.1	73.4-80.8	15	2.2	00.8-03.6	5	0.3	00.0-00.7
Less Than H.S.	233	330,694	56	22.9	15.6-30.2	45	22.8	14.4-31.2	124	52.5	43.1-61.9	5	1.1	00.1-02.1	3	0.6	00.0-01.4
H.S. or G.E.D.	865	765,146	156	18.0	13.7-22.3	153	25.1	20.2-30.0	541	55.7	50.4-61.0	9	1.0	00.0-02.0	6	0.3	00.1-00.5
Some Post-H.S.	558	572,045	75	13.3	09.4-17.2	95	21.7	16.0-27.4	382	64.6	58.5-70.7	5	0.4	00.0-00.8	1	0.0	00.0-00.0
College Graduate	775	450,163	42	4.3	02.5-06.1	73	12.2	08.7-15.7	644	82.2	78.3-86.1	11	0.7	00.3-01.1	5	0.6	00.0-01.2
Less than \$15,000	209	198,191	54	23.4	15.2-31.6	43	24.7	14.7-34.7	102	49.6	39.0-60.2	4	0.9	00.0-01.9	6	1.4	00.0-03.0
\$15,000- 24,999	383	313,046	74	19.1	13.4-24.8	71	24.8	17.5-32.1	231	54.8	46.8-62.8	6	1.0	00.0-02.0	1	0.2	00.0-00.6
\$25,000- 34,999	283	235,565	46	17.5	10.4-24.6	54	27.0	17.8-36.2	178	53.5	43.9-63.1	3	1.6	00.0-04.1	2	0.3	00.0-00.7
\$35,000- 49,999	356	261,010	48	16.2	10.5-21.9	48	20.8	13.2-28.4	255	62.3	54.3-70.3	5	0.7	00.0-01.5			
\$50,000- 74,999	347	305,983	37	11.6	06.7-16.5	56	24.1	16.8-31.4	251	63.8	56.0-71.6	3	0.5	00.0-01.3			
\$75,000+	569	473,400	31	4.5	02.7-06.3	49	9.7	06.0-13.4	482	85.0	80.9-89.1	6	0.5	00.0-01.1	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

**TABLE 18: NOT COUNTING MOTORCYCLES, IN THE VEHICLES THAT YOU OR FAMILY MEMBERS WHO LIVE WITH YOU OWN OR LEASE, IS SMOKING... (SHSVHICL)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed in all vehicles			Sometimes allowed in at least one vehicle			Never allowed in any vehicle			Family does not have a vehicle smoking policy			5		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4125	2,248,367	378	11.9	09.9-13.9	539	17.3	15.1-19.5	3105	69.1	66.6-71.6	59	1.0	00.6-01.4	44	0.6	00.4-00.8
White/Non-Hisp	3350	1,900,246	315	11.9	09.9-13.9	412	16.4	14.2-18.6	2550	70.4	67.9-72.9	49	0.8	00.4-01.2	24	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	510	199,163	38	13.3	04.9-21.7	82	23.9	14.9-32.9	373	59.1	48.9-69.3	4	1.9	00.0-04.4	13	1.8	00.0-03.8
Hispanic	115	70,723	3	6.1	00.0-14.9	19	14.8	04.0-25.6	91	78.4	65.1-91.7	2	0.6	00.0-01.4			
18-24	88	285,205	14	17.6	08.0-27.2	20	22.3	11.7-32.9	53	59.9	47.7-72.1	1	0.3	00.0-00.9			
25-34	318	371,646	34	13.8	08.1-19.5	64	22.9	16.6-29.2	214	61.6	54.3-68.9	4	1.0	00.0-02.4	2	0.7	00.0-01.7
35-44	464	372,340	42	10.5	06.4-14.6	79	17.6	13.1-22.1	338	70.5	65.0-76.0	1	0.5	00.0-01.5	4	0.9	00.0-02.1
45-54	692	421,981	89	13.8	10.7-16.9	120	20.6	16.1-25.1	475	64.7	60.0-69.4	3	0.6	00.0-01.4	5	0.4	00.0-00.8
55-64	972	339,490	99	12.0	09.3-14.7	139	16.0	13.1-18.9	713	70.9	67.4-74.4	12	0.8	00.4-01.2	9	0.4	00.0-00.8
65+	1550	441,630	99	6.4	04.8-08.0	113	7.3	05.7-08.9	1277	82.9	80.5-85.3	37	2.3	01.5-03.1	24	1.1	00.5-01.7
Less Than H.S.	355	272,178	57	20.5	12.3-28.7	57	19.9	12.6-27.2	219	55.6	46.6-64.6	8	1.8	00.0-03.8	14	2.2	00.2-04.2
H.S. or G.E.D.	1578	751,921	174	15.3	11.8-18.8	197	16.9	13.4-20.4	1152	65.4	61.1-69.7	32	1.5	00.7-02.3	23	0.9	00.3-01.5
Some Post-H.S.	1046	727,194	97	10.9	08.0-13.8	171	21.1	16.8-25.4	766	67.6	63.1-72.1	7	0.4	00.2-00.6	5	0.1	00.1-00.1
College Graduate	1131	490,666	50	3.5	02.1-04.9	112	11.2	08.5-13.9	955	84.5	81.4-87.6	12	0.7	00.1-01.3	2	0.1	00.0-00.3
Less than \$15,000	504	233,377	72	20.6	14.1-27.1	75	15.9	11.0-20.8	322	58.1	50.8-65.4	8	1.0	00.2-01.8	27	4.3	01.8-06.8
\$15,000- 24,999	758	362,103	84	13.7	09.6-17.8	104	21.8	15.7-27.9	545	61.9	55.6-68.2	16	2.1	00.7-03.5	9	0.5	00.1-00.9
\$25,000- 34,999	430	232,460	44	14.9	07.5-22.3	57	17.3	10.4-24.2	323	67.3	58.7-75.9	6	0.5	00.1-00.9			
\$35,000- 49,999	537	272,651	55	14.6	08.1-21.1	86	20.2	14.1-26.3	393	64.6	57.3-71.9	3	0.6	00.0-01.6			
\$50,000- 74,999	509	301,086	40	7.8	04.7-10.9	78	21.4	14.7-28.1	389	70.6	63.7-77.5	2	0.2	00.0-00.4			
\$75,000+	680	448,121	28	5.3	02.9-07.7	74	14.1	10.0-18.2	575	80.4	75.9-84.9	3	0.3	00.0-00.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

**TABLE 19: AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Only allowed at some times or in some places			Never allowed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6378	4,284,129	232	4.2	03.4-05.0	1549	27.0	25.2-28.8	4597	68.8	66.8-70.8
Male	2333	2,058,600	143	6.4	04.8-08.0	669	32.2	29.3-35.1	1521	61.4	58.3-64.5
Female	4045	2,225,529	89	2.2	01.6-02.8	880	22.2	20.0-24.4	3076	75.6	73.4-77.8
White/Non-Hisp	5228	3,574,559	185	3.6	02.8-04.4	1281	27.4	25.4-29.4	3762	69.1	67.1-71.1
Black or Afr. Am./Non-Hisp	709	335,175	14	3.6	00.9-06.3	168	25.4	18.3-32.5	527	71.0	63.7-78.3
Oth. Race/Non-Hisp.	85	73,372	5	7.5	00.0-15.9	22	34.0	16.8-51.2	58	58.5	41.1-75.9
MultiRacial/Non-Hisp.	76	78,995	9	16.1	00.0-33.2	28	44.0	23.8-64.2	39	39.9	20.9-58.9
Hispanic	177	160,185	7	10.9	00.0-21.9	30	15.3	07.3-23.3	140	73.8	61.6-86.0
18-24	170	586,587	5	3.3	00.2-06.4	48	29.1	21.1-37.1	117	67.6	59.4-75.8
25-34	461	742,942	16	4.9	01.8-08.0	125	29.9	24.2-35.6	320	65.2	59.3-71.1
35-44	760	746,276	27	4.2	02.2-06.2	180	27.4	23.3-31.5	553	68.4	64.1-72.7
45-54	1178	811,866	59	4.9	03.3-06.5	310	27.5	24.2-30.8	809	67.6	64.1-71.1
55-64	1521	642,982	41	3.2	02.0-04.4	361	25.0	22.3-27.7	1119	71.8	68.9-74.7
65+	2230	727,421	80	4.1	02.9-05.3	515	23.7	21.5-25.9	1635	72.2	69.8-74.6
Less Than H.S.	566	592,621	37	7.0	03.5-10.5	192	32.0	25.9-38.1	337	60.9	54.4-67.4
H.S. or G.E.D.	2344	1,471,997	116	6.1	04.3-07.9	635	31.4	28.1-34.7	1593	62.6	59.3-65.9
Some Post-H.S.	1580	1,278,603	46	2.8	01.8-03.8	404	26.9	23.6-30.2	1130	70.3	66.8-73.8
College Graduate	1869	928,973	32	1.3	00.7-01.9	314	16.9	14.2-19.6	1523	81.8	79.1-84.5
Less than \$15,000	689	424,289	39	5.6	03.2-08.0	230	36.8	30.5-43.1	420	57.6	51.3-63.9
\$15,000- 24,999	1108	661,461	52	5.4	03.2-07.6	322	30.0	25.5-34.5	734	64.6	59.9-69.3
\$25,000- 34,999	690	453,607	38	9.1	04.4-13.8	179	30.5	24.2-36.8	473	60.4	53.7-67.1
\$35,000- 49,999	870	524,516	30	4.3	02.1-06.5	206	29.2	24.1-34.3	634	66.5	61.2-71.8
\$50,000- 74,999	849	601,297	17	2.5	01.1-03.9	189	24.9	20.4-29.4	643	72.6	67.9-77.3
\$75,000+	1228	908,329	22	2.0	00.8-03.2	205	18.1	15.0-21.2	1001	79.9	76.8-83.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 20: AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW1)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Only allowed at some times or in some places			Never allowed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2333	2,058,600	143	6.4	04.8-08.0	669	32.2	29.3-35.1	1521	61.4	58.3-64.5
White/Non-Hisp	1938	1,690,285	119	5.6	04.2-07.0	565	32.4	29.1-35.7	1254	62.0	58.7-65.3
Black or Afr. Am./Non-Hisp	210	139,326	5	3.6	00.0-07.3	54	30.1	18.7-41.5	151	66.4	54.6-78.2
Hispanic	66	90,469	4	15.5	00.0-33.1	16	20.6	08.1-33.1	46	64.0	45.4-82.6
18-24	82	301,382	4	5.3	00.0-10.8	29	36.4	24.4-48.4	49	58.3	46.0-70.6
25-34	147	373,660	9	7.4	01.5-13.3	53	35.0	25.8-44.2	85	57.6	48.0-67.2
35-44	298	375,753	18	6.5	03.0-10.0	92	34.1	27.4-40.8	188	59.4	52.5-66.3
45-54	491	391,838	36	6.9	04.4-09.4	153	33.0	27.7-38.3	302	60.1	54.8-65.4
55-64	563	308,326	25	4.3	02.1-06.5	159	29.4	24.7-34.1	379	66.4	61.5-71.3
65+	735	297,637	48	7.4	04.9-09.9	180	24.4	20.7-28.1	507	68.2	64.1-72.3
Less Than H.S.	219	321,708	18	8.9	03.2-14.6	74	33.6	24.6-42.6	127	57.5	47.9-67.1
H.S. or G.E.D.	819	734,812	75	9.1	05.8-12.4	266	37.1	31.8-42.4	478	53.9	48.6-59.2
Some Post-H.S.	543	555,280	29	4.8	02.4-07.2	170	31.8	25.9-37.7	344	63.4	57.3-69.5
College Graduate	747	441,171	21	2.0	00.6-03.4	157	23.1	18.4-27.8	569	74.8	69.9-79.7
Less than \$15,000	199	192,802	15	5.8	01.7-09.9	74	46.2	35.2-57.2	110	48.0	37.2-58.8
\$15,000- 24,999	366	303,285	31	6.6	03.1-10.1	126	35.9	28.3-43.5	209	57.5	49.5-65.5
\$25,000- 34,999	265	222,714	31	17.0	08.0-26.0	79	33.8	24.4-43.2	155	49.2	39.4-59.0
\$35,000- 49,999	342	253,643	20	7.1	03.2-11.0	96	35.8	27.8-43.8	226	57.1	49.1-65.1
\$50,000- 74,999	338	299,099	11	3.6	01.1-06.1	101	30.6	23.5-37.7	226	65.8	58.5-73.1
\$75,000+	556	462,891	19	3.4	01.4-05.4	119	22.0	17.1-26.9	418	74.7	69.6-79.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 16: SECONDHAND SMOKE I**

TABLE 21: AT WORKPLACES, DO YOU THINK SMOKING INDOORS SHOULD BE... (SHSALOW1)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always allowed			Only allowed at some times or in some places			Never allowed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4045	2,225,529	89	2.2	01.6-02.8	880	22.2	20.0-24.4	3076	75.6	73.4-77.8
White/Non-Hisp	3290	1,884,274	66	1.7	01.1-02.3	716	22.9	20.5-25.3	2508	75.4	73.0-77.8
Black or Afr. Am./Non-Hisp	499	195,849	9	3.5	00.0-07.4	114	22.1	13.3-30.9	376	74.4	65.2-83.6
Hispanic	111	69,716	3	5.1	00.0-13.7	14	8.4	00.0-18.0	94	86.6	74.3-98.9
18-24	88	285,205	1	1.1	00.0-03.3	19	21.5	11.1-31.9	68	77.4	66.8-88.0
25-34	314	369,282	7	2.4	00.0-04.8	72	24.6	17.9-31.3	235	72.9	66.0-79.8
35-44	462	370,524	9	1.9	00.5-03.3	88	20.6	15.5-25.7	365	77.5	72.4-82.6
45-54	687	420,028	23	3.1	01.5-04.7	157	22.3	18.2-26.4	507	74.6	70.3-78.9
55-64	958	334,655	16	2.2	01.0-03.4	202	20.9	17.6-24.2	740	76.9	73.4-80.4
65+	1495	429,784	32	1.8	01.0-02.6	335	23.2	20.5-25.9	1128	75.0	72.3-77.7
Less Than H.S.	347	270,913	19	4.8	01.5-08.1	118	30.2	22.0-38.4	210	65.0	56.4-73.6
H.S. or G.E.D.	1525	737,185	41	3.0	01.6-04.4	369	25.7	21.8-29.6	1115	71.3	67.4-75.2
Some Post-H.S.	1037	723,323	17	1.3	00.5-02.1	234	23.1	19.0-27.2	786	75.6	71.5-79.7
College Graduate	1122	487,801	11	0.6	00.0-01.2	157	11.3	08.6-14.0	954	88.1	85.4-90.8
Less than \$15,000	490	231,487	24	5.4	02.9-07.9	156	28.9	22.8-35.0	310	65.7	59.2-72.2
\$15,000- 24,999	742	358,176	21	4.4	01.5-07.3	196	25.1	20.0-30.2	525	70.6	64.9-76.3
\$25,000- 34,999	425	230,893	7	1.4	00.0-02.8	100	27.4	19.2-35.6	318	71.2	63.0-79.4
\$35,000- 49,999	528	270,873	10	1.7	00.3-03.1	110	23.1	16.4-29.8	408	75.3	68.6-82.0
\$50,000- 74,999	511	302,198	6	1.4	00.0-02.8	88	19.3	13.6-25.0	417	79.3	73.4-85.2
\$75,000+	672	445,439	3	0.6	00.0-01.4	86	14.0	10.5-17.5	583	85.4	81.7-89.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

MODULE 32: RANDOM CHILD SELECTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	132
2 MALES ONLY	133
3 FEMALES ONLY	134
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	135
5 MALES ONLY	136
6 FEMALES ONLY	137
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	138
8 MALES ONLY	139
9 FEMALES ONLY	140
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	141
11 MALES ONLY	142
12 FEMALES ONLY	143
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	144
14 MALES ONLY	145
15 FEMALES ONLY	146
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	147
17 MALES ONLY	148
18 FEMALES ONLY	149

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2009			2010-2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1415	1,522,036	459	31.5	28.0-35.0	422	26.5	23.4-29.6	337	25.4	22.3-28.5	124	10.2	07.8-12.6	73	6.4	04.4-08.4
Male	483	654,235	170	34.1	28.4-39.8	143	24.8	20.1-29.5	106	25.7	20.4-31.0	34	7.4	04.5-10.3	30	8.0	04.5-11.5
Female	932	867,802	289	29.6	25.3-33.9	279	27.7	23.6-31.8	231	25.1	21.4-28.8	90	12.3	09.0-15.6	43	5.3	02.9-07.7
White/Non-Hisp	1122	1,233,468	370	31.1	27.4-34.8	332	25.0	21.9-28.1	266	26.1	22.6-29.6	97	10.8	08.3-13.3	57	6.9	04.5-09.3
Black or Afr. Am./Non-Hisp	164	137,645	47	29.0	16.5-41.5	53	38.3	25.2-51.4	39	24.4	13.8-35.0	16	6.0	00.5-11.5	9	2.3	00.3-04.3
Hispanic	71	82,774	22	34.3	16.7-51.9	21	24.6	08.9-40.3	21	25.6	10.7-40.5	5	7.4	00.0-16.2	2	8.1	00.0-19.5
18-24	65	219,740	23	47.4	32.9-61.9	11	14.5	04.9-24.1	14	14.0	05.0-23.0	10	12.8	04.0-21.6	7	11.2	01.8-20.6
25-34	298	434,277	20	6.9	03.4-10.4	72	24.9	18.4-31.4	119	39.2	31.9-46.5	58	19.0	13.3-24.7	29	10.1	06.0-14.2
35-44	527	513,207	153	31.4	26.3-36.5	190	32.8	27.9-37.7	126	24.6	19.9-29.3	34	6.5	04.1-08.9	24	4.7	02.2-07.2
45-54	371	281,224	196	54.6	48.3-60.9	107	26.3	20.8-31.8	50	14.8	09.9-19.7	12	3.1	00.9-05.3	6	1.3	00.1-02.5
55-64	111	56,895	56	44.1	32.3-55.9	29	27.7	17.1-38.3	18	23.1	11.5-34.7	3	2.4	00.0-06.1	5	2.7	00.0-06.0
Less Than H.S.	137	253,454	44	30.2	19.6-40.8	41	27.9	18.3-37.5	31	20.4	11.6-29.2	14	12.9	05.1-20.7	7	8.6	01.5-15.7
H.S. or G.E.D.	378	448,959	138	36.1	29.0-43.2	100	23.5	17.8-29.2	84	24.4	18.1-30.7	38	11.5	06.8-16.2	18	4.4	00.9-07.9
Some Post-H.S.	385	444,640	125	30.9	24.8-37.0	125	28.5	22.8-34.2	91	27.9	21.8-34.0	25	6.6	03.3-09.9	19	6.1	02.8-09.4
College Graduate	512	372,883	151	27.7	22.8-32.6	154	26.4	22.1-30.7	131	27.0	22.3-31.7	47	11.1	07.6-14.6	29	7.8	04.7-10.9
Less than \$15,000	127	111,955	37	22.7	12.1-33.3	38	28.1	15.9-40.3	26	19.4	10.4-28.4	18	17.9	06.1-29.7	8	11.9	00.5-23.3
\$15,000- 24,999	188	211,078	68	33.6	23.8-43.4	47	28.4	18.8-38.0	46	25.0	15.4-34.6	14	8.9	02.6-15.2	13	4.1	01.2-07.0
\$25,000- 34,999	132	178,740	44	32.7	20.9-44.5	37	19.7	10.7-28.7	35	32.4	20.6-44.2	11	12.1	03.5-20.7	5	3.1	00.0-06.4
\$35,000- 49,999	166	170,470	53	33.5	22.9-44.1	49	22.3	14.9-29.7	40	29.4	19.8-39.0	18	11.6	04.9-18.3	6	3.2	00.1-06.3
\$50,000- 74,999	241	261,299	70	24.1	17.6-30.6	77	26.7	19.8-33.6	61	26.8	19.2-34.4	15	7.1	02.6-11.6	18	15.3	07.9-22.7
\$75,000+	453	423,405	154	34.4	28.5-40.3	139	29.6	24.3-34.9	101	22.3	17.6-27.0	40	9.1	06.2-12.0	19	4.5	02.1-06.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2009			2010-2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	654,235	170	34.1	28.4-39.8	143	24.8	20.1-29.5	106	25.7	20.4-31.0	34	7.4	04.3-10.5	30	8.0	04.5-11.5
White/Non-Hisp	411	536,472	144	32.7	26.6-38.8	124	24.1	19.4-28.8	90	27.1	21.2-33.0	29	8.4	04.9-11.9	24	7.7	04.0-11.4
25-34	69	159,916	2	3.7	00.0-08.8	14	19.5	09.5-29.5	28	46.0	32.1-59.9	14	17.8	07.6-28.0	11	13.0	05.0-21.0
35-44	178	230,593	43	29.0	20.8-37.2	63	30.8	23.2-38.4	49	27.6	19.8-35.4	11	5.5	02.0-09.0	12	7.1	02.2-12.0
45-54	160	135,906	87	58.4	49.2-67.6	46	24.4	17.0-31.8	18	13.6	06.2-21.0	6	2.4	00.2-04.6	3	1.2	00.0-02.8
H.S. or G.E.D.	143	210,441	57	37.2	26.6-47.8	37	24.9	15.7-34.1	34	27.0	17.2-36.8	12	9.3	03.4-15.2	3	1.5	00.0-03.9
Some Post-H.S.	107	162,010	42	36.8	25.2-48.4	34	25.3	16.1-34.5	17	24.8	13.6-36.0	5	4.0	00.0-08.3	9	9.0	02.1-15.9
College Graduate	183	156,041	53	24.4	17.3-31.5	58	28.3	21.0-35.6	44	27.6	20.2-35.0	14	8.7	04.2-13.2	14	10.9	05.2-16.6
\$15,000- 24,999	56	90,667	19	40.6	23.0-58.2	15	26.5	11.0-42.0	13	22.5	06.4-38.6	5	7.8	00.0-15.8	4	2.6	00.0-05.5
\$35,000- 49,999	58	81,741	22	36.1	19.6-52.6	13	15.0	06.2-23.8	13	33.1	17.2-49.0	6	11.5	01.3-21.7	4	4.3	00.0-09.4
\$50,000- 74,999	90	118,933	24	21.7	12.3-31.1	33	29.9	19.1-40.7	19	26.9	14.0-39.8	5	5.0	00.0-10.7	9	16.4	06.2-26.6
\$75,000+	185	197,711	70	37.3	28.1-46.5	55	29.4	20.8-38.0	40	22.7	15.3-30.1	12	6.2	02.7-09.7	8	4.4	01.3-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1993-1997			1998-2002			2003-2007			2008-2009			2010-2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	932	867,802	289	29.6	25.3-33.9	279	27.7	23.6-31.8	231	25.1	21.4-28.8	90	12.3	09.0-15.6	43	5.3	02.9-07.7
White/Non-Hisp	711	696,996	226	29.9	25.2-34.6	208	25.8	21.7-29.9	176	25.4	21.1-29.7	68	12.7	09.0-16.4	33	6.3	03.6-09.0
Black or Afr. Am./Non-Hisp	138	104,519	38	27.2	12.5-41.9	47	38.9	24.0-53.8	33	25.4	13.4-37.4	13	6.8	00.0-13.7	7	1.7	00.1-03.3
25-34	229	274,361	18	8.7	04.2-13.2	58	28.1	20.1-36.1	91	35.2	27.8-42.6	44	19.7	12.8-26.6	18	8.3	04.0-12.6
35-44	349	282,614	110	33.4	27.1-39.7	127	34.4	28.3-40.5	77	22.1	16.8-27.4	23	7.3	04.0-10.6	12	2.8	01.0-04.6
45-54	211	145,318	109	50.9	42.5-59.3	61	28.1	20.3-35.9	32	15.9	09.6-22.2	6	3.7	00.2-07.2	3	1.4	00.0-03.2
55-64	66	25,739	31	34.7	20.8-48.6	16	20.3	09.1-31.5	14	39.7	21.7-57.7	1	0.4	00.0-01.2	4	5.0	00.0-12.1
Less Than H.S.	88	128,483	27	23.5	11.3-35.7	27	35.7	21.4-50.0	20	18.4	08.6-28.2	11	18.8	06.3-31.3	3	3.6	00.0-08.7
H.S. or G.E.D.	235	238,518	81	35.1	25.3-44.9	63	22.4	15.3-29.5	50	22.1	14.3-29.9	26	13.5	06.4-20.6	15	7.0	00.9-13.1
Some Post-H.S.	278	282,631	83	27.5	20.8-34.2	91	30.4	23.1-37.7	74	29.6	22.5-36.7	20	8.1	03.6-12.6	10	4.5	01.0-08.0
College Graduate	329	216,842	98	30.1	23.4-36.8	96	25.1	19.8-30.4	87	26.5	20.6-32.4	33	12.8	07.9-17.7	15	5.5	02.2-08.8
Less than \$15,000	109	83,056	29	18.6	09.8-27.4	35	32.9	18.6-47.2	23	21.5	11.1-31.9	17	23.1	08.4-37.8	5	3.9	00.0-08.6
\$15,000- 24,999	132	120,412	49	28.4	18.0-38.8	32	29.9	17.7-42.1	33	26.9	14.9-38.9	9	9.7	00.7-18.7	9	5.2	00.7-09.7
\$25,000- 34,999	87	104,728	29	38.7	22.0-55.4	23	20.0	07.3-32.7	23	26.1	13.2-39.0	8	12.4	02.2-22.6	4	2.8	00.0-05.9
\$35,000- 49,999	108	88,729	31	31.1	17.8-44.4	36	29.0	17.8-40.2	27	26.0	15.6-36.4	12	11.8	03.0-20.6	2	2.1	00.0-06.0
\$50,000- 74,999	151	142,366	46	26.1	17.5-34.7	44	24.0	15.2-32.8	42	26.7	17.9-35.5	10	8.8	01.9-15.7	9	14.3	03.7-24.9
\$75,000+	268	225,694	84	31.9	24.6-39.2	84	29.8	23.1-36.5	61	21.9	16.0-27.8	28	11.7	07.2-16.2	11	4.7	01.2-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1534	1,662,649	767	50.7	47.2-54.2	767	49.3	45.8-52.8
Male	534	745,013	263	51.5	45.8-57.2	271	48.5	42.8-54.2
Female	1000	917,636	504	50.1	45.6-54.6	496	49.9	45.4-54.4
White/Non-Hisp	1200	1,323,746	608	50.7	46.8-54.6	592	49.3	45.4-53.2
Black or Afr. Am./Non-Hisp	181	154,070	78	38.9	26.9-50.9	103	61.1	49.1-73.1
Hispanic	84	109,981	43	61.9	46.0-77.8	41	38.1	22.2-54.0
18-24	71	243,832	35	49.4	35.7-63.1	36	50.6	36.9-64.3
25-34	320	478,850	171	53.2	46.1-60.3	149	46.8	39.7-53.9
35-44	561	547,047	293	53.4	48.3-58.5	268	46.6	41.5-51.7
45-54	406	305,914	189	44.4	38.3-50.5	217	55.6	49.5-61.7
55-64	122	64,829	59	48.3	36.7-59.9	63	51.7	40.1-63.3
Less Than H.S.	152	295,069	84	58.8	48.4-69.2	68	41.2	30.8-51.6
H.S. or G.E.D.	414	481,356	211	46.9	40.0-53.8	203	53.1	46.2-60.0
Some Post-H.S.	418	485,373	204	51.4	45.1-57.7	214	48.6	42.3-54.9
College Graduate	544	398,252	266	48.7	43.4-54.0	278	51.3	46.0-56.6
Less than \$15,000	137	120,368	73	54.9	42.0-67.8	64	45.1	32.2-58.0
\$15,000- 24,999	207	238,431	105	59.4	49.8-69.0	102	40.6	31.0-50.2
\$25,000- 34,999	144	195,191	76	53.3	41.3-65.3	68	46.7	34.7-58.7
\$35,000- 49,999	179	179,976	82	46.9	36.7-57.1	97	53.1	42.9-63.3
\$50,000- 74,999	260	293,598	129	47.5	39.3-55.7	131	52.5	44.3-60.7
\$75,000+	474	438,832	236	48.2	42.5-53.9	238	51.8	46.1-57.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	534	745,013	263	51.5	45.8-57.2	271	48.5	42.8-54.2
White/Non-Hisp	446	591,404	216	50.5	44.4-56.6	230	49.5	43.4-55.6
25-34	80	192,271	43	53.1	40.6-65.6	37	46.9	34.4-59.4
35-44	192	252,094	94	50.1	41.7-58.5	98	49.9	41.5-58.3
45-54	175	151,561	86	49.5	40.5-58.5	89	50.5	41.5-59.5
55-64	50	36,169	24	51.9	35.6-68.2	26	48.1	31.8-64.4
Less Than H.S.	58	157,613	32	57.9	42.6-73.2	26	42.1	26.8-57.4
H.S. or G.E.D.	160	229,905	80	46.7	36.5-56.9	80	53.3	43.1-63.5
Some Post-H.S.	124	191,541	64	59.5	48.7-70.3	60	40.5	29.7-51.3
College Graduate	191	165,181	87	43.1	35.1-51.1	104	56.9	48.9-64.9
\$15,000- 24,999	65	110,868	33	59.0	42.9-75.1	32	41.0	24.9-57.1
\$25,000- 34,999	51	86,797	27	54.8	36.6-73.0	24	45.2	27.0-63.4
\$35,000- 49,999	62	85,195	29	51.0	34.9-67.1	33	49.0	32.9-65.1
\$50,000- 74,999	100	140,209	41	42.4	29.9-54.9	59	57.6	45.1-70.1
\$75,000+	193	206,197	98	48.3	39.3-57.3	95	51.7	42.7-60.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1000	917,636	504	50.1	45.6-54.6	496	49.9	45.4-54.4
White/Non-Hisp	754	732,342	392	51.0	46.1-55.9	362	49.0	44.1-53.9
Black or Afr. Am./Non-Hisp	150	111,197	64	36.5	22.8-50.2	86	63.5	49.8-77.2
Hispanic	53	46,101	25	70.0	52.4-87.6	28	30.0	12.4-47.6
25-34	240	286,579	128	53.3	45.3-61.3	112	46.7	38.7-54.7
35-44	369	294,953	199	56.3	50.0-62.6	170	43.7	37.4-50.0
45-54	231	154,353	103	39.5	31.9-47.1	128	60.5	52.9-68.1
55-64	72	28,659	35	43.7	28.4-59.0	37	56.3	41.0-71.6
Less Than H.S.	94	137,455	52	59.8	46.1-73.5	42	40.2	26.5-53.9
H.S. or G.E.D.	254	251,451	131	47.0	37.6-56.4	123	53.0	43.6-62.4
Some Post-H.S.	294	293,832	140	46.1	38.5-53.7	154	53.9	46.3-61.5
College Graduate	353	233,071	179	52.6	45.9-59.3	174	47.4	40.7-54.1
Less than \$15,000	115	84,889	60	48.2	33.7-62.7	55	51.8	37.3-66.3
\$15,000- 24,999	142	127,563	72	59.7	48.1-71.3	70	40.3	28.7-51.9
\$25,000- 34,999	93	108,395	49	52.0	36.1-67.9	44	48.0	32.1-63.9
\$35,000- 49,999	117	94,780	53	43.2	30.7-55.7	64	56.8	44.3-69.3
\$50,000- 74,999	160	153,389	88	52.2	41.2-63.2	72	47.8	36.8-58.8
\$75,000+	281	232,635	138	48.1	40.8-55.4	143	51.9	44.6-59.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1533	1,666,732	104	7.5	05.5-09.5	1429	92.5	90.5-94.5
Male	536	748,546	28	6.1	03.2-09.0	508	93.9	91.0-96.8
Female	997	918,186	76	8.7	06.0-11.4	921	91.3	88.6-94.0
White/Non-Hisp	1204	1,335,695	23	2.3	01.1-03.5	1181	97.7	96.5-98.9
Black or Afr. Am./Non-Hisp	182	156,436	7	3.4	00.0-08.1	175	96.6	91.9-0100
Hispanic	82	103,434	70	85.1	71.2-99.0	12	14.9	01.0-28.8
18-24	70	239,626	8	8.2	01.5-14.9	62	91.8	85.1-98.5
25-34	322	482,821	28	8.9	04.6-13.2	294	91.1	86.8-95.4
35-44	560	552,208	40	8.2	04.9-11.5	520	91.8	88.5-95.1
45-54	405	304,751	19	4.5	02.0-07.0	386	95.5	93.0-98.0
55-64	121	64,765	7	2.7	00.0-05.4	114	97.3	94.6-0100
Less Than H.S.	150	288,372	26	17.7	09.5-25.9	124	82.3	74.1-90.5
H.S. or G.E.D.	419	491,356	39	7.7	04.4-11.0	380	92.3	89.0-95.6
Some Post-H.S.	420	487,478	22	5.3	02.4-08.2	398	94.7	91.8-97.6
College Graduate	539	397,222	17	2.8	01.0-04.6	522	97.2	95.4-99.0
Less than \$15,000	137	120,368	24	22.1	09.9-34.3	113	77.9	65.7-90.1
\$15,000- 24,999	204	231,941	26	12.9	06.4-19.4	178	87.1	80.6-93.6
\$25,000- 34,999	145	201,154	18	17.6	08.0-27.2	127	82.4	72.8-92.0
\$35,000- 49,999	177	179,190	10	3.0	00.0-06.1	167	97.0	93.9-0100
\$50,000- 74,999	262	297,339	10	3.6	00.5-06.7	252	96.4	93.3-99.5
\$75,000+	475	443,174	10	2.4	00.6-04.2	465	97.6	95.8-99.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	536	748,546	28	6.1	03.2-09.0	508	93.9	91.0-96.8
White/Non-Hisp	450	602,285	3	0.3	00.0-00.7	447	99.7	99.3-0100
25-34	80	192,153	3	5.5	00.0-12.4	77	94.5	87.6-0100
35-44	193	256,391	10	8.5	02.6-14.4	183	91.5	85.6-97.4
45-54	176	150,914	10	6.0	01.7-10.3	166	94.0	89.7-98.3
55-64	50	36,169	3	1.4	00.0-03.2	47	98.6	96.8-0100
Less Than H.S.	56	150,916	8	16.8	04.6-29.0	48	83.2	71.0-95.4
H.S. or G.E.D.	164	242,387	14	5.1	01.8-08.4	150	94.9	91.6-98.2
Some Post-H.S.	124	190,476	2	2.5	00.0-06.0	122	97.5	94.0-0100
College Graduate	191	163,994	4	2.1	00.0-04.5	187	97.9	95.5-0100
\$15,000- 24,999	64	104,737	7	7.5	00.6-14.4	57	92.5	85.6-99.4
\$25,000- 34,999	52	92,759	6	17.4	01.3-33.5	46	82.6	66.5-98.7
\$35,000- 49,999	61	84,630	2	3.4	00.0-09.7	59	96.6	90.3-0100
\$50,000- 74,999	102	142,883	5	4.5	00.0-09.0	97	95.5	91.0-0100
\$75,000+	194	207,377	2	0.9	00.0-02.3	192	99.1	97.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	997	918,186	76	8.7	06.0-11.4	921	91.3	88.6-94.0
White/Non-Hisp	754	733,410	20	3.9	01.7-06.1	734	96.1	93.9-98.3
Black or Afr. Am./Non-Hisp	152	115,930	7	4.5	00.0-10.8	145	95.5	89.2-0100
Hispanic	52	45,686	45	96.1	92.6-99.6	7	3.9	00.4-07.4
25-34	242	290,668	25	11.1	05.6-16.6	217	88.9	83.4-94.4
35-44	367	295,817	30	8.0	04.3-11.7	337	92.0	88.3-95.7
45-54	229	153,837	9	3.1	00.7-05.5	220	96.9	94.5-99.3
55-64	71	28,596	4	4.3	00.0-09.8	67	95.7	90.2-0100
Less Than H.S.	94	137,455	18	18.7	07.5-29.9	76	81.3	70.1-92.5
H.S. or G.E.D.	255	248,969	25	10.2	04.5-15.9	230	89.8	84.1-95.5
Some Post-H.S.	296	297,002	20	7.1	03.0-11.2	276	92.9	88.8-97.0
College Graduate	348	233,228	13	3.2	00.8-05.6	335	96.8	94.4-99.2
Less than \$15,000	115	84,889	19	21.1	07.4-34.8	96	78.9	65.2-92.6
\$15,000- 24,999	140	127,204	19	17.5	07.7-27.3	121	82.5	72.7-92.3
\$25,000- 34,999	93	108,395	12	17.8	06.2-29.4	81	82.2	70.6-93.8
\$35,000- 49,999	116	94,560	8	2.6	00.2-05.0	108	97.4	95.0-99.8
\$50,000- 74,999	160	154,456	5	2.8	00.0-07.1	155	97.2	92.9-0100
\$75,000+	281	235,797	8	3.7	00.8-06.6	273	96.3	93.4-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1487	1,608,945	1207	84.9	82.4-87.4	192	9.6	07.4-11.8	16	1.1	00.3-01.9	2	0.1	00.0-00.3	6	0.5	00.0-01.1	64	3.9	02.5-05.3	
Male	508	704,652	450	88.0	84.1-91.9	32	6.1	03.2-09.0	7	1.2	00.2-02.2				3	1.0	00.0-02.2	16	3.7	01.2-06.2	
Female	979	904,293	757	82.4	78.9-85.9	160	12.2	09.1-15.3	9	1.0	00.0-02.0	2	0.2	00.0-00.4	3	0.1	00.0-00.3	48	4.1	02.5-05.7	
White/Non-Hisp	1186	1,306,784	1126	95.9	94.5-97.3	7	0.5	00.1-00.9	7	0.5	00.1-00.9	1	0.1	00.0-00.3	2	0.1	00.0-00.3	43	3.0	01.8-04.2	
Black or Afr. Am./Non-Hisp	180	152,934	1	0.9	00.0-02.7	173	93.9	89.0-98.8										6	5.2	00.5-09.9	
Hispanic	67	85,185	60	96.5	91.8-0100	5	3.1	00.0-07.8										2	0.3	00.0-00.7	
18-24	69	234,867	51	83.8	73.8-93.8	14	11.0	03.0-19.0	1	1.6	00.0-04.7	1	0.3	00.0-00.9				2	3.3	00.0-09.0	
25-34	306	458,095	241	80.2	74.3-86.1	44	14.0	08.7-19.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6				19	5.5	02.6-08.4	
35-44	544	532,352	466	89.5	86.4-92.6	51	5.3	03.1-07.5	5	1.4	00.2-02.6				2	1.1	00.0-02.7	20	2.7	01.1-04.3	
45-54	394	297,506	334	87.5	83.0-92.0	39	7.2	03.3-11.1	6	1.6	00.0-03.2				2	0.4	00.0-01.0	13	3.3	01.1-05.5	
55-64	119	63,566	81	74.3	63.1-85.5	25	14.2	05.6-22.8	3	2.3	00.0-05.0				1	0.1	00.0-00.3	9	9.1	00.3-17.9	
Less Than H.S.	140	266,140	113	87.6	81.3-93.9	21	10.2	04.5-15.9							1	1.2	00.0-03.6	5	1.0	00.0-02.0	
H.S. or G.E.D.	403	476,911	321	83.8	78.3-89.3	62	10.4	06.1-14.7				2	0.3	00.0-00.7	3	0.7	00.0-01.9	15	4.7	01.2-08.2	
Some Post-H.S.	414	484,236	323	83.1	78.2-88.0	63	10.5	06.2-14.8	4	1.2	00.0-02.4							24	5.3	02.8-07.8	
College Graduate	525	379,354	447	86.6	82.3-90.9	44	6.8	03.3-10.3	12	3.1	00.7-05.5				2	0.2	00.0-00.6	20	3.3	01.5-05.1	
Less than \$15,000	132	115,839	75	69.4	58.0-80.8	50	26.3	15.3-37.3				1	0.7	00.0-02.1				6	3.6	00.3-06.9	
\$15,000- 24,999	193	219,659	132	74.2	65.0-83.4	46	18.5	10.1-26.9	1	0.7	00.0-02.1				3	1.8	00.0-04.7	11	4.7	01.4-08.0	
\$25,000- 34,999	138	189,794	108	83.9	74.3-93.5	24	13.3	03.9-22.7										6	2.8	00.0-05.7	
\$35,000- 49,999	172	173,824	142	87.5	80.1-94.9	18	7.5	01.2-13.8				1	0.4	00.0-01.2	1	0.0	00.0-00.0	10	4.6	00.5-08.7	
\$50,000- 74,999	255	290,795	219	91.8	88.1-95.5	22	4.6	01.9-07.3	2	0.7	00.0-01.7							12	2.9	00.7-05.1	
\$75,000+	465	429,305	424	90.3	86.6-94.0	17	3.8	01.3-06.3	10	2.7	00.5-04.9				1	0.1	00.0-00.3	13	3.1	01.1-05.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Asian			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	508	704,652	450	88.0	84.1-91.9	32	6.1	03.2-09.0	7	1.2	00.2-02.2	3	1.0	00.0-02.2	16	3.7	01.2-06.2	
White/Non-Hisp	433	576,776	419	97.0	95.0-99.0	2	0.5	00.0-01.3	3	0.6	00.0-01.4	1	0.1	00.0-00.3	8	1.8	00.2-03.4	
25-34	72	175,926	62	89.1	81.1-97.1	6	6.4	00.0-13.1							4	4.5	00.0-09.2	
35-44	182	242,320	168	91.1	86.0-96.2	6	2.9	00.0-05.8	3	1.8	00.0-04.0	2	2.5	00.0-06.0	3	1.6	00.0-03.8	
45-54	172	147,546	155	87.2	79.6-94.8	10	7.5	00.8-14.2	2	2.0	00.0-05.1	1	0.4	00.0-01.2	4	2.9	00.0-05.8	
Less Than H.S.	50	131,864	44	92.1	84.3-99.9	4	4.6	00.0-10.7				1	2.5	00.0-07.4	1	0.8	00.0-02.4	
H.S. or G.E.D.	151	227,292	135	86.8	78.6-95.0	10	6.9	01.4-12.4				2	1.5	00.0-03.9	4	4.8	00.0-10.9	
Some Post-H.S.	124	189,922	104	83.6	75.2-92.0	12	9.7	02.4-17.0	2	1.6	00.0-04.0				6	5.1	00.6-09.6	
College Graduate	182	154,802	166	91.6	86.9-96.3	6	1.9	00.1-03.7	5	3.7	00.4-07.0				5	2.8	00.0-05.9	
\$15,000- 24,999	58	97,060	43	75.6	59.9-91.3	10	16.5	02.0-31.0				2	4.0	00.0-10.7	3	3.8	00.0-08.7	
\$35,000- 49,999	58	80,213	54	96.4	91.1-0100	3	3.3	00.0-08.6							1	0.3	00.0-00.9	
\$50,000- 74,999	97	138,287	89	93.7	88.6-98.8	4	3.0	00.0-06.7	1	0.5	00.0-01.5				3	2.8	00.0-06.3	
\$75,000+	187	199,367	171	88.9	82.4-95.4	6	4.6	00.0-09.5	5	3.1	00.2-06.0				5	3.3	00.0-06.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	979	904,293	757	82.4	78.9-85.9	160	12.2	09.1-15.3	9	1.0	00.0-02.0	2	0.2	00.0-00.4	3	0.1	00.0-00.3	48	4.1	02.5-05.7
White/Non-Hisp	753	730,008	707	95.1	93.3-96.9	5	0.5	00.1-00.9	4	0.4	00.0-00.8	1	0.1	00.0-00.3	1	0.1	00.0-00.3	35	3.9	02.3-05.5
Black or Afr. Am./Non-Hisp	150	112,428	1	1.2	00.0-03.6	145	94.2	88.5-99.9										4	4.6	00.0-09.9
25-34	234	282,169	179	74.7	67.1-82.3	38	18.8	11.5-26.1	1	0.2	00.0-00.6	1	0.3	00.0-00.9				15	6.1	02.4-09.8
35-44	362	290,031	298	88.2	84.3-92.1	45	7.2	04.1-10.3	2	1.0	00.0-02.4							17	3.6	01.4-05.8
45-54	222	149,960	179	87.9	82.8-93.0	29	6.8	02.7-10.9	4	1.1	00.0-02.3				1	0.4	00.0-01.2	9	3.8	00.9-06.7
55-64	72	28,659	42	68.0	52.1-83.9	21	17.0	06.6-27.4	1	0.8	00.0-02.4				1	0.2	00.0-00.6	7	14.0	00.0-29.3
Less Than H.S.	90	134,276	69	83.2	73.6-92.8	17	15.7	06.3-25.1										4	1.2	00.0-02.4
H.S. or G.E.D.	252	249,619	186	81.1	73.7-88.5	52	13.5	06.8-20.2				2	0.6	00.0-01.4	1	0.0	00.0-00.0	11	4.7	01.0-08.4
Some Post-H.S.	290	294,314	219	82.7	76.8-88.6	51	11.0	05.7-16.3	2	1.0	00.0-02.4							18	5.3	02.4-08.2
College Graduate	343	224,552	281	83.1	76.6-89.6	38	10.2	04.5-15.9	7	2.7	00.0-06.0				2	0.3	00.0-00.9	15	3.7	01.3-06.1
Less than \$15,000	112	82,324	58	60.7	46.6-74.8	48	34.6	20.9-48.3				1	1.0	00.0-03.0				5	3.7	00.0-07.4
\$15,000- 24,999	135	122,599	89	73.1	62.3-83.9	36	20.1	10.1-30.1	1	1.3	00.0-03.8				1	0.1	00.0-00.3	8	5.3	01.0-09.6
\$25,000- 34,999	90	106,735	65	77.2	62.1-92.3	21	21.0	05.9-36.1										4	1.8	00.0-04.0
\$35,000- 49,999	114	93,611	88	79.8	67.6-92.0	15	11.0	00.4-21.6				1	0.8	00.0-02.4	1	0.1	00.0-00.3	9	8.3	00.9-15.7
\$50,000- 74,999	158	152,508	130	90.2	84.9-95.5	18	6.1	01.8-10.4	1	0.9	00.0-02.7							9	2.9	00.4-05.4
\$75,000+	278	229,939	253	91.5	87.2-95.8	11	3.0	00.8-05.2	5	2.3	00.0-05.4				1	0.3	00.0-00.9	8	2.9	00.7-05.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 32: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 32: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1546	1,681,233	1307	81.2	77.9-84.5	133	5.1	03.9-06.3	25	1.6	00.6-02.6	36	8.5	05.6-11.4	25	1.9	00.7-03.1	20	1.8	00.8-02.8
Male	542	756,028	476	81.5	76.2-86.8	27	3.4	01.6-05.2	11	2.1	00.3-03.9	15	8.7	04.2-13.2	5	2.1	00.0-04.3	8	2.3	00.5-04.1
Female	1004	925,205	831	80.9	76.8-85.0	106	6.5	04.7-08.3	14	1.2	00.2-02.2	21	8.4	04.7-12.1	20	1.7	00.7-02.7	12	1.3	00.1-02.5
White/Non-Hisp	1210	1,337,894	1054	83.4	80.1-86.7	87	4.8	03.6-06.0	20	1.6	00.8-02.4	23	7.4	04.3-10.5	12	1.1	00.3-01.9	14	1.6	00.6-02.6
Black or Afr. Am./Non-Hisp	180	155,415	122	75.2	63.6-86.8	37	9.1	04.0-14.2	3	0.2	00.0-00.4	6	10.2	00.2-20.2	10	5.0	00.0-11.5	2	0.4	00.0-01.2
Hispanic	84	110,363	74	68.3	50.9-85.7	2	4.7	00.0-12.5				3	13.8	00.0-28.5	3	8.6	00.0-19.8	2	4.5	00.0-12.3
18-24	71	243,832	31	34.1	21.6-46.6				1	2.4	00.0-06.9	34	58.1	44.8-71.4	3	3.3	00.0-07.8	2	2.1	00.0-05.2
25-34	323	488,289	305	91.9	87.6-96.2				4	1.7	00.0-03.5				6	3.0	00.1-05.9	8	3.3	00.6-06.0
35-44	567	554,708	546	95.9	93.5-98.3	8	2.5	00.3-04.7	4	0.5	00.0-01.3	1	0.1	00.0-00.3	5	0.3	00.0-00.7	3	0.6	00.0-01.4
45-54	407	306,281	359	86.6	82.1-91.1	34	9.9	06.0-13.8	7	1.1	00.0-02.3				4	1.0	00.0-02.4	3	1.4	00.0-03.2
55-64	122	64,829	56	44.0	32.6-55.4	53	42.8	31.4-54.2	7	8.4	00.0-16.8				5	4.7	00.2-09.2	1	0.1	00.0-00.3
Less Than H.S.	150	292,209	108	68.7	58.1-79.3	23	7.9	03.4-12.4	3	0.9	00.0-02.1	10	16.7	07.1-26.3	5	4.3	00.0-09.0	1	1.6	00.0-04.5
H.S. or G.E.D.	421	494,207	324	75.0	68.1-81.9	55	5.8	03.6-08.0	9	3.1	00.4-05.8	15	10.8	04.7-16.9	8	2.3	00.0-04.7	10	3.1	00.6-05.6
Some Post-H.S.	422	490,511	355	84.8	79.9-89.7	39	5.7	03.3-08.1	10	1.8	00.2-03.4	6	4.9	00.8-09.0	7	1.2	00.0-02.4	5	1.6	00.0-03.2
College Graduate	547	401,705	516	93.3	89.4-97.2	15	1.4	00.4-02.4	3	0.1	00.0-00.3	5	4.2	00.3-08.1	5	0.5	00.0-01.3	3	0.4	00.0-00.8
Less than \$15,000	134	117,489	96	76.5	64.9-88.1	26	13.4	04.8-22.0	4	2.5	00.0-05.8	2	5.4	00.0-13.8	5	2.1	00.0-04.6	1	0.1	00.0-00.3
\$15,000- 24,999	208	238,032	152	74.6	65.4-83.8	40	9.4	05.3-13.5	2	0.2	00.0-00.4	5	8.1	01.0-15.2	6	4.0	00.0-08.5	3	3.7	00.0-08.4
\$25,000- 34,999	145	202,603	108	74.4	63.2-85.6	20	8.2	03.3-13.1	3	0.4	00.0-01.0	3	9.0	00.0-18.6	6	5.0	00.0-11.1	5	3.0	00.0-06.1
\$35,000- 49,999	180	180,337	156	86.9	78.3-95.5	16	3.9	01.4-06.4	2	1.0	00.0-02.6	2	6.2	00.0-14.4				4	2.1	00.0-04.5
\$50,000- 74,999	264	297,922	235	86.3	79.8-92.8	14	4.1	01.6-06.6	3	1.3	00.0-03.1	7	6.1	00.8-11.4	3	0.7	00.0-02.1	2	1.4	00.0-03.9
\$75,000+	477	444,141	453	88.6	82.9-94.3	9	1.4	00.4-02.4	4	1.8	00.0-04.5	5	5.6	00.9-10.3	3	1.4	00.0-03.2	3	1.2	00.0-02.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	542	756,028	476	81.5	76.2-86.8	27	3.4	01.6-05.2	11	2.1	00.3-03.9	15	8.7	04.2-13.2	5	2.1	00.0-04.3	8	2.3	00.5-04.1
White/Non-Hisp	452	602,131	404	84.4	79.1-89.7	19	2.6	01.0-04.2	10	1.7	00.3-03.1	10	8.2	03.3-13.1	1	0.2	00.0-00.6	8	2.9	00.7-05.1
25-34	82	198,604	76	90.5	82.7-98.3				2	2.4	00.0-05.7				2	3.8	00.0-09.9	2	3.3	00.0-07.8
35-44	194	255,295	190	96.0	91.7-0100	2	2.9	00.0-07.0	1	0.4	00.0-01.2							1	0.7	00.0-02.1
45-54	179	153,042	168	93.4	88.9-97.9	7	3.3	00.6-06.0	1	0.5	00.0-01.5							3	2.8	00.0-06.1
55-64	50	36,169	32	59.3	42.8-75.8	13	30.4	14.5-46.3	4	7.8	00.0-16.6				1	2.5	00.0-07.4			
Less Than H.S.	57	155,737	45	71.6	56.1-87.1	4	4.4	00.0-10.3	1	0.2	00.0-00.6	6	19.9	05.6-34.2	1	4.0	00.0-11.6			
H.S. or G.E.D.	165	239,803	133	74.7	64.7-84.7	12	3.8	00.9-06.7	6	5.6	00.1-11.1	4	6.0	00.0-13.1	4	4.0	00.0-08.7	6	5.9	01.0-10.8
Some Post-H.S.	126	193,020	112	85.8	76.4-95.2	6	3.1	00.2-06.0	4	1.2	00.0-02.6	3	8.4	00.0-17.2				1	1.5	00.0-04.4
College Graduate	193	166,696	185	95.2	90.9-99.5	5	2.1	00.0-04.3				2	2.3	00.0-06.0				1	0.3	00.0-00.9
\$15,000- 24,999	65	109,734	51	74.4	58.3-90.5	7	2.6	00.2-05.0	1	0.3	00.0-00.9	4	14.7	01.0-28.4	1	4.7	00.0-13.7	1	3.4	00.0-09.9
\$25,000- 34,999	54	95,303	44	82.3	68.2-96.4	6	7.7	00.1-15.3	1	0.6	00.0-01.8				2	7.4	00.0-19.6	1	2.0	00.0-05.9
\$35,000- 49,999	63	85,557	59	89.6	75.9-0100	2	1.0	00.0-02.6				1	7.4	00.0-20.9				1	2.0	00.0-05.9
\$50,000- 74,999	102	142,276	90	83.2	72.4-94.0	4	2.2	00.0-04.6	2	2.6	00.0-06.3	4	7.9	00.0-16.9	1	1.4	00.0-04.1	1	2.6	00.0-07.7
\$75,000+	194	207,377	185	87.8	78.6-97.0	3	1.1	00.0-02.5	1	2.8	00.0-08.1	2	5.8	00.0-13.4				3	2.5	00.0-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 32: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1004	925,205	831	80.9	76.8-85.0	106	6.5	04.7-08.3	14	1.2	00.2-02.2	21	8.4	04.7-12.1	20	1.7	00.7-02.7	12	1.3	00.1-02.5
White/Non-Hisp	758	735,764	650	82.6	78.3-86.9	68	6.7	04.7-08.7	10	1.5	00.3-02.7	13	6.8	02.9-10.7	11	1.8	00.4-03.2	6	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	150	114,909	101	76.1	63.0-89.2	30	7.7	02.6-12.8	3	0.2	00.0-00.4	5	13.1	00.2-26.0	9	2.2	00.2-04.2	2	0.6	00.0-01.6
Hispanic	52	45,118	47	69.1	44.4-93.8	1	1.6	00.0-04.7				2	18.4	00.0-40.7				2	11.0	00.0-29.2
25-34	241	289,685	229	92.9	88.2-97.6				2	1.3	00.0-03.1				4	2.4	00.0-05.1	6	3.4	00.0-06.9
35-44	373	299,412	356	95.8	93.3-98.3	6	2.1	00.1-04.1	3	0.7	00.0-01.9	1	0.2	00.0-00.6	5	0.6	00.0-01.2	2	0.5	00.0-01.3
45-54	228	153,240	191	79.7	72.4-87.0	27	16.6	09.7-23.5	6	1.7	00.0-03.7				4	2.0	00.0-04.9			
55-64	72	28,659	24	24.6	13.6-35.6	40	58.5	42.6-74.4	3	9.3	00.0-24.4				4	7.4	00.0-15.2	1	0.3	00.0-00.9
Less Than H.S.	93	136,472	63	65.3	51.2-79.4	19	12.0	05.1-18.9	2	1.7	00.0-04.4	4	13.1	00.4-25.8	4	4.6	00.0-09.9	1	3.3	00.0-09.8
H.S. or G.E.D.	256	254,404	191	75.2	66.0-84.4	43	7.6	04.5-10.7	3	0.7	00.0-01.9	11	15.2	05.8-24.6	4	0.7	00.0-01.5	4	0.5	00.0-01.1
Some Post-H.S.	296	297,491	243	84.2	78.7-89.7	33	7.4	04.1-10.7	6	2.2	00.0-04.6	3	2.6	00.0-05.9	7	1.9	00.1-03.7	4	1.7	00.0-03.7
College Graduate	354	235,009	331	92.0	85.9-98.1	10	0.9	00.1-01.7	3	0.2	00.0-00.4	3	5.5	00.0-11.4	5	0.9	00.0-02.3	2	0.4	00.0-01.0
Less than \$15,000	113	83,887	81	77.8	65.3-90.3	23	11.0	04.5-17.5	2	2.3	00.0-06.4	2	7.6	00.0-19.2	4	1.2	00.0-02.8	1	0.1	00.0-00.3
\$15,000- 24,999	143	128,298	101	74.8	64.4-85.2	33	15.3	08.2-22.4	1	0.1	00.0-00.3	1	2.5	00.0-07.2	5	3.4	00.1-06.7	2	4.0	00.0-10.9
\$25,000- 34,999	91	107,300	64	67.4	50.9-83.9	14	8.7	02.2-15.2	2	0.2	00.0-00.6	3	17.0	00.1-33.9	4	2.8	00.0-06.5	4	3.9	00.0-08.8
\$35,000- 49,999	117	94,780	97	84.4	73.8-95.0	14	6.5	01.8-11.2	2	1.8	00.0-04.9	1	5.2	00.0-14.8				3	2.1	00.0-04.6
\$50,000- 74,999	162	155,646	145	89.1	82.0-96.2	10	5.9	01.6-10.2	1	0.0	00.0-00.0	3	4.5	00.0-10.4	2	0.1	00.0-00.3	1	0.2	00.0-00.6
\$75,000+	283	236,765	268	89.2	82.3-96.1	6	1.8	00.2-03.4	3	1.0	00.0-02.8	3	5.4	00.0-11.5	3	2.6	00.0-05.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011

MODULE 33: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	151
2	MALES ONLY	152
3	FEMALES ONLY	153
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	154
5	MALES ONLY	155
6	FEMALES ONLY	156

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1551	1,680,732	233	13.0	10.6-15.4	1318	87.0	84.6-89.4
Male	546	760,824	58	9.1	06.2-12.0	488	90.9	88.0-93.8
Female	1005	919,907	175	16.2	12.7-19.7	830	83.8	80.3-87.3
White/Non-Hisp	1216	1,335,653	168	12.4	09.9-14.9	1048	87.6	85.1-90.1
Black or Afr. Am./Non-Hisp	181	155,755	49	27.4	16.4-38.4	132	72.6	61.6-83.6
Hispanic	84	112,471	9	7.6	00.0-16.4	75	92.4	83.6-0100
18-24	69	242,209	10	17.1	06.3-27.9	59	82.9	72.1-93.7
25-34	319	478,697	52	13.0	08.9-17.1	267	87.0	82.9-91.1
35-44	569	558,247	79	11.4	08.5-14.3	490	88.6	85.7-91.5
45-54	414	312,539	48	10.7	07.0-14.4	366	89.3	85.6-93.0
55-64	126	66,922	29	18.7	09.5-27.9	97	81.3	72.1-90.5
Less Than H.S.	149	289,735	24	13.1	06.2-20.0	125	86.9	80.0-93.8
H.S. or G.E.D.	425	501,442	72	14.7	09.6-19.8	353	85.3	80.2-90.4
Some Post-H.S.	420	486,297	68	13.4	09.5-17.3	352	86.6	82.7-90.5
College Graduate	551	400,658	68	10.3	07.4-13.2	483	89.7	86.8-92.6
Less than \$15,000	135	116,719	32	19.9	09.5-30.3	103	80.1	69.7-90.5
\$15,000- 24,999	208	244,371	45	16.1	09.0-23.2	163	83.9	76.8-91.0
\$25,000- 34,999	142	196,402	22	11.1	04.8-17.4	120	88.9	82.6-95.2
\$35,000- 49,999	184	184,338	20	6.5	02.6-10.4	164	93.5	89.6-97.4
\$50,000- 74,999	264	297,895	42	15.6	08.9-22.3	222	84.4	77.7-91.1
\$75,000+	482	446,899	56	10.4	07.3-13.5	426	89.6	86.5-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	546	760,824	58	9.1	06.2-12.0	488	90.9	88.0-93.8
White/Non-Hisp	457	605,160	49	8.4	05.7-11.1	408	91.6	88.9-94.3
25-34	80	194,332	8	6.2	00.9-11.5	72	93.8	88.5-99.1
35-44	197	260,676	19	10.2	05.5-14.9	178	89.8	85.1-94.5
45-54	183	159,025	22	12.9	06.8-19.0	161	87.1	81.0-93.2
55-64	51	36,317	7	11.7	00.9-22.5	44	88.3	77.5-99.1
Less Than H.S.	57	156,766	5	6.6	00.3-12.9	52	93.4	87.1-99.7
H.S. or G.E.D.	166	241,176	22	10.3	04.6-16.0	144	89.7	84.0-95.4
Some Post-H.S.	127	193,620	14	10.2	04.3-16.1	113	89.8	83.9-95.7
College Graduate	195	168,490	17	8.5	03.8-13.2	178	91.5	86.8-96.2
\$15,000- 24,999	65	110,868	10	13.3	01.9-24.7	55	86.7	75.3-98.1
\$25,000- 34,999	53	94,401	4	5.3	00.0-10.8	49	94.7	89.2-0100
\$35,000- 49,999	65	88,088	6	5.3	00.0-10.8	59	94.7	89.2-0100
\$50,000- 74,999	102	142,249	10	10.3	03.6-17.0	92	89.7	83.0-96.4
\$75,000+	197	209,506	20	9.9	04.8-15.0	177	90.1	85.0-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1005	919,907	175	16.2	12.7-19.7	830	83.8	80.3-87.3
White/Non-Hisp	759	730,493	119	15.7	11.8-19.6	640	84.3	80.4-88.2
Black or Afr. Am./Non-Hisp	151	113,324	40	21.2	10.6-31.8	111	78.8	68.2-89.4
Hispanic	53	49,228	9	17.3	00.0-36.1	44	82.7	63.9-0100
25-34	239	284,365	44	17.6	11.7-23.5	195	82.4	76.5-88.3
35-44	372	297,571	60	12.5	08.8-16.2	312	87.5	83.8-91.2
45-54	231	153,513	26	8.4	04.5-12.3	205	91.6	87.7-95.5
55-64	75	30,605	22	27.0	12.1-41.9	53	73.0	58.1-87.9
Less Than H.S.	92	132,969	19	20.7	08.4-33.0	73	79.3	67.0-91.6
H.S. or G.E.D.	259	260,266	50	18.7	10.7-26.7	209	81.3	73.3-89.3
Some Post-H.S.	293	292,677	54	15.5	10.2-20.8	239	84.5	79.2-89.8
College Graduate	356	232,167	51	11.7	08.0-15.4	305	88.3	84.6-92.0
Less than \$15,000	114	83,116	28	23.0	10.1-35.9	86	77.0	64.1-89.9
\$15,000- 24,999	143	133,503	35	18.5	09.7-27.3	108	81.5	72.7-90.3
\$25,000- 34,999	89	102,001	18	16.4	05.6-27.2	71	83.6	72.8-94.4
\$35,000- 49,999	119	96,250	14	7.6	02.1-13.1	105	92.4	86.9-97.9
\$50,000- 74,999	162	155,646	32	20.4	09.8-31.0	130	79.6	69.0-90.2
\$75,000+	285	237,393	36	10.8	06.7-14.9	249	89.2	85.1-93.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	222	209,335	162	73.0	65.2-80.8	60	27.0	19.2-34.8
Male	56	68,865	39	62.5	46.8-78.2	17	37.5	21.8-53.2
Female	166	140,470	123	78.2	70.0-86.4	43	21.8	13.6-30.0
White/Non-Hisp	160	157,551	108	68.8	59.6-78.0	52	31.2	22.0-40.4
35-44	75	62,727	47	55.6	41.7-69.5	28	44.4	30.5-58.3
H.S. or G.E.D.	65	66,965	52	86.1	76.1-96.1	13	13.9	03.9-23.9
Some Post-H.S.	67	64,072	44	53.6	37.7-69.5	23	46.4	30.5-62.3
College Graduate	66	41,008	49	73.4	58.7-88.1	17	26.6	11.9-41.3
\$75,000+	54	44,913	39	66.1	49.6-82.6	15	33.9	17.4-50.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	56	68,865	39	62.5	47.8-77.2	17	37.5	22.8-52.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	166	140,470	123	78.2	70.2-86.2	43	21.8	13.8-29.8
White/Non-Hisp	112	107,136	75	73.6	63.4-83.8	37	26.4	16.2-36.6
35-44	57	36,503	37	61.9	46.0-77.8	20	38.1	22.2-54.0
Some Post-H.S.	53	44,245	38	65.8	48.4-83.2	15	34.2	16.8-51.6
College Graduate	50	26,750	37	77.8	65.1-90.5	13	22.2	09.5-34.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2011**

End of Module Data Report