

INDIANA

2016 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016**

MODULE 7: COGNITIVE DECLINE CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8
	AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7	MALES AND FEMALES	9
8	MALES ONLY	10
9	FEMALES ONLY	11
	WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10	MALES AND FEMALES	12
11	MALES ONLY	13
12	FEMALES ONLY	14
	DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13	MALES AND FEMALES	15
14	MALES ONLY	16
15	FEMALES ONLY	17
	HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16	MALES AND FEMALES	18
17	MALES ONLY	19
18	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7757	2,404,092	834	10.5	09.5-11.5	6923	89.5	88.5-90.5
Male	3036	1,127,231	335	10.1	08.7-11.5	2701	89.9	88.5-91.3
Female	4721	1,276,861	499	10.8	09.6-12.0	4222	89.2	88.0-90.4
White/Non-Hisp	6858	2,085,397	721	10.3	09.3-11.3	6137	89.7	88.7-90.7
Black or Afr. Am./Non-Hisp	454	173,285	48	11.5	07.4-15.6	406	88.5	84.4-92.6
Oth. Race/Non-Hisp.	110	27,518	11	7.8	01.5-14.1	99	92.2	85.9-98.5
MultiRacial/Non-Hisp.	105	23,151	24	16.5	07.3-25.7	81	83.5	74.3-92.7
Hispanic	137	66,893	11	6.9	01.8-12.0	126	93.1	88.0-98.2
45-54	1446	722,732	166	10.7	08.7-12.7	1280	89.3	87.3-91.3
55-64	2231	764,471	230	10.4	08.8-12.0	2001	89.6	88.0-91.2
65+	4080	916,889	438	10.4	09.2-11.6	3642	89.6	88.4-90.8
Less Than H.S.	575	279,647	109	17.5	13.6-21.4	466	82.5	78.6-86.4
H.S. or G.E.D.	2745	899,114	335	11.7	10.1-13.3	2410	88.3	86.7-89.9
Some Post-H.S.	1931	719,792	196	8.8	07.2-10.4	1735	91.2	89.6-92.8
College Graduate	2492	502,005	191	6.7	05.5-07.9	2301	93.3	92.1-94.5
Less than \$15,000	651	216,167	139	23.8	19.3-28.3	512	76.2	71.7-80.7
\$15,000- 24,999	1317	389,686	222	16.4	13.9-18.9	1095	83.6	81.1-86.1
\$25,000- 34,999	855	243,802	104	12.3	09.4-15.2	751	87.7	84.8-90.6
\$35,000- 49,999	1082	342,100	97	9.2	06.8-11.6	985	90.8	88.4-93.2
\$50,000- 74,999	1084	348,686	79	6.3	04.5-08.1	1005	93.7	91.9-95.5
\$75,000+	1758	588,118	88	4.5	03.3-05.7	1670	95.5	94.3-96.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3036	1,127,231	335	10.1	08.7-11.5	2701	89.9	88.5-91.3
White/Non-Hisp	2677	965,866	292	10.1	08.7-11.5	2385	89.9	88.5-91.3
Black or Afr. Am./Non-Hisp	162	85,539	12	7.3	01.8-12.8	150	92.7	87.2-98.2
Oth. Race/Non-Hisp.	59	17,980	5	5.8	00.0-13.4	54	94.2	86.6-0100
Hispanic	50	30,252	5	11.3	00.5-22.1	45	88.7	77.9-99.5
45-54	619	357,321	67	9.4	06.7-12.1	552	90.6	87.9-93.3
55-64	908	368,199	80	9.5	07.1-11.9	828	90.5	88.1-92.9
65+	1509	401,711	188	11.4	09.4-13.4	1321	88.6	86.6-90.6
Less Than H.S.	218	134,402	44	16.7	10.8-22.6	174	83.3	77.4-89.2
H.S. or G.E.D.	1004	418,932	119	10.7	08.5-12.9	885	89.3	87.1-91.5
Some Post-H.S.	675	310,357	71	8.0	05.6-10.4	604	92.0	89.6-94.4
College Graduate	1134	262,343	100	8.4	06.4-10.4	1034	91.6	89.6-93.6
Less than \$15,000	200	88,795	42	20.0	12.7-27.3	158	80.0	72.7-87.3
\$15,000- 24,999	430	162,116	80	17.1	12.4-21.8	350	82.9	78.2-87.6
\$25,000- 34,999	316	107,689	37	10.1	06.0-14.2	279	89.9	85.8-94.0
\$35,000- 49,999	446	167,931	47	9.6	06.3-12.9	399	90.4	87.1-93.7
\$50,000- 74,999	497	177,534	41	6.9	04.4-09.4	456	93.1	90.6-95.6
\$75,000+	866	320,893	51	5.5	03.7-07.3	815	94.5	92.7-96.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4721	1,276,861	499	10.8	09.6-12.0	4222	89.2	88.0-90.4
White/Non-Hisp	4181	1,119,531	429	10.5	09.3-11.7	3752	89.5	88.3-90.7
Black or Afr. Am./Non-Hisp	292	87,746	36	15.6	09.5-21.7	256	84.4	78.3-90.5
Oth. Race/Non-Hisp.	51	9,538	6	11.6	01.0-22.2	45	88.4	77.8-99.0
MultiRacial/Non-Hisp.	62	12,781	14	14.5	04.9-24.1	48	85.5	75.9-95.1
Hispanic	87	36,640	6	3.3	00.4-06.2	81	96.7	93.8-99.6
45-54	827	365,411	99	12.0	09.3-14.7	728	88.0	85.3-90.7
55-64	1323	396,273	150	11.2	09.0-13.4	1173	88.8	86.6-91.0
65+	2571	515,178	250	9.6	08.0-11.2	2321	90.4	88.8-92.0
Less Than H.S.	357	145,245	65	18.2	13.1-23.3	292	81.8	76.7-86.9
H.S. or G.E.D.	1741	480,183	216	12.6	10.6-14.6	1525	87.4	85.4-89.4
Some Post-H.S.	1256	409,435	125	9.4	07.4-11.4	1131	90.6	88.6-92.6
College Graduate	1358	239,662	91	4.8	03.6-06.0	1267	95.2	94.0-96.4
Less than \$15,000	451	127,372	97	26.5	20.6-32.4	354	73.5	67.6-79.4
\$15,000- 24,999	887	227,570	142	16.0	12.9-19.1	745	84.0	80.9-87.1
\$25,000- 34,999	539	136,113	67	14.1	10.0-18.2	472	85.9	81.8-90.0
\$35,000- 49,999	636	174,169	50	8.8	05.7-11.9	586	91.2	88.1-94.3
\$50,000- 74,999	587	171,152	38	5.7	03.3-08.1	549	94.3	91.9-96.7
\$75,000+	892	267,226	37	3.3	01.9-04.7	855	96.7	95.3-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	826	249,654	32	5.1	02.9-07.3	43	4.7	02.9-06.5	199	27.6	23.5-31.7	138	15.2	12.3-18.1	414	47.4	42.9-51.9
Male	333	113,655	12	2.9	00.9-04.9	12	3.5	01.0-06.0	56	20.7	14.6-26.8	52	14.2	09.7-18.7	201	58.8	51.9-65.7
Female	493	135,999	20	6.9	03.4-10.4	31	5.7	03.0-08.4	143	33.4	27.9-38.9	86	16.0	11.9-20.1	213	37.9	32.4-43.4
White/Non-Hisp	717	215,196	24	4.2	02.2-06.2	38	5.1	02.9-07.3	155	24.8	20.7-28.9	122	15.4	12.3-18.5	378	50.5	45.8-55.2
45-54	164	75,698	9	6.8	02.1-11.5	6	4.2	00.3-08.1	59	40.9	31.5-50.3	29	14.1	07.8-20.4	61	34.1	25.1-43.1
55-64	228	78,949	10	4.1	01.2-07.0	19	7.4	03.5-11.3	64	27.8	20.9-34.7	39	16.5	10.8-22.2	96	44.2	36.2-52.2
65+	434	95,007	13	4.6	01.3-07.9	18	2.9	01.5-04.3	76	16.9	12.4-21.4	70	15.0	10.9-19.1	257	60.6	54.7-66.5
Less Than H.S.	107	47,547	5	1.7	00.0-03.5	5	4.5	00.0-09.4	41	42.2	30.2-54.2	22	16.9	08.3-25.5	34	34.6	22.6-46.6
H.S. or G.E.D.	333	105,363	14	5.8	02.5-09.1	17	5.1	02.2-08.0	79	25.5	19.6-31.4	59	16.6	11.7-21.5	164	47.0	40.3-53.7
Some Post-H.S.	194	62,510	10	8.0	02.1-13.9	15	5.4	01.7-09.1	49	27.2	19.0-35.4	38	15.3	09.8-20.8	82	44.0	35.2-52.8
College Graduate	190	33,420	3	2.2	00.0-04.9	5	2.1	00.0-04.3	29	13.1	07.4-18.8	19	8.4	03.9-12.9	134	74.1	66.7-81.5
Less than \$15,000	136	50,124	9	9.2	02.5-15.9	14	6.9	02.0-11.8	44	42.5	31.5-53.5	24	17.8	09.6-26.0	45	23.7	15.5-31.9
\$15,000- 24,999	222	64,033	11	6.0	01.5-10.5	10	5.9	01.2-10.6	65	29.8	22.2-37.4	44	18.1	11.8-24.4	92	40.2	31.6-48.8
\$25,000- 34,999	102	29,906	2	1.8	00.0-04.5	4	2.9	00.0-06.0	23	26.8	14.6-39.0	22	18.0	09.2-26.8	51	50.6	37.7-63.5
\$35,000- 49,999	97	31,563	2	4.9	00.0-11.4	10	8.4	02.3-14.5	21	19.6	09.8-29.4	9	4.9	01.2-08.6	55	62.2	50.0-74.4
\$50,000- 74,999	79	21,977							8	15.2	04.6-25.8	16	20.9	08.9-32.9	55	63.9	50.0-77.8
\$75,000+	86	25,737	1	1.1	00.0-03.3	1	1.0	00.0-03.0	6	5.0	00.0-10.1	6	9.0	01.6-16.4	72	83.9	74.7-93.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	333	113,655	12	2.9	00.7-05.1	12	3.5	01.0-06.0	56	20.7	14.8-26.6	52	14.2	09.9-18.5	201	58.8	52.1-65.5
White/Non-Hisp	291	97,610	9	2.7	00.5-04.9	11	3.8	01.1-06.5	43	16.6	10.9-22.3	43	13.8	09.1-18.5	185	63.1	56.4-69.8
45-54	66	32,950	2	2.5	00.0-06.4	1	3.2	00.0-09.3	19	36.2	21.3-51.1	13	13.5	04.9-22.1	31	44.7	29.8-59.6
55-64	79	34,713	6	4.6	00.0-09.3	7	6.2	01.1-11.3	14	18.5	08.3-28.7	10	11.5	04.1-18.9	42	59.3	46.8-71.8
65+	188	45,992	4	2.0	00.0-04.5	4	1.6	00.0-03.2	23	11.3	05.8-16.8	29	16.7	09.6-23.8	128	68.5	59.9-77.1
H.S. or G.E.D.	119	44,787	6	5.1	00.6-09.6	8	6.9	01.0-12.8	15	15.4	07.2-23.6	21	13.2	06.3-20.1	69	59.6	48.8-70.4
Some Post-H.S.	70	24,324	3	3.1	00.0-07.6	1	1.5	00.0-04.4	17	24.7	11.4-38.0	17	22.1	10.9-33.3	32	48.6	34.1-63.1
College Graduate	99	22,003	1	1.0	00.0-03.0	1	1.0	00.0-03.0	8	6.2	00.5-11.9	7	6.5	00.8-12.2	82	85.3	77.3-93.3
\$15,000- 24,999	80	27,677	5	4.2	00.0-08.5	5	6.8	00.0-14.4	16	23.7	11.2-36.2	16	17.4	07.2-27.6	38	47.9	33.4-62.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	493	135,999	20	6.9	03.4-10.4	31	5.7	03.0-08.4	143	33.4	27.9-38.9	86	16.0	11.9-20.1	213	37.9	32.4-43.4
White/Non-Hisp	426	117,586	15	5.5	02.4-08.6	27	6.1	03.2-09.0	112	31.6	25.7-37.5	79	16.8	12.3-21.3	193	40.1	34.2-46.0
45-54	98	42,748	7	10.1	02.5-17.7	5	5.0	00.0-10.3	40	44.6	32.4-56.8	16	14.5	05.7-23.3	30	25.9	15.3-36.5
55-64	149	44,236	4	3.7	00.0-07.4	12	8.3	02.4-14.2	50	35.1	26.1-44.1	29	20.5	12.5-28.5	54	32.4	23.4-41.4
65+	246	49,015	9	7.1	01.0-13.2	14	4.0	01.6-06.4	53	22.2	15.3-29.1	41	13.4	08.9-17.9	129	53.3	45.3-61.3
Less Than H.S.	63	25,099	3	2.8	00.0-06.1	4	7.9	00.0-16.7	25	43.0	27.7-58.3	15	18.6	06.4-30.8	16	27.7	12.8-42.6
H.S. or G.E.D.	214	60,576	8	6.4	01.5-11.3	9	3.8	01.1-06.5	64	33.0	24.8-41.2	38	19.1	12.4-25.8	95	37.8	30.0-45.6
Some Post-H.S.	124	38,186	7	11.2	02.2-20.2	14	8.0	02.1-13.9	32	28.7	18.1-39.3	21	11.0	05.5-16.5	50	41.1	30.1-52.1
College Graduate	91	11,416	2	4.7	00.0-11.6	4	4.2	00.0-08.9	21	26.4	14.8-38.0	12	12.1	04.3-19.9	52	52.6	40.1-65.1
Less than \$15,000	94	32,382	7	12.3	02.5-22.1	11	8.2	01.1-15.3	36	46.1	33.2-59.0	18	20.0	09.4-30.6	22	13.4	06.3-20.5
\$15,000- 24,999	142	36,356	6	7.4	00.5-14.3	5	5.3	00.0-11.4	49	34.5	24.9-44.1	28	18.6	10.6-26.6	54	34.3	25.1-43.5
\$25,000- 34,999	65	19,049	2	2.8	00.0-07.1	3	3.5	00.0-07.8	17	36.7	20.2-53.2	14	15.2	06.2-24.2	29	41.8	26.1-57.5
\$35,000- 49,999	50	15,379	2	10.0	00.0-22.9	7	10.3	01.7-18.9	12	21.8	07.1-36.5	3	1.9	00.0-04.3	26	56.0	37.2-74.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

**TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	826	249,809	27	4.4	02.4-06.4	30	4.2	02.0-06.4	176	24.4	20.5-28.3	155	17.5	14.4-20.6	438	49.5	45.0-54.0
Male	331	112,929	9	3.3	00.8-05.8	12	4.3	00.6-08.0	58	20.1	14.4-25.8	53	15.9	10.8-21.0	199	56.3	49.4-63.2
Female	495	136,880	18	5.4	02.5-08.3	18	4.2	01.7-06.7	118	27.8	22.5-33.1	102	18.7	14.4-23.0	239	43.9	38.2-49.6
White/Non-Hisp	715	214,034	21	4.2	02.0-06.4	25	3.9	02.1-05.7	139	22.8	18.7-26.9	137	17.7	14.2-21.2	393	51.4	46.7-56.1
45-54	165	76,917	10	7.4	02.3-12.5	9	7.1	01.2-13.0	49	33.6	25.0-42.2	38	17.3	10.8-23.8	59	34.6	25.6-43.6
55-64	225	77,663	8	2.8	00.6-05.0	7	3.7	01.0-06.4	66	27.9	21.0-34.8	38	18.0	11.9-24.1	106	47.6	39.4-55.8
65+	436	95,229	9	3.4	00.7-06.1	14	2.4	01.0-03.8	61	13.9	09.6-18.2	79	17.1	12.6-21.6	273	63.1	57.2-69.0
Less Than H.S.	108	48,640	6	5.7	00.2-11.2	7	8.8	00.2-17.4	33	32.0	21.2-42.8	17	13.7	05.9-21.5	45	39.8	28.0-51.6
H.S. or G.E.D.	332	104,357	10	3.9	01.2-06.6	13	3.8	01.4-06.2	70	23.0	17.3-28.7	67	20.7	15.2-26.2	172	48.7	41.8-55.6
Some Post-H.S.	194	62,578	8	5.8	01.1-10.5	7	2.7	00.0-05.4	45	26.5	18.1-34.9	38	15.3	09.6-21.0	96	49.7	40.9-58.5
College Graduate	190	33,420	3	1.9	00.0-04.4	3	2.1	00.0-04.6	27	11.9	07.0-16.8	33	17.2	10.5-23.9	124	66.9	58.7-75.1
Less than \$15,000	137	50,932	5	4.4	00.0-09.3	8	9.0	00.6-17.4	43	36.8	26.4-47.2	30	18.4	10.6-26.2	51	31.4	21.6-41.2
\$15,000- 24,999	220	63,257	12	6.5	02.0-11.0	8	3.2	00.7-05.7	58	26.9	19.3-34.5	34	17.7	10.6-24.8	108	45.8	37.2-54.4
\$25,000- 34,999	103	29,962	2	4.3	00.0-10.6	4	3.1	00.0-06.4	18	13.7	06.3-21.1	27	29.7	18.1-41.3	52	49.2	36.3-62.1
\$35,000- 49,999	97	31,563	2	3.5	00.0-08.6	4	5.8	00.0-12.1	21	25.6	13.6-37.6	16	10.5	03.8-17.2	54	54.6	41.5-67.7
\$50,000- 74,999	79	21,977	1	2.9	00.0-08.4				7	12.3	02.3-22.3	13	14.8	06.2-23.4	58	70.0	57.3-82.7
\$75,000+	85	25,521	1	0.5	00.0-01.5	2	2.1	00.0-05.0	6	5.8	00.3-11.3	13	13.8	05.4-22.2	63	77.7	67.5-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	331	112,929	9	3.3	00.8-05.8	12	4.3	00.6-08.0	58	20.1	14.4-25.8	53	15.9	10.8-21.0	199	56.3	49.4-63.2
White/Non-Hisp	289	96,884	7	3.2	00.5-05.9	9	2.8	00.8-04.8	45	18.5	12.6-24.4	42	14.0	08.9-19.1	186	61.4	54.5-68.3
45-54	66	32,950	2	3.7	00.0-10.0	2	6.2	00.0-17.2	16	28.9	15.8-42.0	16	20.1	09.1-31.1	30	41.2	26.9-55.5
55-64	78	34,203	4	3.1	00.0-06.8	5	5.1	00.4-09.8	15	18.5	08.5-28.5	14	16.7	06.9-26.5	40	56.6	43.5-69.7
65+	187	45,776	3	3.3	00.0-07.0	5	2.4	00.2-04.6	27	15.0	08.1-21.9	23	12.4	06.1-18.7	129	67.0	58.4-75.6
H.S. or G.E.D.	118	44,278	3	4.3	00.0-09.6	6	4.2	00.5-07.9	20	17.6	09.2-26.0	22	16.8	09.0-24.6	67	57.1	46.1-68.1
Some Post-H.S.	69	24,107	5	7.4	00.1-14.7				15	23.7	10.0-37.4	11	15.3	04.9-25.7	38	53.6	38.7-68.5
College Graduate	99	22,003				2	2.6	00.0-06.3	9	6.6	02.1-11.1	14	16.1	06.9-25.3	74	74.7	64.3-85.1
\$15,000- 24,999	80	27,677	5	7.8	00.0-16.0	6	5.2	00.9-09.5	20	24.6	12.1-37.1	8	15.8	04.0-27.6	41	46.6	32.1-61.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	495	136,880	18	5.4	02.5-08.3	18	4.2	01.7-06.7	118	27.8	22.5-33.1	102	18.7	14.4-23.0	239	43.9	38.2-49.6
White/Non-Hisp	426	117,149	14	5.0	01.9-08.1	16	4.8	01.9-07.7	94	26.3	20.8-31.8	95	20.8	15.9-25.7	207	43.1	37.0-49.2
45-54	99	43,967	8	10.1	02.7-17.5	7	7.8	01.3-14.3	33	37.2	25.8-48.6	22	15.2	07.4-23.0	29	29.7	17.9-41.5
55-64	147	43,460	4	2.6	00.0-05.3	2	2.5	00.0-06.0	51	35.3	25.9-44.7	24	19.1	11.5-26.7	66	40.5	30.5-50.5
65+	249	49,453	6	3.5	00.0-07.6	9	2.5	00.7-04.3	34	13.0	07.7-18.3	56	21.5	15.4-27.6	144	59.5	51.7-67.3
Less Than H.S.	64	26,192	5	10.4	00.4-20.4	3	7.1	00.0-15.5	19	29.8	16.1-43.5	11	12.7	04.1-21.3	26	40.0	24.5-55.5
H.S. or G.E.D.	214	60,080	7	3.6	00.7-06.5	7	3.5	00.6-06.4	50	26.9	19.3-34.5	45	23.6	16.3-30.9	105	42.4	34.2-50.6
Some Post-H.S.	125	38,471	3	4.7	00.0-10.8	7	4.3	00.0-08.8	30	28.3	17.7-38.9	27	15.4	08.5-22.3	58	47.3	36.1-58.5
College Graduate	91	11,416	3	5.7	00.0-12.8	1	1.0	00.0-03.0	18	22.1	11.7-32.5	19	19.2	10.2-28.2	50	52.0	39.7-64.3
Less than \$15,000	96	33,700	5	6.6	00.0-13.9	7	7.9	00.5-15.3	34	42.2	29.7-54.7	18	14.1	06.8-21.4	32	29.2	17.2-41.2
\$15,000- 24,999	140	35,580	7	5.5	00.8-10.2	2	1.6	00.0-04.5	38	28.6	19.2-38.0	26	19.2	11.0-27.4	67	45.1	34.9-55.3
\$25,000- 34,999	66	19,105	2	6.7	00.0-16.3	3	3.4	00.0-07.7	13	18.0	07.0-29.0	17	28.3	14.0-42.6	31	43.6	27.7-59.5
\$35,000- 49,999	50	15,379	1	4.9	00.0-14.1	3	8.1	00.0-18.5	13	24.4	09.1-39.7	10	15.9	03.2-28.6	23	46.8	27.4-66.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	232	82,326	103	44.1	36.1-52.1	44	15.8	10.5-21.1	54	27.9	20.3-35.5	18	8.1	03.0-13.2	13	4.1	01.6-06.6
Male	78	31,120	37	49.8	35.5-64.1	12	8.1	02.8-13.4	20	33.9	19.8-48.0	5	5.0	00.0-11.3	4	3.2	00.0-07.1
Female	154	51,206	66	40.7	31.3-50.1	32	20.5	12.5-28.5	34	24.2	15.8-32.6	13	9.9	03.0-16.8	9	4.7	01.4-08.0
White/Non-Hisp	185	66,130	85	49.8	40.8-58.8	39	17.5	11.2-23.8	41	24.3	16.7-31.9	11	4.7	01.0-08.4	9	3.7	00.8-06.6
45-54	67	36,791	31	46.0	31.7-60.3	9	12.8	03.8-21.8	17	27.7	14.6-40.8	7	10.5	01.5-19.5	3	3.0	00.0-06.5
55-64	81	26,712	31	36.1	23.9-48.3	14	18.6	08.8-28.4	27	36.3	23.8-48.8	3	3.6	00.0-08.3	6	5.4	00.5-10.3
65+	84	18,823	41	52.0	38.5-65.5	21	17.9	09.5-26.3	10	16.1	03.9-28.3	8	9.6	00.0-19.8	4	4.5	00.0-09.4
H.S. or G.E.D.	93	31,985	41	42.9	31.3-54.5	21	22.6	12.4-32.8	23	26.1	15.9-36.3	4	4.0	00.0-08.5	4	4.4	00.0-09.3
Some Post-H.S.	60	21,879	22	35.8	20.7-50.9	11	14.5	04.1-24.9	15	35.7	19.2-52.2	7	9.1	00.0-18.7	5	5.0	00.0-10.3
Less than \$15,000	56	25,567	15	24.9	10.8-39.0	10	13.6	03.6-23.6	17	37.7	20.6-54.8	6	14.2	00.9-27.5	8	9.6	02.0-17.2
\$15,000- 24,999	78	23,110	37	48.6	34.5-62.7	15	24.7	12.0-37.4	16	20.1	08.3-31.9	7	4.7	01.2-08.2	3	1.9	00.0-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

**TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	78	31,120	37	49.8	36.5-63.1	12	8.1	03.6-12.6	20	33.9	22.3-45.5	5	5.0	00.0-11.5	4	3.2	01.2-05.2
White/Non-Hisp	61	23,833	29	58.0	42.9-73.1	11	10.1	04.2-16.0	13	21.7	10.1-33.3	4	6.0	00.0-14.2	4	4.2	01.7-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

**TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	154	51,206	66	40.7	31.5-49.9	32	20.5	12.7-28.3	34	24.2	16.0-32.4	13	9.9	03.2-16.6	9	4.7	01.4-08.0
White/Non-Hisp	124	42,297	56	45.3	34.9-55.7	28	21.7	12.7-30.7	28	25.8	16.2-35.4	7	3.9	01.5-06.3	5	3.3	00.0-06.8
55-64	57	17,574	23	34.1	21.8-46.4	12	23.9	10.8-37.0	17	34.0	19.1-48.9	3	5.5	02.6-08.4	2	2.5	00.0-05.2
H.S. or G.E.D.	64	20,437	25	31.1	20.3-41.9	14	27.7	14.0-41.4	19	31.2	18.3-44.1	4	6.3	02.2-10.4	2	3.7	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	822	248,008	63	10.4	07.5-13.3	37	5.1	03.1-07.1	155	20.4	16.9-23.9	135	13.7	11.0-16.4	432	50.3	45.8-54.8
Male	330	112,176	22	7.3	03.4-11.2	13	4.9	01.8-08.0	62	19.5	14.0-25.0	42	10.5	06.8-14.2	191	57.8	50.9-64.7
Female	492	135,832	41	13.0	08.7-17.3	24	5.2	02.5-07.9	93	21.3	16.6-26.0	93	16.4	12.3-20.5	241	44.2	38.5-49.9
White/Non-Hisp	712	212,994	50	10.3	07.2-13.4	30	4.2	02.4-06.0	131	20.4	16.5-24.3	119	14.3	11.2-17.4	382	50.7	46.0-55.4
45-54	163	75,973	23	17.9	10.5-25.3	13	8.2	03.1-13.3	47	27.6	19.4-35.8	25	10.3	05.4-15.2	55	36.0	26.6-45.4
55-64	225	77,037	25	11.3	06.4-16.2	18	7.0	03.1-10.9	52	24.3	17.4-31.2	41	16.5	10.8-22.2	89	40.9	32.9-48.9
65+	434	94,998	15	3.7	01.0-06.4	6	1.1	00.1-02.1	56	11.5	07.8-15.2	69	14.3	10.4-18.2	288	69.4	63.9-74.9
Less Than H.S.	107	48,339	16	14.2	06.2-22.2	4	5.8	00.0-12.1	26	26.5	16.1-36.9	12	7.2	02.7-11.7	49	46.2	33.9-58.5
H.S. or G.E.D.	333	104,064	29	10.8	06.3-15.3	15	5.3	02.2-08.4	62	19.6	14.3-24.9	53	15.3	10.6-20.0	174	48.9	42.2-55.6
Some Post-H.S.	191	62,148	15	11.8	05.1-18.5	10	4.9	01.6-08.2	36	18.3	11.4-25.2	36	15.9	09.8-22.0	94	49.1	40.1-58.1
College Graduate	189	33,289	3	1.0	00.0-02.4	8	3.7	01.0-06.4	30	17.9	10.6-25.2	34	14.4	08.9-19.9	114	63.0	54.4-71.6
Less than \$15,000	137	51,286	19	14.6	06.8-22.4	8	7.1	00.8-13.4	37	32.4	22.2-42.6	19	10.4	05.3-15.5	54	35.5	24.5-46.5
\$15,000- 24,999	221	63,940	22	15.3	08.2-22.4	12	4.2	01.3-07.1	48	22.1	15.2-29.0	38	14.8	09.1-20.5	101	43.6	35.0-52.2
\$25,000- 34,999	103	29,938	5	5.3	00.6-10.0	4	5.3	00.0-10.8	19	17.8	08.6-27.0	22	19.2	09.0-29.4	53	52.4	39.9-64.9
\$35,000- 49,999	96	31,340	7	12.5	02.9-22.1	6	4.8	00.5-09.1	11	11.7	02.5-20.9	14	14.7	06.3-23.1	58	56.2	43.3-69.1
\$50,000- 74,999	79	21,977				1	4.0	00.0-11.6	10	15.8	05.6-26.0	13	13.7	04.3-23.1	55	66.5	53.0-80.0
\$75,000+	85	25,521	2	2.3	00.0-05.4				12	13.9	05.1-22.7	11	8.4	02.3-14.5	60	75.4	64.6-86.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	330	112,176	22	7.3	03.4-11.2	13	4.9	01.8-08.0	62	19.5	13.8-25.2	42	10.5	06.8-14.2	191	57.8	50.9-64.7
White/Non-Hisp	288	96,131	16	6.3	02.6-10.0	10	3.9	01.2-06.6	51	19.6	13.5-25.7	35	10.3	06.4-14.2	176	59.9	52.8-67.0
45-54	66	32,950	7	12.7	02.1-23.3	5	6.9	00.0-14.2	18	29.8	16.1-43.5	9	8.5	02.4-14.6	27	42.0	27.1-56.9
55-64	77	33,450	10	9.0	02.5-15.5	7	8.9	01.5-16.3	17	19.2	09.4-29.0	10	10.7	03.3-18.1	33	52.2	38.7-65.7
65+	187	45,776	5	2.3	00.0-04.8	1	0.5	00.0-01.5	27	12.2	06.3-18.1	23	11.9	06.0-17.8	131	73.1	65.1-81.1
H.S. or G.E.D.	118	43,935	12	12.1	04.5-19.7	5	4.0	00.0-08.5	21	16.6	09.0-24.2	17	12.6	05.7-19.5	63	54.7	43.9-65.5
Some Post-H.S.	69	24,107	4	8.1	00.0-17.9	4	7.7	00.3-15.1	15	19.8	08.0-31.6	8	10.1	01.5-18.7	38	54.3	39.4-69.2
College Graduate	99	22,003	1	0.3	00.0-00.9	1	1.0	00.0-03.0	15	15.5	06.3-24.7	15	13.3	06.0-20.6	67	69.8	58.8-80.8
\$15,000- 24,999	80	27,677	9	17.0	04.7-29.3	4	2.7	00.0-05.4	20	21.1	10.1-32.1	10	10.4	03.1-17.7	37	48.8	34.1-63.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	492	135,832	41	13.0	08.7-17.3	24	5.2	02.5-07.9	93	21.3	16.6-26.0	93	16.4	12.3-20.5	241	44.2	38.5-49.9
White/Non-Hisp	424	116,863	34	13.6	08.9-18.3	20	4.5	02.1-06.9	80	21.1	16.0-26.2	84	17.6	13.1-22.1	206	43.2	37.1-49.3
45-54	97	43,023	16	21.9	11.5-32.3	8	9.1	02.0-16.2	29	26.0	16.0-36.0	16	11.7	04.4-19.0	28	31.3	19.1-43.5
55-64	148	43,587	15	13.1	06.0-20.2	11	5.4	01.3-09.5	35	28.3	19.3-37.3	31	20.9	12.9-28.9	56	32.3	23.3-41.3
65+	247	49,222	10	5.0	00.5-09.5	5	1.7	00.1-03.3	29	10.9	06.0-15.8	46	16.5	11.0-22.0	157	65.9	58.3-73.5
Less Than H.S.	64	26,301	11	22.9	09.8-36.0	1	4.3	00.0-12.5	16	24.9	12.4-37.4	10	9.7	03.0-16.4	26	38.1	22.8-53.4
H.S. or G.E.D.	215	60,130	17	9.8	04.7-14.9	10	6.3	02.0-10.6	41	21.9	14.8-29.0	36	17.3	10.8-23.8	111	44.7	36.5-52.9
Some Post-H.S.	122	38,041	11	14.2	05.2-23.2	6	3.1	00.4-05.8	21	17.4	09.2-25.6	28	19.5	11.1-27.9	56	45.8	34.2-57.4
College Graduate	90	11,286	2	2.3	00.0-06.0	7	9.0	01.9-16.1	15	22.6	10.8-34.4	19	16.5	08.7-24.3	47	49.6	37.1-62.1
Less than \$15,000	95	33,544	16	20.1	08.9-31.3	7	8.0	00.4-15.6	24	29.3	17.5-41.1	14	11.8	05.5-18.1	34	30.8	18.3-43.3
\$15,000- 24,999	141	36,263	13	14.0	06.0-22.0	8	5.4	00.9-09.9	28	22.9	14.3-31.5	28	18.1	09.9-26.3	64	39.6	30.0-49.2
\$25,000- 34,999	66	19,081	3	4.8	00.0-10.3	2	5.8	00.0-13.6	16	25.8	12.1-39.5	17	21.9	08.8-35.0	28	41.7	25.8-57.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	826	249,777	367	44.3	39.8-48.8	459	55.7	51.2-60.2
Male	331	113,458	116	32.1	25.6-38.6	215	67.9	61.4-74.4
Female	495	136,319	251	54.4	48.7-60.1	244	45.6	39.9-51.3
White/Non-Hisp	715	214,339	316	45.0	40.3-49.7	399	55.0	50.3-59.7
45-54	165	77,218	90	54.7	45.3-64.1	75	45.3	35.9-54.7
55-64	226	77,549	107	42.5	34.9-50.1	119	57.5	49.9-65.1
65+	435	95,011	170	37.2	31.5-42.9	265	62.8	57.1-68.5
Less Than H.S.	108	48,661	49	47.3	35.1-59.5	59	52.7	40.5-64.9
H.S. or G.E.D.	331	103,706	140	40.3	33.6-47.0	191	59.7	53.0-66.4
Some Post-H.S.	195	63,152	100	50.4	41.6-59.2	95	49.6	40.8-58.4
College Graduate	189	33,369	76	39.3	30.7-47.9	113	60.7	52.1-69.3
Less than \$15,000	137	50,650	74	51.5	40.7-62.3	63	48.5	37.7-59.3
\$15,000- 24,999	220	63,639	93	39.6	31.4-47.8	127	60.4	52.2-68.6
\$25,000- 34,999	104	30,068	45	36.1	24.1-48.1	59	63.9	51.9-75.9
\$35,000- 49,999	96	31,415	46	48.1	34.6-61.6	50	51.9	38.4-65.4
\$50,000- 74,999	79	21,977	31	48.3	34.2-62.4	48	51.7	37.6-65.8
\$75,000+	87	26,242	32	33.8	21.6-46.0	55	66.2	54.0-78.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	331	113,458	116	32.1	25.6-38.6	215	67.9	61.4-74.4
White/Non-Hisp	289	97,113	95	29.5	22.8-36.2	194	70.5	63.8-77.2
45-54	66	33,251	28	38.6	23.5-53.7	38	61.4	46.3-76.5
55-64	78	34,559	23	27.5	15.9-39.1	55	72.5	60.9-84.1
65+	187	45,649	65	30.9	22.9-38.9	122	69.1	61.1-77.1
H.S. or G.E.D.	117	44,290	43	27.5	18.1-36.9	74	72.5	63.1-81.9
Some Post-H.S.	71	24,828	21	29.5	16.4-42.6	50	70.5	57.4-83.6
College Graduate	99	22,003	36	37.4	25.6-49.2	63	62.6	50.8-74.4
\$15,000- 24,999	79	27,333	31	33.0	19.9-46.1	48	67.0	53.9-80.1
\$75,000+	50	17,430	12	22.5	09.2-35.8	38	77.5	64.2-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	495	136,319	251	54.4	48.7-60.1	244	45.6	39.9-51.3
White/Non-Hisp	426	117,226	221	57.9	51.8-64.0	205	42.1	36.0-48.2
45-54	99	43,967	62	66.9	55.9-77.9	37	33.1	22.1-44.1
55-64	148	42,990	84	54.7	44.9-64.5	64	45.3	35.5-55.1
65+	248	49,362	105	43.0	35.2-50.8	143	57.0	49.2-64.8
Less Than H.S.	65	26,416	34	54.7	39.8-69.6	31	45.3	30.4-60.2
H.S. or G.E.D.	214	59,417	97	49.8	41.4-58.2	117	50.2	41.8-58.6
Some Post-H.S.	124	38,323	79	63.9	53.5-74.3	45	36.1	25.7-46.5
College Graduate	90	11,366	40	43.0	30.7-55.3	50	57.0	44.7-69.3
Less than \$15,000	96	33,062	60	60.4	47.9-72.9	36	39.6	27.1-52.1
\$15,000- 24,999	141	36,305	62	44.6	34.2-55.0	79	55.4	45.0-65.8
\$25,000- 34,999	67	19,212	30	43.8	28.1-59.5	37	56.2	40.5-71.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016**

MODULE 8: SUGAR SWEETENED BEVERAGES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 8: SUGAR SWEETENED BEVERAGES**

**TABLE 1: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never %	C.I. (95%)	1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED				N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9817	4,352,777	4181	32.8	31.4-34.2	1798	24.8	23.4-26.2	70	1.3	00.9-01.7	1886	22.3	21.1-23.5	1882	18.8	17.6-20.0
Male	3984	2,082,405	1405	27.9	26.1-29.7	900	28.7	26.5-30.9	42	1.7	01.1-02.3	865	23.7	21.7-25.7	772	18.1	16.5-19.7
Female	5833	2,270,371	2776	37.3	35.5-39.1	898	21.2	19.4-23.0	28	0.8	00.4-01.2	1021	21.1	19.3-22.9	1110	19.5	17.9-21.1
White/Non-Hisp	8441	3,556,620	3741	34.7	33.3-36.1	1490	24.0	22.6-25.4	60	1.2	00.8-01.6	1539	20.7	19.3-22.1	1611	19.3	18.1-20.5
Black or Afr. Am./Non-Hisp	613	348,709	158	18.5	14.6-22.4	136	29.8	24.1-35.5	2	1.4	00.0-03.6	178	31.3	25.8-36.8	139	19.0	14.9-23.1
Oth. Race/Non-Hisp.	188	102,247	75	31.7	21.5-41.9	41	22.2	12.6-31.8	3	2.1	00.0-05.2	37	28.8	18.0-39.6	32	15.3	08.0-22.6
MultiRacial/Non-Hisp.	143	50,029	63	33.9	22.5-45.3	30	24.5	13.3-35.7	2	1.8	00.0-04.7	21	15.7	07.5-23.9	27	24.1	12.1-36.1
Hispanic	308	241,071	88	25.9	19.4-32.4	74	29.3	22.6-36.0	1	0.1	00.0-00.3	93	32.5	25.8-39.2	52	12.3	08.4-16.2
18-24	364	557,454	51	14.8	10.3-19.3	119	34.6	28.9-40.3	3	1.2	00.0-02.6	114	29.3	24.0-34.6	77	20.1	15.4-24.8
25-34	655	668,543	127	18.0	14.7-21.3	199	32.5	28.2-36.8	12	1.8	00.6-03.0	198	30.7	26.6-34.8	119	16.9	13.6-20.2
35-44	959	688,417	257	25.8	22.5-29.1	256	29.5	25.8-33.2	20	2.2	01.0-03.4	207	22.4	19.1-25.7	219	20.1	17.2-23.0
45-54	1440	721,811	532	35.9	32.8-39.0	338	25.9	23.0-28.8	14	1.6	00.4-02.8	244	17.1	14.6-19.6	312	19.4	16.9-21.9
55-64	2213	758,740	993	41.9	39.4-44.4	378	19.3	17.1-21.5	14	0.9	00.3-01.5	384	18.6	16.4-20.8	444	19.2	17.0-21.4
65+	4067	913,410	2164	49.2	47.2-51.2	498	13.6	12.2-15.0	7	0.2	00.0-00.4	716	19.5	17.9-21.1	682	17.6	16.0-19.2
Less Than H.S.	767	558,830	237	24.4	20.3-28.5	231	35.1	30.2-40.0	13	2.6	00.8-04.4	166	24.4	19.9-28.9	120	13.5	10.4-16.6
H.S. or G.E.D.	3314	1,499,503	1316	30.5	28.3-32.7	740	28.4	26.0-30.8	38	1.9	01.1-02.7	652	22.3	20.1-24.5	568	16.8	15.0-18.6
Some Post-H.S.	2461	1,345,187	1039	33.4	30.9-35.9	467	24.4	21.9-26.9	12	0.8	00.2-01.4	476	21.3	18.9-23.7	467	20.1	17.7-22.5
College Graduate	3254	941,349	1577	40.6	38.2-43.0	358	13.3	11.5-15.1	7	0.2	00.0-00.4	589	22.7	20.5-24.9	723	23.2	21.2-25.2
Less than \$15,000	823	389,744	308	26.5	22.4-30.6	234	35.1	30.2-40.0	8	2.1	00.1-04.1	147	22.0	17.7-26.3	126	14.3	11.0-17.6
\$15,000- 24,999	1627	711,169	620	27.4	24.5-30.3	359	31.9	28.2-35.6	21	2.3	01.1-03.5	341	23.4	20.3-26.5	286	15.0	12.5-17.5
\$25,000- 34,999	1049	432,399	418	28.8	25.1-32.5	201	27.1	22.6-31.6	11	1.9	00.5-03.3	218	24.4	20.3-28.5	201	17.8	14.5-21.1
\$35,000- 49,999	1349	610,638	538	27.7	24.6-30.8	264	26.2	22.7-29.7	11	1.1	00.3-01.9	274	25.5	21.8-29.2	262	19.5	16.6-22.4
\$50,000- 74,999	1385	629,599	590	33.8	30.3-37.3	243	24.7	21.0-28.4	4	0.5	00.0-01.1	267	20.7	17.6-23.8	281	20.3	17.2-23.4
\$75,000+	2380	1,112,652	1118	39.6	36.9-42.3	314	16.2	14.0-18.4	9	0.8	00.2-01.4	431	21.6	19.2-24.0	508	21.9	19.5-24.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 8: SUGAR SWEETENED BEVERAGES**

TABLE 2: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never %	C.I. (95%)	1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED				N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3984	2,082,405	1405	27.9	26.1-29.7	900	28.7	26.5-30.9	42	1.7	01.1-02.3	865	23.7	21.7-25.7	772	18.1	16.5-19.7
White/Non-Hisp	3395	1,681,133	1243	29.4	27.4-31.4	742	27.7	25.5-29.9	35	1.7	00.9-02.5	710	22.5	20.5-24.5	665	18.7	16.9-20.5
Black or Afr. Am./Non-Hisp	222	160,920	47	17.0	10.9-23.1	62	34.8	25.8-43.8	2	3.1	00.0-07.6	70	30.5	22.7-38.3	41	14.6	09.1-20.1
Oth. Race/Non-Hisp.	108	66,611	35	23.6	11.3-35.9	27	26.3	13.0-39.6	2	0.8	00.0-02.0	27	33.8	19.1-48.5	17	15.5	05.7-25.3
MultiRacial/Non-Hisp.	61	25,430	21	28.8	11.0-46.6	12	21.7	07.0-36.4	1	3.0	00.0-08.9	12	19.9	06.0-33.8	15	26.6	08.0-45.2
Hispanic	133	113,217	31	19.9	11.5-28.3	41	38.4	28.0-48.8	1	0.2	00.0-00.6	38	28.1	18.7-37.5	22	13.4	07.3-19.5
18-24	197	280,292	28	13.7	07.8-19.6	69	36.6	28.8-44.4	2	1.8	00.0-04.3	61	30.0	22.6-37.4	37	17.9	11.6-24.2
25-34	307	334,714	48	13.6	09.5-17.7	107	38.0	31.5-44.5	9	3.1	00.9-05.3	91	30.4	24.1-36.7	52	14.9	10.6-19.2
35-44	421	328,706	99	21.2	16.5-25.9	129	35.4	29.5-41.3	11	2.1	00.7-03.5	89	22.0	17.1-26.9	93	19.3	14.8-23.8
45-54	618	357,453	191	32.2	27.5-36.9	163	28.0	23.5-32.5	6	2.1	00.1-04.1	122	18.4	14.7-22.1	136	19.3	15.6-23.0
55-64	898	365,377	338	36.5	32.6-40.4	181	21.5	18.0-25.0	10	1.4	00.4-02.4	185	21.2	17.9-24.5	184	19.3	16.0-22.6
65+	1501	398,570	686	43.0	39.7-46.3	245	17.1	14.6-19.6	4	0.2	00.0-00.4	306	22.2	19.5-24.9	260	17.5	15.0-20.0
Less Than H.S.	313	279,846	68	19.8	13.7-25.9	113	38.7	31.4-46.0	11	4.7	01.4-08.0	63	21.1	15.0-27.2	58	15.7	10.6-20.8
H.S. or G.E.D.	1286	730,863	403	26.0	23.1-28.9	357	31.9	28.4-35.4	20	2.1	00.9-03.3	294	25.2	21.9-28.5	212	14.8	12.3-17.3
Some Post-H.S.	903	601,274	296	26.9	23.2-30.6	224	29.9	25.8-34.0	7	1.1	00.1-02.1	208	23.5	19.8-27.2	168	18.6	15.3-21.9
College Graduate	1472	465,349	633	37.0	33.7-40.3	205	16.0	13.3-18.7	4	0.2	00.0-00.4	299	23.1	20.2-26.0	331	23.7	20.8-26.6
Less than \$15,000	267	160,953	79	23.1	16.4-29.8	91	34.9	27.1-42.7	5	4.0	00.0-08.3	51	23.0	15.9-30.1	41	15.0	09.3-20.7
\$15,000- 24,999	561	314,103	162	22.4	17.9-26.9	158	37.3	31.2-43.4	13	3.5	01.1-05.9	129	23.0	17.9-28.1	99	13.9	10.0-17.8
\$25,000- 34,999	403	201,747	138	25.6	20.1-31.1	95	32.3	25.0-39.6	7	2.6	00.2-05.0	89	24.3	18.2-30.4	74	15.3	10.8-19.8
\$35,000- 49,999	580	313,495	173	21.5	17.2-25.8	147	30.9	25.4-36.4	8	1.4	00.2-02.6	142	27.6	22.1-33.1	110	18.5	14.4-22.6
\$50,000- 74,999	640	321,353	229	29.4	24.7-34.1	146	30.6	25.3-35.9	2	0.3	00.0-00.9	148	24.3	19.6-29.0	115	15.4	11.7-19.1
\$75,000+	1173	583,381	491	34.9	31.2-38.6	185	19.2	15.9-22.5	7	1.3	00.1-02.5	232	21.5	18.2-24.8	258	23.1	19.6-26.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 8: SUGAR SWEETENED BEVERAGES**

TABLE 3: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never %	C.I. (95%)	1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED				N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5833	2,270,371	2776	37.3	35.5-39.1	898	21.2	19.4-23.0	28	0.8	0.4-01.2	1021	21.1	19.3-22.9	1110	19.5	17.9-21.1
White/Non-Hisp	5046	1,875,486	2498	39.4	37.4-41.4	748	20.8	18.8-22.8	25	0.8	0.4-01.2	829	19.2	17.4-21.0	946	19.8	18.0-21.6
Black or Afr. Am./Non-Hisp	391	187,789	111	19.7	14.6-24.8	74	25.6	18.3-32.9				108	32.1	24.7-39.5	98	22.7	16.6-28.8
Oth. Race/Non-Hisp.	80	35,636	40	46.7	30.2-63.2	14	14.4	02.2-26.6	1	4.4	00.0-12.8	10	19.4	05.7-33.1	15	15.0	05.6-24.4
MultiRacial/Non-Hisp.	82	24,598	42	39.1	24.4-53.8	18	27.4	10.9-43.9	1	0.5	00.0-01.5	9	11.4	02.6-20.2	12	21.6	07.1-36.1
Hispanic	175	127,854	57	31.3	22.1-40.5	33	21.2	13.2-29.2				55	36.3	26.9-45.7	30	11.2	06.3-16.1
18-24	167	277,162	23	15.9	09.0-22.8	50	32.6	24.4-40.8	1	0.6	00.0-01.8	53	28.6	20.8-36.4	40	22.3	15.2-29.4
25-34	348	333,829	79	22.4	17.1-27.7	92	27.0	21.5-32.5	3	0.6	00.0-01.4	107	31.0	25.3-36.7	67	19.0	13.9-24.1
35-44	538	359,711	158	30.0	25.1-34.9	127	24.1	19.6-28.6	9	2.3	00.7-03.9	118	22.7	18.2-27.2	126	20.9	17.0-24.8
45-54	822	364,358	341	39.6	35.5-43.7	175	23.9	20.2-27.6	8	1.2	00.2-02.2	122	15.9	12.6-19.2	176	19.5	16.2-22.8
55-64	1315	393,363	655	47.0	43.7-50.3	197	17.2	14.5-19.9	4	0.5	00.0-01.1	199	16.2	13.7-18.7	260	19.2	16.7-21.7
65+	2566	514,840	1478	54.0	51.5-56.5	253	10.9	09.3-12.5	3	0.2	00.0-00.4	410	17.4	15.4-19.4	422	17.6	15.6-19.6
Less Than H.S.	454	278,984	169	29.0	23.3-34.7	118	31.5	25.0-38.0	2	0.5	00.0-01.3	103	27.7	21.4-34.0	62	11.2	07.7-14.7
H.S. or G.E.D.	2028	768,640	913	34.9	32.0-37.8	383	25.1	22.0-28.2	18	1.7	00.7-02.7	358	19.6	17.1-22.1	356	18.8	16.1-21.5
Some Post-H.S.	1558	743,913	743	38.6	35.1-42.1	243	19.9	16.8-23.0	5	0.5	00.0-01.1	268	19.6	16.7-22.5	299	21.3	18.2-24.4
College Graduate	1782	476,000	944	44.0	40.7-47.3	153	10.7	08.3-13.1	3	0.2	00.0-00.4	290	22.3	19.2-25.4	392	22.8	20.1-25.5
Less than \$15,000	556	228,791	229	28.9	23.6-34.2	143	35.3	28.8-41.8	3	0.7	00.0-01.7	96	21.3	16.0-26.6	85	13.8	09.9-17.7
\$15,000- 24,999	1066	397,067	458	31.4	27.3-35.5	201	27.6	23.1-32.1	8	1.4	00.2-02.6	212	23.8	19.7-27.9	187	15.8	12.5-19.1
\$25,000- 34,999	646	230,652	280	31.6	26.5-36.7	106	22.7	17.4-28.0	4	1.3	00.0-02.9	129	24.5	18.8-30.2	127	20.0	15.3-24.7
\$35,000- 49,999	769	297,143	365	34.3	29.6-39.0	117	21.2	16.7-25.7	3	0.8	00.0-01.8	132	23.2	17.9-28.5	152	20.6	16.3-24.9
\$50,000- 74,999	745	308,245	361	38.4	33.5-43.3	97	18.6	13.7-23.5	2	0.7	00.0-01.7	119	16.9	13.2-20.6	166	25.4	20.5-30.3
\$75,000+	1207	529,271	627	44.8	40.7-48.9	129	12.8	10.1-15.5	2	0.1	00.0-00.3	199	21.6	18.1-25.1	250	20.7	17.4-24.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 8: SUGAR SWEETENED BEVERAGES**

TABLE 4: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	9798	4,340,266	5213	42.9	41.5-44.3	1411	19.0	17.8-20.2	40	0.5	0.3-0.7	1615	20.0	18.8-21.2	1519	17.6	16.4-18.8	
Male	3975	2,076,946	1851	36.9	34.9-38.9	688	22.5	20.5-24.5	22	0.8	0.4-0.2	773	21.9	19.9-23.9	641	17.8	16.0-19.6	
Female	5823	2,263,321	3362	48.4	46.4-50.4	723	15.7	14.1-17.3	18	0.3	0.1-0.5	842	18.3	16.7-19.9	878	17.3	15.7-18.9	
White/Non-Hisp	8420	3,545,787	4643	45.2	43.6-46.8	1134	17.8	16.4-19.2	33	0.5	0.3-0.7	1318	18.9	17.5-20.3	1292	17.5	16.3-18.7	
Black or Afr. Am./Non-Hisp	615	349,603	224	27.7	22.8-32.6	132	26.6	21.1-32.1	2	1.0	0.0-0.2	164	30.5	25.0-36.0	93	14.2	10.3-18.1	
Oth. Race/Non-Hisp.	187	101,007	85	30.5	20.9-40.1	38	21.9	12.7-31.1	34	22.3	12.5-32.1	34	22.3	12.5-32.1	30	25.4	14.4-36.4	
MultiRacial/Non-Hisp.	141	49,397	65	39.4	27.4-51.4	24	19.3	09.3-29.3	3	1.8	0.0-0.4	18	16.1	06.5-25.7	31	23.6	11.4-35.8	
Hispanic	309	240,917	127	35.8	29.1-42.5	58	21.5	15.4-27.6	2	0.2	0.0-0.4	67	23.2	17.3-29.1	55	19.3	13.4-25.2	
18-24	365	557,127	67	19.6	14.7-24.5	97	27.3	21.8-32.8	2	0.5	0.0-0.1	110	29.7	24.4-35.0	89	23.0	18.1-27.9	
25-34	651	665,077	186	28.4	24.3-32.5	158	26.3	22.2-30.4	6	0.9	0.1-0.1	177	26.3	22.4-30.2	124	18.1	14.8-21.4	
35-44	959	688,907	370	35.0	31.3-38.7	163	18.3	15.2-21.4	13	1.0	0.4-0.1	208	24.0	20.5-27.5	205	21.8	18.5-25.1	
45-54	1438	718,777	679	44.9	41.6-48.2	231	19.1	16.4-21.8	5	0.4	0.0-0.0	236	16.1	13.7-18.5	287	19.5	17.0-22.0	
55-64	2212	757,522	1254	54.9	52.4-57.4	272	13.9	11.9-15.9	10	0.6	0.2-0.1	325	15.4	13.4-17.4	351	15.2	13.2-17.2	
65+	4055	909,073	2594	61.9	59.9-63.9	472	13.0	11.6-14.4	4	0.1	0.0-0.0	543	14.1	12.7-15.5	442	10.9	09.7-12.1	
Less Than H.S.	768	553,740	367	38.7	34.0-43.4	161	26.8	21.9-31.7	4	0.8	0.0-0.1	145	21.1	17.0-25.2	91	12.5	09.2-15.8	
H.S. or G.E.D.	3305	1,494,172	1673	40.2	37.8-42.6	596	23.0	20.8-25.2	18	0.6	0.2-0.1	577	20.8	18.6-23.0	441	15.4	13.4-17.4	
Some Post-H.S.	2457	1,343,783	1291	43.3	40.6-46.0	391	18.3	16.1-20.5	10	0.5	0.1-0.0	368	18.4	16.0-20.8	397	19.6	17.2-22.0	
College Graduate	3246	940,365	1869	48.9	46.5-51.3	260	8.9	07.5-10.3	8	0.4	0.2-0.0	521	20.6	18.4-22.8	588	21.1	19.1-23.1	
Less than \$15,000	822	388,434	404	39.8	34.9-44.7	174	26.0	21.3-30.7	9	1.1	0.3-0.1	138	21.3	17.0-25.6	97	11.7	08.4-15.0	
\$15,000- 24,999	1620	704,293	811	39.4	35.9-42.9	298	25.5	21.8-29.2	13	1.0	0.4-0.1	279	19.0	16.1-21.9	219	15.1	12.4-17.8	
\$25,000- 34,999	1044	431,179	522	37.7	33.4-42.0	185	21.4	17.3-25.5	4	0.7	0.0-0.1	172	20.4	16.5-24.3	161	19.9	15.8-24.0	
\$35,000- 49,999	1347	610,159	704	40.4	36.7-44.1	193	19.0	15.7-22.3	7	0.4	0.0-0.0	240	23.3	19.8-26.8	203	16.8	13.9-19.7	
\$50,000- 74,999	1386	630,526	721	42.9	39.2-46.6	183	17.2	14.1-20.3	2	0.2	0.0-0.0	246	21.8	18.5-25.1	234	17.9	15.0-20.8	
\$75,000+	2381	1,112,532	1330	47.1	44.4-49.8	230	12.8	10.6-15.0	3	0.4	0.0-0.1	380	19.3	16.9-21.7	438	20.4	18.0-22.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 8: SUGAR SWEETENED BEVERAGES**

TABLE 5: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3975	2,076,946	1851	36.9	34.9-38.9	688	22.5	20.5-24.5	22	0.8	00.4-01.2	773	21.9	19.9-23.9	641	17.8	16.0-19.6	
White/Non-Hisp	3385	1,676,971	1643	39.4	37.2-41.6	548	21.0	18.8-23.2	18	0.7	00.3-01.1	641	21.4	19.4-23.4	535	17.4	15.6-19.2	
Black or Afr. Am./Non-Hisp	224	162,155	72	21.3	14.8-27.8	54	32.6	24.0-41.2	2	2.1	00.0-05.0	59	29.1	20.9-37.3	37	14.8	09.1-20.5	
Oth. Race/Non-Hisp.	107	65,371	40	21.9	11.3-32.5	24	21.8	09.6-34.0				24	27.6	13.9-41.3	19	28.7	13.6-43.8	
MultiRacial/Non-Hisp.	59	24,993	23	37.1	18.3-55.9	10	19.3	04.8-33.8	1	1.2	00.0-03.6	11	18.0	04.5-31.5	14	24.4	05.4-43.4	
Hispanic	134	113,063	36	26.2	17.2-35.2	37	28.4	18.8-38.0	1	0.2	00.0-00.6	34	23.4	14.8-32.0	26	21.8	12.8-30.8	
18-24	198	279,965	31	14.8	09.1-20.5	53	25.8	18.5-33.1	1	0.8	00.0-02.4	61	32.6	25.0-40.2	52	26.1	19.0-33.2	
25-34	305	331,764	65	20.5	15.2-25.8	100	36.6	30.1-43.1	4	1.5	00.0-03.3	87	25.9	20.2-31.6	49	15.5	10.8-20.2	
35-44	423	329,900	139	28.9	23.6-34.2	81	21.7	16.8-26.6	6	1.2	00.2-02.2	105	27.2	21.9-32.5	92	21.0	16.1-25.9	
45-54	617	356,324	251	40.1	35.2-45.0	108	21.9	17.4-26.4	3	0.6	00.0-01.6	112	15.8	12.5-19.1	143	21.6	17.5-25.7	
55-64	903	367,547	446	48.8	44.7-52.9	138	16.8	13.7-19.9	5	0.7	00.0-01.5	173	19.3	16.2-22.4	141	14.5	11.8-17.2	
65+	1488	394,772	900	58.6	55.3-61.9	200	15.0	12.5-17.5	3	0.2	00.0-00.4	228	15.0	12.6-17.4	157	11.2	09.0-13.4	
Less Than H.S.	315	277,953	137	35.9	29.0-42.8	70	29.3	22.0-36.6	3	1.5	00.0-03.5	61	20.5	14.4-26.6	44	12.7	08.0-17.4	
H.S. or G.E.D.	1278	726,083	545	34.3	31.0-37.6	281	26.0	22.7-29.3	11	0.8	00.2-01.4	268	23.8	20.5-27.1	173	15.2	12.5-17.9	
Some Post-H.S.	902	601,556	391	35.2	31.3-39.1	187	24.1	20.2-28.0	5	0.8	00.0-01.8	169	19.1	15.8-22.4	150	20.7	17.0-24.4	
College Graduate	1470	466,280	771	43.8	40.5-47.1	150	11.4	09.2-13.6	3	0.3	00.0-00.7	273	23.3	20.2-26.4	273	21.2	18.3-24.1	
Less than \$15,000	268	162,235	116	37.3	29.3-45.3	63	27.1	19.7-34.5	3	1.1	00.0-02.5	62	27.2	19.8-34.6	24	7.3	03.4-11.2	
\$15,000- 24,999	554	307,569	233	30.5	25.4-35.6	112	29.6	23.5-35.7	8	1.7	00.1-03.3	109	19.3	14.8-23.8	92	18.8	13.7-23.9	
\$25,000- 34,999	399	200,697	179	32.5	26.4-38.6	84	24.1	17.8-30.4	3	1.1	00.0-02.5	80	22.2	15.7-28.7	53	20.1	13.8-26.4	
\$35,000- 49,999	582	314,445	271	35.5	30.4-40.6	109	25.0	19.7-30.3	4	0.5	00.0-01.1	116	23.6	18.5-28.7	82	15.5	11.2-19.8	
\$50,000- 74,999	643	323,139	288	38.6	33.3-43.9	115	21.7	17.0-26.4	1	0.2	00.0-00.6	136	24.7	19.8-29.6	103	14.9	11.2-18.6	
\$75,000+	1172	582,997	579	40.6	36.9-44.3	144	16.8	13.5-20.1	2	0.8	00.0-01.8	223	21.0	17.7-24.3	224	20.9	17.6-24.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 8: SUGAR SWEETENED BEVERAGES**

TABLE 6: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	5823	2,263,321	3362	48.4	46.4-50.4	723	15.7	14.1-17.3	18	0.3	0.1-0.5	842	18.3	16.7-19.9	878	17.3	15.7-18.9	
White/Non-Hisp	5035	1,868,816	3000	50.4	48.2-52.6	586	15.0	13.2-16.8	15	0.3	0.1-0.5	677	16.7	15.1-18.3	757	17.6	16.0-19.2	
Black or Afr. Am./Non-Hisp	391	187,448	152	33.3	26.4-40.2	78	21.4	14.7-28.1				105	31.6	24.3-38.9	56	13.7	08.4-19.0	
Oth. Race/Non-Hisp.	80	35,636	45	46.3	29.8-62.8	14	22.0	08.3-35.7				10	12.5	00.9-24.1	11	19.2	05.7-32.7	
MultiRacial/Non-Hisp.	82	24,404	42	41.7	26.6-56.8	14	19.2	05.5-32.9	2	2.3	0.0-0.6	7	14.1	00.2-28.0	17	22.7	07.6-37.8	
Hispanic	175	127,854	91	44.2	34.6-53.8	21	15.4	08.0-22.8	1	0.2	0.0-0.6	33	23.1	14.9-31.3	29	17.1	09.5-24.7	
18-24	167	277,162	36	24.4	16.6-32.2	44	28.8	20.6-37.0	1	0.2	0.0-0.6	49	26.8	19.5-34.1	37	19.8	13.3-26.3	
25-34	346	333,313	121	36.2	30.1-42.3	58	16.2	11.5-20.9	2	0.2	0.0-0.6	90	26.6	21.1-32.1	75	20.8	15.9-25.7	
35-44	536	359,007	231	40.5	35.4-45.6	82	15.2	11.5-18.9	7	0.7	0.1-0.3	103	21.0	16.5-25.5	113	22.5	18.0-27.0	
45-54	821	362,454	428	49.6	45.3-53.9	123	16.3	13.0-19.6	2	0.2	0.0-0.6	124	16.3	12.8-19.8	144	17.5	14.2-20.8	
55-64	1309	389,975	808	60.6	57.3-63.9	134	11.1	08.9-13.3	5	0.4	0.0-0.1	152	11.8	09.6-14.0	210	15.9	13.4-18.4	
65+	2567	514,301	1694	64.4	62.0-66.8	272	11.4	09.8-13.0	1	0.1	0.0-0.3	315	13.4	11.6-15.2	285	10.7	09.1-12.3	
Less Than H.S.	453	275,787	230	41.6	35.3-47.9	91	24.3	18.0-30.6	1	0.1	0.0-0.3	84	21.6	15.9-27.3	47	12.3	07.6-17.0	
H.S. or G.E.D.	2027	768,089	1128	45.9	42.8-49.0	315	20.2	17.3-23.1	7	0.4	0.0-0.8	309	18.0	15.5-20.5	268	15.6	13.1-18.1	
Some Post-H.S.	1555	742,228	900	49.9	46.2-53.6	204	13.5	11.0-16.0	5	0.2	0.0-0.4	199	17.7	14.8-20.6	247	18.6	15.7-21.5	
College Graduate	1776	474,086	1098	54.0	50.7-57.3	110	6.5	04.7-08.3	5	0.5	0.1-0.9	248	18.0	15.3-20.7	315	21.0	18.3-23.7	
Less than \$15,000	554	226,199	288	41.7	35.6-47.8	111	25.2	19.3-31.1	6	1.1	0.1-0.2	76	17.2	11.9-22.5	73	14.9	10.0-19.8	
\$15,000- 24,999	1066	396,724	578	46.2	41.5-50.9	186	22.4	18.1-26.7	5	0.4	0.0-0.8	170	18.8	15.1-22.5	127	12.2	09.1-15.3	
\$25,000- 34,999	645	230,482	343	42.3	36.4-48.2	101	19.0	13.7-24.3	1	0.2	0.0-0.6	92	18.7	13.8-23.6	108	19.7	14.4-25.0	
\$35,000- 49,999	765	295,714	433	45.8	40.5-51.1	84	12.7	08.8-16.6	3	0.4	0.0-0.8	124	23.1	18.0-28.2	121	18.1	14.0-22.2	
\$50,000- 74,999	743	307,387	433	47.4	42.1-52.7	68	12.5	08.2-16.8	1	0.2	0.0-0.6	110	18.9	14.4-23.4	131	21.0	16.5-25.5	
\$75,000+	1209	529,535	751	54.2	50.1-58.3	86	8.4	05.9-10.9	1	0.1	0.0-0.3	157	17.4	14.1-20.7	214	20.0	16.7-23.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016**

MODULE 17: CANCER SURVIVORSHIP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
1 MALES AND FEMALES	30
2 MALES ONLY	31
3 FEMALES ONLY	32
AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4 MALES AND FEMALES	33
5 MALES ONLY	34
6 FEMALES ONLY	35
WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)	
7 MALES AND FEMALES	36
8 MALES ONLY	37
9 FEMALES ONLY	38
ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS. (CSRVRT1)	
10 MALES AND FEMALES	39
11 MALES ONLY	40
12 FEMALES ONLY	41
WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)	
13 MALES AND FEMALES	42
14 MALES ONLY	43
15 FEMALES ONLY	44
DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)	
16 MALES AND FEMALES	45
17 MALES ONLY	46
18 FEMALES ONLY	47
HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)	
19 MALES AND FEMALES	48
20 MALES ONLY	49
21 FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016**

MODULE 17: CANCER SURVIVORSHIP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)	
22 MALES AND FEMALES	51
23 MALES ONLY	52
24 FEMALES ONLY	53
WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)	
25 MALES AND FEMALES	54
26 MALES ONLY	55
27 FEMALES ONLY	56
WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)	
28 MALES AND FEMALES	57
29 MALES ONLY	58
30 FEMALES ONLY	59
DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)	
31 MALES AND FEMALES	60
32 MALES ONLY	61
33 FEMALES ONLY	62
DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
34 MALES AND FEMALES	63
35 MALES ONLY	64
36 FEMALES ONLY	65
IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)	
37 MALES AND FEMALES	66
38 MALES ONLY	67
39 FEMALES ONLY	68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1774	485,322	1415	80.9	78.4-83.4	291	16.0	13.6-18.4	68	3.1	01.7-04.5
Male	653	194,722	517	79.2	74.9-83.5	115	18.9	14.8-23.0	21	2.0	01.0-03.0
Female	1121	290,600	898	82.0	78.9-85.1	176	14.0	11.3-16.7	47	3.9	01.9-05.9
White/Non-Hisp	1644	453,260	1304	80.3	77.6-83.0	274	16.3	13.8-18.8	66	3.3	01.9-04.7
45-54	156	65,994	131	82.0	74.6-89.4	22	15.9	08.8-23.0	3	2.1	00.0-04.8
55-64	343	105,895	293	85.1	80.4-89.8	40	12.0	07.7-16.3	10	2.9	00.7-05.1
65+	1184	248,632	909	77.8	74.7-80.9	222	19.0	16.1-21.9	53	3.2	02.2-04.2
Less Than H.S.	118	45,425	91	73.9	61.9-85.9	21	16.2	08.0-24.4	6	9.9	00.0-20.7
H.S. or G.E.D.	566	170,542	463	81.5	77.0-86.0	84	16.3	11.8-20.8	19	2.1	00.9-03.3
Some Post-H.S.	459	148,966	375	83.8	79.7-87.9	67	13.6	09.7-17.5	17	2.5	00.9-04.1
College Graduate	627	119,556	483	78.9	74.6-83.2	119	18.4	14.3-22.5	25	2.7	01.3-04.1
Less than \$15,000	139	45,884	116	79.5	67.0-92.0	18	11.8	03.0-20.6	5	8.6	00.0-19.2
\$15,000- 24,999	322	87,600	264	86.2	81.3-91.1	44	11.5	06.8-16.2	14	2.3	00.9-03.7
\$25,000- 34,999	198	44,942	150	75.5	67.7-83.3	38	20.1	12.7-27.5	10	4.4	01.1-07.7
\$35,000- 49,999	272	74,371	216	84.0	78.9-89.1	48	13.5	08.8-18.2	8	2.6	00.4-04.8
\$50,000- 74,999	236	67,012	192	80.7	73.8-87.6	40	18.6	11.7-25.5	4	0.8	00.0-01.6
\$75,000+	371	111,471	293	78.4	72.5-84.3	66	19.9	14.0-25.8	12	1.7	00.5-02.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	653	194,722	517	79.2	74.9-83.5	115	18.9	14.8-23.0	21	2.0	01.0-03.0
Female	728	193,548	546	78.0	73.7-82.3	142	16.7	13.2-20.2	40	5.4	02.5-08.3
White/Non-Hisp	1261	358,139	962	77.8	74.5-81.1	240	18.3	15.4-21.2	59	3.9	02.1-05.7
45-54	119	52,546	99	81.7	73.1-90.3	17	15.6	07.6-23.6	3	2.7	00.0-06.2
55-64	266	85,274	221	82.7	77.0-88.4	36	13.8	08.5-19.1	9	3.5	01.0-06.0
65+	928	199,288	683	74.8	71.3-78.3	198	21.6	18.1-25.1	47	3.5	02.3-04.7
Less Than H.S.	102	41,325	76	71.5	58.6-84.4	20	17.6	08.6-26.6	6	10.9	00.0-22.7
H.S. or G.E.D.	440	138,596	348	79.0	73.7-84.3	75	18.6	13.3-23.9	17	2.3	00.9-03.7
Some Post-H.S.	347	117,058	273	81.3	76.2-86.4	60	15.8	10.9-20.7	14	2.9	00.9-04.9
College Graduate	490	90,918	364	77.4	72.7-82.1	102	19.2	14.7-23.7	24	3.4	01.6-05.2
Less than \$15,000	111	37,205	93	79.3	64.6-94.0	14	10.3	00.5-20.1	4	10.4	00.0-23.3
\$15,000- 24,999	249	71,219	196	84.0	78.1-89.9	40	13.4	07.7-19.1	13	2.6	00.8-04.4
\$25,000- 34,999	160	37,856	116	72.3	63.1-81.5	35	22.6	14.0-31.2	9	5.1	01.2-09.0
\$35,000- 49,999	226	65,140	175	82.6	76.9-88.3	43	14.5	09.2-19.8	8	2.9	00.5-05.3
\$50,000- 74,999	192	56,087	151	78.1	70.1-86.1	38	21.4	13.4-29.4	3	0.5	00.0-01.3
\$75,000+	273	79,965	208	75.5	68.2-82.8	54	22.3	15.0-29.6	11	2.2	00.6-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	326	93,287	227	68.7	61.6-75.8	86	29.3	22.2-36.4	13	2.0	0.8-03.2
Female	1121	290,600	898	82.0	78.7-85.3	176	14.0	11.3-16.7	47	3.9	01.9-05.9
White/Non-Hisp	1330	353,821	1026	78.0	74.9-81.1	246	18.3	15.4-21.2	58	3.7	01.9-05.5
45-54	129	53,703	108	82.0	73.8-90.2	18	15.4	07.6-23.2	3	2.6	00.0-06.1
55-64	283	77,137	239	82.9	77.2-88.6	35	13.6	08.5-18.7	9	3.5	00.8-06.2
65+	954	194,673	706	75.0	71.5-78.5	202	21.7	18.2-25.2	46	3.3	02.1-04.5
Less Than H.S.	105	36,181	79	70.0	56.5-83.5	20	17.6	08.8-26.4	6	12.4	00.0-25.5
H.S. or G.E.D.	486	144,521	389	79.6	74.5-84.7	79	18.1	13.0-23.2	18	2.3	01.1-03.5
Some Post-H.S.	372	115,509	295	81.5	76.4-86.6	61	15.5	10.8-20.2	16	3.0	01.2-04.8
College Graduate	480	86,843	359	77.4	72.3-82.5	102	20.3	15.4-25.2	19	2.3	01.1-03.5
Less than \$15,000	125	40,779	103	77.3	63.6-91.0	17	13.0	03.2-22.8	5	9.7	00.0-21.7
\$15,000- 24,999	281	75,648	228	86.0	80.9-91.1	40	11.5	06.6-16.4	13	2.5	00.9-04.1
\$25,000- 34,999	165	36,108	120	71.1	61.9-80.3	37	24.7	15.7-33.7	8	4.2	00.7-07.7
\$35,000- 49,999	214	54,175	167	81.9	75.8-88.0	41	15.5	09.8-21.2	6	2.6	00.1-05.1
\$50,000- 74,999	178	49,316	138	77.1	68.5-85.7	36	21.9	13.5-30.3	4	1.0	00.0-02.2
\$75,000+	282	82,617	214	75.8	68.5-83.1	58	22.5	15.4-29.6	10	1.7	00.5-02.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1737	478,244	14	1.9	00.5-03.3	142	14.2	11.3-17.1	442	26.4	23.5-29.3	609	34.0	31.1-36.9	517	22.9	20.5-25.3	13	0.6	00.2-01.0
Male	647	194,320	5	1.7	00.1-03.3	21	5.9	02.8-09.0	116	21.1	16.8-25.4	268	42.3	37.2-47.4	232	28.1	24.0-32.2	5	0.9	00.0-01.9
Female	1090	283,924	9	2.1	00.3-03.9	121	19.9	15.6-24.2	326	30.0	26.3-33.7	341	28.3	24.8-31.8	285	19.3	16.6-22.0	8	0.4	00.0-00.8
White/Non-Hisp	1612	445,903	13	2.0	00.6-03.4	129	14.2	11.1-17.3	402	26.4	23.5-29.3	571	33.6	30.5-36.7	484	23.2	20.7-25.7	13	0.6	00.2-01.0
45-54	152	64,357	4	2.7	00.0-06.0	29	23.1	14.5-31.7	98	55.5	45.5-65.5	21	18.7	10.3-27.1						
55-64	342	105,656				37	10.7	06.8-14.6	145	38.0	31.5-44.5	160	51.3	44.4-58.2						
65+	1156	245,185	2	0.4	00.0-01.0	38	2.6	01.6-03.6	172	13.7	11.3-16.1	417	38.0	34.3-41.7	514	44.2	40.5-47.9	13	1.2	00.4-02.0
Less Than H.S.	112	44,310	2	2.6	00.0-06.5	12	20.8	07.9-33.7	24	19.4	09.8-29.0	33	24.9	14.5-35.3	40	31.8	20.4-43.2	1	0.5	00.0-01.5
H.S. or G.E.D.	551	168,364	3	0.6	00.0-01.6	41	14.0	08.9-19.1	116	22.3	17.6-27.0	193	35.0	29.7-40.3	188	26.6	22.1-31.1	10	1.5	00.3-02.7
Some Post-H.S.	451	146,978	4	3.2	00.0-06.5	47	13.7	08.4-19.0	117	27.8	22.1-33.5	146	34.3	28.4-40.2	137	21.0	16.9-25.1			
College Graduate	619	117,757	5	2.0	00.0-04.4	42	12.8	08.3-17.3	184	33.1	27.8-38.4	235	35.5	30.6-40.4	151	16.4	13.3-19.5	2	0.1	00.0-00.3
Less than \$15,000	136	45,460	1	0.2	00.0-00.6	28	32.1	19.2-45.0	37	24.8	14.2-35.4	41	29.1	18.1-40.1	28	13.6	07.1-20.1	1	0.3	00.0-00.9
\$15,000- 24,999	310	84,984	3	3.4	00.0-07.9	21	16.7	07.7-25.7	59	17.0	11.9-22.1	99	29.8	22.5-37.1	123	32.4	25.0-39.8	5	0.7	00.0-01.5
\$25,000- 34,999	195	44,082	3	3.9	00.0-08.8	16	10.6	03.3-17.9	33	16.5	10.2-22.8	57	31.2	22.4-40.0	85	36.0	28.0-44.0	1	1.9	00.0-05.6
\$35,000- 49,999	270	74,921	2	1.6	00.0-04.3	21	12.0	06.1-17.9	59	26.1	18.5-33.7	104	34.7	27.4-42.0	83	25.4	19.1-31.7	1	0.2	00.0-00.6
\$50,000- 74,999	229	65,425	1	0.7	00.0-02.1	17	9.0	03.3-14.7	61	29.3	21.5-37.1	103	44.5	36.1-52.9	46	16.2	10.5-21.9	1	0.4	00.0-01.2
\$75,000+	370	110,418	4	2.6	00.0-05.7	28	14.4	08.3-20.5	139	39.4	32.5-46.3	124	31.4	25.3-37.5	74	12.0	08.7-15.3	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	647	194,320	5	1.7	00.1-03.3	21	5.9	02.8-09.0	116	21.1	16.8-25.4	268	42.3	37.2-47.4	232	28.1	24.0-32.2	5	0.9	00.0-01.9
White/Non-Hisp	603	183,391	5	1.8	00.0-03.6	19	5.4	02.3-08.5	108	21.6	17.1-26.1	249	41.7	36.6-46.8	217	28.6	24.3-32.9	5	1.0	00.0-02.2
55-64	109	44,386				3	3.2	00.0-06.9	38	34.1	22.9-45.3	68	62.7	51.3-74.1						
65+	478	117,156	1	0.7	00.0-02.1	7	0.9	00.1-01.7	48	10.0	06.7-13.3	187	41.0	35.3-46.7	230	45.8	40.1-51.5	5	1.5	00.0-03.3
H.S. or G.E.D.	192	67,305	2	1.5	00.0-03.9	6	5.7	00.0-11.6	30	17.8	10.4-25.2	79	42.6	33.6-51.6	71	29.8	22.2-37.4	4	2.5	00.0-05.4
Some Post-H.S.	144	52,977	2	2.7	00.0-06.6	4	4.9	00.0-10.8	27	20.8	12.8-28.8	56	41.8	31.6-52.0	55	29.7	21.3-38.1			
College Graduate	273	55,781				10	6.7	01.4-12.0	54	26.2	18.9-33.5	117	44.7	37.1-52.3	91	22.3	17.2-27.4	1	0.1	00.0-00.3
\$15,000- 24,999	94	24,553				2	7.1	00.0-17.5	15	16.7	07.3-26.1	36	34.9	22.6-47.2	39	40.5	27.2-53.8	2	0.9	00.0-02.1
\$25,000- 34,999	70	18,463	2	8.8	00.0-20.2	2	2.1	00.0-06.0	7	11.3	02.3-20.3	21	30.7	17.2-44.2	37	42.4	28.7-56.1	1	4.6	00.0-13.4
\$35,000- 49,999	122	39,022	2	3.1	00.0-08.2	5	6.4	00.0-14.0	18	18.2	08.2-28.2	50	38.6	27.6-49.6	47	33.7	23.3-44.1			
\$50,000- 74,999	104	33,595	1	1.3	00.0-03.8	3	4.8	00.0-11.5	19	21.8	11.6-32.0	51	48.2	35.3-61.1	30	23.9	13.9-33.9			
\$75,000+	158	47,365				8	10.4	01.8-19.0	42	31.8	22.4-41.2	64	41.7	31.9-51.5	44	16.1	10.4-21.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1090	283,924	9	2.1	00.3-03.9	121	19.9	15.6-24.2	326	30.0	26.3-33.7	341	28.3	24.8-31.8	285	19.3	16.6-22.0	8	0.4	00.0-00.8
White/Non-Hisp	1009	262,512	8	2.2	00.2-04.2	110	20.3	15.8-24.8	294	29.8	25.9-33.7	322	27.9	24.4-31.4	267	19.5	16.6-22.4	8	0.4	00.0-00.8
45-54	113	45,878	2	0.6	00.0-01.6	23	24.9	14.5-35.3	75	57.9	46.1-69.7	13	16.6	06.8-26.4						
55-64	233	61,269				34	16.2	10.1-22.3	107	40.7	33.1-48.3	92	43.1	35.1-51.1						
65+	678	128,028	1	0.1	00.0-00.3	31	4.1	02.5-05.7	124	17.0	13.7-20.3	230	35.3	30.6-40.0	284	42.7	38.0-47.4	8	0.9	00.3-01.5
Less Than H.S.	75	26,390	1	1.2	00.0-03.6	11	30.0	12.0-48.0	19	20.0	09.8-30.2	18	18.4	08.0-28.8	25	29.6	15.7-43.5	1	0.8	00.0-02.4
H.S. or G.E.D.	359	101,059	1	0.1	00.0-00.3	35	19.5	12.2-26.8	86	25.2	19.3-31.1	114	29.9	23.8-36.0	117	24.5	19.2-29.8	6	0.8	00.0-01.6
Some Post-H.S.	307	94,002	2	3.4	00.0-08.1	43	18.7	11.4-26.0	90	31.7	24.3-39.1	90	30.1	23.2-37.0	82	16.1	12.0-20.2			
College Graduate	346	61,976	5	3.8	00.0-08.1	32	18.3	11.4-25.2	130	39.3	32.0-46.6	118	27.3	21.6-33.0	60	11.2	07.7-14.7	1	0.1	00.0-00.3
Less than \$15,000	111	35,179	1	0.2	00.0-00.6	28	41.5	27.0-56.0	33	25.6	14.8-36.4	24	17.3	08.1-26.5	24	15.1	07.3-22.9	1	0.3	00.0-00.9
\$15,000- 24,999	216	60,431	3	4.8	00.0-11.3	19	20.6	09.0-32.2	44	17.1	10.8-23.4	63	27.7	18.9-36.5	84	29.2	20.6-37.8	3	0.6	00.0-01.4
\$25,000- 34,999	125	25,619	1	0.3	00.0-00.9	14	16.6	05.2-28.0	26	20.2	11.8-28.6	36	31.5	20.1-42.9	48	31.3	21.7-40.9			
\$35,000- 49,999	148	35,899				16	18.1	09.1-27.1	41	34.7	23.5-45.9	54	30.5	21.5-39.5	36	16.3	10.4-22.2	1	0.4	00.0-01.2
\$50,000- 74,999	125	31,830				14	13.4	04.2-22.6	42	37.1	25.7-48.5	52	40.6	30.0-51.2	16	8.2	03.5-12.9	1	0.8	00.0-02.4
\$75,000+	212	63,052	4	4.6	00.0-09.9	20	17.4	09.0-25.8	97	45.2	35.8-54.6	60	23.7	16.6-30.8	30	8.9	04.8-13.0	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP
TABLE 7: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1700	468,059	424	24.6	21.5-27.7	99	6.3	04.7-07.9	34	1.8	01.2-02.4	184	11.6	09.4-13.8	762	43.5	40.2-46.8	197	12.2	10.0-14.4
Male	623	188,010	5	0.8	00.0-01.8	36	6.8	04.1-09.5	13	1.9	00.7-03.1	145	23.3	18.6-28.0	356	56.9	51.6-62.2	68	10.4	07.3-13.5
Female	1077	280,048	419	40.6	36.3-44.9	63	6.0	03.8-08.2	21	1.7	00.9-02.5	39	3.7	02.3-05.1	406	34.6	30.7-38.5	129	13.4	10.3-16.5
White/Non-Hisp	1576	435,830	383	24.2	21.1-27.3	91	6.1	04.5-07.7	27	1.5	00.9-02.1	162	10.7	08.5-12.9	727	45.2	41.9-48.5	186	12.3	09.9-14.7
45-54	149	63,125	46	31.5	21.9-41.1	16	10.1	04.2-16.0	2	1.1	00.0-02.7	10	7.6	02.5-12.7	58	39.5	29.9-49.1	17	10.1	04.8-15.4
55-64	340	105,455	97	23.3	18.0-28.6	20	5.3	02.4-08.2	10	3.1	00.9-05.3	29	7.4	04.5-10.3	133	44.7	37.8-51.6	51	16.2	11.1-21.3
65+	1123	237,050	248	19.5	16.6-22.4	59	5.7	03.9-07.5	22	1.8	01.0-02.6	137	14.7	11.8-17.6	540	48.0	44.3-51.7	117	10.3	07.9-12.7
Less Than H.S.	113	43,744	30	30.2	17.3-43.1	9	7.7	01.8-13.6	5	3.1	00.0-06.4	13	6.6	02.1-11.1	41	39.2	26.9-51.5	15	13.2	04.6-21.8
H.S. or G.E.D.	529	160,993	142	27.5	22.2-32.8	30	7.2	03.9-10.5	16	2.6	01.2-04.0	67	14.6	10.1-19.1	217	38.2	32.7-43.7	57	9.9	07.0-12.8
Some Post-H.S.	439	143,892	121	26.4	20.5-32.3	32	7.1	04.2-10.0	4	0.7	00.0-01.5	32	8.0	04.9-11.1	206	45.4	39.1-51.7	44	12.5	07.8-17.2
College Graduate	615	118,596	130	16.8	13.3-20.3	28	3.7	02.1-05.3	9	1.5	00.3-02.7	72	13.7	09.8-17.6	295	49.7	44.2-55.2	81	14.6	10.7-18.5
Less than \$15,000	132	44,025	54	41.9	29.2-54.6	6	4.1	00.2-08.0	6	2.5	00.0-05.0	8	8.1	00.0-16.9	42	31.3	19.7-42.9	16	12.0	04.6-19.4
\$15,000- 24,999	307	85,141	90	35.4	26.6-44.2	19	6.3	02.4-10.2	8	2.7	00.5-04.9	29	8.5	04.8-12.2	129	35.7	28.3-43.1	32	11.4	05.7-17.1
\$25,000- 34,999	193	42,990	55	25.8	17.6-34.0	10	5.2	01.5-08.9	3	1.0	00.0-02.2	21	8.9	05.0-12.8	85	47.2	38.0-56.4	19	11.8	05.5-18.1
\$35,000- 49,999	265	74,355	58	20.4	14.5-26.3	16	7.2	02.1-12.3	3	1.1	00.0-02.5	36	13.8	08.1-19.5	118	42.5	34.7-50.3	34	15.0	08.5-21.5
\$50,000- 74,999	223	62,564	54	22.0	14.9-29.1	13	8.3	02.6-14.0				27	15.7	08.4-23.0	99	41.5	33.1-49.9	30	12.5	07.6-17.4
\$75,000+	360	108,523	60	15.4	10.3-20.5	23	6.3	03.2-09.4	11	2.4	00.8-04.0	38	11.0	06.3-15.7	181	51.6	44.5-58.7	47	13.3	08.6-18.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP
TABLE 8: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	623	188,010	5	0.8	00.0-01.8	36	6.8	04.1-09.5	13	1.9	00.7-03.1	145	23.3	18.6-28.0	356	56.9	51.8-62.0	68	10.4	07.3-13.5
White/Non-Hisp	579	176,800	5	0.9	00.0-01.9	34	7.0	04.1-09.9	10	1.4	00.4-02.4	129	21.4	16.9-25.9	336	58.7	53.4-64.0	65	10.7	07.6-13.8
55-64	108	44,297				6	5.0	00.3-09.7	4	3.0	00.0-06.3	17	10.7	04.8-16.6	67	67.9	57.3-78.5	14	13.4	05.0-21.8
65+	456	111,710	4	0.7	00.0-01.5	24	6.4	03.5-09.3	9	2.0	00.6-03.4	118	28.4	22.7-34.1	256	54.4	48.5-60.3	45	8.1	05.4-10.8
H.S. or G.E.D.	181	63,539	1	0.4	00.0-01.2	10	7.5	02.0-13.0	5	2.3	00.1-04.5	53	32.5	22.7-42.3	93	48.2	38.8-57.6	19	9.1	04.8-13.4
Some Post-H.S.	136	50,953				10	7.9	02.6-13.2	2	1.4	00.0-03.4	25	18.0	10.0-26.0	87	64.6	55.4-73.8	12	8.0	03.1-12.9
College Graduate	268	55,765	3	1.0	00.0-02.4	12	4.3	01.6-07.0	5	1.3	00.1-02.5	58	20.6	14.3-26.9	158	61.1	53.5-68.7	32	11.7	06.8-16.6
\$15,000- 24,999	90	24,342	1	0.2	00.0-00.6	8	10.7	01.7-19.7	3	4.3	00.0-09.4	24	24.9	14.1-35.7	45	52.0	38.7-65.3	9	7.9	01.8-14.0
\$25,000- 34,999	67	17,606				5	9.5	01.1-17.9	2	1.9	00.0-04.4	17	18.3	09.5-27.1	39	62.6	48.7-76.5	4	7.7	00.0-17.5
\$35,000- 49,999	119	38,544	2	2.5	00.0-06.4	2	1.6	00.0-04.1	1	1.1	00.0-03.3	30	22.8	12.6-33.0	75	60.7	48.7-72.7	9	11.3	02.1-20.5
\$50,000- 74,999	97	31,423	1	1.2	00.0-03.6	7	12.3	01.9-22.7	18	24.2	11.9-36.5	18	24.2	11.9-36.5	54	48.9	35.6-62.2	17	13.4	06.3-20.5
\$75,000+	156	47,124				10	6.8	01.9-11.7	4	1.8	00.0-03.6	30	17.7	09.1-26.3	91	61.5	51.5-71.5	21	12.2	06.3-18.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP
TABLE 9: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1077	280,048	419	40.6	36.3-44.9	63	6.0	03.8-08.2	21	1.7	00.9-02.5	39	3.7	02.3-05.1	406	34.6	30.7-38.5	129	13.4	10.3-16.5
White/Non-Hisp	997	259,030	378	40.2	35.7-44.7	57	5.4	03.4-07.4	17	1.5	00.7-02.3	33	3.3	01.7-04.9	391	36.1	32.0-40.2	121	13.4	10.3-16.5
45-54	110	44,373	46	44.8	33.0-56.6	10	6.8	02.1-11.5	2	1.6	00.0-04.0	6	5.6	00.9-10.3	36	33.2	22.2-44.2	10	7.9	02.2-13.6
55-64	232	61,158	97	40.1	32.3-47.9	14	5.5	01.8-09.2	6	3.2	00.5-05.9	12	5.1	02.0-08.2	66	27.9	20.8-35.0	37	18.2	11.9-24.5
65+	667	125,340	244	36.3	31.6-41.0	35	5.0	03.0-07.0	13	1.6	00.6-02.6	19	2.5	01.1-03.9	284	42.4	37.7-47.1	72	12.3	08.8-15.8
Less Than H.S.	76	26,328	29	47.5	31.2-63.8	5	6.9	00.2-13.6	4	2.8	00.0-05.9	4	1.8	00.0-03.8	24	31.0	17.7-44.3	10	10.1	03.0-17.2
H.S. or G.E.D.	348	97,454	141	45.1	37.8-52.4	20	7.1	03.0-11.2	11	2.8	00.8-04.8	14	3.0	01.4-04.6	124	31.7	25.2-38.2	38	10.4	06.5-14.3
Some Post-H.S.	303	92,939	121	40.8	32.8-48.8	22	6.6	02.9-10.3	2	0.3	00.0-00.7	7	2.5	00.5-04.5	119	34.8	27.7-41.9	32	15.0	08.3-21.7
College Graduate	347	62,830	127	30.8	24.5-37.1	16	3.3	01.5-05.1	4	1.6	00.0-03.6	14	7.5	02.4-12.6	137	39.6	32.3-46.9	49	17.2	11.3-23.1
Less than \$15,000	107	33,854	54	54.4	40.5-68.3	5	4.3	00.0-08.8	5	3.1	00.0-06.2	4	1.6	00.0-03.4	27	23.5	12.3-34.7	12	13.1	03.9-22.3
\$15,000- 24,999	217	60,799	89	49.4	38.8-60.0	11	4.6	00.3-08.9	5	2.1	00.0-04.3	5	1.9	00.0-03.9	84	29.2	21.0-37.4	23	12.8	05.4-20.2
\$25,000- 34,999	126	25,383	55	43.7	32.1-55.3	5	2.2	00.0-04.4	1	0.5	00.0-01.5	4	2.3	00.0-04.8	46	36.6	25.8-47.4	15	14.7	06.3-23.1
\$35,000- 49,999	146	35,812	56	39.6	29.4-49.8	14	13.3	03.7-22.9	2	1.2	00.0-03.0	6	4.1	00.2-08.0	43	22.8	15.0-30.6	25	18.9	09.9-27.9
\$50,000- 74,999	126	31,142	53	43.0	31.4-54.6	6	4.3	00.8-07.8				9	7.2	01.5-12.9	45	34.0	23.6-44.4	13	11.5	04.4-18.6
\$75,000+	204	61,400	60	27.3	18.7-35.9	13	5.9	01.6-10.2	7	2.8	00.4-05.2	8	5.8	01.1-10.5	90	44.1	34.5-53.7	26	14.1	07.0-21.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 10: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.
(CSRVRT1)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	834	221,416	63	8.1	05.6-10.6	590	69.4	65.3-73.5	14	3.3	00.8-05.8	167	19.2	15.9-22.5
Male	383	113,568	34	7.5	04.6-10.4	259	67.7	61.4-74.0	7	4.8	00.3-09.3	83	20.0	15.1-24.9
Female	451	107,848	29	8.7	04.8-12.6	331	71.2	65.5-76.9	7	1.7	00.1-03.3	84	18.5	13.8-23.2
White/Non-Hisp	805	216,466	60	7.8	05.4-10.2	572	69.8	65.7-73.9	14	3.4	00.9-05.9	159	19.0	15.7-22.3
45-54	69	29,711	2	6.4	00.0-15.6	52	72.1	59.0-85.2	2	3.4	00.0-08.3	13	18.1	07.1-29.1
55-64	145	49,641	9	6.1	02.0-10.2	111	69.9	59.5-80.3	3	7.2	00.0-16.2	22	16.8	09.4-24.2
65+	587	122,671	50	10.0	06.7-13.3	404	67.4	62.5-72.3	8	1.2	00.4-02.0	125	21.5	17.4-25.6
H.S. or G.E.D.	232	64,756	22	10.5	05.4-15.6	151	59.3	51.3-67.3	4	1.3	00.0-02.7	55	28.9	21.3-36.5
Some Post-H.S.	220	70,834	15	8.4	03.5-13.3	157	72.7	65.4-80.0	3	1.0	00.0-02.2	45	17.9	12.0-23.8
College Graduate	342	69,016	22	5.3	02.8-07.8	256	78.7	73.2-84.2	4	1.5	00.0-03.5	60	14.4	09.9-18.9
\$15,000- 24,999	131	29,279	8	7.5	01.0-14.0	99	73.5	62.9-84.1	2	5.4	00.0-13.8	22	13.6	06.5-20.7
\$25,000- 34,999	81	18,104	7	7.2	01.7-12.7	55	63.0	49.9-76.1	2	1.7	00.0-04.1	17	28.2	14.9-41.5
\$35,000- 49,999	135	36,103	14	9.4	03.5-15.3	85	61.1	49.7-72.5	5	8.2	00.0-17.2	31	21.3	12.3-30.3
\$50,000- 74,999	122	35,001	9	10.6	02.0-19.2	91	72.0	61.0-83.0				22	17.5	08.5-26.5
\$75,000+	217	66,515	16	6.0	02.5-09.5	169	79.8	73.3-86.3	2	0.4	00.0-01.0	30	13.7	08.0-19.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 11: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.
(CSRVRT1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	383	113,568	34	7.5	04.4-10.6	259	67.7	61.4-74.0	7	4.8	00.3-09.3	83	20.0	15.1-24.9
White/Non-Hisp	365	110,848	32	7.4	04.3-10.5	251	68.4	61.9-74.9	7	4.9	00.2-09.6	75	19.2	14.3-24.1
55-64	64	29,067	7	7.5	01.8-13.2	44	64.2	48.3-80.1	2	11.7	00.0-26.4	11	16.7	06.5-26.9
65+	284	66,867	27	9.5	05.0-14.0	186	65.9	59.0-72.8	4	1.2	00.0-02.4	67	23.5	17.4-29.6
H.S. or G.E.D.	99	32,409	12	13.0	04.6-21.4	58	55.0	43.0-67.0	2	1.2	00.0-02.8	27	30.9	19.9-41.9
Some Post-H.S.	91	32,949	4	3.7	00.8-06.6	66	79.5	70.9-88.1	1	0.9	00.0-02.7	20	16.0	08.2-23.8
College Graduate	177	37,650	16	6.8	03.1-10.5	126	73.7	65.7-81.7	1	0.3	00.0-00.9	34	19.2	11.8-26.6
\$35,000- 49,999	77	25,047	9	10.0	02.2-17.8	46	60.0	45.5-74.5	3	7.8	00.0-19.8	19	22.1	10.7-33.5
\$50,000- 74,999	73	21,111	3	3.7	00.0-08.4	54	80.4	70.4-90.4				16	15.9	06.9-24.9
\$75,000+	106	32,921	11	7.1	02.2-12.0	83	79.9	70.7-89.1				12	12.9	04.7-21.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 12: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.
(CSRVRT1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	451	107,848	29	8.7	04.8-12.6	331	71.2	65.7-76.7	7	1.7	00.1-03.3	84	18.5	13.8-23.2
White/Non-Hisp	440	105,617	28	8.1	04.4-11.8	321	71.3	65.8-76.8	7	1.7	00.1-03.3	84	18.8	14.1-23.5
55-64	81	20,574	2	4.1	00.0-09.8	67	78.1	66.7-89.5	1	0.8	00.0-02.4	11	17.0	06.4-27.6
65+	303	55,803	23	10.6	05.7-15.5	218	69.1	62.4-75.8	4	1.2	00.0-02.6	58	19.0	13.5-24.5
H.S. or G.E.D.	133	32,348	10	8.0	02.5-13.5	93	63.6	52.4-74.8	2	1.4	00.0-03.6	28	27.0	16.2-37.8
Some Post-H.S.	129	37,885	11	12.5	03.9-21.1	91	66.8	56.0-77.6	2	1.2	00.0-03.0	25	19.6	11.2-28.0
College Graduate	165	31,366	6	3.6	00.0-07.3	130	84.7	78.0-91.4	3	3.0	00.0-07.3	26	8.7	05.0-12.4
\$15,000- 24,999	88	17,988	5	6.8	00.5-13.1	69	77.8	66.8-88.8				14	15.4	05.8-25.0
\$35,000- 49,999	58	11,057	5	8.0	00.0-16.0	39	63.5	46.6-80.4	2	9.1	00.0-21.4	12	19.4	05.3-33.5
\$75,000+	111	33,594	5	5.0	00.1-09.9	86	79.7	70.7-88.7	2	0.8	00.0-02.0	18	14.5	06.7-22.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 13: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1149	316,821	52	4.1	02.7-05.5	856	72.9	69.2-76.6	27	4.2	01.8-06.6	10	0.7	00.1-01.3	50	4.7	03.1-06.3	154	13.2	10.7-15.7
Male	401	121,520	14	2.4	00.6-04.2	303	74.2	68.3-80.1	2	1.7	00.0-04.6	3	0.5	00.0-01.1	15	4.6	01.9-07.3	64	16.5	11.8-21.2
Female	748	195,301	38	5.2	03.0-07.4	553	72.2	67.5-76.9	25	5.8	02.5-09.1	7	0.9	00.1-01.7	35	4.8	02.8-06.8	90	11.2	08.3-14.1
White/Non-Hisp	1069	294,356	44	4.0	02.4-05.6	808	73.8	70.1-77.5	26	4.4	01.9-06.9	7	0.5	00.1-00.9	45	4.4	02.8-06.0	139	12.9	10.4-15.4
45-54	115	48,256	6	4.9	00.4-09.4	81	73.2	63.8-82.6	6	4.7	00.4-09.0				4	3.7	00.0-07.4	18	13.4	06.3-20.5
55-64	245	71,674	7	3.1	00.0-06.2	178	72.7	65.6-79.8	10	4.3	01.0-07.6	2	0.4	00.0-01.0	11	4.2	01.3-07.1	37	15.4	09.7-21.1
65+	726	152,541	36	4.3	02.7-05.9	557	76.1	72.2-80.0	6	0.5	00.1-00.9	7	1.0	00.2-01.8	29	4.6	02.4-06.8	91	13.3	10.2-16.4
Less Than H.S.	75	29,362	7	4.8	00.7-08.9	51	73.1	60.8-85.4				1	0.2	00.0-00.6	7	11.5	02.1-20.9	9	10.3	02.7-17.9
H.S. or G.E.D.	349	104,156	20	5.5	02.4-08.6	254	70.9	63.8-78.0	12	6.5	00.8-12.2	2	0.5	00.0-01.1	14	3.4	01.2-05.6	47	13.2	08.7-17.7
Some Post-H.S.	290	96,097	8	1.6	00.4-02.8	221	73.5	66.8-80.2	6	4.1	00.4-07.8	3	1.0	00.0-02.2	12	4.7	01.8-07.6	40	15.2	09.7-20.7
College Graduate	434	86,869	17	5.0	01.9-08.1	329	74.7	69.2-80.2	9	3.1	00.6-05.6	4	1.0	00.0-02.2	17	4.1	01.6-06.6	58	12.2	08.5-15.9
Less than \$15,000	78	26,093	8	9.0	00.0-18.2	54	72.8	59.3-86.3	2	3.5	00.0-08.4				1	1.1	00.0-03.3	13	13.6	03.8-23.4
\$15,000- 24,999	208	53,842	11	4.3	01.4-07.2	155	72.8	63.0-82.6	6	5.9	00.0-14.5				8	6.9	01.4-12.4	28	10.1	05.6-14.6
\$25,000- 34,999	122	28,848	6	3.9	00.4-07.4	93	76.9	66.7-87.1	2	1.7	00.0-04.1	1	0.4	00.0-01.2	3	3.5	00.0-09.2	17	13.6	05.2-22.0
\$35,000- 49,999	177	49,839	6	1.7	00.1-03.3	139	74.3	64.9-83.7	2	2.1	00.0-05.8				7	3.7	00.4-07.0	23	18.1	09.5-26.7
\$50,000- 74,999	161	45,310	5	2.8	00.1-05.5	123	76.7	69.1-84.3	3	1.9	00.0-04.1	1	0.5	00.0-01.5	9	5.9	01.6-10.2	20	12.3	06.4-18.2
\$75,000+	272	82,517	11	5.3	01.6-09.0	198	71.4	64.0-78.8	10	7.3	01.4-13.2	6	2.2	00.2-04.2	16	4.6	01.9-07.3	31	9.1	05.2-13.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 14: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	401	121,520	14	2.4	00.6-04.2	303	74.2	68.3-80.1	2	1.7	00.0-04.6	3	0.5	00.0-01.1	15	4.6	01.9-07.3	64	16.5	11.8-21.2
White/Non-Hisp	374	113,792	13	2.5	00.7-04.3	289	74.8	68.7-80.9	2	1.8	00.0-04.9	1	0.3	00.0-00.9	13	4.4	01.5-07.3	56	16.2	11.3-21.1
55-64	70	26,738	2	1.6	00.0-04.3	54	77.7	66.3-89.1							2	2.9	00.0-07.4	12	17.8	07.2-28.4
65+	285	70,363	10	1.8	00.6-03.0	219	77.0	70.9-83.1	1	0.2	00.0-00.6	3	0.9	00.0-02.1	11	5.0	01.5-08.5	41	15.0	09.9-20.1
H.S. or G.E.D.	114	38,679	3	1.7	00.0-03.9	89	73.9	62.1-85.7	1	4.9	00.0-14.1	1	0.7	00.0-02.1	3	2.3	00.0-05.0	17	16.6	07.8-25.4
Some Post-H.S.	90	36,447	2	1.0	00.0-02.6	65	72.8	61.4-84.2				1	0.8	00.0-02.4	5	5.5	00.4-10.6	17	19.9	09.3-30.5
College Graduate	175	37,718	8	4.7	00.0-09.4	136	79.5	71.9-87.1	1	0.4	00.0-01.2				4	1.4	00.0-02.8	26	14.0	07.7-20.3
\$15,000- 24,999	59	13,871	3	2.3	00.0-05.0	46	80.5	66.8-94.2							2	7.7	00.0-20.0	8	9.5	01.9-17.1
\$35,000- 49,999	70	23,037	2	1.1	00.0-02.7	51	67.4	51.9-82.9							2	4.3	00.0-10.8	15	27.2	12.1-42.3
\$50,000- 74,999	69	23,840	2	2.7	00.0-06.4	55	79.4	68.2-90.6							3	4.5	00.0-10.2	9	13.5	04.1-22.9
\$75,000+	115	36,218	4	3.9	00.0-08.6	88	74.0	62.2-85.8	2	5.6	00.0-15.4	2	1.6	00.0-03.8	6	4.0	00.0-08.1	13	10.9	04.0-17.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 15: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	748	195,301	38	5.2	03.0-07.4	553	72.2	67.5-76.9	25	5.8	02.5-09.1	7	0.9	00.1-01.7	35	4.8	02.8-06.8	90	11.2	08.3-14.1
White/Non-Hisp	695	180,564	31	4.9	02.7-07.1	519	73.2	68.5-77.9	24	6.1	02.6-09.6	6	0.7	00.1-01.3	32	4.3	02.3-06.3	83	10.8	07.9-13.7
45-54	82	31,750	4	3.6	00.0-08.1	57	69.9	57.9-81.9	6	7.2	00.7-13.7				3	3.7	00.0-08.0	12	15.6	06.0-25.2
55-64	175	44,936	5	3.9	00.0-08.6	124	69.6	60.8-78.4	10	6.9	01.8-12.0	2	0.6	00.0-01.4	9	5.0	01.3-08.7	25	14.0	07.5-20.5
65+	441	82,178	26	6.5	03.8-09.2	338	75.3	70.2-80.4	5	0.8	00.2-01.4	4	1.2	00.0-02.6	18	4.3	01.8-06.8	50	11.9	07.8-16.0
Less Than H.S.	54	21,022	6	6.1	00.4-11.8	39	79.5	67.0-92.0							4	5.3	00.0-11.6	5	9.1	00.0-18.3
H.S. or G.E.D.	235	65,477	17	7.8	02.9-12.7	165	69.0	60.2-77.8	11	7.5	00.1-14.9	1	0.3	00.0-00.9	11	4.1	01.0-07.2	30	11.2	06.3-16.1
Some Post-H.S.	200	59,649	6	2.0	00.2-03.8	156	73.9	65.5-82.3	6	6.5	00.4-12.6	2	1.0	00.0-02.6	7	4.3	00.8-07.8	23	12.3	06.2-18.4
College Graduate	259	49,151	9	5.2	01.1-09.3	193	71.0	63.4-78.6	8	5.1	00.8-09.4	4	1.8	00.0-03.8	13	6.2	02.1-10.3	32	10.8	06.1-15.5
Less than \$15,000	68	23,071	7	9.6	00.0-20.0	46	70.9	55.8-86.0	2	3.9	00.0-09.6				1	1.2	00.0-03.6	12	14.4	03.6-25.2
\$15,000- 24,999	149	39,971	8	5.0	01.3-08.7	109	70.1	57.8-82.4	6	7.9	00.0-19.3				6	6.7	00.6-12.8	20	10.4	04.9-15.9
\$25,000- 34,999	84	19,279	5	5.3	00.2-10.4	66	75.9	62.2-89.6	2	2.5	00.0-06.0	1	0.6	00.0-01.8	3	5.3	00.0-13.7	7	10.3	00.0-21.5
\$35,000- 49,999	107	26,803	4	2.3	00.0-04.7	88	80.2	69.2-91.2	2	4.0	00.0-10.7				5	3.3	00.4-06.2	8	10.2	01.0-19.4
\$50,000- 74,999	92	21,470	3	2.9	00.0-07.0	68	73.6	63.4-83.8	3	4.1	00.0-08.8	1	1.0	00.0-03.0	6	7.4	00.9-13.9	11	10.9	04.4-17.4
\$75,000+	157	46,298	7	6.4	00.9-11.9	110	69.4	59.6-79.2	8	8.7	01.3-16.1	4	2.7	00.0-05.6	10	5.1	01.6-08.6	18	7.7	03.6-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 16: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1131	313,170	464	41.4	37.3-45.5	667	58.6	54.5-62.7
Male	403	123,622	154	39.4	32.9-45.9	249	60.6	54.1-67.1
Female	728	189,548	310	42.7	37.4-48.0	418	57.3	52.0-62.6
White/Non-Hisp	1052	290,996	429	41.4	37.3-45.5	623	58.6	54.5-62.7
45-54	116	48,108	60	52.8	41.6-64.0	56	47.2	36.0-58.4
55-64	239	70,037	89	37.0	29.4-44.6	150	63.0	55.4-70.6
65+	719	153,590	293	39.3	34.8-43.8	426	60.7	56.2-65.2
Less Than H.S.	74	29,231	30	42.8	26.9-58.7	44	57.2	41.3-73.1
H.S. or G.E.D.	347	103,602	123	36.8	29.7-43.9	224	63.2	56.1-70.3
Some Post-H.S.	286	94,725	118	40.6	33.0-48.2	168	59.4	51.8-67.0
College Graduate	423	85,276	192	47.2	40.5-53.9	231	52.8	46.1-59.5
Less than \$15,000	75	25,426	28	35.2	17.2-53.2	47	64.8	46.8-82.8
\$15,000- 24,999	209	56,513	68	30.7	20.9-40.5	141	69.3	59.5-79.1
\$25,000- 34,999	121	28,544	56	51.5	39.7-63.3	65	48.5	36.7-60.3
\$35,000- 49,999	169	47,582	64	37.6	27.6-47.6	105	62.4	52.4-72.4
\$50,000- 74,999	156	44,676	67	45.5	35.3-55.7	89	54.5	44.3-64.7
\$75,000+	269	80,600	127	47.8	39.8-55.8	142	52.2	44.2-60.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 17: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	123,622	154	39.4	32.9-45.9	249	60.6	54.1-67.1
White/Non-Hisp	377	116,070	142	38.5	32.0-45.0	235	61.5	55.0-68.0
55-64	69	26,545	18	29.4	15.7-43.1	51	70.6	56.9-84.3
65+	289	73,408	115	40.6	33.2-48.0	174	59.4	52.0-66.8
H.S. or G.E.D.	116	39,967	39	35.3	23.7-46.9	77	64.7	53.1-76.3
Some Post-H.S.	92	36,902	31	36.2	23.5-48.9	61	63.8	51.1-76.5
College Graduate	173	37,814	77	47.1	37.1-57.1	96	52.9	42.9-62.9
\$15,000- 24,999	63	16,081	18	22.2	10.4-34.0	45	77.8	66.0-89.6
\$35,000- 49,999	67	22,299	23	38.2	21.9-54.5	44	61.8	45.5-78.1
\$50,000- 74,999	68	23,873	26	40.2	24.1-56.3	42	59.8	43.7-75.9
\$75,000+	115	36,566	52	45.2	33.4-57.0	63	54.8	43.0-66.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 18: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	728	189,548	310	42.7	37.4-48.0	418	57.3	52.0-62.6
White/Non-Hisp	675	174,927	287	43.4	37.9-48.9	388	56.6	51.1-62.1
45-54	82	31,492	42	51.9	38.4-65.4	40	48.1	34.6-61.6
55-64	170	43,492	71	41.6	32.4-50.8	99	58.4	49.2-67.6
65+	430	80,182	178	38.1	32.6-43.6	252	61.9	56.4-67.4
Less Than H.S.	53	20,629	24	45.4	25.6-65.2	29	54.6	34.8-74.4
H.S. or G.E.D.	231	63,634	84	37.8	28.6-47.0	147	62.2	53.0-71.4
Some Post-H.S.	194	57,823	87	43.5	34.1-52.9	107	56.5	47.1-65.9
College Graduate	250	47,462	115	47.2	38.4-56.0	135	52.8	44.0-61.6
Less than \$15,000	65	22,403	25	35.5	15.9-55.1	40	64.5	44.9-84.1
\$15,000- 24,999	146	40,432	50	34.0	21.5-46.5	96	66.0	53.5-78.5
\$25,000- 34,999	83	19,113	40	50.9	35.8-66.0	43	49.1	34.0-64.2
\$35,000- 49,999	102	25,284	41	37.2	25.0-49.4	61	62.8	50.6-75.0
\$50,000- 74,999	88	20,804	41	51.6	39.3-63.9	47	48.4	36.1-60.7
\$75,000+	154	44,033	75	49.8	38.8-60.8	79	50.2	39.2-61.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 19: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1152	320,899	834	75.0	71.7-78.3	318	25.0	21.7-28.3
Male	405	124,420	291	75.5	70.2-80.8	114	24.5	19.2-29.8
Female	747	196,480	543	74.7	70.4-79.0	204	25.3	21.0-29.6
White/Non-Hisp	1073	298,517	783	75.9	72.6-79.2	290	24.1	20.8-27.4
45-54	117	48,684	92	79.8	71.2-88.4	25	20.2	11.6-28.8
55-64	243	71,680	179	77.0	70.7-83.3	64	23.0	16.7-29.3
65+	730	155,627	518	72.2	68.1-76.3	212	27.8	23.7-31.9
Less Than H.S.	77	30,860	54	73.5	61.2-85.8	23	26.5	14.2-38.8
H.S. or G.E.D.	353	105,952	241	71.8	65.5-78.1	112	28.2	21.9-34.5
Some Post-H.S.	297	97,748	209	75.3	69.2-81.4	88	24.7	18.6-30.8
College Graduate	424	86,002	330	79.5	74.2-84.8	94	20.5	15.2-25.8
Less than \$15,000	75	25,375	47	72.4	59.3-85.5	28	27.6	14.5-40.7
\$15,000- 24,999	211	57,121	135	65.6	56.6-74.6	76	34.4	25.4-43.4
\$25,000- 34,999	121	28,841	90	78.2	68.0-88.4	31	21.8	11.6-32.0
\$35,000- 49,999	176	49,685	120	66.1	55.9-76.3	56	33.9	23.7-44.1
\$50,000- 74,999	161	45,546	124	79.4	72.1-86.7	37	20.6	13.3-27.9
\$75,000+	273	83,259	219	83.1	77.6-88.6	54	16.9	11.4-22.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 20: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSVRTRN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	405	124,420	291	75.5	70.2-80.8	114	24.5	19.2-29.8
White/Non-Hisp	378	116,692	273	76.4	71.1-81.7	105	23.6	18.3-28.9
55-64	71	27,193	53	78.8	68.0-89.6	18	21.2	10.4-32.0
65+	289	73,327	205	73.0	66.1-79.9	84	27.0	20.1-33.9
H.S. or G.E.D.	117	39,835	82	74.8	64.8-84.8	35	25.2	15.2-35.2
Some Post-H.S.	93	37,442	69	77.6	67.2-88.0	24	22.4	12.0-32.8
College Graduate	172	37,481	125	77.0	69.9-84.1	47	23.0	15.9-30.1
\$15,000- 24,999	61	15,819	36	57.8	40.9-74.7	25	42.2	25.3-59.1
\$35,000- 49,999	68	22,665	45	64.9	48.8-81.0	23	35.1	19.0-51.2
\$50,000- 74,999	69	23,929	51	77.8	66.6-89.0	18	22.2	11.0-33.4
\$75,000+	116	36,887	91	83.0	75.6-90.4	25	17.0	09.6-24.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 21: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	747	196,480	543	74.7	70.4-79.0	204	25.3	21.0-29.6
White/Non-Hisp	695	181,825	510	75.5	71.2-79.8	185	24.5	20.2-28.8
45-54	83	32,067	66	77.6	66.0-89.2	17	22.4	10.8-34.0
55-64	172	44,487	126	75.9	68.3-83.5	46	24.1	16.5-31.7
65+	441	82,299	313	71.4	66.3-76.5	128	28.6	23.5-33.7
Less Than H.S.	55	21,535	39	76.5	62.6-90.4	16	23.5	09.6-37.4
H.S. or G.E.D.	236	66,117	159	69.9	61.9-77.9	77	30.1	22.1-38.1
Some Post-H.S.	204	60,306	140	73.9	66.5-81.3	64	26.1	18.7-33.5
College Graduate	252	48,521	205	81.4	74.1-88.7	47	18.6	11.3-25.9
Less than \$15,000	65	22,353	41	71.1	56.4-85.8	24	28.9	14.2-43.6
\$15,000- 24,999	150	41,301	99	68.6	58.2-79.0	51	31.4	21.0-41.8
\$25,000- 34,999	81	18,962	59	74.7	60.6-88.8	22	25.3	11.2-39.4
\$35,000- 49,999	108	27,020	75	67.1	54.0-80.2	33	32.9	19.8-46.0
\$50,000- 74,999	92	21,617	73	81.2	72.0-90.4	19	18.8	09.6-28.0
\$75,000+	157	46,372	128	83.1	75.3-90.9	29	16.9	09.1-24.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 22: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	799	233,661	624	78.4	74.5-82.3	175	21.6	17.7-25.5
Male	283	91,722	222	77.6	71.1-84.1	61	22.4	15.9-28.9
Female	516	141,938	402	79.0	74.1-83.9	114	21.0	16.1-25.9
White/Non-Hisp	749	219,513	579	77.8	73.7-81.9	170	22.2	18.1-26.3
45-54	90	38,249	74	81.4	71.8-91.0	16	18.6	09.0-28.2
55-64	173	53,235	136	76.5	68.3-84.7	37	23.5	15.3-31.7
65+	492	108,160	377	75.8	70.5-81.1	115	24.2	18.9-29.5
Less Than H.S.	51	21,785	41	84.8	71.1-98.5	10	15.2	01.5-28.9
H.S. or G.E.D.	235	74,874	181	81.6	75.7-87.5	54	18.4	12.5-24.3
Some Post-H.S.	198	71,372	153	73.0	64.4-81.6	45	27.0	18.4-35.6
College Graduate	315	65,630	249	78.6	72.5-84.7	66	21.4	15.3-27.5
\$15,000- 24,999	130	36,778	91	69.0	56.5-81.5	39	31.0	18.5-43.5
\$25,000- 34,999	88	22,418	65	80.1	71.3-88.9	23	19.9	11.1-28.7
\$35,000- 49,999	115	32,043	97	84.7	75.7-93.7	18	15.3	06.3-24.3
\$50,000- 74,999	116	34,701	91	80.1	70.5-89.7	25	19.9	10.3-29.5
\$75,000+	215	67,699	175	80.1	73.0-87.2	40	19.9	12.8-27.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 23: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	283	91,722	222	77.6	71.1-84.1	61	22.4	15.9-28.9
White/Non-Hisp	265	86,889	205	76.5	69.8-83.2	60	23.5	16.8-30.2
55-64	51	20,534	38	74.2	59.1-89.3	13	25.8	10.7-40.9
65+	200	52,510	158	78.4	71.0-85.8	42	21.6	14.2-29.0
H.S. or G.E.D.	82	29,816	61	78.6	68.8-88.4	21	21.4	11.6-31.2
Some Post-H.S.	66	28,196	50	69.0	54.7-83.3	16	31.0	16.7-45.3
College Graduate	121	27,702	98	80.8	71.6-90.0	23	19.2	10.0-28.4
\$75,000+	90	30,008	70	72.6	60.3-84.9	20	27.4	15.1-39.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 24: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	516	141,938	402	79.0	73.9-84.1	114	21.0	15.9-26.1
White/Non-Hisp	484	132,624	374	78.6	73.5-83.7	110	21.4	16.3-26.5
45-54	65	24,619	55	86.9	77.7-96.1	10	13.1	03.9-22.3
55-64	122	32,701	98	77.9	68.5-87.3	24	22.1	12.7-31.5
65+	292	55,650	219	73.3	65.9-80.7	73	26.7	19.3-34.1
H.S. or G.E.D.	153	45,058	120	83.7	76.6-90.8	33	16.3	09.2-23.4
Some Post-H.S.	132	43,176	103	75.6	64.6-86.6	29	24.4	13.4-35.4
College Graduate	194	37,928	151	77.1	68.9-85.3	43	22.9	14.7-31.1
\$15,000- 24,999	95	27,795	67	67.8	52.7-82.9	28	32.2	17.1-47.3
\$25,000- 34,999	57	14,008	42	80.4	69.6-91.2	15	19.6	08.8-30.4
\$35,000- 49,999	71	17,750	62	87.7	76.9-98.5	9	12.3	01.5-23.1
\$50,000- 74,999	68	16,585	51	78.6	66.3-90.9	17	21.4	09.1-33.7
\$75,000+	125	37,691	105	86.1	78.8-93.4	20	13.9	06.6-21.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 25: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1168	322,198	1121	96.0	94.6-97.4	47	4.0	02.6-05.4
Male	415	125,535	405	98.0	96.4-99.6	10	2.0	00.4-03.6
Female	753	196,663	716	94.8	92.8-96.8	37	5.2	03.2-07.2
White/Non-Hisp	1088	299,821	1045	96.2	94.8-97.6	43	3.8	02.4-05.2
45-54	118	48,747	111	94.8	90.3-99.3	7	5.2	00.7-09.7
55-64	246	71,386	235	96.0	93.5-98.5	11	4.0	01.5-06.5
65+	740	156,526	716	96.7	95.1-98.3	24	3.3	01.7-04.9
Less Than H.S.	76	30,432	71	94.5	89.2-99.8	5	5.5	00.2-10.8
H.S. or G.E.D.	355	106,433	340	95.3	92.6-98.0	15	4.7	02.0-07.4
Some Post-H.S.	297	97,290	285	97.4	95.8-99.0	12	2.6	01.0-04.2
College Graduate	439	87,705	424	96.0	93.3-98.7	15	4.0	01.3-06.7
Less than \$15,000	76	25,492	67	91.1	83.8-98.4	9	8.9	01.6-16.2
\$15,000- 24,999	214	57,486	196	91.2	86.3-96.1	18	8.8	03.9-13.7
\$25,000- 34,999	126	29,397	123	99.1	98.1-0100	3	0.9	00.0-01.9
\$35,000- 49,999	177	50,139	170	94.8	90.7-98.9	7	5.2	01.1-09.3
\$50,000- 74,999	163	45,541	160	97.6	94.7-0100	3	2.4	00.0-05.3
\$75,000+	277	83,761	273	98.8	97.4-0100	4	1.2	00.0-02.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 26: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	415	125,535	405	98.0	96.4-99.6	10	2.0	00.4-03.6
White/Non-Hisp	388	117,807	378	97.8	96.2-99.4	10	2.2	00.6-03.8
55-64	70	26,455	69	97.9	93.8-0100	1	2.1	00.0-06.2
65+	298	74,551	290	97.5	95.5-99.5	8	2.5	00.5-04.5
H.S. or G.E.D.	119	40,332	115	96.2	92.3-0100	4	3.8	00.0-07.7
Some Post-H.S.	94	37,084	92	98.2	95.8-0100	2	1.8	00.0-04.2
College Graduate	179	38,457	175	99.0	98.0-0100	4	1.0	00.0-02.0
\$15,000- 24,999	63	16,040	59	95.9	91.2-0100	4	4.1	00.0-08.8
\$35,000- 49,999	71	23,385	68	94.1	87.4-0100	3	5.9	00.0-12.6
\$50,000- 74,999	70	23,799	69	98.7	96.2-0100	1	1.3	00.0-03.8
\$75,000+	118	37,131	117	99.6	98.8-0100	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 27: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	753	196,663	716	94.8	92.8-96.8	37	5.2	03.2-07.2
White/Non-Hisp	700	182,014	667	95.1	93.1-97.1	33	4.9	02.9-06.9
45-54	84	32,130	78	92.6	86.1-99.1	6	7.4	00.9-13.9
55-64	176	44,931	166	94.9	91.4-98.4	10	5.1	01.6-08.6
65+	442	81,976	426	96.0	93.6-98.4	16	4.0	01.6-06.4
Less Than H.S.	54	21,107	49	92.0	84.4-99.6	5	8.0	00.4-15.6
H.S. or G.E.D.	236	66,101	225	94.7	91.2-98.2	11	5.3	01.8-08.8
Some Post-H.S.	203	60,206	193	96.8	94.6-99.0	10	3.2	01.0-05.4
College Graduate	260	49,248	249	93.6	88.9-98.3	11	6.4	01.7-11.1
Less than \$15,000	66	22,470	58	90.1	81.9-98.3	8	9.9	01.7-18.1
\$15,000- 24,999	151	41,446	137	89.4	82.9-95.9	14	10.6	04.1-17.1
\$25,000- 34,999	86	19,518	83	98.7	97.1-0100	3	1.3	00.0-02.9
\$35,000- 49,999	106	26,754	102	95.5	90.8-0100	4	4.5	00.0-09.2
\$50,000- 74,999	93	21,742	91	96.4	90.9-0100	2	3.6	00.0-09.1
\$75,000+	159	46,630	156	98.1	95.9-0100	3	1.9	00.0-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 28: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1177	324,864	87	8.5	06.3-10.7	1090	91.5	89.3-93.7
Male	417	126,899	22	5.5	02.8-08.2	395	94.5	91.8-97.2
Female	760	197,965	65	10.4	07.3-13.5	695	89.6	86.5-92.7
White/Non-Hisp	1096	302,336	81	8.6	06.2-11.0	1015	91.4	89.0-93.8
45-54	118	48,747	11	11.0	03.9-18.1	107	89.0	81.9-96.1
55-64	246	72,057	31	12.1	07.0-17.2	215	87.9	82.8-93.0
65+	750	158,730	36	4.7	02.9-06.5	714	95.3	93.5-97.1
Less Than H.S.	78	31,010	6	4.9	00.0-10.2	72	95.1	89.8-0100
H.S. or G.E.D.	359	107,562	28	7.6	04.5-10.7	331	92.4	89.3-95.5
Some Post-H.S.	300	98,246	21	10.7	05.2-16.2	279	89.3	83.8-94.8
College Graduate	439	87,709	32	8.4	05.1-11.7	407	91.6	88.3-94.9
Less than \$15,000	77	25,643	7	8.8	00.0-18.4	70	91.2	81.6-0100
\$15,000- 24,999	216	57,942	14	8.7	03.0-14.4	202	91.3	85.6-97.0
\$25,000- 34,999	126	29,397	9	6.8	01.7-11.9	117	93.2	88.1-98.3
\$35,000- 49,999	178	50,197	13	9.1	03.2-15.0	165	90.9	85.0-96.8
\$50,000- 74,999	164	46,278	14	10.6	04.7-16.5	150	89.4	83.5-95.3
\$75,000+	277	83,761	21	7.5	03.2-11.8	256	92.5	88.2-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 29: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	417	126,899	22	5.5	02.8-08.2	395	94.5	91.8-97.2
White/Non-Hisp	390	119,171	20	5.6	02.9-08.3	370	94.4	91.7-97.1
55-64	71	27,193	7	10.5	02.1-18.9	64	89.5	81.1-97.9
65+	300	75,385	11	3.6	01.1-06.1	289	96.4	93.9-98.9
H.S. or G.E.D.	120	40,959	6	4.8	00.5-09.1	114	95.2	90.9-99.5
Some Post-H.S.	95	37,822	7	9.1	02.0-16.2	88	90.9	83.8-98.0
College Graduate	179	38,457	7	3.5	00.8-06.2	172	96.5	93.8-99.2
\$15,000- 24,999	64	16,425	3	5.3	00.0-12.0	61	94.7	88.0-0100
\$35,000- 49,999	70	23,177	4	4.7	00.0-09.8	66	95.3	90.2-0100
\$50,000- 74,999	71	24,537	4	7.3	00.0-15.1	67	92.7	84.9-0100
\$75,000+	118	37,131	6	5.7	00.4-11.0	112	94.3	89.0-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 30: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	760	197,965	65	10.4	07.3-13.5	695	89.6	86.5-92.7
White/Non-Hisp	706	183,165	61	10.5	07.2-13.8	645	89.5	86.2-92.8
45-54	84	32,130	8	13.0	03.2-22.8	76	87.0	77.2-96.8
55-64	175	44,864	24	13.0	06.7-19.3	151	87.0	80.7-93.3
65+	450	83,345	25	5.6	03.2-08.0	425	94.4	92.0-96.8
Less Than H.S.	56	21,685	4	5.7	00.0-13.0	52	94.3	87.0-0100
H.S. or G.E.D.	239	66,603	22	9.3	05.0-13.6	217	90.7	86.4-95.0
Some Post-H.S.	205	60,425	14	11.7	04.1-19.3	191	88.3	80.7-95.9
College Graduate	260	49,252	25	12.2	06.7-17.7	235	87.8	82.3-93.3
Less than \$15,000	67	22,621	7	10.0	00.0-20.8	60	90.0	79.2-0100
\$15,000- 24,999	152	41,517	11	10.1	02.7-17.5	141	89.9	82.5-97.3
\$25,000- 34,999	86	19,518	8	9.1	01.8-16.4	78	90.9	83.6-98.2
\$35,000- 49,999	108	27,020	9	12.9	03.1-22.7	99	87.1	77.3-96.9
\$50,000- 74,999	93	21,742	10	14.2	05.2-23.2	83	85.8	76.8-94.8
\$75,000+	159	46,630	15	8.8	02.3-15.3	144	91.2	84.7-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

**TABLE 31: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1165	320,791	63	6.2	04.0-08.4	1102	93.8	91.6-96.0
Male	414	125,852	21	7.2	03.1-11.3	393	92.8	88.7-96.9
Female	751	194,939	42	5.5	03.1-07.9	709	94.5	92.1-96.9
White/Non-Hisp	1085	299,850	55	6.0	03.8-08.2	1030	94.0	91.8-96.2
45-54	118	48,747	7	5.5	00.8-10.2	111	94.5	89.8-99.2
55-64	247	72,124	15	8.3	03.4-13.2	232	91.7	86.8-96.6
65+	738	156,177	36	4.5	02.3-06.7	702	95.5	93.3-97.7
Less Than H.S.	74	30,044	7	8.3	01.0-15.6	67	91.7	84.4-99.0
H.S. or G.E.D.	351	104,963	13	6.4	01.7-11.1	338	93.6	88.9-98.3
Some Post-H.S.	299	97,671	12	5.0	01.5-08.5	287	95.0	91.5-98.5
College Graduate	440	87,777	31	6.6	03.7-09.5	409	93.4	90.5-96.3
Less than \$15,000	75	25,214	4	11.2	00.0-22.6	71	88.8	77.4-0100
\$15,000- 24,999	214	57,723	10	3.2	00.8-05.6	204	96.8	94.4-99.2
\$25,000- 34,999	123	29,013	10	5.0	01.7-08.3	113	95.0	91.7-98.3
\$35,000- 49,999	175	48,073	8	7.4	01.3-13.5	167	92.6	86.5-98.7
\$50,000- 74,999	163	45,703	14	5.5	01.8-09.2	149	94.5	90.8-98.2
\$75,000+	276	83,555	9	4.8	00.1-09.5	267	95.2	90.5-99.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 32: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	414	125,852	21	7.2	03.1-11.3	393	92.8	88.7-96.9
White/Non-Hisp	387	118,124	18	6.8	02.7-10.9	369	93.2	89.1-97.3
55-64	71	27,193	6	9.4	01.0-17.8	65	90.6	82.2-99.0
65+	297	74,338	10	4.6	00.9-08.3	287	95.4	91.7-99.1
H.S. or G.E.D.	119	40,816	4	9.3	00.0-19.1	115	90.7	80.9-0100
Some Post-H.S.	94	37,246	4	4.9	00.0-11.0	90	95.1	89.0-0100
College Graduate	179	38,457	9	6.0	01.3-10.7	170	94.0	89.3-98.7
\$15,000- 24,999	64	16,425	4	4.4	00.0-08.9	60	95.6	91.1-0100
\$35,000- 49,999	69	22,848	2	2.5	00.0-06.2	67	97.5	93.8-0100
\$50,000- 74,999	70	23,961	2	2.5	00.0-06.2	68	97.5	93.8-0100
\$75,000+	118	37,131	4	7.6	00.0-17.6	114	92.4	82.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 33: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVC LIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	751	194,939	42	5.5	03.1-07.9	709	94.5	92.1-96.9
White/Non-Hisp	698	181,726	37	5.5	03.1-07.9	661	94.5	92.1-96.9
45-54	84	32,130	4	5.2	00.0-11.1	80	94.8	88.9-0100
55-64	176	44,931	9	7.6	01.5-13.7	167	92.4	86.3-98.5
65+	441	81,839	26	4.4	02.4-06.4	415	95.6	93.6-97.6
Less Than H.S.	53	21,048	3	6.4	00.0-14.4	50	93.6	85.6-0100
H.S. or G.E.D.	232	64,148	9	4.5	00.2-08.8	223	95.5	91.2-99.8
Some Post-H.S.	205	60,425	8	5.1	00.8-09.4	197	94.9	90.6-99.2
College Graduate	261	49,319	22	7.0	03.1-10.9	239	93.0	89.1-96.9
Less than \$15,000	65	22,192	1	5.1	00.0-14.7	64	94.9	85.3-0100
\$15,000- 24,999	150	41,298	6	2.7	00.0-05.4	144	97.3	94.6-0100
\$25,000- 34,999	84	19,277	9	6.3	01.8-10.8	75	93.7	89.2-98.2
\$35,000- 49,999	106	25,225	6	11.9	01.3-22.5	100	88.1	77.5-98.7
\$50,000- 74,999	93	21,742	12	8.8	02.3-15.3	81	91.2	84.7-97.7
\$75,000+	158	46,424	5	2.5	00.0-05.0	153	97.5	95.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 34: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1173	323,062	88	8.4	06.2-10.6	1085	91.6	89.4-93.8
Male	418	127,107	22	6.1	03.2-09.0	396	93.9	91.0-96.8
Female	755	195,955	66	9.8	06.9-12.7	689	90.2	87.3-93.1
White/Non-Hisp	1092	300,534	75	7.9	05.7-10.1	1017	92.1	89.9-94.3
45-54	117	48,259	13	9.3	03.8-14.8	104	90.7	85.2-96.2
55-64	246	71,992	35	14.6	09.3-19.9	211	85.4	80.1-90.7
65+	747	158,346	30	3.3	01.7-04.9	717	96.7	95.1-98.3
Less Than H.S.	78	31,010	15	16.7	06.9-26.5	63	83.3	73.5-93.1
H.S. or G.E.D.	356	106,238	31	9.5	05.8-13.2	325	90.5	86.8-94.2
Some Post-H.S.	300	98,246	13	5.9	02.0-09.8	287	94.1	90.2-98.0
College Graduate	438	87,231	29	6.8	03.7-09.9	409	93.2	90.1-96.3
Less than \$15,000	76	24,570	9	10.6	01.6-19.6	67	89.4	80.4-98.4
\$15,000- 24,999	215	57,822	27	14.1	07.4-20.8	188	85.9	79.2-92.6
\$25,000- 34,999	124	28,778	8	7.5	01.2-13.8	116	92.5	86.2-98.8
\$35,000- 49,999	178	50,347	10	7.5	02.4-12.6	168	92.5	87.4-97.6
\$50,000- 74,999	164	46,278	9	5.0	00.7-09.3	155	95.0	90.7-99.3
\$75,000+	276	83,555	12	5.5	02.2-08.8	264	94.5	91.2-97.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 35: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	418	127,107	22	6.1	03.2-09.0	396	93.9	91.0-96.8
White/Non-Hisp	391	119,379	18	5.6	02.7-08.5	373	94.4	91.5-97.3
55-64	71	27,193	10	14.0	04.6-23.4	61	86.0	76.6-95.4
65+	300	75,385	9	2.9	00.5-05.3	291	97.1	94.7-99.5
H.S. or G.E.D.	121	41,167	9	9.9	03.0-16.8	112	90.1	83.2-97.0
Some Post-H.S.	95	37,822	4	2.2	00.0-04.7	91	97.8	95.3-0100
College Graduate	179	38,457	3	1.3	00.0-02.7	176	98.7	97.3-0100
\$15,000- 24,999	64	16,425	2	2.1	00.0-05.4	62	97.9	94.6-0100
\$35,000- 49,999	71	23,385	5	8.4	00.4-16.4	66	91.6	83.6-99.6
\$50,000- 74,999	71	24,537				71	100.0	0100-0100
\$75,000+	118	37,131	2	2.1	00.0-05.4	116	97.9	94.6-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 36: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	755	195,955	66	9.8	06.9-12.7	689	90.2	87.3-93.1
White/Non-Hisp	701	181,155	57	9.3	06.4-12.2	644	90.7	87.8-93.6
45-54	83	31,643	11	10.8	03.7-17.9	72	89.2	82.1-96.3
55-64	175	44,799	25	15.0	08.5-21.5	150	85.0	78.5-91.5
65+	447	82,960	21	3.7	01.7-05.7	426	96.3	94.3-98.3
Less Than H.S.	56	21,685	9	12.9	02.9-22.9	47	87.1	77.1-97.1
H.S. or G.E.D.	235	65,071	22	9.2	04.9-13.5	213	90.8	86.5-95.1
Some Post-H.S.	205	60,425	9	8.2	02.1-14.3	196	91.8	85.7-97.9
College Graduate	259	48,774	26	11.1	05.8-16.4	233	88.9	83.6-94.2
Less than \$15,000	66	21,548	7	5.1	01.0-09.2	59	94.9	90.8-99.0
\$15,000- 24,999	151	41,397	25	18.8	09.8-27.8	126	81.2	72.2-90.2
\$25,000- 34,999	84	18,899	4	2.9	00.0-06.0	80	97.1	94.0-0100
\$35,000- 49,999	107	26,962	5	6.7	00.0-13.4	102	93.3	86.6-0100
\$50,000- 74,999	93	21,742	9	10.5	01.9-19.1	84	89.5	80.9-98.1
\$75,000+	158	46,424	10	8.2	02.7-13.7	148	91.8	86.3-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP
TABLE 37: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	88	26,976	27	30.2	17.1-43.3	39	47.8	33.9-61.7	6	5.5	00.0-11.4	16	16.4	07.8-25.0
Female	66	19,189	18	25.9	12.8-39.0	29	46.5	32.2-60.8	5	6.5	00.0-14.3	14	21.1	09.7-32.5
White/Non-Hisp	75	23,596	21	26.0	13.1-38.9	34	50.9	36.2-65.6	5	5.7	00.0-12.4	15	17.5	07.9-27.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP

TABLE 38: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 17: CANCER SURVIVORSHIP**

TABLE 39: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRCTL1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	66	19,189	18	25.9	12.8-39.0	29	46.5	33.4-59.6	5	6.5	00.0-14.3	14	21.1	09.7-32.5
White/Non-Hisp	57	16,881	15	22.7	09.2-36.2	25	48.5	33.8-63.2	4	6.6	00.0-15.4	13	22.2	09.9-34.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016

MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1	MALES AND FEMALES	70
2	MALES ONLY	71
3	FEMALES ONLY	72
	DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4	MALES AND FEMALES	73
5	MALES ONLY	74
6	FEMALES ONLY	75

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9536	4,197,291	9260	96.1	95.5-96.7	119	1.4	01.0-01.8	129	2.2	01.6-02.8	28	0.2	00.0-00.4
Male	3888	2,012,806	3760	96.7	95.9-97.5	78	2.1	01.5-02.7	44	1.2	00.6-01.8	6	0.1	00.1-00.1
Female	5648	2,184,485	5500	95.6	94.6-96.6	41	0.8	00.4-01.2	85	3.2	02.4-04.0	22	0.4	00.2-00.6
White/Non-Hisp	8262	3,492,163	8042	96.3	95.7-96.9	95	1.4	01.0-01.8	105	2.1	01.5-02.7	20	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	605	340,738	586	95.9	93.4-98.4	9	0.8	00.2-01.4	9	3.3	00.8-05.8	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	174	92,967	160	95.1	91.6-98.6	5	1.7	00.0-04.1	5	1.8	00.0-03.6	4	1.4	00.0-03.2
MultiRacial/Non-Hisp.	142	49,881	136	91.1	82.9-99.3	1	0.3	00.0-00.9	5	8.6	00.4-16.8			
Hispanic	245	178,305	234	96.0	93.3-98.7	5	1.5	00.0-03.1	4	1.9	00.0-04.1	2	0.6	00.0-01.6
18-24	358	545,800	320	90.5	87.2-93.8	11	2.4	00.8-04.0	25	6.7	04.0-09.4	2	0.3	00.0-00.9
25-34	631	640,630	583	93.9	91.9-95.9	13	1.4	00.4-02.4	33	4.4	02.6-06.2	2	0.3	00.0-00.7
35-44	922	642,414	890	96.8	95.4-98.2	15	1.4	00.6-02.2	15	1.7	00.5-02.9	2	0.2	00.0-00.4
45-54	1421	702,370	1367	96.4	95.2-97.6	33	2.3	01.3-03.3	17	1.1	00.5-01.7	4	0.1	00.0-00.3
55-64	2179	746,103	2131	97.9	97.1-98.7	26	0.9	00.5-01.3	17	0.9	00.3-01.5	5	0.3	00.0-00.7
65+	3921	878,880	3866	98.8	98.4-99.2	20	0.4	00.2-00.6	22	0.5	00.3-00.7	13	0.2	00.0-00.4
Less Than H.S.	679	473,608	659	96.2	93.8-98.6	4	0.7	00.0-01.7	10	2.7	00.7-04.7	6	0.5	00.1-00.9
H.S. or G.E.D.	3215	1,459,083	3119	95.9	94.7-97.1	34	1.3	00.7-01.9	54	2.7	01.7-03.7	8	0.1	00.1-00.1
Some Post-H.S.	2420	1,327,040	2343	95.5	94.3-96.7	29	1.4	00.8-02.0	42	2.7	01.7-03.7	6	0.4	00.0-00.8
College Graduate	3206	931,001	3124	97.4	96.6-98.2	51	1.7	01.1-02.3	23	0.7	00.3-01.1	8	0.2	00.0-00.4
Less than \$15,000	776	363,206	732	93.1	90.4-95.8	16	1.7	00.5-02.9	21	4.6	02.1-07.1	7	0.6	00.0-01.2
\$15,000- 24,999	1556	665,959	1491	93.9	91.9-95.9	23	1.4	00.6-02.2	37	4.4	02.6-06.2	5	0.2	00.0-00.4
\$25,000- 34,999	1010	409,058	985	96.0	93.8-98.2	8	1.4	00.0-02.8	15	2.1	00.3-03.9	2	0.5	00.0-01.3
\$35,000- 49,999	1318	593,268	1284	96.7	95.3-98.1	17	1.3	00.3-02.3	15	1.9	00.7-03.1	2	0.1	00.0-00.3
\$50,000- 74,999	1368	624,989	1345	98.4	97.6-99.2	13	0.9	00.3-01.5	9	0.7	00.1-01.3	1	0.0	00.0-00.0
\$75,000+	2369	1,102,854	2318	97.1	96.1-98.1	34	1.6	01.0-02.2	15	1.2	00.4-02.0	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3888	2,012,806	3760	96.7	95.9-97.5	78	2.1	01.5-02.7	44	1.2	00.6-01.8	6	0.1	00.1-00.1
White/Non-Hisp	3344	1,658,271	3238	96.7	95.9-97.5	67	2.2	01.6-02.8	36	1.1	00.5-01.7	3	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	222	157,184	216	98.1	95.4-0100	4	0.4	00.0-00.8	1	1.4	00.0-04.1	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	99	61,765	94	97.0	93.3-0100	2	1.9	00.0-05.4	2	0.7	00.0-01.9	1	0.4	00.0-01.2
MultiRacial/Non-Hisp.	61	25,430	59	95.1	87.5-0100	2	4.9	00.0-12.5	2	4.9	00.0-12.5			
Hispanic	106	83,545	102	97.6	94.1-0100	1	0.1	00.0-00.3	2	2.0	00.0-05.5	1	0.3	00.0-00.9
18-24	195	276,047	181	94.1	90.8-97.4	8	3.2	00.7-05.7	5	2.6	00.2-05.0	1	0.1	00.0-00.3
25-34	292	316,098	276	95.8	93.3-98.3	8	1.9	00.3-03.5	8	2.3	00.3-04.3			
35-44	406	308,195	388	96.7	94.9-98.5	14	2.6	01.0-04.2	4	0.7	00.0-01.5			
45-54	611	349,503	585	96.2	94.2-98.2	20	3.3	01.5-05.1	5	0.5	00.1-00.9	1	0.0	00.0-00.0
55-64	890	363,159	864	97.8	96.8-98.8	14	1.0	00.4-01.6	10	0.9	00.1-01.7	2	0.3	00.0-00.7
65+	1454	383,464	1427	98.7	98.1-99.3	13	0.6	00.2-01.0	12	0.6	00.2-01.0	2	0.1	00.0-00.3
Less Than H.S.	282	241,769	274	97.8	95.6-0100	2	0.2	00.0-00.6	5	1.7	00.0-03.7	1	0.3	00.0-00.9
H.S. or G.E.D.	1251	708,109	1215	97.3	96.1-98.5	18	1.7	00.7-02.7	17	1.0	00.4-01.6	1	0.0	00.0-00.0
Some Post-H.S.	891	596,145	858	95.5	93.7-97.3	20	2.7	01.3-04.1	13	1.8	00.6-03.0			
College Graduate	1455	461,909	1405	96.8	95.6-98.0	37	2.8	01.6-04.0	9	0.3	00.1-00.5	4	0.2	00.0-00.4
Less than \$15,000	257	154,149	238	94.2	90.5-97.9	10	2.1	00.5-03.7	8	3.6	00.3-06.9	1	0.1	00.0-00.3
\$15,000- 24,999	532	286,664	507	95.9	93.7-98.1	13	2.3	00.5-04.1	11	1.5	00.3-02.7	1	0.3	00.0-00.9
\$25,000- 34,999	386	190,297	374	97.7	96.1-99.3	5	1.4	00.0-02.8	6	0.8	00.2-01.4	1	0.1	00.0-00.3
\$35,000- 49,999	563	303,181	545	96.3	94.1-98.5	10	2.1	00.3-03.9	7	1.6	00.2-03.0	1	0.1	00.0-00.3
\$50,000- 74,999	631	318,622	618	98.1	96.7-99.5	10	1.3	00.1-02.5	3	0.6	00.0-01.6			
\$75,000+	1172	581,068	1140	96.8	95.4-98.2	26	2.6	01.4-03.8	6	0.6	00.0-01.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5648	2,184,485	5500	95.6	94.6-96.6	41	0.8	0.4-01.2	85	3.2	02.4-04.0	22	0.4	00.2-00.6
White/Non-Hisp	4918	1,833,892	4804	96.0	95.0-97.0	28	0.6	00.2-01.0	69	3.0	02.0-04.0	17	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	383	183,555	370	93.9	89.8-98.0	5	1.1	00.0-02.3	8	4.9	01.0-08.8			
Oth. Race/Non-Hisp.	75	31,202	66	91.3	83.9-98.7	3	1.3	00.0-03.3	3	3.9	00.0-08.8	3	3.5	00.0-08.8
MultiRacial/Non-Hisp.	81	24,450	77	87.0	72.7-0100	1	0.5	00.0-01.7	3	12.5	00.0-26.8			
Hispanic	139	94,759	132	94.7	90.6-98.8	4	2.7	00.0-05.6	2	1.7	00.0-04.1	1	0.8	00.0-02.4
18-24	163	269,752	139	86.9	81.4-92.4	3	1.6	00.0-03.6	20	11.0	05.9-16.1	1	0.6	00.0-01.8
25-34	339	324,532	307	92.0	88.9-95.1	5	0.8	00.0-01.8	25	6.5	03.6-09.4	2	0.6	00.0-01.6
35-44	516	334,219	502	96.9	94.7-99.1	1	0.2	00.0-00.6	11	2.6	00.6-04.6	2	0.3	00.0-00.9
45-54	810	352,867	782	96.6	95.0-98.2	13	1.3	00.5-02.1	12	1.8	00.6-03.0	3	0.2	00.0-00.4
55-64	1289	382,944	1267	98.1	97.1-99.1	12	0.8	00.2-01.4	7	0.8	00.0-01.6	3	0.3	00.0-00.7
65+	2467	495,415	2439	98.9	98.3-99.5	7	0.3	00.1-00.5	10	0.4	00.0-00.8	11	0.4	00.2-00.6
Less Than H.S.	397	231,838	385	94.5	90.4-98.6	2	1.2	00.0-03.2	5	3.7	00.2-07.2	5	0.6	00.0-01.4
H.S. or G.E.D.	1964	750,974	1904	94.6	92.8-96.4	16	1.0	00.4-01.6	37	4.2	02.4-06.0	7	0.2	00.0-00.4
Some Post-H.S.	1529	730,896	1485	95.4	93.8-97.0	9	0.4	00.0-00.8	29	3.5	02.1-04.9	6	0.7	00.1-01.3
College Graduate	1751	469,092	1719	97.9	96.9-98.9	14	0.7	00.1-01.3	14	1.2	00.4-02.0	4	0.1	00.0-00.3
Less than \$15,000	519	209,057	494	92.4	88.5-96.3	6	1.4	00.0-03.0	13	5.3	01.8-08.8	6	0.9	00.0-01.9
\$15,000- 24,999	1024	379,295	984	92.5	89.4-95.6	10	0.8	00.2-01.4	26	6.6	03.5-09.7	4	0.1	00.0-00.3
\$25,000- 34,999	624	218,761	611	94.4	90.5-98.3	3	1.5	00.0-03.7	9	3.3	00.2-06.4	1	0.8	00.0-02.4
\$35,000- 49,999	755	290,086	739	97.2	95.4-99.0	7	0.5	00.1-00.9	8	2.2	00.4-04.0	1	0.1	00.0-00.3
\$50,000- 74,999	737	306,367	727	98.8	97.8-99.8	3	0.4	00.0-01.0	6	0.8	00.2-01.4	1	0.0	00.0-00.0
\$75,000+	1197	521,786	1178	97.5	96.1-98.9	8	0.5	00.1-00.9	9	1.8	00.6-03.0	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9741	4,308,678	18	0.2	00.0-00.4	7	0.0	00.0-00.0	10	0.2	00.0-00.4	9706	99.5	99.3-99.7
Male	3947	2,054,678	14	0.4	00.2-00.6	2	0.0	00.0-00.0	6	0.3	00.0-00.7	3925	99.3	98.9-99.7
Female	5794	2,254,000	4	0.1	00.1-00.1	5	0.1	00.1-00.1	4	0.1	00.0-00.3	5781	99.7	99.5-99.9
White/Non-Hisp	8387	3,530,050	15	0.2	00.0-00.4	6	0.0	00.0-00.0	5	0.1	00.0-00.3	8361	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	610	344,111				1	0.0	00.0-00.0	2	0.7	00.0-01.9	607	99.3	98.1-0100
Oth. Race/Non-Hisp.	185	101,840	1	0.7	00.0-02.1				1	0.3	00.0-00.9	183	98.9	97.3-0100
MultiRacial/Non-Hisp.	142	49,841										142	100.0	0100-0100
Hispanic	304	235,878	2	0.5	00.0-01.3				2	1.5	00.0-03.7	300	98.0	95.6-0100
18-24	364	555,134	1	0.1	00.0-00.3				1	0.4	00.0-01.2	362	99.5	98.7-0100
25-34	649	661,800	1	0.1	00.0-00.3				5	0.7	00.1-01.3	643	99.2	98.6-99.8
35-44	950	678,377							1	0.4	00.0-01.2	949	99.6	98.8-0100
45-54	1431	713,498	2	0.2	00.0-00.6							1429	99.8	99.4-0100
55-64	2206	755,596	8	0.7	00.1-01.3							2198	99.3	98.7-99.9
65+	4030	902,124	6	0.2	00.0-00.4	7	0.2	00.0-00.4	3	0.1	00.1-00.1	4014	99.6	99.4-99.8
Less Than H.S.	749	542,489	3	0.5	00.0-01.3	3	0.2	00.0-00.4	3	0.9	00.0-02.1	740	98.4	97.0-99.8
H.S. or G.E.D.	3283	1,482,526	7	0.2	00.0-00.4	1	0.0	00.0-00.0	3	0.1	00.0-00.3	3272	99.6	99.4-99.8
Some Post-H.S.	2451	1,340,153	6	0.2	00.0-00.4	1	0.0	00.0-00.0	3	0.1	00.0-00.3	2441	99.7	99.5-99.9
College Graduate	3237	936,026	1	0.0	00.0-00.0	2	0.0	00.0-00.0	1	0.1	00.0-00.3	3233	99.9	99.7-0100
Less than \$15,000	807	381,753	2	0.6	00.0-01.6				1	0.3	00.0-00.9	804	99.1	97.9-0100
\$15,000- 24,999	1613	700,464	5	0.3	00.0-00.7	1	0.0	00.0-00.0	2	0.0	00.0-00.0	1605	99.6	99.2-0100
\$25,000- 34,999	1038	427,509	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.6	00.0-01.8	1035	99.2	98.0-0100
\$35,000- 49,999	1330	599,691	2	0.1	00.0-00.3	3	0.1	00.0-00.3	1	0.1	00.0-00.3	1324	99.7	99.5-99.9
\$50,000- 74,999	1380	627,521	4	0.3	00.0-00.7	2	0.1	00.1-00.1				1374	99.7	99.3-0100
\$75,000+	2380	1,110,633	4	0.2	00.0-00.4				2	0.3	00.0-00.7	2374	99.5	99.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3947	2,054,678	14	0.4	00.2-00.6	2	0.0	00.0-00.0	6	0.3	00.0-00.7	3925	99.3	98.9-99.7
White/Non-Hisp	3373	1,668,028	12	0.4	00.2-00.6	1	0.0	00.0-00.0	2	0.0	00.0-00.0	3358	99.6	99.4-99.8
Black or Afr. Am./Non-Hisp	221	156,984				1	0.1	00.0-00.3	1	1.4	00.0-04.1	219	98.6	95.9-0100
Oth. Race/Non-Hisp.	106	66,389							1	0.5	00.0-01.5	105	99.5	98.5-0100
MultiRacial/Non-Hisp.	60	25,317										60	100.0	0100-0100
Hispanic	131	108,935	2	1.1	00.0-02.7				2	3.3	00.0-08.2	127	95.6	90.5-0100
18-24	199	279,697	1	0.2	00.0-00.6				1	0.8	00.0-02.4	197	99.0	97.4-0100
25-34	302	328,712							2	0.5	00.0-01.3	300	99.5	98.7-0100
35-44	418	322,755							1	0.8	00.0-02.4	417	99.2	97.6-0100
45-54	613	351,622	2	0.4	00.0-01.0							611	99.6	99.0-0100
55-64	894	364,901	6	1.1	00.0-02.3							888	98.9	97.7-0100
65+	1482	390,789	5	0.3	00.0-00.7	2	0.0	00.0-00.0	2	0.1	00.0-00.3	1473	99.5	99.1-99.9
Less Than H.S.	304	269,239	1	0.6	00.0-01.8				3	1.8	00.0-04.2	300	97.5	94.8-0100
H.S. or G.E.D.	1270	719,343	5	0.4	00.0-00.8				2	0.2	00.0-00.6	1263	99.4	98.8-0100
Some Post-H.S.	897	598,559	6	0.4	00.0-00.8				1	0.0	00.0-00.0	890	99.6	99.2-0100
College Graduate	1466	462,463	1	0.0	00.0-00.0	2	0.0	00.0-00.0				1463	99.9	99.9-99.9
Less than \$15,000	261	156,817	2	1.3	00.0-03.5				1	0.7	00.0-02.1	258	97.9	95.4-0100
\$15,000- 24,999	552	305,174	2	0.1	00.0-00.3				1	0.0	00.0-00.0	549	99.8	99.6-0100
\$25,000- 34,999	396	198,385	1	0.3	00.0-00.9				1	1.2	00.0-03.6	394	98.5	96.0-0100
\$35,000- 49,999	569	304,639	2	0.2	00.0-00.4	1	0.0	00.0-00.0	1	0.1	00.0-00.3	565	99.7	99.3-0100
\$50,000- 74,999	637	320,241	3	0.5	00.0-01.3	1	0.0	00.0-00.0				633	99.5	98.7-0100
\$75,000+	1174	582,470	4	0.4	00.0-00.8				1	0.4	00.0-01.2	1169	99.3	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5794	2,254,000	4	0.1	00.1-00.1	5	0.1	00.1-00.1	4	0.1	00.0-00.3	5781	99.7	99.5-99.9
White/Non-Hisp	5014	1,862,022	3	0.1	00.1-00.1	5	0.1	00.1-00.1	3	0.2	00.0-00.4	5003	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	389	187,128							1	0.1	00.0-00.3	388	99.9	99.7-0100
Oth. Race/Non-Hisp.	79	35,451	1	2.1	00.0-06.2							78	97.9	93.8-0100
MultiRacial/Non-Hisp.	82	24,525										82	100.0	0100-0100
Hispanic	173	126,944										173	100.0	0100-0100
18-24	165	275,436										165	100.0	0100-0100
25-34	347	333,088	1	0.2	00.0-00.6				3	0.9	00.0-01.9	343	98.9	97.7-0100
35-44	532	355,623										532	100.0	0100-0100
45-54	818	361,876										818	100.0	0100-0100
55-64	1312	390,695	2	0.2	00.0-00.6							1310	99.8	99.4-0100
65+	2548	511,335	1	0.0	00.0-00.0	5	0.2	00.0-00.4	1	0.0	00.0-00.0	2541	99.7	99.5-99.9
Less Than H.S.	445	273,250	2	0.4	00.0-01.0	3	0.3	00.0-00.7				440	99.3	98.7-99.9
H.S. or G.E.D.	2013	763,183	2	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.0	00.0-00.0	2009	99.8	99.6-0100
Some Post-H.S.	1554	741,594				1	0.0	00.0-00.0	2	0.2	00.0-00.6	1551	99.7	99.3-0100
College Graduate	1771	473,562							1	0.2	00.0-00.6	1770	99.8	99.4-0100
Less than \$15,000	546	224,936										546	100.0	0100-0100
\$15,000- 24,999	1061	395,290	3	0.4	00.0-01.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1056	99.5	98.9-0100
\$25,000- 34,999	642	229,124				1	0.2	00.0-00.6				641	99.8	99.4-0100
\$35,000- 49,999	761	295,052				2	0.2	00.0-00.4				759	99.8	99.6-0100
\$50,000- 74,999	743	307,279	1	0.1	00.0-00.3	1	0.1	00.0-00.3				741	99.8	99.6-0100
\$75,000+	1206	528,164							1	0.2	00.0-00.6	1205	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016**

End of Module Data Report