

INDIANA

2016 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016**

MODULE 22: RANDOM CHILD SELECTION CONTENTS

* **NOTE** *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSEGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Birthyr 1999			Birthyr 2000-2003			Birthyr 2004-2007			Birthyr 2008-2011			Birthyr 2012-2014			Birthyr 2015-2016		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1852	1,379,358	170	6.3	05.1-07.5	557	21.9	19.7-24.1	453	22.8	20.4-25.2	328	22.6	20.1-25.1	223	17.3	14.9-19.7	121	9.1	07.3-10.9	
Male	716	528,092	67	6.7	04.7-08.7	206	21.2	17.9-24.5	186	24.3	20.4-28.2	118	20.4	16.5-24.3	85	17.0	13.3-20.7	54	10.4	07.3-13.5	
Female	1136	851,266	103	6.1	04.7-07.5	351	22.4	19.7-25.1	267	21.9	19.0-24.8	210	23.9	20.6-27.2	138	17.4	14.3-20.5	67	8.3	06.1-10.5	
White/Non-Hisp	1476	1,015,517	142	7.0	05.6-08.4	451	22.3	19.9-24.7	355	22.4	19.9-24.9	265	22.9	20.2-25.6	166	16.5	14.0-19.0	97	8.9	06.9-10.9	
Black or Afr. Am./Non-Hisp	149	143,447	12	4.4	01.1-07.7	42	21.8	14.4-29.2	40	27.7	18.1-37.3	19	17.6	09.2-26.0	24	16.9	09.3-24.5	12	11.7	04.8-18.6	
Hispanic	140	141,853	10	4.3	01.0-07.6	32	17.1	10.6-23.6	39	25.2	17.2-33.2	29	22.2	14.0-30.4	22	21.6	12.8-30.4	8	9.7	02.6-16.8	
18-24	112	98,035	9	4.2	01.1-07.3	30	23.4	14.2-32.6	15	15.0	05.4-24.6	13	14.7	06.1-23.3	20	19.4	10.6-28.2	25	23.2	14.2-32.2	
25-34	334	351,774	5	2.1	00.1-04.1	40	8.6	05.5-11.7	60	17.2	12.5-21.9	77	22.5	17.4-27.6	105	35.5	29.4-41.6	47	14.0	09.7-18.3	
35-44	649	513,541	37	4.0	02.4-05.6	184	22.8	19.3-26.3	197	27.7	23.6-31.8	155	29.6	25.3-33.9	52	10.8	07.7-13.9	24	5.1	02.7-07.5	
45-54	488	267,680	81	14.3	10.6-18.0	209	36.5	31.2-41.8	121	24.6	19.9-29.3	41	10.0	06.5-13.5	24	9.2	05.1-13.3	12	5.3	02.0-08.6	
55-64	180	89,941	27	12.9	07.6-18.2	70	28.3	20.9-35.7	37	19.3	12.4-26.2	27	21.5	12.7-30.3	12	10.4	03.9-16.9	7	7.6	01.1-14.1	
65+	83	55,508	9	7.6	01.3-13.9	21	13.9	06.3-21.5	22	23.2	10.3-36.1	15	35.0	17.6-52.4	10	8.9	02.2-15.6	6	11.4	00.4-22.4	
Less Than H.S.	167	162,890	12	5.4	01.9-08.9	53	22.1	15.6-28.6	36	18.1	11.6-24.6	28	21.7	13.7-29.7	26	23.1	14.7-31.5	12	9.6	03.5-15.7	
H.S. or G.E.D.	478	342,748	46	7.8	05.1-10.5	139	21.0	16.9-25.1	113	23.5	18.6-28.4	75	18.7	14.2-23.2	66	17.9	13.4-22.4	39	11.0	07.1-14.9	
Some Post-H.S.	482	370,948	45	6.0	03.8-08.2	141	21.7	17.6-25.8	123	24.9	19.8-30.0	89	23.6	18.5-28.7	59	16.5	12.0-21.0	25	7.3	04.2-10.4	
College Graduate	722	500,265	66	5.7	04.1-07.3	224	22.8	19.3-26.3	180	22.3	18.8-25.8	136	24.8	20.7-28.9	71	15.3	11.6-19.0	45	9.1	06.2-12.0	
Less than \$15,000	123	113,998	9	3.4	00.9-05.9	40	21.1	13.7-28.5	27	21.8	13.2-30.4	21	21.7	11.7-31.7	19	22.8	12.4-33.2	7	9.2	01.9-16.5	
\$15,000- 24,999	256	213,965	13	4.5	01.6-07.4	69	18.1	13.2-23.0	64	21.6	15.7-27.5	47	24.1	17.2-31.0	41	20.5	14.2-26.8	22	11.2	06.1-16.3	
\$25,000- 34,999	166	147,674	13	4.5	01.4-07.6	42	18.3	11.8-24.8	44	27.4	18.0-36.8	27	21.3	12.7-29.9	31	21.6	13.8-29.4	9	6.8	01.3-12.3	
\$35,000- 49,999	221	162,782	18	6.7	02.8-10.6	67	25.8	18.9-32.7	62	26.8	19.7-33.9	36	19.8	13.1-26.5	20	11.3	06.0-16.6	18	9.5	05.0-14.0	
\$50,000- 74,999	277	189,906	26	7.9	04.2-11.6	92	24.9	19.2-30.6	66	21.3	15.4-27.2	44	23.0	16.1-29.9	31	13.4	08.3-18.5	18	9.5	04.8-14.2	
\$75,000+	708	474,921	85	8.0	06.0-10.0	216	22.4	18.9-25.9	167	21.6	18.1-25.1	134	23.5	19.6-27.4	70	16.5	12.6-20.4	36	8.1	05.2-11.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Birthyr 1999			Birthyr 2000-2003			Birthyr 2004-2007			Birthyr 2008-2011			Birthyr 2012-2014			Birthyr 2015-2016		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	716	528,092	67	6.7	04.7-08.7	206	21.2	17.9-24.5	186	24.3	20.4-28.2	118	20.4	16.5-24.3	85	17.0	13.3-20.7	54	10.4	07.3-13.5	
White/Non-Hisp	572	395,813	57	7.7	05.2-10.2	164	20.9	17.2-24.6	148	23.9	19.6-28.2	99	21.0	16.7-25.3	62	17.1	12.8-21.4	42	9.5	06.4-12.6	
Hispanic	57	56,276	4	4.6	00.0-10.3	12	18.0	07.2-28.8	17	25.7	13.2-38.2	8	15.4	03.4-27.4	12	24.9	11.6-38.2	4	11.4	00.0-23.4	
18-24	50	42,832	7	6.3	01.0-11.6	17	28.1	13.0-43.2	5	16.6	00.0-34.2	3	10.8	00.0-25.3	9	17.8	04.7-30.9	9	20.3	07.0-33.6	
25-34	122	122,994	3	4.0	00.0-08.5	15	9.8	04.1-15.5	19	15.3	08.0-22.6	25	18.5	10.7-26.3	35	33.7	23.7-43.7	25	18.6	11.0-26.2	
35-44	248	202,674	11	3.0	00.6-05.4	57	17.5	12.6-22.4	77	29.2	22.3-36.1	63	29.9	22.8-37.0	27	13.7	08.4-19.0	13	6.7	02.4-11.0	
45-54	196	112,315	30	13.4	07.9-18.9	81	35.4	27.4-43.4	60	29.7	22.1-37.3	13	7.9	02.8-13.0	8	8.3	02.0-14.6	4	5.3	00.0-11.4	
55-64	76	39,187	15	16.4	07.4-25.4	28	24.7	13.9-35.5	16	19.3	08.9-29.7	10	22.5	08.6-36.4	4	7.1	00.0-14.2	3	10.1	00.0-22.1	
Less Than H.S.	61	56,076	4	7.8	00.0-15.8	20	25.0	13.8-36.2	10	13.0	04.0-22.0	9	15.5	03.5-27.5	12	25.8	12.3-39.3	6	12.9	01.7-24.1	
H.S. or G.E.D.	186	127,382	15	7.2	02.5-11.9	60	25.1	18.0-32.2	49	24.6	17.3-31.9	23	12.5	07.2-17.8	25	19.0	11.2-26.8	14	11.6	04.9-18.3	
Some Post-H.S.	162	121,158	16	6.1	02.2-10.0	45	20.1	13.4-26.8	41	27.6	17.6-37.6	33	24.3	15.7-32.9	20	16.1	08.8-23.4	7	5.8	01.5-10.1	
College Graduate	306	221,781	32	6.6	03.9-09.3	81	18.7	13.8-23.6	86	25.3	19.6-31.0	53	24.1	17.6-30.6	27	13.5	08.0-19.0	27	11.8	06.9-16.7	
\$15,000- 24,999	67	56,386	2	3.7	00.0-09.4	19	17.6	08.8-26.4	12	15.3	05.9-24.7	12	23.1	10.0-36.2	18	31.9	18.8-45.0	4	8.4	00.0-17.6	
\$25,000- 34,999	55	54,005	4	5.0	00.0-10.9	15	18.6	07.6-29.6	13	30.0	11.8-48.2	8	15.5	01.4-29.6	12	22.4	09.1-35.7	3	8.5	00.0-19.5	
\$35,000- 49,999	89	61,371	7	7.2	00.1-14.3	20	20.4	10.6-30.2	32	36.2	24.4-48.0	14	16.4	06.6-26.2	6	6.8	00.9-12.7	10	13.1	05.1-21.1	
\$50,000- 74,999	114	83,431	10	8.4	02.1-14.7	38	24.3	15.5-33.1	27	18.8	11.0-26.6	18	23.8	13.0-34.6	11	12.1	04.5-19.7	10	12.7	04.3-21.1	
\$75,000+	337	230,344	42	8.2	05.3-11.1	96	21.4	16.5-26.3	85	21.8	16.5-27.1	59	21.8	16.3-27.3	33	17.2	11.1-23.3	22	9.6	05.3-13.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Birthy 1999			Birthy 2000-2003			Birthy 2004-2007			Birthy 2008-2011			Birthy 2012-2014			Birthy 2015-2016		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1136	851,266	103	6.1	04.7-07.5	351	22.4	19.7-25.1	267	21.9	19.0-24.8	210	23.9	20.6-27.2	138	17.4	14.3-20.5	67	8.3	06.1-10.5	
White/Non-Hisp	904	619,704	85	6.6	04.8-08.4	287	23.1	20.0-26.2	207	21.5	18.4-24.6	166	24.2	20.5-27.9	104	16.1	12.8-19.4	55	8.5	06.0-11.0	
Black or Afr. Am./Non-Hisp	102	100,590	7	4.3	00.0-08.6	31	25.0	15.4-34.6	27	23.8	13.4-34.2	14	17.9	07.7-28.1	15	18.5	08.7-28.3	8	10.5	02.7-18.3	
Hispanic	83	85,577	6	4.1	00.0-08.2	20	16.5	08.5-24.5	22	24.8	14.2-35.4	21	26.7	15.5-37.9	10	19.4	07.6-31.2	4	8.5	00.0-17.1	
18-24	62	55,203	2	2.5	00.0-06.0	13	19.8	08.2-31.4	10	13.8	03.8-23.8	10	17.8	07.0-28.6	11	20.7	08.9-32.5	16	25.4	13.2-37.6	
25-34	212	228,781	2	1.1	00.0-02.7	25	8.0	04.3-11.7	41	18.2	12.1-24.3	52	24.7	18.0-31.4	70	36.4	28.8-44.0	22	11.6	06.3-16.9	
35-44	401	310,866	26	4.7	02.5-06.9	127	26.3	21.4-31.2	120	26.8	21.7-31.9	92	29.3	23.8-34.8	25	8.9	05.0-12.8	11	4.0	01.5-06.5	
45-54	292	155,365	51	14.9	10.0-19.8	128	37.3	30.4-44.2	61	20.9	15.0-26.8	28	11.6	06.7-16.5	16	9.9	04.4-15.4	8	5.3	01.4-09.2	
55-64	104	50,753	12	10.1	03.6-16.6	42	31.1	21.1-41.1	21	19.4	10.4-28.4	17	20.8	09.6-32.0	8	12.9	02.9-22.9	4	5.7	00.0-12.2	
65+	62	48,811	8	7.9	00.8-15.0	15	11.8	04.2-19.4	14	22.8	08.3-37.3	11	36.2	17.0-55.4	8	8.4	01.3-15.5	6	12.9	00.4-25.4	
Less Than H.S.	106	106,814	8	4.2	00.9-07.5	33	20.6	12.8-28.4	26	20.8	12.2-29.4	19	25.0	14.6-35.4	14	21.6	11.0-32.2	6	7.8	00.7-14.9	
H.S. or G.E.D.	292	215,366	31	8.2	04.7-11.7	79	18.6	13.7-23.5	64	22.9	16.4-29.4	52	22.4	15.9-28.9	41	17.3	11.8-22.8	25	10.6	05.9-15.3	
Some Post-H.S.	320	249,790	29	6.0	03.5-08.5	96	22.5	17.4-27.6	82	23.6	18.1-29.1	56	23.2	16.9-29.5	39	16.7	11.0-22.4	18	8.0	03.9-12.1	
College Graduate	416	278,484	34	5.0	03.0-07.0	143	26.1	21.2-31.0	94	19.8	15.3-24.3	83	25.4	19.9-30.9	44	16.7	11.6-21.8	18	6.9	03.4-10.4	
Less than \$15,000	96	92,847	8	3.8	00.9-06.7	31	21.7	13.1-30.3	17	16.6	07.8-25.4	18	22.5	11.1-33.9	17	26.9	14.7-39.1	5	8.5	00.5-16.5	
\$15,000- 24,999	189	157,579	11	4.8	01.5-08.1	50	18.2	12.3-24.1	52	23.9	16.8-31.0	35	24.4	16.4-32.4	23	16.4	09.3-23.5	18	12.2	06.1-18.3	
\$25,000- 34,999	111	93,669	9	4.3	00.6-08.0	27	18.2	10.4-26.0	31	25.9	15.7-36.1	19	24.7	14.1-35.3	19	21.2	11.8-30.6	6	5.7	00.0-11.4	
\$35,000- 49,999	132	101,411	11	6.4	01.9-10.9	47	29.1	19.9-38.3	30	21.2	12.8-29.6	22	22.0	13.2-30.8	14	14.0	06.2-21.8	8	7.4	01.9-12.9	
\$50,000- 74,999	163	106,475	16	7.5	03.2-11.8	54	25.5	17.9-33.1	39	23.3	14.7-31.9	26	22.4	13.6-31.2	20	14.4	07.3-21.5	8	7.0	01.7-12.3	
\$75,000+	371	244,577	43	7.8	05.1-10.5	120	23.3	18.6-28.0	82	21.5	16.6-26.4	75	25.0	19.3-30.7	37	15.8	10.5-21.1	14	6.7	03.0-10.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children**

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	2134	1,541,542	1099	50.7	48.0-53.4	1035	49.3	46.6-52.0	
Male	855	608,756	433	49.3	45.0-53.6	422	50.7	46.4-55.0	
Female	1279	932,785	666	51.6	48.1-55.1	613	48.4	44.9-51.9	
White/Non-Hisp	1684	1,128,703	869	50.4	47.5-53.3	815	49.6	46.7-52.5	
Black or Afr. Am./Non-Hisp	179	163,401	96	57.5	48.5-66.5	83	42.5	33.5-51.5	
Hispanic	159	156,969	81	50.1	40.9-59.3	78	49.9	40.7-59.1	
18-24	138	114,668	72	53.3	43.1-63.5	66	46.7	36.5-56.9	
25-34	368	376,473	188	50.7	44.6-56.8	180	49.3	43.2-55.4	
35-44	728	563,098	373	49.0	44.7-53.3	355	51.0	46.7-55.3	
45-54	566	302,948	302	53.9	48.6-59.2	264	46.1	40.8-51.4	
55-64	218	110,963	104	49.0	40.4-57.6	114	51.0	42.4-59.6	
65+	104	67,149	56	52.4	38.3-66.5	48	47.6	33.5-61.7	
Less Than H.S.	199	185,206	105	51.9	43.5-60.3	94	48.1	39.7-56.5	
H.S. or G.E.D.	574	405,026	285	50.4	45.3-55.5	289	49.6	44.5-54.7	
Some Post-H.S.	538	399,253	283	54.0	48.7-59.3	255	46.0	40.7-51.3	
College Graduate	817	547,911	422	48.2	43.9-52.5	395	51.8	47.5-56.1	
Less than \$15,000	143	130,412	84	63.0	53.2-72.8	59	37.0	27.2-46.8	
\$15,000- 24,999	295	239,132	154	51.0	43.9-58.1	141	49.0	41.9-56.1	
\$25,000- 34,999	187	159,667	95	54.2	45.0-63.4	92	45.8	36.6-55.0	
\$35,000- 49,999	246	177,873	110	40.4	33.1-47.7	136	59.6	52.3-66.9	
\$50,000- 74,999	323	210,146	168	47.5	40.6-54.4	155	52.5	45.6-59.4	
\$75,000+	797	523,324	417	51.4	47.1-55.7	380	48.6	44.3-52.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	855	608,756	433	49.3	45.0-53.6	422	50.7	46.4-55.0
White/Non-Hisp	676	455,751	337	47.0	42.3-51.7	339	53.0	48.3-57.7
Black or Afr. Am./Non-Hisp	57	48,983	32	63.5	47.8-79.2	25	36.5	20.8-52.2
Hispanic	69	64,791	38	52.7	38.4-67.0	31	47.3	33.0-61.6
18-24	70	54,682	36	58.6	44.1-73.1	34	41.4	26.9-55.9
25-34	138	134,847	68	46.9	37.3-56.5	70	53.1	43.5-62.7
35-44	288	226,475	141	47.0	39.9-54.1	147	53.0	45.9-60.1
45-54	230	128,086	124	51.3	43.1-59.5	106	48.7	40.5-56.9
55-64	96	51,539	52	55.9	43.2-68.6	44	44.1	31.4-56.8
Less Than H.S.	82	70,587	35	38.5	26.0-51.0	47	61.5	49.0-74.0
H.S. or G.E.D.	239	161,530	119	54.0	46.4-61.6	120	46.0	38.4-53.6
Some Post-H.S.	182	130,864	94	53.9	44.7-63.1	88	46.1	36.9-55.3
College Graduate	350	243,558	184	47.1	40.4-53.8	166	52.9	46.2-59.6
\$15,000- 24,999	87	69,805	43	49.5	36.8-62.2	44	50.5	37.8-63.2
\$25,000- 34,999	66	61,722	34	53.0	36.7-69.3	32	47.0	30.7-63.3
\$35,000- 49,999	102	68,356	45	41.8	30.4-53.2	57	58.2	46.8-69.6
\$50,000- 74,999	139	95,347	68	40.4	30.4-50.4	71	59.6	49.6-69.6
\$75,000+	379	251,601	200	51.2	44.9-57.5	179	48.8	42.5-55.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1279	932,785	666	51.6	48.1-55.1	613	48.4	44.9-51.9
White/Non-Hisp	1008	672,953	532	52.7	48.8-56.6	476	47.3	43.4-51.2
Black or Afr. Am./Non-Hisp	122	114,417	64	54.9	43.9-65.9	58	45.1	34.1-56.1
Hispanic	90	92,178	43	48.2	35.9-60.5	47	51.8	39.5-64.1
18-24	68	59,986	36	48.4	34.9-61.9	32	51.6	38.1-65.1
25-34	230	241,625	120	52.8	45.2-60.4	110	47.2	39.6-54.8
35-44	440	336,623	232	50.3	44.6-56.0	208	49.7	44.0-55.4
45-54	336	174,862	178	55.8	49.1-62.5	158	44.2	37.5-50.9
55-64	122	59,424	52	43.0	31.4-54.6	70	57.0	45.4-68.6
65+	76	56,122	45	56.1	39.8-72.4	31	43.9	27.6-60.2
Less Than H.S.	117	114,619	70	60.2	49.6-70.8	47	39.8	29.2-50.4
H.S. or G.E.D.	335	243,496	166	48.0	41.1-54.9	169	52.0	45.1-58.9
Some Post-H.S.	356	268,389	189	54.1	47.6-60.6	167	45.9	39.4-52.4
College Graduate	467	304,353	238	49.1	43.4-54.8	229	50.9	45.2-56.6
Less than \$15,000	110	104,925	65	61.4	50.0-72.8	45	38.6	27.2-50.0
\$15,000- 24,999	208	169,327	111	51.6	43.2-60.0	97	48.4	40.0-56.8
\$25,000- 34,999	121	97,944	61	54.9	43.9-65.9	60	45.1	34.1-56.1
\$35,000- 49,999	144	109,517	65	39.6	30.2-49.0	79	60.4	51.0-69.8
\$50,000- 74,999	184	114,799	100	53.4	44.2-62.6	84	46.6	37.4-55.8
\$75,000+	418	271,723	217	51.7	45.6-57.8	201	48.3	42.2-54.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable**

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2126	1,531,184	137	7.6	06.0-09.2	10	0.3	00.1-00.5	2	0.1	00.0-00.3	36	2.4	01.4-03.4	1931	88.5	86.7-90.3	10	1.0	00.2-01.8
Male	855	605,596	62	8.7	06.2-11.2	2	0.3	00.0-00.7	1	0.2	00.0-00.6	9	1.4	00.2-02.6	775	88.3	85.4-91.2	6	1.1	00.1-02.1
Female	1271	925,588	75	6.9	05.1-08.7	8	0.4	00.0-00.8	1	0.1	00.0-00.3	27	2.9	01.7-04.1	1156	88.7	86.3-91.1	4	1.0	00.0-02.0
White/Non-Hisp	1689	1,129,038	29	1.7	00.9-02.5	4	0.2	00.0-00.4				9	0.5	00.1-00.9	1645	97.6	96.6-98.6	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	176	161,584	2	0.7	00.0-01.7	1	0.1	00.0-00.3				2	2.2	00.0-05.3	170	96.6	93.3-99.9	1	0.4	00.0-01.2
Hispanic	156	152,355	103	62.8	53.4-72.2	3	1.5	00.0-03.3	2	1.0	00.0-02.4	22	15.6	08.7-22.5	19	9.6	04.7-14.5	7	9.5	02.4-16.6
18-24	138	114,668	15	10.7	04.4-17.0	1	0.8	00.0-02.4				3	1.9	00.0-04.4	117	84.8	77.5-92.1	2	1.7	00.0-04.2
25-34	366	373,823	34	10.4	06.7-14.1	2	0.3	00.0-00.7	1	0.3	00.0-00.9	4	1.8	00.0-03.6	320	84.5	79.8-89.2	5	2.7	00.0-05.4
35-44	730	561,796	51	7.7	05.3-10.1	2	0.2	00.0-00.6				13	2.6	01.0-04.2	662	89.2	86.5-91.9	2	0.2	00.0-00.6
45-54	565	301,783	26	5.6	02.7-08.5	1	0.1	00.0-00.3				9	1.9	00.3-03.5	528	91.6	88.1-95.1	1	0.8	00.0-02.4
55-64	215	107,112	8	3.3	00.8-05.8	2	1.1	00.0-02.7				4	2.9	00.0-07.2	201	92.8	87.7-97.9			
65+	101	65,898	3	2.6	00.0-06.7	2	0.9	00.0-02.3	1	0.8	00.0-02.4	3	5.3	00.0-11.8	92	90.3	82.5-98.1			
Less Than H.S.	197	182,922	49	28.8	21.0-36.6	1	0.3	00.0-00.9				6	3.6	00.7-06.5	136	60.5	52.1-68.9	5	6.7	00.8-12.6
H.S. or G.E.D.	567	398,975	41	8.0	05.1-10.9	2	0.4	00.0-01.0	1	0.1	00.0-00.3	10	3.1	00.9-05.3	513	88.3	84.8-91.8			
Some Post-H.S.	542	400,981	27	4.6	02.6-06.6	3	0.4	00.0-01.0				6	2.5	00.5-04.5	504	92.1	89.4-94.8	2	0.4	00.0-01.0
College Graduate	815	545,076	19	2.2	00.8-03.6	3	0.2	00.0-00.4	1	0.2	00.0-00.6	13	1.2	00.2-02.2	776	95.9	94.1-97.7	3	0.4	00.0-01.0
Less than \$15,000	140	127,540	15	11.6	04.9-18.3							4	5.3	00.0-10.6	119	78.7	69.3-88.1	2	4.3	00.0-10.2
\$15,000- 24,999	292	236,942	36	13.9	09.0-18.8	1	0.4	00.0-01.2				7	3.6	00.9-06.3	244	79.0	72.9-85.1	4	3.1	00.0-06.6
\$25,000- 34,999	185	158,109	26	14.9	08.2-21.6	2	0.3	00.0-00.9				7	5.9	01.4-10.4	150	78.9	71.3-86.5			
\$35,000- 49,999	246	176,718	19	9.0	04.7-13.3	3	1.1	00.0-02.5				1	0.7	00.0-02.1	223	89.1	84.4-93.8			
\$50,000- 74,999	323	209,998	14	4.2	01.8-06.6							3	0.4	00.0-00.8	304	94.7	92.2-97.2	2	0.7	00.0-01.7
\$75,000+	798	523,048	18	2.5	00.9-04.1	2	0.2	00.0-00.4	1	0.2	00.0-00.6	11	1.5	00.3-02.7	765	95.7	93.7-97.7	1	0.0	00.0-00.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	855	605,596	62	8.7	06.2-11.2	2	0.3	00.0-00.7	1	0.2	00.0-00.6	9	1.4	00.2-02.6	775	88.3	85.4-91.2	6	1.1	00.1-02.1
White/Non-Hisp	679	455,080	10	1.4	00.0-02.8							3	0.5	00.0-01.3	665	98.0	96.4-99.6	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	56	48,641	2	2.2	00.0-05.5							1	3.7	00.0-10.8	52	92.7	84.5-0100	1	1.3	00.0-04.0
Hispanic	70	65,160	48	68.7	55.6-81.8	1	1.5	00.0-04.4	1	1.5	00.0-04.4	5	7.0	00.0-14.8	11	12.5	04.3-20.7	4	8.8	00.0-17.8
18-24	70	54,682	10	17.0	05.4-28.6	1	1.8	00.0-05.3				1	0.3	00.0-00.9	56	77.3	64.6-90.0	2	3.6	00.0-08.9
25-34	139	135,081	14	10.8	04.5-17.1	1	0.5	00.0-01.5	1	0.7	00.0-02.1	2	2.8	00.0-06.7	119	84.1	76.8-91.4	2	1.1	00.0-02.7
35-44	288	224,943	22	8.4	04.5-12.3							3	1.7	00.0-03.9	262	89.5	85.0-94.0	1	0.4	00.0-01.2
45-54	230	128,055	10	6.2	00.9-11.5							3	0.8	00.0-01.8	216	91.1	84.6-97.6	1	2.0	00.0-05.9
55-64	96	50,315	4	3.0	00.0-06.5										92	97.0	93.5-0100			
Less Than H.S.	84	71,991	19	26.6	14.4-38.8	1	0.9	00.0-02.7							62	67.7	54.8-80.6	2	4.9	00.0-12.0
H.S. or G.E.D.	235	157,647	22	12.3	06.8-17.8	1	0.6	00.0-01.8				2	1.5	00.0-04.0	210	85.6	79.5-91.7			
Some Post-H.S.	186	132,592	10	4.0	00.9-07.1							2	2.7	00.0-06.4	172	92.1	87.2-97.0	2	1.2	00.0-02.8
College Graduate	348	241,148	10	2.9	00.4-05.4				1	0.4	00.0-01.2	5	1.2	00.0-02.6	330	94.7	91.6-97.8	2	0.8	00.0-02.0
\$15,000- 24,999	86	68,569	12	18.1	07.1-29.1										71	75.9	63.6-88.2	3	6.1	00.0-13.7
\$25,000- 34,999	66	61,722	15	21.6	08.9-34.3							1	2.8	00.0-08.3	50	75.6	62.3-88.9			
\$35,000- 49,999	103	68,752	13	14.4	06.0-22.8	2	2.3	00.0-05.6							88	83.3	74.5-92.1			
\$50,000- 74,999	138	94,852	5	3.9	00.4-07.4							2	0.7	00.0-01.7	129	93.8	89.5-98.1	2	1.5	00.0-03.7
\$75,000+	381	251,304	9	2.9	00.4-05.4				1	0.4	00.0-01.2	4	1.7	00.0-03.7	367	95.1	91.8-98.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1271	925,588	75	6.9	05.1-08.7	8	0.4	00.0-00.8	1	0.1	00.0-00.3	27	2.9	01.7-04.1	1156	88.7	86.3-91.1	4	1.0	00.0-02.0
White/Non-Hisp	1010	673,957	19	1.9	00.9-02.9	4	0.3	00.0-00.7				6	0.4	00.0-00.8	980	97.3	96.1-98.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	120	112,943				1	0.2	00.0-00.6				1	1.6	00.0-04.7	118	98.2	95.1-0100			
Hispanic	86	87,195	55	58.4	45.5-71.3	2	1.5	00.0-03.7	1	0.6	00.0-01.8	17	22.0	11.8-32.2	8	7.4	01.3-13.5	3	10.0	00.0-20.6
18-24	68	59,986	5	5.0	00.0-10.1							2	3.4	00.0-08.1	61	91.6	84.7-98.5			
25-34	227	238,741	20	10.2	05.5-14.9	1	0.2	00.0-00.6				2	1.2	00.0-02.8	201	84.7	78.6-90.8	3	3.7	00.0-07.8
35-44	442	336,852	29	7.2	04.3-10.1	2	0.4	00.0-01.0				10	3.3	01.1-05.5	400	89.0	85.5-92.5	1	0.1	00.0-00.3
45-54	335	173,728	16	5.3	02.2-08.4	1	0.1	00.0-00.3				6	2.7	00.2-05.2	312	91.9	88.0-95.8			
55-64	119	56,796	4	3.5	00.0-07.4	2	2.1	00.0-05.0				4	5.4	00.0-13.2	109	89.0	80.2-97.8			
65+	73	54,871	1	2.5	00.0-07.4	2	1.1	00.0-02.7	1	1.0	00.0-03.0	3	6.4	00.0-14.2	66	89.1	79.7-98.5			
Less Than H.S.	113	110,931	30	30.3	20.1-40.5							6	6.0	01.3-10.7	74	55.9	44.7-67.1	3	7.9	00.0-16.3
H.S. or G.E.D.	332	241,328	19	5.3	02.4-08.2	1	0.3	00.0-00.9	1	0.2	00.0-00.6	8	4.2	01.1-07.3	303	90.0	85.9-94.1			
Some Post-H.S.	356	268,389	17	4.8	02.3-07.3	3	0.6	00.0-01.4				4	2.4	00.0-04.8	332	92.1	88.6-95.6			
College Graduate	467	303,928	9	1.6	00.2-03.0	3	0.3	00.0-00.7				8	1.2	00.0-02.4	446	96.7	94.9-98.5	1	0.1	00.0-00.3
Less than \$15,000	107	102,053	13	13.3	05.1-21.5							3	4.6	00.0-10.1	89	76.7	65.7-87.7	2	5.4	00.0-12.7
\$15,000- 24,999	206	168,372	24	12.2	06.9-17.5	1	0.5	00.0-01.5				7	5.0	01.3-08.7	173	80.3	73.4-87.2	1	1.9	00.0-05.6
\$25,000- 34,999	119	96,387	11	10.6	03.2-18.0	2	0.6	00.0-01.4				6	7.9	01.4-14.4	100	81.0	71.8-90.2			
\$35,000- 49,999	143	107,966	6	5.6	00.9-10.3	1	0.4	00.0-01.2				1	1.2	00.0-03.6	135	92.8	87.5-98.1			
\$50,000- 74,999	185	115,146	9	4.5	01.2-07.8							1	0.1	00.0-00.3	175	95.4	92.1-98.7			
\$75,000+	417	271,744	9	2.1	00.3-03.9	2	0.3	00.0-00.7				7	1.3	00.0-02.7	398	96.2	94.0-98.4	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2092	1,504,690	2007	95.0	93.6-96.4	79	4.6	03.4-05.8	5	0.2	00.0-00.6	1	0.1	00.0-00.3
Male	842	591,727	817	96.6	95.0-98.2	24	3.3	01.7-04.9	1	0.1	00.0-00.3			
Female	1250	912,963	1190	93.9	91.9-95.9	55	5.5	03.7-07.3	4	0.3	00.0-00.9	1	0.2	00.0-00.6
White/Non-Hisp	1682	1,126,917	1631	96.2	94.8-97.6	50	3.6	02.2-05.0	1	0.2	00.0-00.6			
Black or Afr. Am./Non-Hisp	178	162,806	162	90.3	84.4-96.2	14	8.1	02.8-13.4	1	0.3	00.0-00.9	1	1.4	00.0-03.9
Hispanic	134	133,438	133	99.2	97.6-0100	1	0.8	00.0-02.4						
18-24	133	110,805	124	93.5	88.6-98.4	8	6.0	01.3-10.7	1	0.5	00.0-01.5			
25-34	362	369,551	345	94.4	91.5-97.3	14	4.3	01.8-06.8	2	0.6	00.0-01.8	1	0.6	00.0-01.8
35-44	714	548,480	687	95.8	93.8-97.8	26	4.2	02.2-06.2	1	0.1	00.0-00.3			
45-54	558	295,914	542	95.4	92.7-98.1	16	4.6	01.9-07.3						
55-64	215	108,830	206	96.1	93.0-99.2	8	3.5	00.6-06.4	1	0.4	00.0-01.2			
65+	101	66,087	94	90.2	80.6-99.8	7	9.8	00.2-19.4						
Less Than H.S.	187	172,659	183	97.7	95.2-0100	4	2.3	00.0-04.8						
H.S. or G.E.D.	558	392,751	537	94.2	91.1-97.3	20	5.7	02.6-08.8	1	0.1	00.0-00.3			
Some Post-H.S.	534	394,527	506	93.7	91.0-96.4	26	5.7	03.2-08.2	1	0.0	00.0-00.0	1	0.6	00.0-01.8
College Graduate	807	540,606	775	95.6	93.6-97.6	29	3.8	02.0-05.6	3	0.6	00.0-01.4			
Less than \$15,000	138	126,003	133	97.4	94.9-99.9	5	2.6	00.1-05.1						
\$15,000- 24,999	283	231,729	266	91.5	87.2-95.8	16	7.5	03.6-11.4				1	1.0	00.0-02.8
\$25,000- 34,999	175	146,674	165	91.2	85.1-97.3	10	8.8	02.7-14.9						
\$35,000- 49,999	247	178,203	238	97.1	94.7-99.5	8	2.8	00.4-05.2	1	0.1	00.0-00.3			
\$50,000- 74,999	321	209,176	306	92.5	87.6-97.4	15	7.5	02.6-12.4						
\$75,000+	791	518,961	771	97.2	95.6-98.8	18	2.3	00.9-03.7	2	0.5	00.0-01.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	842	591,727	817	96.6	95.0-98.2	24	3.3	01.7-04.9	1	0.1	00.0-00.3
White/Non-Hisp	681	456,897	667	97.9	96.7-99.1	14	2.1	00.9-03.3			
Black or Afr. Am./Non-Hisp	56	48,389	51	91.2	80.0-0100	5	8.8	00.0-20.0			
Hispanic	60	52,290	60	100.0	0100-0100						
18-24	69	53,357	66	97.6	94.7-0100	2	1.3	00.0-03.3	1	1.1	00.0-03.3
25-34	137	132,152	136	99.2	97.6-0100	1	0.8	00.0-02.4			
35-44	282	219,615	271	95.9	92.8-99.0	11	4.1	01.0-07.2			
45-54	227	123,014	220	95.1	90.8-99.4	7	4.9	00.6-09.2			
55-64	97	51,683	95	96.6	91.7-0100	2	3.4	00.0-08.3			
Less Than H.S.	77	62,940	76	99.3	97.9-0100	1	0.7	00.0-02.1			
H.S. or G.E.D.	234	156,651	228	97.3	94.9-99.7	5	2.3	00.0-04.7	1	0.4	00.0-01.2
Some Post-H.S.	183	130,388	176	95.6	91.7-99.5	7	4.4	00.5-08.3			
College Graduate	346	239,530	335	96.0	92.9-99.1	11	4.0	00.9-07.1			
\$15,000- 24,999	85	66,987	83	97.2	93.3-0100	2	2.8	00.0-06.7			
\$25,000- 34,999	60	53,569	58	95.1	87.3-0100	2	4.9	00.0-12.7			
\$35,000- 49,999	103	68,686	101	97.9	94.4-0100	2	2.1	00.0-05.6			
\$50,000- 74,999	139	95,491	134	93.6	86.9-0100	5	6.4	00.0-13.1			
\$75,000+	376	248,385	367	97.9	96.3-99.5	8	1.9	00.3-03.5	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1250	912,963	1190	93.9	91.9-95.9	55	5.5	03.7-07.3	4	0.3	00.0-00.9	1	0.2	00.0-00.6
White/Non-Hisp	1001	670,020	964	95.0	92.8-97.2	36	4.7	02.7-06.7	1	0.3	00.0-00.9			
Black or Afr. Am./Non-Hisp	122	114,417	111	89.9	83.0-96.8	9	7.8	01.9-13.7	1	0.4	00.0-01.2	1	1.9	00.0-05.6
Hispanic	74	81,148	73	98.8	96.4-0100	1	1.2	00.0-03.6						
18-24	64	57,448	58	89.6	81.0-98.2	6	10.4	01.8-19.0						
25-34	225	237,399	209	91.8	87.3-96.3	13	6.3	02.4-10.2	2	1.0	00.0-02.8	1	0.9	00.0-02.7
35-44	432	328,865	416	95.7	93.0-98.4	15	4.2	01.5-06.9	1	0.1	00.0-00.3			
45-54	331	172,900	322	95.6	91.9-99.3	9	4.4	00.7-08.1						
55-64	118	57,147	111	95.7	92.0-99.4	6	3.5	00.2-06.8	1	0.8	00.0-02.4			
65+	73	55,061	67	89.7	78.5-0100	6	10.3	00.0-21.5						
Less Than H.S.	110	109,719	107	96.8	92.9-0100	3	3.2	00.0-07.1						
H.S. or G.E.D.	324	236,100	309	92.1	87.2-97.0	15	7.9	03.0-12.8						
Some Post-H.S.	351	264,139	330	92.8	89.3-96.3	19	6.3	03.2-09.4	1	0.1	00.0-00.3	1	0.8	00.0-02.4
College Graduate	461	301,076	440	95.3	92.8-97.8	18	3.7	01.5-05.9	3	1.0	00.0-02.6			
Less than \$15,000	105	100,516	102	97.5	94.6-0100	3	2.5	00.0-05.4						
\$15,000- 24,999	198	164,742	183	89.2	83.3-95.1	14	9.5	04.2-14.8				1	1.3	00.0-03.8
\$25,000- 34,999	115	93,105	107	89.0	80.6-97.4	8	11.0	02.6-19.4						
\$35,000- 49,999	144	109,517	137	96.6	93.7-99.5	6	3.2	00.3-06.1	1	0.1	00.0-00.3			
\$50,000- 74,999	182	113,686	172	91.5	84.2-98.8	10	8.5	01.2-15.8						
\$75,000+	415	270,576	404	96.5	94.0-99.0	10	2.7	00.7-04.7	1	0.8	00.0-02.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	66	56,975	37	39.7	27.9-51.5	24	46.1	34.5-57.7	2	7.2	00.0-17.0	3	6.9	00.0-15.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2016

MODULE 22: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2016

MODULE 22: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2146	1,541,502	1699	80.0	77.8-82.2	241	10.1	08.5-11.7	46	1.7	01.1-02.3	74	3.4	02.4-04.4	50	2.6	01.6-03.6	36	2.1	01.3-02.9
Male	866	609,328	700	81.2	77.9-84.5	58	5.3	03.5-07.1	20	1.9	00.9-02.9	43	4.5	02.7-06.3	23	3.8	01.8-05.8	22	3.2	01.6-04.8
Female	1280	932,174	999	79.3	76.6-82.0	183	13.2	10.8-15.6	26	1.5	00.7-02.3	31	2.7	01.5-03.9	27	1.9	01.1-02.7	14	1.4	00.4-02.4
White/Non-Hisp	1694	1,131,231	1367	81.1	78.7-83.5	179	9.8	08.0-11.6	38	1.8	01.2-02.4	49	2.8	01.8-03.8	33	2.4	01.2-03.6	28	2.1	01.1-03.1
Black or Afr. Am./Non-Hisp	180	163,631	126	77.9	70.8-85.0	34	13.2	07.5-18.9	4	1.7	00.0-03.5	8	4.3	00.6-08.0	7	2.4	00.2-04.6	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	50	44,331	40	76.9	61.0-92.8	3	2.3	00.0-05.0	1	3.3	00.0-09.6	3	11.8	00.0-26.3	1	2.8	00.0-08.3	2	2.9	00.0-07.0
Hispanic	156	152,379	123	80.2	72.8-87.6	12	7.3	02.6-12.0	1	0.3	00.0-00.9	9	3.3	00.8-05.8	7	4.8	01.3-08.3	4	4.2	00.0-08.7
18-24	137	113,523	49	39.2	29.4-49.0	1	0.2	00.0-00.6	1	0.4	00.0-01.2	68	43.6	33.4-53.8	12	12.4	04.2-20.6	6	4.3	00.6-08.0
25-34	370	375,291	340	94.0	91.6-96.4	2	0.4	00.0-01.0	5	0.9	00.0-01.9	5	0.6	00.0-01.2	12	3.0	01.0-05.0	6	1.0	00.2-01.8
35-44	729	561,548	691	94.8	92.8-96.8	6	0.8	00.0-01.6	13	1.3	00.5-02.1				8	1.2	00.2-02.2	11	2.0	00.6-03.4
45-54	572	306,010	492	79.2	74.5-83.9	49	13.0	08.9-17.1	14	3.0	01.2-04.8	1	0.1	00.0-00.3	7	1.3	00.1-02.5	9	3.5	01.0-06.0
55-64	222	111,625	105	43.8	35.4-52.2	102	48.6	40.0-57.2	8	3.5	00.6-06.4				4	2.0	00.0-04.2	3	2.1	00.0-04.8
65+	102	66,339	11	11.0	00.6-21.4	79	82.3	71.5-93.1	4	2.0	00.0-04.2				7	4.2	00.5-07.9	1	0.4	00.0-01.2
Less Than H.S.	201	186,707	130	69.4	62.0-76.8	37	14.7	09.0-20.4	6	2.8	00.6-05.0	11	5.2	01.7-08.7	12	4.9	01.8-08.0	5	3.1	00.0-06.2
H.S. or G.E.D.	573	401,415	384	69.8	65.1-74.5	102	15.5	11.8-19.2	16	2.0	00.8-03.2	39	6.5	04.0-09.0	18	3.4	01.6-05.2	14	2.7	01.1-04.3
Some Post-H.S.	539	397,803	428	78.9	74.2-83.6	59	10.1	06.8-13.4	13	2.0	00.6-03.4	16	3.1	00.9-05.3	14	3.9	01.4-06.4	9	2.1	00.5-03.7
College Graduate	827	551,432	755	92.2	89.8-94.6	40	4.4	02.6-06.2	11	0.9	00.3-01.5	7	0.7	00.1-01.3	6	0.4	00.0-00.8	8	1.5	00.3-02.7
Less than \$15,000	142	127,928	89	63.9	53.9-73.9	38	26.5	17.3-35.7				6	2.9	00.0-06.2	5	4.0	00.0-08.1	4	2.8	00.0-05.9
\$15,000- 24,999	293	238,065	213	74.7	68.6-80.8	44	14.0	08.9-19.1	5	1.3	00.1-02.5	11	3.1	00.9-05.3	12	3.5	01.1-05.9	8	3.4	00.7-06.1
\$25,000- 34,999	186	159,006	132	74.3	66.1-82.5	29	10.5	05.6-15.4	9	4.0	01.1-06.9	11	6.9	01.8-12.0	4	3.4	00.0-08.3	1	0.8	00.0-02.4
\$35,000- 49,999	249	179,715	178	76.5	70.4-82.6	35	8.9	05.6-12.2	9	2.6	00.6-04.6	12	4.5	01.4-07.6	6	3.7	00.8-06.6	9	3.8	00.5-07.1
\$50,000- 74,999	324	210,393	266	84.0	79.1-88.9	32	7.9	04.2-11.6	8	2.0	00.2-03.8	4	1.7	00.0-03.5	10	3.0	00.8-05.2	4	1.4	00.0-03.2
\$75,000+	805	526,991	729	90.9	88.5-93.3	36	4.1	02.3-05.9	12	1.2	00.4-02.0	13	1.4	00.4-02.4	6	0.6	00.0-01.2	9	1.8	00.6-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	866	609,328	700	81.2	77.9-84.5	58	5.3	03.5-07.1	20	1.9	00.9-02.9	43	4.5	02.7-06.3	23	3.8	01.8-05.8	22	3.2	01.6-04.8
White/Non-Hisp	687	458,080	563	82.1	78.4-85.8	45	5.4	03.4-07.4	17	2.2	01.0-03.4	30	3.8	02.0-05.6	14	3.3	01.1-05.5	18	3.2	01.4-05.0
Black or Afr. Am./Non-Hisp	57	48,983	44	86.3	78.1-94.5	4	3.7	00.0-07.6	1	1.7	00.0-05.0	5	4.0	00.1-07.9	2	2.8	00.0-06.7	1	1.5	00.0-04.4
Hispanic	68	62,629	52	75.9	63.6-88.2	4	5.0	00.0-11.1	1	0.6	00.0-01.8	5	5.8	00.1-11.5	5	8.7	01.1-16.3	1	4.1	00.0-11.7
18-24	70	54,682	21	31.8	18.1-45.5	1	0.5	00.0-01.5	1	0.8	00.0-02.4	39	46.4	31.1-61.7	4	13.9	00.0-28.4	4	6.7	00.0-13.8
25-34	140	134,555	119	87.7	82.2-93.2	2	1.2	00.0-03.0	3	1.8	00.0-04.2	3	1.2	00.0-02.8	9	5.9	01.8-10.0	4	2.2	00.0-04.4
35-44	288	224,688	266	92.2	88.5-95.9	2	1.1	00.0-02.7	6	1.6	00.2-03.0				6	2.5	00.3-04.7	8	2.6	00.4-04.8
45-54	235	129,828	214	86.9	80.4-93.4	6	4.0	00.0-08.3	7	3.2	00.7-05.7	1	0.3	00.0-00.9	2	0.4	00.0-01.0	5	5.1	00.4-09.8
55-64	100	52,449	70	69.7	58.7-80.7	26	26.7	16.1-37.3	2	1.1	00.0-02.7				1	1.5	00.0-04.4	1	1.0	00.0-03.0
Less Than H.S.	83	71,533	56	70.6	59.0-82.2	8	6.9	01.4-12.4	2	2.1	00.0-05.0	5	4.6	00.0-09.5	8	8.3	01.8-14.8	4	7.5	00.0-15.5
H.S. or G.E.D.	241	160,396	164	69.0	61.9-76.1	26	10.1	05.4-14.8	9	3.0	00.8-05.2	26	9.7	05.4-14.0	8	5.1	01.4-08.8	8	3.1	00.6-05.6
Some Post-H.S.	184	129,853	148	78.7	70.1-87.3	12	3.6	01.1-06.1	5	2.4	00.0-04.9	7	4.4	00.0-09.5	6	6.8	00.3-13.3	6	4.1	00.6-07.6
College Graduate	356	245,329	331	93.7	90.8-96.6	12	2.7	00.9-04.5	4	0.9	00.0-01.9	4	0.9	00.0-02.1	1	0.1	00.0-00.3	4	1.6	00.0-03.4
\$15,000- 24,999	87	69,595	59	68.0	56.2-79.8	9	10.5	03.1-17.9	2	1.5	00.0-03.7	9	8.8	02.3-15.3	2	2.5	00.0-06.0	6	8.7	00.5-16.9
\$25,000- 34,999	66	61,539	52	75.0	59.3-90.7	5	5.3	00.0-11.6	3	2.7	00.0-06.2	3	7.8	00.0-18.4	2	7.1	00.0-19.1	1	2.1	00.0-06.2
\$35,000- 49,999	106	70,304	77	76.2	67.2-85.2	11	5.8	02.1-09.5	4	3.3	00.0-06.6	5	3.4	00.3-06.5	4	6.7	00.2-13.2	5	4.7	00.4-09.0
\$50,000- 74,999	140	95,904	116	86.1	79.6-92.6	10	4.0	01.1-06.9	5	3.3	00.0-06.8	2	1.2	00.0-03.0	6	5.0	00.5-09.5	1	0.3	00.0-00.9
\$75,000+	385	253,933	348	90.9	87.6-94.2	14	2.5	00.9-04.1	5	1.2	00.2-02.2	10	2.1	00.3-03.9	1	0.3	00.0-00.9	7	3.2	00.8-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 22: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1280	932,174	999	79.3	76.6-82.0	183	13.2	10.8-15.6	26	1.5	0.7-02.3	31	2.7	01.5-03.9	27	1.9	01.1-02.7	14	1.4	00.4-02.4
White/Non-Hisp	1007	673,152	804	80.5	77.4-83.6	134	12.8	10.1-15.5	21	1.6	00.8-02.4	19	2.0	01.0-03.0	19	1.9	00.9-02.9	10	1.3	00.3-02.3
Black or Afr. Am./Non-Hisp	123	114,648	82	74.3	65.1-83.5	30	17.2	09.6-24.8	3	1.8	00.0-04.0	3	4.5	00.0-09.6	5	2.2	00.0-04.7			
Hispanic	88	89,750	71	83.2	74.2-92.2	8	8.8	01.9-15.7				4	1.7	00.0-03.9	2	2.0	00.0-04.9	3	4.4	00.0-09.7
18-24	67	58,840	28	46.0	32.3-59.7							29	41.0	27.5-54.5	8	11.0	02.8-19.2	2	2.0	00.0-04.7
25-34	230	240,736	221	97.5	95.3-99.7				2	0.4	00.0-01.0	2	0.3	00.0-00.7	3	1.4	00.0-03.2	2	0.4	00.0-01.0
35-44	441	336,860	425	96.5	94.3-98.7	4	0.6	00.0-01.2	7	1.1	00.1-02.1				2	0.3	00.0-00.7	3	1.5	00.0-03.3
45-54	337	176,182	278	73.5	67.0-80.0	43	19.6	13.5-25.7	7	2.8	00.4-05.2				5	1.9	00.0-03.9	4	2.3	00.0-04.8
55-64	122	59,177	35	20.9	13.1-28.7	76	68.0	58.0-78.0	6	5.7	00.4-11.0				3	2.4	00.0-05.5	2	3.0	00.0-07.9
65+	74	55,312	5	11.0	00.0-23.2	58	82.7	70.2-95.2	4	2.5	00.0-05.0				6	3.3	00.4-06.2	1	0.5	00.0-01.5
Less Than H.S.	118	115,174	74	68.7	58.9-78.5	29	19.5	11.3-27.7	4	3.2	00.1-06.3	6	5.5	00.8-10.2	4	2.7	00.0-05.8	1	0.4	00.0-01.2
H.S. or G.E.D.	332	241,018	220	70.3	64.2-76.4	76	19.2	14.1-24.3	7	1.4	00.2-02.6	13	4.3	01.4-07.2	10	2.3	00.7-03.9	6	2.4	00.2-04.6
Some Post-H.S.	355	267,951	280	79.0	73.5-84.5	47	13.2	08.5-17.9	8	1.8	00.2-03.4	9	2.4	00.6-04.2	8	2.5	00.3-04.7	3	1.1	00.0-02.5
College Graduate	471	306,103	424	91.0	87.7-94.3	28	5.8	03.1-08.5	7	0.8	00.0-01.6	3	0.5	00.0-01.1	5	0.6	00.0-01.2	4	1.3	00.0-03.1
Less than \$15,000	110	104,513	70	63.5	52.1-74.9	33	28.4	17.8-39.0				2	2.4	00.0-06.3	2	2.5	00.0-06.6	3	3.2	00.0-07.1
\$15,000- 24,999	206	168,471	154	77.5	70.4-84.6	35	15.5	09.0-22.0	3	1.2	00.0-02.8	2	0.7	00.0-01.9	10	3.9	01.0-06.8	2	1.2	00.0-03.0
\$25,000- 34,999	120	97,467	80	73.9	64.9-82.9	24	13.8	06.9-20.7	6	4.8	00.5-09.1	8	6.4	01.5-11.3	2	1.0	00.0-02.6			
\$35,000- 49,999	143	109,412	101	76.7	68.7-84.7	24	10.8	05.9-15.7	5	2.1	00.0-04.5	7	5.2	00.5-09.9	2	1.8	00.0-04.3	4	3.2	00.0-07.9
\$50,000- 74,999	184	114,488	150	82.3	75.0-89.6	22	11.1	04.8-17.4	3	0.8	00.0-01.8	2	2.0	00.0-04.9	4	1.3	00.0-02.7	3	2.4	00.0-05.7
\$75,000+	420	273,058	381	90.9	87.6-94.2	22	5.6	02.7-08.5	7	1.2	00.2-02.2	3	0.7	00.0-01.5	5	1.0	00.0-02.0	2	0.6	00.0-01.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016

MODULE 23: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2123	1,524,084	288	13.2	11.4-15.0	1835	86.8	85.0-88.6
Male	853	602,929	84	8.7	06.3-11.1	769	91.3	88.9-93.7
Female	1270	921,155	204	16.0	13.5-18.5	1066	84.0	81.5-86.5
White/Non-Hisp	1678	1,118,091	223	12.4	10.4-14.4	1455	87.6	85.6-89.6
Black or Afr. Am./Non-Hisp	178	162,726	35	21.2	13.6-28.8	143	78.8	71.2-86.4
Hispanic	155	151,344	18	13.2	06.3-20.1	137	86.8	79.9-93.7
18-24	134	111,846	13	10.9	04.6-17.2	121	89.1	82.8-95.4
25-34	364	369,952	47	13.8	09.5-18.1	317	86.2	81.9-90.5
35-44	723	558,021	89	11.0	08.5-13.5	634	89.0	86.5-91.5
45-54	569	303,238	92	17.9	13.8-22.0	477	82.1	78.0-86.2
55-64	218	108,898	35	14.9	09.0-20.8	183	85.1	79.2-91.0
65+	101	64,962	11	7.3	02.4-12.2	90	92.7	87.8-97.6
Less Than H.S.	199	185,018	29	15.2	09.1-21.3	170	84.8	78.7-90.9
H.S. or G.E.D.	561	391,162	80	15.2	11.3-19.1	481	84.8	80.9-88.7
Some Post-H.S.	533	395,220	83	14.5	11.0-18.0	450	85.5	82.0-89.0
College Graduate	824	548,538	96	10.1	07.6-12.6	728	89.9	87.4-92.4
Less than \$15,000	137	121,656	25	15.4	08.0-22.8	112	84.6	77.2-92.0
\$15,000- 24,999	292	235,764	46	15.6	10.7-20.5	246	84.4	79.5-89.3
\$25,000- 34,999	184	158,190	28	16.0	08.9-23.1	156	84.0	76.9-91.1
\$35,000- 49,999	244	176,205	37	16.9	11.0-22.8	207	83.1	77.2-89.0
\$50,000- 74,999	323	209,677	39	8.3	05.2-11.4	284	91.7	88.6-94.8
\$75,000+	798	522,626	96	11.5	08.8-14.2	702	88.5	85.8-91.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	853	602,929	84	8.7	06.3-11.1	769	91.3	88.9-93.7
White/Non-Hisp	678	454,168	65	7.7	05.3-10.1	613	92.3	89.9-94.7
Black or Afr. Am./Non-Hisp	56	48,309	8	17.1	04.6-29.6	48	82.9	70.4-95.4
Hispanic	67	61,594	5	10.2	00.8-19.6	62	89.8	80.4-99.2
18-24	68	54,101	5	6.7	00.0-14.3	63	93.3	85.7-100.0
25-34	137	132,242	8	8.0	02.5-13.5	129	92.0	86.5-97.5
35-44	285	223,869	26	6.9	03.6-10.2	259	93.1	89.8-96.4
45-54	232	128,126	29	12.5	07.0-18.0	203	87.5	82.0-93.0
55-64	98	51,465	13	11.3	04.4-18.2	85	88.7	81.8-95.6
Less Than H.S.	82	70,296	9	10.5	02.9-18.1	73	89.5	81.9-97.1
H.S. or G.E.D.	233	155,287	23	10.5	05.4-15.6	210	89.5	84.4-94.6
Some Post-H.S.	181	130,180	22	9.7	05.0-14.4	159	90.3	85.6-95.0
College Graduate	355	244,949	30	6.7	03.6-09.8	325	93.3	90.2-96.4
\$15,000- 24,999	87	69,936	5	5.4	00.0-10.9	82	94.6	89.1-100.0
\$25,000- 34,999	65	61,088	6	8.9	00.7-17.1	59	91.1	82.9-99.3
\$35,000- 49,999	103	68,847	13	17.2	07.6-26.8	90	82.8	73.2-92.4
\$50,000- 74,999	139	95,188	15	5.3	02.2-08.4	124	94.7	91.6-97.8
\$75,000+	380	250,710	33	7.9	04.6-11.2	347	92.1	88.8-95.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1270	921,155	204	16.0	13.5-18.5	1066	84.0	81.5-86.5
White/Non-Hisp	1000	663,923	158	15.7	13.0-18.4	842	84.3	81.6-87.0
Black or Afr. Am./Non-Hisp	122	114,417	27	23.0	13.6-32.4	95	77.0	67.6-86.4
Hispanic	88	89,750	13	15.4	05.8-25.0	75	84.6	75.0-94.2
18-24	66	57,745	8	14.8	05.0-24.6	58	85.2	75.4-95.0
25-34	227	237,710	39	17.0	11.1-22.9	188	83.0	77.1-88.9
35-44	438	334,152	63	13.7	10.0-17.4	375	86.3	82.6-90.0
45-54	337	175,113	63	21.9	16.2-27.6	274	78.1	72.4-83.8
55-64	120	57,433	22	18.1	09.1-27.1	98	81.9	72.9-90.9
65+	73	53,935	8	6.3	01.2-11.4	65	93.7	88.6-98.8
Less Than H.S.	117	114,723	20	18.1	09.7-26.5	97	81.9	73.5-90.3
H.S. or G.E.D.	328	235,874	57	18.3	12.8-23.8	271	81.7	76.2-87.2
Some Post-H.S.	352	265,040	61	16.9	12.2-21.6	291	83.1	78.4-87.8
College Graduate	469	303,588	66	12.9	09.2-16.6	403	87.1	83.4-90.8
Less than \$15,000	108	101,023	20	16.8	08.2-25.4	88	83.2	74.6-91.8
\$15,000- 24,999	205	165,828	41	19.9	13.4-26.4	164	80.1	73.6-86.6
\$25,000- 34,999	119	97,102	22	20.5	10.7-30.3	97	79.5	69.7-89.3
\$35,000- 49,999	141	107,358	24	16.8	09.4-24.2	117	83.2	75.8-90.6
\$50,000- 74,999	184	114,488	24	10.7	05.6-15.8	160	89.3	84.2-94.4
\$75,000+	418	271,916	63	14.8	10.7-18.9	355	85.2	81.1-89.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	287	200,295	178	62.3	55.0-69.6	109	37.7	30.4-45.0
Male	84	52,731	47	58.3	45.0-71.6	37	41.7	28.4-55.0
Female	203	147,565	131	63.7	55.1-72.3	72	36.3	27.7-44.9
White/Non-Hisp	222	138,905	134	62.3	54.3-70.3	88	37.7	29.7-45.7
35-44	89	61,257	55	61.8	49.3-74.3	34	38.2	25.7-50.7
45-54	92	54,267	53	62.5	50.3-74.7	39	37.5	25.3-49.7
H.S. or G.E.D.	80	59,472	54	67.3	53.4-81.2	26	32.7	18.8-46.6
Some Post-H.S.	82	57,215	47	59.3	46.6-72.0	35	40.7	28.0-53.4
College Graduate	96	55,524	57	58.6	46.3-70.9	39	41.4	29.1-53.7
\$75,000+	96	60,034	59	66.9	56.3-77.5	37	33.1	22.5-43.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	84	52,731	47	58.3	45.6-71.0	37	41.7	29.0-54.4
White/Non-Hisp	65	34,955	35	54.6	39.7-69.5	30	45.4	30.5-60.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	203	147,565	131	63.7	55.1-72.3	72	36.3	27.7-44.9
White/Non-Hisp	157	103,950	99	64.9	55.9-73.9	58	35.1	26.1-44.1
35-44	63	45,748	42	64.4	49.9-78.9	21	35.6	21.1-50.1
45-54	63	38,297	35	62.0	47.3-76.7	28	38.0	23.3-52.7
H.S. or G.E.D.	57	43,202	44	77.0	61.5-92.5	13	23.0	07.5-38.5
Some Post-H.S.	60	44,552	35	57.4	42.3-72.5	25	42.6	27.5-57.7
College Graduate	66	39,090	39	57.1	42.2-72.0	27	42.9	28.0-57.8
\$75,000+	63	40,199	39	65.3	52.0-78.6	24	34.7	21.4-48.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2016**

End of Module Data Report