

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 157529	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 04/10/2025
NAME OF PROVIDER OR SUPPLIER ENHABIT HOME HEALTH			STREET ADDRESS, CITY, STATE, ZIP CODE 1449 KIMBER LANE STE 101 , EVANSVILLE, Indiana, 47715	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
G0000	<p>INITIAL COMMENTS</p> <p>This visit was for a Federal/State complaint survey of a Home Health Provider.</p> <p>Survey Dates: 4/9/2025-4/10/2025</p> <p>Complaint: 113907 was investigated without findings.</p> <p>Complaint: 114533 was investigated without findings.</p> <p>12 Month Unduplicated Skilled Admissions: 737</p> <p>Enhabit Home Health is in compliance with 42 CFR 484.10 as related to these complaints.</p> <p>QR Completed on 04/16/2025 by A4</p>	G0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------