

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/14/2022

FORM APPROVED

OMB NO. 0938-039

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- _____ B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

E 0000 Bldg. --	<p>An Emergency Preparedness Survey was conducted by the Indiana Department of Health in accordance with 42 CFR 483.475.</p> <p>Survey Date: 11/10/22</p> <p>Facility Number: 012402 Provider Number: 15G766 AIM Number: 200993410</p> <p>At this Emergency Preparedness survey, Benchmark Human Services was found not in compliance with Emergency Preparedness Requirements for Medicare and Medicaid Participating Providers and Suppliers, 42 CFR 483.475</p> <p>The facility has 8 certified beds. All beds are certified for Medicaid. At the time of the survey, the census was 8.</p> <p>Quality Review completed on 11/23/22</p> <p>42 CFR, Subpart 483.475 is NOT MET as evidenced by:</p>	E 0000		
E 0039 Bldg. --	<p>403.748(d)(2), 416.54(d)(2), 418.113(d)(2), 441.184(d)(2), 482.15(d)(2), 483.475(d)(2), 483.73(d)(2), 484.102(d)(2), 485.625(d)(2), 485.68(d)(2), 485.727(d)(2), 485.920(d)(2), 486.360(d)(2), 491.12(d)(2), 494.62(d)(2)</p> <p>EP Testing Requirements</p> <p>§416.54(d)(2), §418.113(d)(2), §441.184(d)(2), §460.84(d)(2), §482.15(d)(2), §483.73(d)(2), §483.475(d)(2), §484.102(d)(2), §485.68(d)(2), §485.625(d)(2), §485.727(d)(2), §485.920(d)(2), §491.12(d)(2), §494.62(d)(2).</p>			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
Linda Riecke	Residential Director	12/08/2022

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined other safeguards provide sufficient protection to the patients. (see instructions.) Except for nursing homes, the findings stated above are disclosable following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosed days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- B. WING	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>*[For ASCs at §416.54, CORFs at §485.68, OPO, "Organizations" under §485.727, CMHCs at §485.920, RHCs/FQHCs at §491.12, and ESRD Facilities at §494.62]:</p> <p>(2) Testing. The [facility] must conduct exercises to test the emergency plan annually. The [facility] must do all of the following:</p> <p>(i) Participate in a full-scale exercise that is community-based every 2 years; or (A) When a community-based exercise is not accessible, conduct a facility-based functional exercise every 2 years; or (B) If the [facility] experiences an actual natural or man-made emergency that requires activation of the emergency plan, the [facility] is exempt from engaging in its next required community-based or individual, facility-based functional exercise following the onset of the actual event.</p> <p>(ii) Conduct an additional exercise at least every 2 years, opposite the year the full-scale or functional exercise under paragraph (d)(2)(i) of this section is conducted, that may include, but is not limited to the following: (A) A second full-scale exercise that is community-based or individual, facility-based functional exercise; or (B) A mock disaster drill; or (C) A tabletop exercise or workshop that is led by a facilitator and includes a group discussion using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the [facility's] response to and</p>			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- B. WING	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIE (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------------	---	---------------------	--	----------------------------

	<p>maintain documentation of all drills, tabletop exercises, and emergency events, and revise the [facility's] emergency plan, as needed.</p> <p>*[For Hospices at 418.113(d):] (2) Testing for hospices that provide care in the patient's home. The hospice must conduct exercises to test the emergency plan at least annually. The hospice must do the following: (i) Participate in a full-scale exercise that is community based every 2 years; or (A) When a community based exercise is not accessible, conduct an individual facility based functional exercise every 2 years; or (B) If the hospice experiences a natural or man-made emergency that requires activation of the emergency plan, the hospital is exempt from engaging in its next required full scale community-based exercise or individual facility-based functional exercise following the onset of the emergency event. (ii) Conduct an additional exercise every 2 years, opposite the year the full-scale or functional exercise under paragraph (d)(2)(i) of this section is conducted, that may include, but is not limited to the following: (A) A second full-scale exercise that is community-based or a facility based functional exercise; or (B) A mock disaster drill; or (C) A tabletop exercise or workshop that is led by a facilitator and includes a group discussion using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(3) Testing for hospices that provide inpatient</p>			
--	--	--	--	--

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- B. WING	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------------	--	---------------------	--	----------------------------

	<p>care directly. The hospice must conduct exercises to test the emergency plan twice per year. The hospice must do the following:</p> <p>(i) Participate in an annual full-scale exercise that is community-based; or</p> <p>(A) When a community-based exercise is not accessible, conduct an annual individual facility-based functional exercise; or</p> <p>(B) If the hospice experiences a natural or man-made emergency that requires activation of the emergency plan, the hospice is exempt from engaging in its next required full-scale community based or facility-based functional exercise following the onset of the emergency event.</p> <p>(ii) Conduct an additional annual exercise that may include, but is not limited to the following:</p> <p>(A) A second full-scale exercise that is community-based or a facility based functional exercise; or</p> <p>(B) A mock disaster drill; or</p> <p>(C) A tabletop exercise or workshop led by a facilitator that includes a group discussion using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the hospice's response to and maintain documentation of all drills, tabletop exercises, and emergency events and revise the hospice's emergency plan, as needed.</p> <p>*[For PRFTs at §441.184(d), Hospitals at §482.15(d), CAHs at §485.625(d):] (2) Testing. The [PRTF, Hospital, CAH] must conduct exercises to test the emergency plan twice per year. The [PRTF, Hospital,</p>			
--	--	--	--	--

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING: -- B. WING: _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

	<p>CAH] must do the following:</p> <p>(i) Participate in an annual full-scale exercise that is community-based; or</p> <p>(A) When a community-based exercise is not accessible, conduct an annual individual, facility-based functional exercise; or</p> <p>(B) If the [PRTF, Hospital, CAH] experiences an actual natural or man-made emergency that requires activation of the emergency plan, the [facility] is exempt from engaging in its next required full-scale community based or individual, facility-based functional exercise following the onset of the emergency event.</p> <p>(ii) Conduct an [additional] annual exercise or and that may include, but is not limited to the following:</p> <p>(A) A second full-scale exercise that is community-based or individual, a facility-based functional exercise; or</p> <p>(B) A mock disaster drill; or</p> <p>(C) A tabletop exercise or workshop that is led by a facilitator and includes a group discussion, using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the [facility's] response to and maintain documentation of all drills, tabletop exercises, and emergency events and revise the [facility's] emergency plan, as needed.</p> <p>*[For PACE at §460.84(d):]</p> <p>(2) Testing. The PACE organization must conduct exercises to test the emergency plan at least annually. The PACE organization must do the following:</p> <p>(i) Participate in an annual full-scale exercise that is community-based; or</p>			
--	---	--	--	--

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- B. WING	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>(A) When a community-based exercise is not accessible, conduct an annual individual, facility-based functional exercise; or</p> <p>(B) If the PACE experiences an actual natural or man-made emergency that requires activation of the emergency plan, the PACE is exempt from engaging in its next required full-scale community based or individual, facility-based functional exercise following the onset of the emergency event.</p> <p>(ii) Conduct an additional exercise every 2 years opposite the year the full-scale or functional exercise under paragraph (d)(2)(i) of this section is conducted that may include, but is not limited to the following:</p> <p>(A) A second full-scale exercise that is community-based or individual, a facility based functional exercise; or</p> <p>(B) A mock disaster drill; or</p> <p>(C) A tabletop exercise or workshop that is led by a facilitator and includes a group discussion, using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the PACE's response to and maintain documentation of all drills, tabletop exercises, and emergency events and revise the PACE's emergency plan, as needed.</p> <p>*[For LTC Facilities at §483.73(d):]</p> <p>(2) The [LTC facility] must conduct exercises to test the emergency plan at least twice per year, including unannounced staff drills using the emergency procedures. The [LTC facility, ICF/IID] must do the following:</p> <p>(i) Participate in an annual full-scale exercise that is community-based; or</p> <p>(A) When a community-based exercise is not</p>			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- B. WING	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------------	--	---------------------	--	----------------------------

	<p>accessible, conduct an annual individual, facility-based functional exercise.</p> <p>(B) If the [LTC facility] facility experiences an actual natural or man-made emergency that requires activation of the emergency plan, the LTC facility is exempt from engaging its next required a full-scale community-based or individual, facility-based functional exercise following the onset of the emergency event.</p> <p>(ii) Conduct an additional annual exercise that may include, but is not limited to the following:</p> <p>(A) A second full-scale exercise that is community-based or an individual, facility based functional exercise; or</p> <p>(B) A mock disaster drill; or</p> <p>(C) A tabletop exercise or workshop that is led by a facilitator includes a group discussion, using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the [LTC facility] facility's response to and maintain documentation of all drills, tabletop exercises, and emergency events, and revise the [LTC facility] facility's emergency plan, as needed.</p> <p>*[For ICF/IIDs at §483.475(d):</p> <p>(2) Testing. The ICF/IID must conduct exercises to test the emergency plan at least twice per year. The ICF/IID must do the following:</p> <p>(i) Participate in an annual full-scale exercise that is community-based; or</p> <p>(A) When a community-based exercise is not accessible, conduct an annual individual, facility-based functional exercise; or.</p> <p>(B) If the ICF/IID experiences an actual</p>			
--	--	--	--	--

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING: -- B. WING: _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>natural or man-made emergency that requires activation of the emergency plan, the ICF/IID is exempt from engaging in its next required full-scale community-based or individual, facility-based functional exercise following the onset of the emergency event.</p> <p>(ii) Conduct an additional annual exercise that may include, but is not limited to the following:</p> <p>(A) A second full-scale exercise that is community-based or an individual, facility-based functional exercise; or</p> <p>(B) A mock disaster drill; or</p> <p>(C) A tabletop exercise or workshop that is led by a facilitator and includes a group discussion, using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the ICF/IID's response to and maintain documentation of all drills, tabletop exercises, and emergency events, and revise the ICF/IID's emergency plan, as needed.</p> <p>*[For HHAs at §484.102]</p> <p>(d)(2) Testing. The HHA must conduct exercises to test the emergency plan at least annually. The HHA must do the following:</p> <p>(i) Participate in a full-scale exercise that is community-based; or</p> <p>(A) When a community-based exercise is not accessible, conduct an annual individual, facility-based functional exercise every 2 years; or.</p> <p>(B) If the HHA experiences an actual natural or man-made emergency that requires activation of the emergency plan, the HHA is exempt from engaging in its next required</p>			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- B. WING	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>full-scale community-based or individual, facility based functional exercise following the onset of the emergency event.</p> <p>(ii) Conduct an additional exercise every 2 years, opposite the year the full-scale or functional exercise under paragraph (d)(2)(i) of this section is conducted, that may include, but is not limited to the following:</p> <p>(A) A second full-scale exercise that is community-based or an individual, facility-based functional exercise; or</p> <p>(B) A mock disaster drill; or</p> <p>(C) A tabletop exercise or workshop that is led by a facilitator and includes a group discussion, using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the HHA's response to and maintain documentation of all drills, tabletop exercises, and emergency events, and revise the HHA's emergency plan, as needed.</p> <p>*[For OPOs at §486.360] (d)(2) Testing. The OPO must conduct exercises to test the emergency plan. The OPO must do the following:</p> <p>(i) Conduct a paper-based, tabletop exercise or workshop at least annually. A tabletop exercise is led by a facilitator and includes a group discussion, using a narrated, clinically relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan. If the OPO experiences an actual natural or man-made emergency that requires activation of the emergency plan, the OPO is exempt from engaging in its next required testing exercise following the onset</p>			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING: -- B. WING: _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

	<p>of the emergency event.</p> <p>(ii) Analyze the OPO's response to and maintain documentation of all tabletop exercises, and emergency events, and revise the [RNHCI's and OPO's] emergency plan, as needed.</p> <p>*[RNCHIs at §403.748]:</p> <p>(d)(2) Testing. The RNHCI must conduct exercises to test the emergency plan. The RNHCI must do the following:</p> <p>(i) Conduct a paper-based, tabletop exercise at least annually. A tabletop exercise is a group discussion led by a facilitator, using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(ii) Analyze the RNHCI's response to and maintain documentation of all tabletop exercises, and emergency events, and revise the RNHCI's emergency plan, as needed.</p> <p>Based on record review and interview, the facility failed to conduct exercises to test the emergency plan at least twice per year. The ICF/IID facility must do the following:</p> <p>(i) Participate in an annual full-scale exercise that is community-based; or</p> <p>a. When a community-based exercise is not accessible, conduct an annual individual, facility-based functional exercise.</p> <p>b. If the ICF/IID facility experiences an actual natural or man-made emergency that requires activation of the emergency plan, the ICF/IID facility is exempt from engaging its next required full-scale in a community-based or individual, facility-based full-scale functional exercise for 1 year following the onset of the actual event.</p> <p>(ii) Conduct an additional exercise that may include, but is not limited to the following:</p>	E 0039	<p>There was a actual natural emergency drill on 2/2/22 per regulations. There was also a drill conducted on 8/2/22 for fire and relocation in the house per regulations. It is uncertain why this drill was missed in the review of documents. The residential QIDP coordinator has been retrained to ensure she knows where all the drill documents are located in the Emergency Preparedness Book so that this oversight can be corrected in the future.</p>	12/10/2022
--	---	--------	---	------------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING -- _____ B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	--	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIE (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 0000 Bldg. 02	<p>a. A second full-scale exercise that is community-based or an individual, facility-based functional exercise.</p> <p>b. A mock disaster drill; or</p> <p>c. A tabletop exercise or workshop that is led by a facilitator that includes a group discussion led by a facilitator, using a narrated, clinically-relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.</p> <p>(iii) Analyze the ICF/IID facility's response to and maintain documentation of all drills, tabletop exercises, and emergency events, and revise the ICF/IID facility's emergency plan, as needed in accordance with 42 CFR 483.475(d)(2). This deficient practice could affect all occupants.</p> <p>Findings include:</p> <p>Based on record review with the Residential Qualified Intellectual Disabilities Professional Coordinator (RQIDPC) on 11/10/22 at 10 a.m., there was documentation of an actual natural emergency starting in 02/02/22, but no documentation of an additional/second exercise was available for review to show the required exercise was conducted with in the pat 12 months. Based on interview at the time of records review, the RQIDPC stated an additional exercise was conducted with in the past 12 months but it was ongoing covid training.</p> <p>This finding was reviewed with the RQIDPC during the exit conference.</p> <p>A Life Safety Code Recertification Survey was</p>	K 0000		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K S100 Bldg. 02	<p>conducted by the Indiana Department of Health in accordance with 42 CFR 483.470(j).</p> <p>Survey Date: 11/10/22</p> <p>Facility Number: 012402 Provider Number: 15G766 AIM Number: 200993410</p> <p>At this Life Safety Code survey, Benchmark Human Services was found not in compliance with Requirements for Participation in Medicaid, 42 CFR Subpart 483.470(j), Life Safety from Fire and the 2012 edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 33, Existing Residential Board and Care Occupancies.</p> <p>This one story facility was not sprinklered. The facility has a fire alarm system with smoke detection in the corridors, sleeping rooms and common living areas. The facility has a capacity of 8 and had a census of 8 at the time of this survey.</p> <p>Calculation of the Evacuation Difficulty Score (E-Score) using NFPA 101A, Alternative Approaches of Life Safety, Chapter 6, rated the facility Prompt with an E-Score of 0.56.</p> <p>Quality Review completed on 11/23/22</p> <p>NFPA 101 General Requirements - Other General Requirements - Other 2012 EXISTING List in the REMARKS section any LSC Section 33.1 or 33.2 General Requirements that are not addressed by the provided K-tags, but are deficient. This information,</p>			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>along with the applicable Life Safety Code or NFPA standard citation, should be included on Form CMS-2567.</p> <p>Based on observation and interview, the facility failed to document 2 of 2 portable fire extinguishers located in the facility was subject to maintenance at intervals of not more than one year. LSC 33. 1.1.3 states the provisions of Chapter 4, General, shall apply. LSC 4.6.12.4 requires any device, equipment, system, condition, arrangement, level of protection, fire-resistive construction, or any other feature requiring periodic testing, inspection, or operation to ensure its maintenance shall be tested, inspected, or operated as specified in applicable NFPA standards. NFPA 10, the Standard for Portable Fire Extinguishers, 2010 Edition, Section 7.3.1.1 states fire extinguishers shall be subject to maintenance at intervals of not more than one year, at the time of hydrostatic test, or when specifically indicated by an inspection. Section 7.3.3 states each fire extinguisher shall have a tag or label securely attached that indicates the month and year the maintenance was performed, identifies the person performing the work, and identifies the name of the agency performing the work. This deficient practice could affect all clients, staff and visitors.</p> <p>Findings include:</p> <p>Based on observation with the Residential Qualified Intellectual Disabilities Professional Coordinator (RQIDPC) during a tour of the facility from 11:10 a.m. to 11:50 a.m. on 11/10/22, the portable fire extinguisher located in the kitchen and garage had an affixed maintenance tag but was not performed within the most recent twelve month period. Based on interview at the time of observation, the RQIDPC stated no other</p>	K S100	<p>Priority 1 was contacted regarding the missing affixed maintenance tag for the kitchen and garage fire extinguishers. The service on these fire extinguishers was conducted on 10/27/22 and Priority 1 could not explain why the tags had not been updated at that time. The fire extinguishers have now been properly labeled for this current year. The residential manager has been retrained on the expectation to ensure all tags are current and to contact Priority 1 if tags become outdated.</p>	12/10/2022

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K S222 Bldg. 02	<p>documentation of the annual fire extinguisher maintenance was available for review and acknowledged documentation of annual maintenance performed for the portable fire extinguishers within the most recent twelve month period was not available for review.</p> <p>The finding was reviewed with the RQIDPC during exit conference.</p> <p>NFPA 101 Egress Doors Egress Doors 2012 EXISTING (Prompt) Doors and paths of travel to a means of escape shall not be less than 28 inches. Bathroom doors shall not be less than 24 inches. Doors are swinging or sliding. Every closet door latch shall be readily opened from the inside in case of an emergency. Every bathroom door shall be designed to allow opening from the outside during an emergency when locked. No door in any means of escape shall be locked against egress when the building is occupied. Delayed egress locks complying with 7.2.1.6.1 shall be permitted on exterior doors only. Access-controlled egress locks complying with 7.2.1.6.2 shall be permitted. Forces to open doors shall comply with 7.2.1.4.5. Door-latching devices shall comply with 7.2.1.5.10. Corridor doors are provided with positive latching hardware, and roller latches are prohibited. Door assemblies for which the door leaf is required to swing in the direction of egress travel shall be inspected and tested not less than annually in accordance with 7.2.1.15.</p>			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/14/2022
FORM APPROVED
OMB NO. 0938-039

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K S363 Bldg. 02	<p>33.2.2.5.1 through 33.2.2.5.7, 33.7.7, 42 CFR 483.470(j)(1)(ii)</p> <p>Based on observation and interview, the facility failed to ensure 1 of 4 exterior exit doors were provided with only one latching mechanism to release the door and open. 33.2.2.5.7 refers to 7.2.1.5.10 which states a latch or other fastening device on a door leaf shall be provided with a releasing device that has an obvious method of operation and that is readily operated under all lighting conditions. 7.2.1.5.10.4 states the releasing mechanism shall open the door leaf with not more than one releasing operation. 7.2.1.5.10.1 states the releasing mechanism for any latch shall be located not less than 34 inches, and not more than 48 inches, above the finished floor. This deficient practice could affect all occupants in the facility.</p> <p>Findings include:</p> <p>Based on observation during a tour of the facility with Residential Qualified Intellectual Disabilities Professional Coordinator (RQIDPC) on 11/10/22 at 11:10 am, one of four entrance/exit doors was equipped with two latching devices, a regular door handle with a turn lock and a separate deadbolt lock. Based on interview at the time of observation, the RQIDPC agreed the front door contained a deadbolt lock in addition to the lock on the door handle.</p> <p>The finding was reviewed with the RQIDPC at the exit conference.</p> <p>NFPA 101 Corridor - Doors Corridor - Doors Doors shall meet all of the following requirements:</p>	K S222	Talon has removed the non functioning deadbolt from the front door. The residential manager was reminded that no group homes are to have deadbolts and to report any deadbolts to the construction team so that these can be removed.	12/10/2022

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K S511 Bldg. 02	<p>1. Doors shall be provided with latches or other mechanisms suitable for keeping the door closed.</p> <p>2. No doors shall be arranged to prevent the occupant from closing the door.</p> <p>3. Doors shall be self-closing or automatic-closing in accordance with 7.2.1.8 in buildings other than those protected throughout by an approved automatic sprinkler system in accordance with 33.2.3.5. Door assemblies with leaves required to swing in the direction of egress travel are inspected and tested annually per 7.2.1.15. 33.2.3.6.4, 33.7.7</p> <p>Based on observation and interview, the facility failed to ensure 2 of 4 clients sleeping rooms were provided with a door which would self-close and latch securely in the door frame. This deficient practice could affect 2 clients.</p> <p>Findings include:</p> <p>Based on observation with the Residential Manager on 11/10/22 at 11:15a.m., sleeping room door #2 and #4 did not latch into the frame when tested. Based on interview at the time of observation, the Residential Qualified Intellectual Disabilities Professional Coordinator (RQIDPC) confirmed the door did not securely latch into the door frame.</p> <p>The finding was reviewed with the RQIDPC during the exit conference.</p> <p>NFPA 101 Utilities - Gas and Electric Equipment using gas or related gas piping complies with NFPA 54, National Fuel Gas Code, electrical wiring and equipment</p>	K S363	Talon Custom Construction has come to the group home and repaired all sleeping room doors so that they self latch. The residential manager will check to ensure that all sleeping room doors self latch on a biweekly basis. The residential manger will also ensure that no sleeping room doors are propped open at any time. These checks will be documented on the CQA. The CQA will be turned into the residential director to ensure compliance.	12/10/2022

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>complies with NFPA 70, National Electric Code. 32.2.5.1, 33.2.5.1, 9.1.1, 9.1.2</p> <p>1. Based on observation and interview, the facility failed to ensure 1 receptacle in the #5 bedroom were provided with a cover plate. LSC 33.2.5.1 states utilities shall comply with Section 9.1. LSC 9.1.2 requires electrical wiring and equipment shall be in accordance with NFPA 70, National Electrical Code. NFPA 70, 2011 Edition, Article 406.6, Receptacle Faceplates (Cover Plates), requires receptacle faceplates shall be installed so as to completely cover the opening and seat against the mounting surface. This deficient practice could affect all occupants.</p> <p>Findings include:</p> <p>Based on observations during a tour of the home with the Residential Qualified Intellectual Disabilities Professional on 11/10/22 at 11:40 a.m., in #5 bedroom the receptacle was not covered by a cover plate exposing bare wires and terminals. Based on interview at the time of observation, the RQIDPC agreed a receptacle in #5 bedroom was not covered with a cover plate.</p> <p>his finding was review with the RQIDPC during the exit conference.</p> <p>2. Based on observation and interview, the facility failed to ensure access and working space was maintained in 1 of garage. NFPA 99, Health Care Facilities Code, 2012 Edition, Section 6.3.2.1 states electrical installation shall be in accordance with NFPA 70, National Electric Code. NFPA 70, 2011 Edition, Article 110.26 states access and working space shall be provided and maintained about all electrical equipment to permit ready and safe operation and maintenance of such equipment.</p>	K S511	<p>The receptacle in bedroom 5 has been repaired so that no bare wires and terminals are exposed. The residential manager will check to ensure that all receptables are covered and no wires or terminals are visable. The residential manger will also ensure that no sleeping room doors are propped open at any time. These checks will be documented on the CQA. The CQA will be turned into the residential director to ensure compliance.</p> <p>The boxes located in front of the electrical breaker panel have been moved so there is a clear path to the panel. The residential manager has been retrained with the expectation that nothing will block the electrical breaker panel at any time.</p>	12/10/2022

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____	X3) DATE SURVEY COMPLETED 11/10/2022
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES	STREET ADDRESS, CITY, STATE, ZIP CODE 10036 CROWN POINT FORT WAYNE, IN 46804
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>Working space for equipment operating at 600 volts, nominal, or less and likely to require examination, adjustment, servicing, or maintenance while energized shall comply with the dimensions of 110.26(A) (1), (2) and (3). 110.26(A) (1) states the depth of the working space in the direction of live parts shall not be less than that specified in Table 110.26(A)(1) which the minimum clear distance is 3feet. 110.26(A) (2) states the width of the working space in front of the electrical equipment shall be the width of the equipment or 762 mm (30 in.), whichever is greater. In all cases, the work space shall permit at least a 90 degree opening of equipment doors or hinged panels. 110.26(A)(3) states the work space shall be clear and extend from the grade, floor, or platform to a height of 6 and 1/2 feet or the height of the equipment, whichever is greater. Article 110.26(B) states the working space required by this section shall not be used for storage. This deficient practice could affect 8 residents, staff and visitors in the vicinity of the garage.</p> <p>Findings include:</p> <p>Based on observation with the Residential Qualified Intellectual Disabilities Professional Coordinator (RQIDPC) during the facility tour, the electrical breaker panel located in the garage was blocked by three 20 inch by 20 inch boxes that were stored within the working space in front of the electrical panel. This defecient practice would not allowed the electrical panel to be opened. The RQIDPC did remove the boxes at the time of discovery.</p> <p>This finding was reviewed with the RQIDPC at the exit conference.</p> <p>3.1-19(b)</p>			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/14/2022
FORM APPROVED
OMB NO. 0938-039

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER 15G766	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>02</u> B. WING _____		X3) DATE SURVEY COMPLETED 11/10/2022
NAME OF PROVIDER OR SUPPLIER BENCHMARK HUMAN SERVICES			STREET ADDRESS, CITY, STATE, ZIP COD 10036 CROWN POINT FORT WAYNE, IN 46804		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIE (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	