

Indiana Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 012706	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 08/23/2023
--------------------------------------------------	-------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------------------

NAME OF PROVIDER OR SUPPLIER CEDARHURST OF BLOOMINGTON	STREET ADDRESS, CITY, STATE, ZIP CODE 3203 MOORES PIKE ROAD BLOOMINGTON, IN 47401
----------------------------------------------------------------------	-------------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00415809.</p> <p>Complaint IN00415809 - No deficiencies related to the allegations are cited.</p> <p>Survey date: August 23, 2023</p> <p>Facility number: 012706</p> <p>Residential Census: 30</p> <p>Cedarhurst of Bloomington was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00415809.</p> <p>Quality review completed August 25, 2023.</p>	R 000		

Indiana Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
-------------------------------------------------------------------------------------------------------	-------	-----------