

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 05/02/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER TOWNE PARK ASSISTED LIVING	STREET ADDRESS, CITY, STATE, ZIP COD 503 S MURPHY AVE BRAZIL, IN 47834
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

R 0000 Bldg. 00	<p>This visit was for a State Residential Licensure Survey. This visit included the Investigation of Complaint IN00428338.</p> <p>Complaint IN00428338- No deficiencies related to the allegations are cited.</p> <p>Survey dates: May 1 and 2, 2024</p> <p>Facility number: 014623</p> <p>Residential Census: 34</p> <p>These State Residential Findings are cited in accordance with 410 IAC 16.2-5.</p> <p>Quality review completed on May 13, 2024.</p>	R 0000	<p>This facility is asking for Paper Compliance for State Residential Licensure with Complaint (IN00428338).</p> <p>Submission of this Plan of Correction does not constitute an admission that a deficiency exists or was cited correctly. This Plan of Correction is being submitted to meet State and Federal requirements.</p>	
R 0157 Bldg. 00	<p>410 IAC 16.2-5-1.5(n) Sanitation and Safety Standards - Deficiency</p> <p>Based on observation, record review, and interview, the facility failed to ensure sanitization solution chemical levels were monitored and documented with potential to affect 34 of 34 residents.</p> <p>Findings include:</p> <p>During the initial kitchen tour, on 5/1/24 at 9:50 a.m., a red quaternary sanitizer solution (Quat [ammonia solution used to sanitize food contact surfaces]) bucket was observed to be full sitting in the hand washing sink next to the dishwashing station. A temperature log for the dishwashing machine was located, but no log for chemical testing of the sanitizing sink or Quat bucket was</p>	R 0157	<ul style="list-style-type: none"> • No residents were negatively affected by the alleged deficient practice. • All residents residing in the facility can be affected by the alleged deficient practice. The sanitizing sink and Quat bucket will be tested once a shift using appropriate testing strips. • Re-education was completed for all dietary staff by Administrator/Designee on 5/21/24 with emphasis on using the appropriate testing strips and proper documentation to be completed with return 	05/25/2024

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
Hannah Wilson	Administrator	05/23/2024

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined other safeguards provide sufficient protection to the patients. (see instructions.) Except for nursing homes, the findings stated above are disclosable following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosed days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 05/02/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER TOWNE PARK ASSISTED LIVING	STREET ADDRESS, CITY, STATE, ZIP COD 503 S MURPHY AVE BRAZIL, IN 47834
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>located.</p> <p>During an interview on 5/1/24 at 10:00 a.m., Dietary Aide (DA) 6 indicated he did not test chemical levels for anything. He only wrote down temperatures on the log located at the dishwashing station.</p> <p>During an interview on 5/1/24 at 10:01 a.m., the Dietary Manager (DM) indicated the solution was used to wipe down and sanitize surfaces in the kitchen and residential dining room. When asked to test the chemical level, the DM dumped and refilled the bucket with sanitizing solution from the triple sink, retrieved a container of test strips labeled Ecolab chlorine test strips, dipped it into the solution, then indicated the test strips were not working right because they were not the right ones. The DM asked DA 6 if he knew where the correct test strips were, and he indicated he did not know. The DM indicated she had not seen them since she started working at the facility back in February. She indicated they did not have a test log for the testing but knew what strips she needed, then pointed to the poster above the sanitizing tub in the triple sink with a picture of chemical testing strips, and indicated they were the ones she was looking for. The DM indicated she would need to order the correct test strips and get the form she used to use at another facility.</p> <p>On 4/1/24 3:28 p.m., the ADM provided a document, dated 8/14/19, titled, "General Sanitation of Kitchen," and indicated it was the policy currently being used by the facility. The policy indicated, " ...Purpose: The staff shall maintain the sanitation of the kitchen through compliance with a written, comprehensive, cleaning schedule. Procedure: A. Cleaning and sanitation tasks for the kitchen will be recorded. B.</p>		<p>demonstration.</p> <ul style="list-style-type: none"> • Dietary manager/Designee will complete an audit on process of testing the sanitizing sink and Quat bucket five times a week x 4 weeks, then three times a week x 4 weeks, then once a week x 4 weeks, then once a month x 3 months. Results will be forwarded to the Interdisciplinary Team for Review and further recommendations. 	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 05/02/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER TOWNE PARK ASSISTED LIVING	STREET ADDRESS, CITY, STATE, ZIP COD 503 S MURPHY AVE BRAZIL, IN 47834
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
R 0300 Bldg. 00	<p>Tasks will be assigned to be the responsibility of specific positions. C. Tasks will be addressed as to frequency of cleaning. D. The method and agents to be used for cleaning will be written for each task. E. A cleaning schedule will be posted and employees will initial and date tasks when completed...."</p> <p>410 IAC 16.2-5-6(c)(4) Pharmaceutical Services - Deficiency</p> <p>Based on observation, interview, and record review, the facility failed to ensure an expired medication was disposed of properly and failed to ensure a medication was labeled properly for 1 of 1 medication storage room reviewed for medication storage.</p> <p>Finding includes:</p> <p>1. On 5/2/24 at 12:15 p.m., the medication storage room refrigerator contained an opened multi-use vial of Aplisol (a clear, colorless, solution for injection as an aid in the diagnosis of tuberculosis) solution had an open date of 5/2/23.</p> <p>2. On 5/2/24 at 12:16 p.m., the medication storage room refrigerator contained an opened and undated multi-use vial of Aplisol solution. The vial was in a box that indicated it was delivered to the facility on 12/20/23.</p> <p>During an interview, on 5/2/24 at 12:16 p.m., Qualified Medication Aide (QMA) 4 indicated she was unaware of how long Aplisol solution was good for once it was opened.</p> <p>During an interview, on 5/2/24 at 12:27 p.m., the Administrator indicated Aplisol was good for 30 days once opened and the vials should be labeled</p>	R 0300	<ul style="list-style-type: none"> • No residents were affected by the alleged deficient practice. • Any new admission(s) who require a TST can be affected by the alleged deficient practice. None noted. The opened TST solution was immediately removed and discarded. • All licensed staff were re-educated by DON on 5/21/24 with emphasis on the expiration dates of opened TST solution of 30 days. • An audit of TST solution will be completed three times a week x 4 weeks, then weekly x 4 weeks, then monthly to ensure date opened is documented and not expired. Results will be forwarded to the Interdisciplinary Team for review and further recommendations. 	05/25/2024

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 05/02/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER TOWNE PARK ASSISTED LIVING	STREET ADDRESS, CITY, STATE, ZIP COD 503 S MURPHY AVE BRAZIL, IN 47834
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
R 0378 Bldg. 00	<p>with an open date. He indicated the vials should have been discarded.</p> <p>During an interview, on 5/2/24 at 12:28 p.m., the Director of Nursing (DON) indicated she was unaware of how long the Aplisol solution was good for once opened and she would have to check the policy.</p> <p>On 5/2/24 at 12:38 p.m., the Administrator provided and identified an undated document as a current facility policy, titled, "Determining Expiration Dates." The policy indicated, "...Aplisol 30 days once opened (Refrigerated)...."</p> <p>410 IAC 16.2-5-11.1(b)(1)(A-H)(2-3) Mental Health Screening- Deficiency</p> <p>Based on record review and interview, the facility failed to complete mental health screenings on admission for 4 of 7 clinical records reviewed (Resident 16, 28, 13, and 41).</p> <p>Findings include:</p> <p>1. On 5/2/24, at 9:55 a.m., Resident 16's records were reviewed. Her diagnoses included, but were not limited to, history of major depressive disorder (a mood disorder that causes a persistent feeling of sadness and loss of interest), and history of generalized anxiety disorder (a mental health disorder that produces fear, worry, and a constant feeling of being overwhelmed). The record indicated Medicaid waiver was the primary payer source, and lacked documentation of mental health (psychological or emotional health) screening being completed.</p> <p>2. 5/2/24 at 11:08 a.m., Resident 28's clinical records were reviewed. Her diagnoses included,</p>	R 0378	<ul style="list-style-type: none"> • Resident #41 no longer resides in the facility. Residents #16, 28, 13 have had a Mental Health Screening completed on 5/21/24. • Any resident who receives the Medicaid Waiver services can be affected by the alleged deficient practice. All residents who receive the Medicaid Waiver services have had a Mental Health Screening completed on 5/21/24. • An in-service was completed by the Regional Nurse Support to the DON with emphasis on completing a Mental Health Screen for all Medicaid Waiver recipients on 5/20/21. • An audit will be completed on all new admissions by the Administrator/Designee x 6 months to ensure substantial compliance. Results will be 	05/25/2024

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 05/02/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER TOWNE PARK ASSISTED LIVING	STREET ADDRESS, CITY, STATE, ZIP COD 503 S MURPHY AVE BRAZIL, IN 47834
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>but were not limited to, chronic pain (long standing pain that persists beyond the usual recovery period or occurs along with a long-standing health condition). The record indicated Medicaid waiver was the primary payer source and lacked documentation of mental health screening being completed.</p> <p>3. On 5/2/24 at 1:00 p.m., Resident 13's clinical record was reviewed. Her diagnoses included, but were not limited to, depression (a constant feeling of sadness and loss of interest, which stops you doing your normal activities), and malignant neoplasm of the vulva (cancer that occurs on the outer surface area of the female genitalia). The record indicated Medicaid waiver was the primary payer source, and lacked documentation of mental health screening being completed.</p> <p>4. On 5/2/24, at 1:06 p.m., Resident 41's clinical record was reviewed. Her diagnoses included, but were not limited to, insomnia (a sleep disorder in which you have trouble falling and/or staying asleep) The record indicated Medicaid waiver was the primary payer source, and lacked documentation of mental health screening being completed.</p> <p>During an interview on 5/2/24 at 10:32 a.m., the Director of Nursing (DON) indicated the mental health screenings performed were the Brief Interview for Mental Status (BIMS) assessments (used to screen and identify the cognitive [mental process involved in knowing, learning, and understanding things] condition of residents upon admission) located in the chart, completed initially, upon admission, quarterly, and as needed.</p> <p>During an interview on 5/2/24 at 11:38 a.m., the</p>		forwarded to the Interdisciplinary Team for review and further recommendations	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/27/2024
FORM APPROVED
OMB NO. 0938-039

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____		X3) DATE SURVEY COMPLETED 05/02/2024
NAME OF PROVIDER OR SUPPLIER TOWNE PARK ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP COD 503 S MURPHY AVE BRAZIL, IN 47834		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIE (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
	<p>Administrator (ADM) and DON indicated the BIMS and level of service were the only assessments completed.</p> <p>During an interview on 5/2/24 at 1:57 p.m., the ADM indicated no policy was available related to mental health screenings for Medicaid patients. He indicated if it was a state regulation, and they should have been doing them.</p>				