

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/21/2024

FORM APPROVED

OMB NO. 0938-039

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 04/25/2024
--	---	---	--

NAME OF PROVIDER OR SUPPLIER INDEPENDENCE VILLAGE OF CARMEL	STREET ADDRESS, CITY, STATE, ZIP CODE 13390 N ILLINOIS STREET CARMEL, IN 46032
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
R 0000 Bldg. 00	<p>This visit was for a State Residential Licensure Survey. This visit included the Investigation of Complaint IN00422623.</p> <p>Complaint IN00422623 - No deficiencies related to the allegations are cited.</p> <p>Survey dates: April 24 and 25, 2024</p> <p>Facility number: 013297</p> <p>Residential Census: 57</p> <p>These State Residential Findings are cited in accordance with 410 IAC 16.2-5.</p> <p>Quality review was completed on May 1, 2024.</p>	R 0000		
R 0119 Bldg. 00	<p>410 IAC 16.2-5-1.4(d)(1)(A-E)(2)(A-D)(3- Personnel - Noncompliance</p> <p>(d) Prior to working independently, each employee shall be given an orientation to the facility by the supervisor (or his or her designee) of the department in which the employee will work. Orientation of all employees shall include the following:</p> <p>(1) Instructions on the needs of the specialized populations:</p> <p>(A) aged;</p> <p>(B) developmentally disabled;</p> <p>(C) mentally ill;</p> <p>(D) dementia; or</p> <p>(E) children;</p> <p>served in the facility.</p> <p>(2) A review of the facility's policy manual and applicable procedures, including:</p> <p>(A) organization chart;</p>			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
Dana Larson	Executive Director	05/17/2024

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined other safeguards provide sufficient protection to the patients. (see instructions.) Except for nursing homes, the findings stated above are disclosable following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosed days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 04/25/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER INDEPENDENCE VILLAGE OF CARMEL	STREET ADDRESS, CITY, STATE, ZIP COD 13390 N ILLINOIS STREET CARMEL, IN 46032
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>(B) personnel policies; (C) appearance and grooming policies for employees; and (D) residents' rights. (3) Instruction in first aid, emergency procedures, and fire and disaster preparedness, including evacuation procedures. (4) Review of ethical considerations and confidentiality in resident care and records. (5) For direct care staff, personal introduction to, and instruction in, the particular needs of each resident to whom the employee will be providing care. (6) Documentation of the orientation in the employee's personnel record by the person supervising the orientation.</p> <p>Based on interview and record review, the facility failed to ensure the job specific orientation was documented in the employee's personnel record for 3 of 3 new employees reviewed for orientation. (CNA 1, LPN 2 and QMA 3)</p> <p>Findings include:</p> <p>The employee records were reviewed on 4/25/24. The facility was unable to provide documentation to show job specific orientation had been provided for the following employees:</p> <ol style="list-style-type: none"> LPN 2, with a start date of 12/8/23, did not have a job specific orientation on file. CNA 1, with a start date of 2/4/24, did not have a job specific orientation on file. QMA 3, with a start date of 3/11/24, did not have a job specific orientation on file. <p>During an interview, on 4/25/24 at 10:31 a.m., the Director of Nursing indicated there was no documentation of a job specific orientation for the</p>	R 0119	<p>R119 Preparation and/or execution of this plan of correction does not constitute admission or agreement by the provider that a deficiency exists. This response is also not to be construed as an admission of fault by the facility. This plan of correction is submitted as the facility's credible allegation of compliance. R119 Personnel Noncompliance Independence Village of Carmel ensures that all employees receive a job specific orientation upon employment. The Corrective Actions which were accomplished for those residents found to have been affected by the deficient practice. No residents were affected by the deficient practice.</p>	05/14/2024

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 04/25/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER INDEPENDENCE VILLAGE OF CARMEL	STREET ADDRESS, CITY, STATE, ZIP CODE 13390 N ILLINOIS STREET CARMEL, IN 46032
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

R 0148 Bldg. 00	<p>employees.</p> <p>A facility policy, titled "Training Requirements-Indiana RCF," dated as last reviewed 2/21/23 and received from the Director of Nursing on 4/25/24 at 3:42 p.m., indicated "...All staff must have orientation to their specific job skills...."</p> <p>410 IAC 16.2-5-1.5(e)(1-4) Sanitation and Safety Standards - Deficiency (e) The facility shall maintain buildings, grounds, and equipment in a clean condition, in good repair, and free of hazards that may adversely affect the health and welfare of the residents or the public as follows:</p>		<p>How the facility will identify other residents having the potential to be affected by the same deficient practice and what corrective action will be taken:</p> <p>All residents could be affected by staff not receiving specific job orientation.</p> <p>LPN 2, C.N.A. 1 and Q.M.A. 3 have completed their job specific orientation checklist.</p> <p>How the corrective actions will be monitored to ensure the deficient practice will not recur.</p> <p>An ad hoc safety/quality meeting was held with all department leaders to discuss the deficient practice.</p> <p>All department leaders will audit new employee files and present audit forms to the Executive Director upon completion monthly for 6 months.</p> <p>Any deficiencies noted on internal audits will be addressed at the monthly safety/quality meeting.</p> <p>Date of Compliance: May 14, 2024</p>	
------------------------	--	--	--	--

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 04/25/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER INDEPENDENCE VILLAGE OF CARMEL	STREET ADDRESS, CITY, STATE, ZIP COD 13390 N ILLINOIS STREET CARMEL, IN 46032
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>(1) Each facility shall establish and implement a written program for maintenance to ensure the continued upkeep of the facility.</p> <p>(2) The electrical system, including appliances, cords, switches, alternate power sources, fire alarm and detection systems, shall be maintained to guarantee safe functioning and compliance with state electrical codes.</p> <p>(3) All plumbing shall function properly and comply with state plumbing codes.</p> <p>(4) At least yearly, heating and ventilating systems shall be inspected.</p> <p>Based on interview and record review, the facility failed to ensure the heating, ventilation, and air conditioning system (HVAC) were inspected annually. (April 2023 through April 2024)</p> <p>Finding includes:</p> <p>The HVAC annual inspection was requested on 4/25/24 during the entrance conference. The facility did not provide documentation of an annual HVAC inspection by the exit date of 4/26/24.</p> <p>During an interview, on 4/24/24 at 12:00 p.m., the Setting Support Specialist indicated the facility was not able to provide documentation to show the HVAC system had been inspected in the past year.</p> <p>During an interview, on 4/25/24 at 3:46 p.m., the Setting Support Specialist indicated the annual inspection of the HVAC system should have been completed.</p> <p>During an interview, on 4/25/24 at 4:21 p.m., the Setting Support Specialist indicated the facility followed the state regulations.</p>	R 0148	<p>R148</p> <p>Preparation and/or execution of this plan of correction does not constitute admission or agreement by the provider that a deficiency exists. This response is also not to be construed as an admission of fault by the facility. This plan of correction is submitted as the facility's credible allegation of compliance.</p> <p>R148 Sanitation and Safety Standards</p> <p>Independence Village of Carmel ensures that the facility maintains sanitation and safety standards.</p> <p>The Corrective Actions which were accomplished for those residents found to have been affected by the deficient practice.</p> <p>No residents were affected by the deficient practice.</p> <p>How the facility will identify other residents having the</p>	05/14/2024

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 04/25/2024
--	---	---	---

NAME OF PROVIDER OR SUPPLIER INDEPENDENCE VILLAGE OF CARMEL	STREET ADDRESS, CITY, STATE, ZIP CODE 13390 N ILLINOIS STREET CARMEL, IN 46032
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCY (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
R 0298 Bldg. 00	<p>A facility policy, titled "HVAC Preventative Maintenance," dated as last reviewed 1/25/2023 and received from the Director of Nursing on 4/25/24 at 3:42 p.m., only covered inspection and preventative maintenance of the individual units, by the maintenance staff, and did not include inspection of the systems, such as roof top units, utilized by the facility.</p> <p>410 IAC 16.2-5-6(c)(2) Pharmaceutical Services - Deficiency (2) A consultant pharmacist shall be employed, or under contract, and shall: (A) be responsible for the duties as specified in 856 IAC 1-7; (B) review the drug handling and storage practices in the facility; (C) provide consultation on methods and procedures of ordering, storing, administering, and disposing of drugs as well as medication record keeping; (D) report, in writing, to the administrator or his or her designee any irregularities in</p>		<p>potential to be affected by the same deficient practice and what corrective action will be taken: All residents could be affected by the deficient practice. HVAC systems including roof top units were serviced and cleaned on 4/29/2024. A preventative maintenance contract has been initiated with the HVAC company.</p> <p>How the corrective actions will be monitored to ensure the deficient practice will not recur. An ad hoc safety/quality meeting was held with all department leaders to discuss the deficient practice. The preventative maintenance schedule will also be entered into the TELS work order system to prevent future service failures.</p> <p>Date of Compliance 5/14/2024</p>	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____		X3) DATE SURVEY COMPLETED 04/25/2024
NAME OF PROVIDER OR SUPPLIER INDEPENDENCE VILLAGE OF CARMEL			STREET ADDRESS, CITY, STATE, ZIP COD 13390 N ILLINOIS STREET CARMEL, IN 46032		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
	<p>dispensing or administration of drugs; and (E) review the drug regimen of each resident receiving these services at least once every sixty (60) days.</p> <p>Based on observation, interview and record review, the facility failed to ensure temperatures of the medication refrigerators were checked and documented daily for 2 of 2 medication storage areas reviewed. (Memory Care Unit and second floor Assisted Living Unit)</p> <p>Findings include:</p> <p>During an observation, on 4/24/24 at 9:22 a.m., the medication storage refrigerator on the memory care unit was found to be missing 13 of 29 temperature entries on the log for February 2024, 23 of 31 temperature entries on the log for March 2024, and 22 of 23 temperature entries on the log for April 2024.</p> <p>During an observation, on 4/24/23 at 11:51 a.m., the medication storage refrigerator on the second floor Assisted Living unit was found to be missing 8 of 31 temperature entries on the log for January 2024, 1 of 29 temperature entries on the log for February 2024, 2 of 31 temperature entries on the log for March 2024, and 4 of 23 temperature entries on the log for April 2024.</p> <p>During an interview, on 4/24/24 at 9:22 a.m., QMA 4 indicated the medication refrigerator temperatures were to be checked by staff every other shift.</p> <p>During an interview, on 4/24/24 at 11:51 a.m., QMA 5 indicated the medication refrigerator temperatures were to be checked and documented on the temperature logs.</p>	R 0298	R298 Preparation and/or execution of this plan of correction does not constitute admission or agreement by the provider that a deficiency exists. This response is also not to be construed as an admission of fault by the facility. This plan of correction is submitted as the facility's credible allegation of compliance. R298 Pharmaceutical Services Independence Village of Carmel ensures that the facility monitors medication refrigeration. The Corrective Actions which were accomplished for those residents found to have been affected by the deficient practice. No residents were affected by the deficient practice. How the facility will identify other residents having the potential to be affected by the same deficient practice and what corrective action will be taken: An ad hoc safety/quality meeting was held with all department leaders to discuss the deficient practice. All residents could be affected by the medication refrigeration not meeting guidelines. Director of Wellness or her	05/14/2024	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/21/2024
FORM APPROVED
OMB NO. 0938-039

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____		X3) DATE SURVEY COMPLETED 04/25/2024
NAME OF PROVIDER OR SUPPLIER INDEPENDENCE VILLAGE OF CARMEL			STREET ADDRESS, CITY, STATE, ZIP COD 13390 N ILLINOIS STREET CARMEL, IN 46032		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIE (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
	A facility policy, titled "...Medication Storage" dated as last reviewed 6/10/2022 and provided by the Director of Nursing on 4/24/24 at 11:40 a.m., indicated "...The temperature of a refrigerator is checked and recorded daily by the Wellness Staff using the medication refrigerator log..."		designee is conducting audits of medication refrigerators daily Monday through Friday for 4 weeks then weekly for 4 weeks. Any deficiencies noted during internal audits will be addressed at the monthly safety/quality meeting. Compliance Date: 5/14/2024		