

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 06/02/2023
--	---	---	---

NAME OF PROVIDER OR SUPPLIER VIVERA SENIOR LIVING OF COLUMBUS	STREET ADDRESS, CITY, STATE, ZIP COD 1971 STATE STREET COLUMBUS, IN 47201
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIE (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	---	---------------	---	----------------------

R 0000 Bldg. 00	<p>This visit was for a State Residential Licensure Survey.</p> <p>Survey dates: June 1 and 2, 2023</p> <p>Facility number: 014519</p> <p>Residential Census: 110</p> <p>This State Residential Finding is cited in accordance with 410 IAC 16.2-5.</p> <p>Quality review completed on June 7, 2023.</p>	R 0000	<p>Submission of this response and Plan of Correction is not a legal admission that a deficiency exists or, that this Statement of Deficiencies was correctly cited, and is also not to be construed as an admission against interest by the facility, or any employees, agents, or other individuals who drafted or may be discussed in the response or Plan of Correction. In addition, preparation and submission of this Plan of Correction does not constitute an admission or agreement by the facility of the truth of any facts alleged or the correctness of any conclusions set forth in this allegation by the survey agency.</p>	
R 0273 Bldg. 00	<p>410 IAC 16.2-5-5.1(f) Food and Nutritional Services - Deficiency (f) All food preparation and serving areas (excluding areas in residents ' units) are maintained in accordance with state and local sanitation and safe food handling standards, including 410 IAC 7-24.</p> <p>Based on observation, interview, and record review, the facility failed to store food and provide a clean kitchen for 4 of 4 kitchen observations. This deficient practice had the potential to affect all 110 residents that resided in the facility.</p> <p>Findings include:</p> <p>During an observation and interview on 06/01/23 at 9:55 A.M., the walk-in cooler contained 10</p>	R 0273	<p>With regards to finding R273 Food& Nutritional Services Vivera Senior Living Columbus will; -What corrective actions will be accomplished for those residents found to have been affected by the finding: No negative outcome identified for those residents affected.</p>	07/05/2023

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
Kristen Chalou	Administrator	06/21/2023

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined other safeguards provide sufficient protection to the patients. (see instructions.) Except for nursing homes, the findings stated above are disclosable following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosed days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 06/02/2023
--	---	---	---

NAME OF PROVIDER OR SUPPLIER VIVERA SENIOR LIVING OF COLUMBUS	STREET ADDRESS, CITY, STATE, ZIP COD 1971 STATE STREET COLUMBUS, IN 47201
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>unopened gallons of whole milk that had a use by date of 05/30/23. A small reach-in refrigerator contained a gallon of milk that was 1/4 full with a use by date of 05/30/23. Cook 2 indicated the milk had been used for breakfast that morning and should have been thrown out.</p> <p>During an observation on 06/01/23 at 11:40 A.M., the plate warmer was observed. The bottom of the warmer contained scattered food crumbs, a piece of hard looking bread, and a pair of tongs.</p> <p>During an observation, interview, and record review on 06/01/23 at 1:50 P.M., Cook 3 indicated the plate warmer was cleaned by the cooks but he wasn't sure it was on the cleaning schedule. The Dietary Manager was on vacation and Cook 2 was in charge. Cook 3 provided the clip board that contained the cleaning schedules for review. There was no cleaning schedule for 06/01/23. The last cleaning schedules were dated daily for 04/09/23 through 04/15/23 and the weekly schedule was dated for April 2023.</p> <p>During an observation and interview on 06/01/23 at 3:01 P.M., the walk-in cooler had a large pan that contained both an unopened tube of pork sausage and a previously opened package of deli ham. The ham had been cut and a portion was missing. The pork sausage was thawing out. There was no blood present, but there was water in the pan. There was no date that indicated when the pork sausage or ham was removed from the freezer. A tube of hamburger was thawed in a tray with no date that indicated when it was removed from the freezer. Cook 2 indicated the pork sausage was pulled from the freezer on Saturday and should not have been on the same tray as the ham and the hamburger was pulled from the freezer on Sunday. The meats should have had a</p>		<p>-How will you identify other residents having the potential to be affected by the same finding and what corrective action will be taken: All residents had the potential to be affected. No resident was adversely affected. An audit was completed to further identify any concerns, none noted.</p> <p>-What measures will be put in place or what systemic changes the facility will make to ensure that the deficient practice does not recur: Culinary Manager or Designee will audit refrigerator & dry stock daily to ensure compliance with expiration dates. Culinary Manager or Designee will train dietary staff on proper cleaning and the use of cleaning logs. Culinary Manager or Designee will provide training on proper food storage, handling & labeling.</p> <p>-How the corrective action(s) will be monitored to ensure the finding will not recur: Executive Director or Designee will monitor Dietary Managers audit tool and cleaning schedules weekly X 1 month, monthly x 2 months and random audits ongoing.</p> <p>By what date the systemic changes will be completed: July 5th, 2023</p>	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	X2) MULTIPLE CONSTRUCTION A. BUILDING <u>00</u> B. WING _____	X3) DATE SURVEY COMPLETED 06/02/2023
--	---	---	---

NAME OF PROVIDER OR SUPPLIER VIVERA SENIOR LIVING OF COLUMBUS	STREET ADDRESS, CITY, STATE, ZIP COD 1971 STATE STREET COLUMBUS, IN 47201
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	<p>date of when they came out of the freezer. There were dry food particles under the dry storage racks. Cook 2 indicated she was unsure on how to clean the plate warmer. She had never cleaned it before, and the Dietary Manager had never told her it needed to be cleaned. She had been working in the building for 6 months. She also wasn't sure where the cleaning schedules were located, and she had never checked off daily or weekly cleaning.</p> <p>The current, undated facility policy titled, "Ready-to-Eat Hazardous Food, Date Marking" was provided by the Administrator of 06/01/23 at 3:32 P.M. The policy indicated, "...All ready-to-eat potentially hazardous foods...shall be clearly marked to indicate the date or day by which the food shall be consumed on the premises, discarded..."</p> <p>The current, undated facility policy titled, "Cleaning Frequency" was provided by the Administrator on 06/01/23 at 3:03 P.M. The policy indicated, "...Non-food contact surfaces of equipment shall be cleaned as often as is necessary to keep the equipment free of accumulation dust, dirt, food particles, and other debris...The approved...cleaning schedule shall be utilized. Task will be assigned on the Assignment Sheets for the Cooks and Dietary Aides..."</p> <p>The current, undated facility policy titled, "Refrigerated Storage" was provided by the Administrator on 06/01/23 at 3:01 P.M. The policy indicated, "...Potentially hazardous food requiring refrigeration after preparation shall be labeled or tagged with the date and time of preparation..."</p>			