
**INDIANA** 2016-2017 Suicides and Unintentional Drug Overdose Deaths





\*H/S/S = Hanging/Strangulation/Suffocation

**Education Level of Suicide Decedents** 

Page 1

# **Marital Status**






#### Suicide Circumstances

MH= Mental Health. The number above the bar represents the number of suicides where the circumstance was present.

Of those with Mental Health Diagnoses, 254 were diagnosed with depression, 24 with bipolar disorder, 5 with ADD or hyperactive disorder, 12 with an anxiety disorder, 7 with PTSD, and 26 with schizoprenia. A decedent could be diagnosed with multiple disorders.


**Prevalence of Suicides Occuring in** Indiana, 2016-2017




### **Unintentional Drug Overdose Deaths**


A total of **3164** unintentional drug overdose deaths occurred in Indiana in 2016-2017. The data below is based off those deaths.


#### **Overdoses by Age and Sex**







#### **Education Level of Overdose Decedents**








The number above the bar represents the number of overdoses where the circumstance was present.




### Substances Present in Suicide and Unintentional Drug Overdose Decedents

#### Substances Present by Manner of Death



## Time of Injury in Suicide and Unintentional Drug Overdose Decedents



The Indiana Violent Death Reporting System (INVDRS) combines data from death certificates, coroner reports and law enforcement reports in order to understand the circumstances surrounding violent deaths and better guide and target violence prevention programs, policies, and practices.