



Attendees

Rodd Hale – IHCD, Community Programs Manager – Weatherization
Josh Pearson – IHCD, Community Programs Technical & Policy Analyst – Weatherization
Greg Glassely – IHCD, Community Programs Director – Energy & Utility Programs
Ethan Scott – IHCD, Policy and Engagement Analyst - Weatherization
Colleen Hutson – Hutson Homes – Community Programs Monitor – Weatherization
Brian Beckman – TRI-CAP – Weatherization Manager
Jeffery Johnston – NWICA – Weatherization Manager
Lowell Robling – HUEDC - Weatherization Manager
Neal Stahly – LHDC - COO
Terri Poynter – CAPWI – Weatherization Manager
Brandon Morris – Job Source – Weatherization
Candace Gilliam – CAPE – Weatherization Manager
Holly Lee – ICAP – Weatherization Manager
Rocky Walton – SIEOC – Weatherization Manager
Tara Bolen – Duke Energy – Manager Products & Services

Public Hearing Transcript – DOE State Plan

January 10, 2024

Today is Wednesday, January 10, 2024 and the time is 11:00 am. My name is Ethan Scott, and I am the Policy and Engagement Analyst of Weatherization for the Indiana Housing and Community Development Authority (IHCD). IHCD is the Department of Energy (DOE) grantee for the State of Indiana and is responsible for management and oversight of the Weatherization Assistance Program.

This public hearing is being held in accordance with Federal Regulation 10 CFR 440.14(a) which requires that a public hearing be held prior to the submission of a state plan for the Department of Energy's Weatherization Assistance program. The above referenced guidance reads as follows:

§440.14 State plans.

(a) Before submitting to DOE an application, a State must provide at least 10 days' notice of a hearing to inform prospective Subgrantees, and must conduct one or more public hearings to receive comments on a proposed State plan. The notice for the hearing must specify that copies of the plan are available and state how the public may obtain them. The State must prepare a transcript of the hearings and accept written submission of views and data for the record.



ADDRESS 30 South Meridian Street, Suite 900, Indianapolis, IN 46204
PHONE 317 232 7777 **TOLL FREE** 800 872 0371 **WEB** www.ihcda.IN.gov

EQUAL OPPORTUNITY EMPLOYER AND HOUSING AGENCY

State of Indiana
Lieutenant Governor
Suzanne Crouch



This hearing covers the proposed state plan for Program Year 2024 beginning April 1, 2024 and ending March 31, 2025.

The public hearing notice was posted on the IHEDA website on December 22, 2023.

In addition to holding this Public Hearing, the DOE State Plan was made available for public comment from January 5, 2024 through January 12, 2024.

The Policy Advisory Council met first on June 28, 2023 and again on December 5, 2023. A copy of those meeting notes will be kept with the 2024 State Plan Documentation and attached to IHEDA's State Plan submission to DOE. Comments from that meeting may be reflected in the final version of the State Plan.

The State Plan is under preliminary review by our Project Officer at DOE. The Project Officer's comments will be reflected in the final version of the State Plan.

SUMMARY OF SIGNIFICANT CHANGES or AREAS OF CLARIFICATION:

1. Clarification and Expansion of Weatherization Activities

- a. Non-ISV certified HVAC professional must receive third-party interim inspection the day the work is completed
- b. Clarification to Pre-Audit and Interim Inspection in the Overview of Unit Evaluations
- c. Guidelines for utilizing the Region 3 Priority List
- d. Guidelines for tracking the rate of deferrals and types

2. Budget Forms

- a. Subgrantees have 15 days to close jobs after each month for it to contribute towards a sub-grantee's benchmark
- b. Subgrantees must use Appendix C for Budget forms and Budget Modifications
- c. Program income and co-funded funding sources can be used as leveraged funding in the Weatherization Assistance Program.
 - i. Co-funding can allow for measures that do not have a SIR of 1 or greater prior to co-funding to be determined an ECM.

3. Close Out Reports

- a. Subgrantees must use Appendix D for Closeout forms and submit a complete closeout report containing:
 - i. Closeout Form
 - ii. Quarterly Reports
 - iii. Job Expense Reports
 - iv. IHEDA Approvals and Waivers for Equipment Supplies

4. Clarification of Allowable Measures

- a. Break down of allowable measures for DOE, BIL, and LIHEAP/ES

5. 2024-25 Program Funding

Funding in the state plan for the 2024-25 Program Year was based on last year's allocation from DOE.

6. ACPU

For PY2024-2025 the ACPU for DOE Base projects will be \$8,250. BIL, starting July 1, 2024, will have an ACPU of \$8,250

a. Still debating impact to make one more “attractive than the other”

7. In conjunction with the State Plan, IHCDAs Weatherization Policy and Procedures Manual has been updated. All changes are noted in red text.

A draft of the 2024 DOE State Plan was made available online and in IHCDAs offices since January 5, 2023. Comments may be submitted by email, fax, or postal service mail during that timeframe.

Since posting, IHCDAs has received one response via email pointing out several of the revisions as follows:

- Overview of Unit Evaluations – Interim Inspections section states, “Interim inspections on furnaces must occur the day that the HVAC professional completes the work.” This is not a tenable policy. Not sure if this statement was intended to include a stipulation that the work was completed by a contractor that was not ISV Retrofit Installer Mechanical certified.
- Quality Control Inspections – “IHCDAs weatherization program requires all weatherization work be verified by a Quality Control Inspector (QCI) or an interim inspection before invoices are approved.” Previously, Energy Auditors could perform interim inspections on completed work. This statement appears to exclude such practice in 2024.

IHCDAs will now open the floor for verbal comments to be put on the record for 2024 DOE State Plan. If you would like to speak, please state your name and your organization before you start your comment.

Thank you for your comments, at this time we will close the record. If anyone would like us to re-open the record or if anyone new joins the call, we will re-open the record to accept their comments.

Ethan Scott announced the conclusion of the DOE 2024 Public Hearing at 12:00 pm.

Transcript

0:0:0.0 --> 0:0:2.300

Pearson, Joshua

I figured right.

0:0:11.370 --> 0:0:12.10

Colleen Hutson

There's still that.

0:0:10.720 --> 0:0:12.990

Glassley, Gregory

There's still an echo, yeah.

0:0:14.440 --> 0:0:16.320

Pearson, Joshua

I think maybe you, Greg calling.

0:0:16.320 --> 0:0:19.460

Colleen Hutson

I think maybe you, Greg, calling what?

0:0:19.470 --> 0:0:20.90

Colleen Hutson

Me, I'm in a room.

0:0:23.150 --> 0:0:24.190

Colleen Hutson

I can meet if you want me to.

0:0:26.50 --> 0:0:26.840

Hale, Rodd

Is Josh.

0:0:26.850 --> 0:0:27.750

Hale, Rodd

It's always Josh.

0:0:31.940 --> 0:0:33.530

Scott, Ethan

The transcription is working.

0:0:33.540 --> 0:0:38.350

Scott, Ethan

I hit record at the top and it says stop recording and stop transcription.

0:0:38.360 --> 0:0:43.920

Scott, Ethan

I guess that means that recordings in progress, so I'll bring everyone in.

0:0:46.230 --> 0:0:48.950

Brian Beckman (Guest)

The first one there, the revised energy audit attachments.

0:0:51.610 --> 0:0:52.540

Brian Beckman (Guest)

20 environments.

0:0:54.780 --> 0:0:55.180

Brian Beckman (Guest)

Doesn't matter.

0:0:55.560 --> 0:0:56.330

Brian Beckman (Guest)

Look at it later.

0:0:56.460 --> 0:0:57.380

Brian Beckman (Guest)

But I don't know if it's.

0:0:59.640 --> 0:0:59.990

Jeffery Johnston

I didn't.

0:1:0.700 --> 0:1:1.270

Brian Beckman (Guest)

I that's true.

0:1:1.100 --> 0:1:1.420

Jeffery Johnston

Then.

0:1:0.650 --> 0:1:1.480

Scott, Ethan

Alrighty.

0:1:1.490 --> 0:1:2.480

Scott, Ethan

Hello, everyone.

0:1:2.490 --> 0:1:2.950

Scott, Ethan

Good morning.

0:1:6.150 --> 0:1:11.680

Scott, Ethan

Today is Wednesday, January 10th, 2024 and the time is 11:00 AM.

0:1:11.830 --> 0:1:20.240

Scott, Ethan

My name is Ethan Scott, and I'm the policy and engagement analyst of weatherization for the Indiana Housing and Community Development Authority.

0:1:20.620 --> 0:1:30.200

Scott, Ethan

Icda is the Department of Energy grantee for the state of Indiana and is responsible for management and oversight of the Weatherization Assistance Program.

0:1:30.270 --> 0:1:46.210

Scott, Ethan

This public hearing hearing is being held in accordance with federal Regulation 10 CFR for 40.14 a which requires that a public hearing be held prior to the submission of a state plan for the Department of Energies Weatherization Assistance Program.

0:1:46.290 --> 0:1:49.210

Scott, Ethan

The above reference guidance reads as follows.

0:1:50.460 --> 0:2:9.670

Scott, Ethan

440.14 state plans subsection a before submitting to do an application, a state must provide at least 10 days notice of hearing to inform perspective subgrantees and must conduct one or more public hearings to receive comments on a proposed state plan.

0:2:9.990 --> 0:2:15.400

Scott, Ethan

The notice for the hearing must specify that copies of the plan are available in the state.

0:2:15.410 --> 0:2:23.20

Scott, Ethan

How the public may obtain them, the state must prepare a transcript of the hearings and accept written submission of views and data for the record.

0:2:23.430 --> 0:2:32.610

Scott, Ethan

This hearing covers the proposed state plan for a program year 2024 beginning April, just 2024 and ending March 31st, 2025.

0:2:32.960 --> 0:2:38.890

Scott, Ethan

The public hearing notice was posted on the ICM, a website on December 22nd, 2023.

0:2:39.490 --> 0:2:52.410

Scott, Ethan

In addition to holding this public hearing, the DOE state plan was made available for public comment from January 5th, 2024, and will remain available for public comment up until January 12, 2024.

0:2:53.200 --> 0:2:58.260

Scott, Ethan

The Policy Advisory Council met first on June 28th of 2023.

0:2:58.270 --> 0:3:1.690

Scott, Ethan

During the program year of 2023 and again on December.

0:3:3.970 --> 0:3:14.610

Scott, Ethan

Welth 2023 a copy of those meeting notes will be kept with the 2024 state plan documentation and attached to it CDA State plan submission to DOE.

0:3:15.30 --> 0:3:19.680

Scott, Ethan

Comments from that meeting may be reflected in the final version of the state plan.

0:3:19.930 --> 0:3:24.330

Scott, Ethan

The state plan is under preliminary review by our project officer at Dewey.

0:3:24.510 --> 0:3:28.330

Scott, Ethan

The project officers comments will be reflected in the final version of the state plan.

0:3:29.820 --> 0:3:36.800

Scott, Ethan

I'm gonna go ahead and begin to move into a summary of significant changes or areas of clarification.

0:3:37.750 --> 0:3:45.230

Scott, Ethan

UM, we are offering a clarification and expansion of weatherization activities.

0:3:47.200 --> 0:3:57.860

Scott, Ethan

Key points under that are non ESL ISV certified HVAC professionals must receive third party interim inspections the day the work is completed.

0:3:58.810 --> 0:4:6.940

Scott, Ethan

A clarification to pre audit and interim inspection in the overview of unit evaluations is offered those rules previously.

0:4:7.760 --> 0:4:15.350

Scott, Ethan

UM needed expansion and under increased understanding of what the pre audit was specifically.

0:4:15.360 --> 0:4:27.630

Scott, Ethan

And we made new guidance for the way interim inspections, convene umm, we also offered guidelines for utilizing region 3 priority list offered from DOE.

0:4:28.510 --> 0:4:33.360

Scott, Ethan

This again, of course, is a draft, but it is there and weatherization activities.

0:4:34.380 --> 0:4:41.760

Scott, Ethan

We have guidelines for tracking the rate of deferral and types, which is something that we want to continue to grow on.

0:4:42.30 --> 0:4:47.90

Scott, Ethan

All of these we will, of course offer more clarification with our subgrantees, individually.

0:4:47.750 --> 0:4:51.480

Scott, Ethan

UM, in discussing the proposed policy changes?

0:4:51.910 --> 0:4:55.900

Scott, Ethan

Umm, we also have changes to budget forms.

0:4:56.70 --> 0:5:9.160

Scott, Ethan

Subgrantees has have 15 days to close jobs after each month for it to contribute towards subgrantees benchmark subgrantees must continue to use Appendix C for budget forms and budget modifications.

0:5:9.170 --> 0:5:27.90

Scott, Ethan

There are new guidelines and clarification to this process offered program income and cofunded funding sources can be used as leverage funding in the weather nation of Assistance Program Co funding can allow for measures that do not have a server of one or greater prior to Co funding to be determined in ECM.

0:5:27.560 --> 0:5:32.370

Scott, Ethan

We're also offering clarification to the process of closeout reports.

0:5:33.40 --> 0:5:46.850

Scott, Ethan

Sub grantees must continue to use Appendix D for closeout forms and submit a complete closeout reporting containing the closeout form, quarterly reports, job expense reports, icda approvals, and waivers for equipment supplies.

0:5:47.540 --> 0:5:53.160

Scott, Ethan

There are new guidelines for this, expanding on the clarity for this process.

0:5:53.250 --> 0:5:56.510

Scott, Ethan

We highly recommend that we focus on that.

0:5:56.520 --> 0:6:2.110

Scott, Ethan

This is this is a big area of change, clarification of allowable measures is also offered.

0:6:2.500 --> 0:6:10.530

Scott, Ethan

Previously, a breakdown of allowable measures for do we bill, LIHEAP and ES were spread across separate documents.

0:6:10.540 --> 0:6:23.730

Scott, Ethan

We are now merging this all into the policy manual so that there is one concise source that can be referenced and offer more clarification to the to allowable measures.

0:6:24.520 --> 0:6:33.940

Scott, Ethan

Our 2024 to 2025 program year funding in the state plan is based on last year's allocation from deal.

0:6:33.950 --> 0:6:52.590

Scott, Ethan

We, the ACU for program year 2024 to 2025 for DOE based projects will be \$8250 for Bill starting July 1st, 2024, we will have an A CPU of \$8250.

0:6:53.140 --> 0:7:2.200

Scott, Ethan

We are still debating the impact to make either Dewey Bill appear more attractive than deal we base.

0:7:2.350 --> 0:7:21.980

Scott, Ethan

We are unsure internally exactly whether we want to raise the CPU of DOE bill, but for now these are the accu that we want to stay with in conjunction with the state plan, Icd's weatherization policy and procedures manual has been updated.

0:7:22.470 --> 0:7:25.360

Scott, Ethan

All changes are noted in red text.

0:7:25.460 --> 0:7:29.580

Scott, Ethan

This was this can be found in the draft state plan on an ICD this website.

0:7:28.870 --> 0:7:29.640

Rocky Walton

When picking up.

0:7:31.610 --> 0:7:38.720

Scott, Ethan

Umm, this is of course, as mentioned previously, has been available since January 5th, 2023.

0:7:38.730 --> 0:7:43.140

Scott, Ethan

Comments may be submitted by email, fax or Postal Service mail during that time frame.

0:7:44.330 --> 0:7:54.680

Scott, Ethan

Since posting uh, the state plan draft online, I CDA has received one response via email, pointing out several of the revisions as follows.

0:7:55.270 --> 0:8:6.730

Scott, Ethan

Under the overview of United valuations interim inspections section, states interim inspections on furnaces must occur the day that the HVAC professional completes the work.

0:8:7.620 --> 0:8:11.910

Scott, Ethan

The comment provided from this responder was.

0:8:12.60 --> 0:8:13.850

Scott, Ethan

This is not a tenable policy.

0:8:14.80 --> 0:8:23.470

Scott, Ethan

Not sure at this statement was intended to include a stipulation that the work was completed by a contractor that was not ISV, retrofit installer mechanical certified.

0:8:24.970 --> 0:8:25.790

Scott, Ethan

Another comment.

0:8:27.770 --> 0:8:43.720

Scott, Ethan

Under quality control inspections, the proposed policy states I CDA's weatherization program requires all weatherization work to be verified by a quality control inspector or an interim inspection before invoices are approved.

0:8:44.150 --> 0:8:50.80

Scott, Ethan

The comment was previously energy auditors could perform interim inspections on completed work.

0:8:50.310 --> 0:8:53.280

Scott, Ethan

This statement appears to exclude such practice.

0:8:53.290 --> 0:9:2.880

Scott, Ethan

In 2024, I CDA will now open the floor for verbal comments to be put on the record for the 2024 DO state plan.

0:9:2.950 --> 0:9:7.700

Scott, Ethan

If you would like to speak, please state your name and your organization before you start your comment.

0:9:7.870 --> 0:9:9.240

Scott, Ethan

Thank you for your comments.

0:9:9.350 --> 0:9:13.850

Scott, Ethan

At this time, we will go ahead and open up the floor and begin.

0:9:38.460 --> 0:9:49.430

Scott, Ethan

I'll go ahead and respond to the first comment that was provided that I mentioned on overview of evaluations regarding interim inspections. Umm.

0:9:51.410 --> 0:10:17.630

Scott, Ethan

Needing an interim inspection on furnaces the day that the HVAC professional completes the work is now a requirement per our policy, because installing furnaces poses a health and safety concern to the client and this is something that we want to have done and complete the day that the work is done so that we can process payments in a timely manner and we can keep contractors around and participating in the program.

0:10:17.690 --> 0:10:32.530

Scott, Ethan

And of course, in force, health and safety for the client and I'll make another comment in response to that was provided for the quality control inspection saying that interim inspections need to be done prior to invoices being improved.

0:10:32.640 --> 0:10:34.690

Scott, Ethan

UM, and that QC?

0:10:34.700 --> 0:10:36.170

Scott, Ethan

I can do it well.

0:10:36.800 --> 0:10:44.610

Scott, Ethan

An interim inspection, by definition of the policy manual, still allows an energy auditor to go conduct that interim inspection.

0:10:52.760 --> 0:10:52.920

Neal Stahly

Yes.

0:10:44.620 --> 0:10:53.40

Scott, Ethan

So we aren't barring energy auditors from going out and conducting it interim inspections in order for invoices to get approved.

0:10:53.520 --> 0:11:1.90

Scott, Ethan

This is this is still happening in the program as it stands, so just a bit of clarification to that concern that was brought up by that comment.

0:10:59.650 --> 0:11:1.190

Neal Stahly

You I have no doubt.

0:11:1.200 --> 0:11:6.220

Neal Stahly

I've got a conference until two, but no.

0:11:6.550 --> 0:11:8.70

Neal Stahly

I was supposed to be an Indian, but they do.

0:11:9.310 --> 0:11:10.720

Neal Stahly

No, I sent to you.

0:11:11.180 --> 0:11:12.680

Hale, Rodd

Can you mute please?

0:11:36.410 --> 0:11:39.660

Steven Kramer

This is Steve from South Central Community Action program.

0:11:40.180 --> 0:11:42.90

Steven Kramer

Uh, is it?

0:11:42.100 --> 0:11:48.60

Steven Kramer

We're talking about all of the things, so the like this would be the health and safety plan as well that we're talking about now.

0:11:49.90 --> 0:11:50.870

Scott, Ethan

Yes, we can open up the floor for that as well.

0:11:51.240 --> 0:11:51.750

Steven Kramer

OK.

0:11:52.260 --> 0:12:2.840

Steven Kramer

Quick question umm on the very first page there's red that says the health and safety expenditures is 40%, but then the next page.

0:12:4.130 --> 0:12:5.820

Steven Kramer

It says 25%.

0:12:10.350 --> 0:12:13.300

Steven Kramer

And so I guess there's confusion on my part.

0:12:14.260 --> 0:12:16.150

Steven Kramer

Umm, of.

0:12:15.610 --> 0:12:18.610

Pearson, Joshua

Either I can I can offer clarification if you like.

0:12:18.620 --> 0:12:18.790

Pearson, Joshua

Me too.

0:12:19.750 --> 0:12:19.950

Scott, Ethan

Sure.

0:12:20.510 --> 0:12:32.500

Pearson, Joshua

So yeah, so I think that was most likely an error on our part where we were going through our manuals and what we were looking at the 40%, the increased to 40%.

0:12:32.790 --> 0:12:35.480

Pearson, Joshua

I think there was a portion of it where we put 40%.

0:12:36.330 --> 0:13:1.380

Pearson, Joshua

However, umm this uh, currently as where we stand right now, we have not been approved by DOB to go to 40% and we actually received a well you know broad received a call from Tim and from our upset Dov and it does appear that people have to stay at 25% of for the foreseeable future.

0:13:3.450 --> 0:13:6.580

Pearson, Joshua

In that it seemed like there were, uh.

0:13:8.640 --> 0:13:10.160

Pearson, Joshua

And yeah, let's see.

0:13:10.170 --> 0:13:20.90

Pearson, Joshua

Like where we were writing it, we just uh erroneously put 40% because that was part of our plan, but now we have to, we have changed that back to 25.

0:13:20.100 --> 0:13:22.730

Pearson, Joshua

So, so we apologize for that error.
0:13:36.420 --> 0:13:40.520
Rocky Walton
Are you saying you have to inspect the heat when you're doing stop that day?
0:13:42.180 --> 0:13:43.900
Rocky Walton
That's what they this is their.
0:13:46.100 --> 0:13:47.930
Rocky Walton
Draft for estate planning.
0:13:48.840 --> 0:13:50.290
Rocky Walton
That's a draft that I follow.
0:13:50.300 --> 0:13:51.40
Rocky Walton
You can you do that.
0:13:51.910 --> 0:13:52.100
Mike
No.
0:13:59.930 --> 0:14:3.410
Hale, Rodd
So so this is a rod speaking.
0:14:3.890 --> 0:14:4.920
Hale, Rodd
I heard the comments.
0:14:5.210 --> 0:14:10.390
Hale, Rodd
There's concerns about the checking furnace that day, so this came from Inca.
0:14:11.270 --> 0:14:13.450
Hale, Rodd
Umm, we we did not.
0:14:13.360 --> 0:14:13.810
Pearson, Joshua
That's something.
0:14:15.950 --> 0:14:16.270
Pearson, Joshua
I see.
0:14:13.460 --> 0:14:23.300
Hale, Rodd
Something we came up with, so I guess I assumed talking with Chris and Fred that they
have the experience to know what's practical and what's not.
0:14:22.760 --> 0:14:24.460
Pearson, Joshua
Not correctly.
0:14:30.10 --> 0:14:32.400
Pearson, Joshua
Yeah, that could be.
0:14:35.360 --> 0:14:35.880

Pearson, Joshua
If somebody.
0:14:41.240 --> 0:14:42.20
Pearson, Joshua
That didn't check.
0:14:23.390 --> 0:14:44.400
Hale, Rodd
But this was directly from them saying if an installer is not certified, that furnace should be inspected that day, because if somebody that's not certified a contractor that's not certified puts in a unit that hasn't been checked and it creates a health and safety issue.
0:14:44.830 --> 0:14:48.540
Hale, Rodd
How can we allow the family to stay in it for even one night?
0:14:51.670 --> 0:14:54.390
Pearson, Joshua
Ohh again contract.
0:14:56.340 --> 0:14:57.980
Pearson, Joshua
It's not their fight items.
0:15:1.450 --> 0:15:1.820
Pearson, Joshua
I don't know.
0:15:6.400 --> 0:15:11.170
Pearson, Joshua
So OK to listen to and.
0:14:49.570 --> 0:15:13.560
Hale, Rodd
So it's only again, it's only if the contractor that you choose is not a certified ISV or a contractor, so I don't know how often that happens, but ohh I've got a couple emails already so I'm open to listen to concerns about that, but that was how we got to this.
0:15:13.530 --> 0:15:13.710
Pearson, Joshua
This.
0:15:18.870 --> 0:15:19.300
Pearson, Joshua
I think our.
0:15:24.140 --> 0:15:24.740
Pearson, Joshua
Like that?
0:15:24.750 --> 0:15:25.70
Pearson, Joshua
Yeah.
0:15:26.640 --> 0:15:27.70
Pearson, Joshua
Everything.
0:15:27.80 --> 0:15:27.780
Pearson, Joshua
You OK remember.

0:15:43.670 --> 0:15:47.50

Pearson, Joshua

We have that they say this meeting.

0:15:49.980 --> 0:15:50.290

Pearson, Joshua

We don't.

0:16:11.970 --> 0:16:12.580

Pearson, Joshua

I will look like.

0:16:17.260 --> 0:16:17.590

Pearson, Joshua

Thank you.

0:16:21.710 --> 0:16:22.850

Pearson, Joshua

Definitely be next week.

0:16:19.830 --> 0:16:24.540

Scott, Ethan

I'll let the the floor go on for another 15 minutes and at 11:30.

0:16:24.410 --> 0:16:26.30

Pearson, Joshua

83030.

0:16:24.550 --> 0:16:34.420

Scott, Ethan

If we do not have any further discussion on the state plan proposal, we will go ahead and close the floor and adjourn the meeting.

0:16:35.450 --> 0:16:37.30

Scott, Ethan

Am I?

0:16:37.650 --> 0:16:38.250

Pearson, Joshua

Very quickly.

0:16:37.40 --> 0:16:40.230

Scott, Ethan

We had I, CDA on the weatherization team our.

0:16:40.660 --> 0:16:41.30

Pearson, Joshua

You have to.

0:16:43.150 --> 0:16:43.310

Pearson, Joshua

But.

0:16:55.890 --> 0:16:58.670

Pearson, Joshua

And you say cancel through the transmittals as always.

0:16:40.380 --> 0:17:0.560

Scott, Ethan

There's fair amount of new blood here participating and helping to grow the program and it's our intention through all these proposed changes that we are advocating for everyone's interests here so that the program does what we would hope as a group for it to do, yeah.

0:17:2.680 --> 0:17:3.60

Pearson, Joshua

Come here.

0:17:3.580 --> 0:17:5.290

Scott, Ethan

So we definitely appreciate your input.

0:17:10.860 --> 0:17:13.770

Brian Beckman (Guest)

This is Brian with Tricap weatherization.

0:17:14.90 --> 0:17:20.870

Brian Beckman (Guest)

I've had a question about the multifamily requirements on Page Six of the.

0:17:23.390 --> 0:17:27.980

Brian Beckman (Guest)

DOE master file it.

0:17:27.990 --> 0:17:34.220

Brian Beckman (Guest)

It has a graph on there that on the two to four units it has neat.

0:17:34.670 --> 0:17:35.660

Brian Beckman (Guest)

The audit runs.

0:17:35.670 --> 0:17:38.210

Brian Beckman (Guest)

It has neat slash multia.

0:17:39.100 --> 0:17:46.910

Brian Beckman (Guest)

Does that mean that you can run either one on that, or is it going to be required that you have to run multi on 2 to 4 units as well?

0:17:47.490 --> 0:17:58.500

Scott, Ethan

So this is something we can dive into in in finer detail in Assam, UM and through any guidance that will come from our multi family analyst.

0:17:58.510 --> 0:18:7.760

Scott, Ethan

But from my understanding, this is what the WPN outlines for what is allowable modeling software for different housing types.

0:18:7.770 --> 0:18:29.960

Scott, Ethan

If you can go ahead and determine by a certain specifications that the firewall goes up from the ground through the ceiling, then you can qualify a multifamily structure as being a single family unit and and in that case you can use neat as modeling software for that for that given unit.

0:18:31.520 --> 0:18:35.970

Scott, Ethan

So that is that is that is something that is allowed when when we get to that point.

0:19:0.320 --> 0:19:3.300

Pearson, Joshua

Speak and we were just discuss include.

0:19:0.530 --> 0:19:3.480

Hale, Rodd

And we were just stop discussing here.

0:19:3.730 --> 0:19:7.810

Pearson, Joshua

Is there any every month time limit this meeting has to be open?

0:19:3.610 --> 0:19:7.860

Hale, Rodd

Is there a minimum time limit this meeting has to be open?

0:19:10.800 --> 0:19:13.580

Scott, Ethan

Oh yeah, we have to keep it open for for an hour.

0:19:13.590 --> 0:19:14.70

Scott, Ethan

I'm sorry.

0:19:14.80 --> 0:19:18.420

Scott, Ethan

I was just following the past script to pass script had closed at 11:30.

0:19:20.660 --> 0:19:23.260

Scott, Ethan

But they may have started earlier so.

0:19:25.390 --> 0:19:26.940

Scott, Ethan

We will keep this open until 12.

0:19:30.330 --> 0:19:31.510

Pearson, Joshua

There's no further comments you.

0:19:29.950 --> 0:19:32.350

Hale, Rodd

So if there's no further comments, you keep the meeting open.

0:19:34.340 --> 0:19:35.30

Scott, Ethan

As opposed so.

0:19:47.100 --> 0:19:55.610

Colleen Hutson

Yeah, I think in the past after you're still on, nobody's making a comment.

0:19:55.620 --> 0:19:59.350

Colleen Hutson

They shut the transcript off and then you. Yeah.

0:20:5.10 --> 0:20:5.160

Hale, Rodd

You.

0:20:0.400 --> 0:20:6.190

Colleen Hutson

Generally talk and then and then return the train it skipped on for the end of the meeting.

0:20:8.330 --> 0:20:9.890

Pearson, Joshua

Broke up quite a bit with.

0:20:11.10 --> 0:20:11.720

Colleen Hutson

But it's been a min.

0:20:11.220 --> 0:20:11.760

Pearson, Joshua

Settings.

0:20:8.80 --> 0:20:16.430

Hale, Rodd

You broke up quite a bit there, Colleen, but I think you said in the in the past after there are no further comments.

0:20:16.440 --> 0:20:17.690

Hale, Rodd

We just stopped the transcript.

0:20:13.770 --> 0:20:17.750

Pearson, Joshua

In the past, after they're no further comments, we just bought the transcript.

0:20:20.620 --> 0:20:22.930

Colleen Hutson

Peru Cup quite a bit.

0:20:23.310 --> 0:20:25.300

Scott, Ethan

I believe that's what she said.

0:20:22.940 --> 0:20:28.300

Colleen Hutson

They're calling, but I think you said in the the past after there are no further comments.

0:20:28.310 --> 0:20:29.510

Colleen Hutson

We just stopped the transcript.

0:20:30.130 --> 0:20:30.660

Colleen Hutson

Yeah.

0:20:30.720 --> 0:20:35.690

Colleen Hutson

And then they turn it back on at the end of the meeting to end it so that you don't have a long cause of my.

0:21:17.110 --> 0:21:22.660

Scott, Ethan

At this point I'm going to stop the transcription and we will resume the transcription.

0:21:22.670 --> 0:21:25.250

Scott, Ethan

If anyone else would like to provide a comment.

0:21:56.610 --> 0:21:57.890

Steven Kramer

South Central Community Action.

0:21:59.730 --> 0:22:0.100

Steven Kramer

I.

0:21:59.390 --> 0:22:0.150

Scott, Ethan

Thank you, Steve.

0:22:0.160 --> 0:22:3.380

Scott, Ethan

From South Central Community Action, we have you transcribed.

0:22:2.850 --> 0:22:3.400

Steven Kramer

I can.

0:22:3.830 --> 0:22:16.800

Steven Kramer

I can see that there might be some confusion on the interim inspections because in the earlier part of the manual it does state that if they're not ISV certified, that has to be done the same day.

0:22:16.810 --> 0:22:23.560

Steven Kramer

But on page 18, in the interim inspections it does.

0:22:23.570 --> 0:22:34.460

Steven Kramer

It says interim inspections on furnaces must occur the day the HVAC professional completes the work and it does not qualify that by saying that they are not ISV certified.

0:22:34.470 --> 0:22:39.400

Steven Kramer

So that part of the manual needs to be addressed on page 18.

0:22:41.290 --> 0:22:42.970

Steven Kramer

Because that does not give the caveat.

0:22:44.450 --> 0:22:49.590

Steven Kramer

Umm that if they are ISV certified to does not have to be inspected the same day.

0:22:53.730 --> 0:22:55.100

Scott, Ethan

Thank you for your input.

0:22:55.110 --> 0:23:3.860

Scott, Ethan

I I believe that something that we addressed after publishing this draft, so we will definitely be sure to look at that prior to submittal.

0:23:45.810 --> 0:23:48.570

Lowell Robling

And this is a general Robin with user up ones.

0:23:49.810 --> 0:23:49.970

Scott, Ethan

Hello.

0:23:50.240 --> 0:23:50.460

Lowell Robling

What?

0:23:50.950 --> 0:23:51.450

Lowell Robling

Umm.

0:23:51.930 --> 0:23:56.10

Lowell Robling

I was when I ask question about the Renovator certification section on 32.

0:23:56.950 --> 0:23:57.310

Lowell Robling

Umm.

0:23:57.470 --> 0:24:5.110

Lowell Robling

It states each sub grantee is required to have at least one EA, PRP certified lead renovator on staff at all times.

0:24:6.360 --> 0:24:19.410

Lowell Robling

Uh, it is required by EPA that anyone who is paid to perform work that disturbs paint in housing and the child occupied facilities built before 1970s must be certified.

0:24:21.700 --> 0:24:24.920

Lowell Robling

Should we be changing that disturbed Pete to lead based paint?

0:24:26.800 --> 0:24:27.280

Scott, Ethan

Umm.

0:24:27.810 --> 0:24:34.770

Lowell Robling

I mean, I realize it's in the lead based paint territory, but it just says paint disturbs paint.

0:24:36.470 --> 0:24:40.760

Scott, Ethan

Well, The thing is, is that that is built prior to the 1970s.

0:24:40.770 --> 0:24:45.190

Scott, Ethan

So it assumes that those homes do have presence of lead based paint in the home.

0:24:46.390 --> 0:24:46.650

Lowell Robling

OK.

0:24:47.130 --> 0:24:50.850

Scott, Ethan

So you have to qualify the the you're the house was built.

0:24:53.10 --> 0:24:53.250

Lowell Robling

OK.

0:25:44.480 --> 0:25:51.0

Scott, Ethan

I welcome any other comments and for the sake of the transcription, if there are none, I will turn off the transcription.

0:28:20.880 --> 0:28:21.750

Scott, Ethan

All righty.

0:28:21.390 --> 0:28:22.440

Colleen Hutson

All righty.

0:28:21.760 --> 0:28:23.810

Scott, Ethan

And Colleen, you with Hudson Homes?

0:28:22.490 --> 0:28:24.600

Colleen Hutson

Colleen with Hudson homes.

0:28:24.850 --> 0:28:31.780

Colleen Hutson

So when on the interim inspection, umm, on what page is that page?

0:28:31.790 --> 0:28:38.520

Colleen Hutson

Page 18, it says who can do an interim inspection and it says an HVAC professional.

0:28:38.770 --> 0:28:43.70

Colleen Hutson

I believe if it's going to follow suit with the rest of it, that should be scratched.

0:28:43.150 --> 0:28:48.910

Colleen Hutson

Retro fit install or mechanical could do it, but just a HVAC professional could not.

0:28:49.570 --> 0:28:51.50

Scott, Ethan

Thank you for that clarification.

0:28:50.80 --> 0:28:51.650

Colleen Hutson

Thank you for that clarification.

0:28:51.700 --> 0:28:55.780

Colleen Hutson

That's that's also something that we cleaned up after.

0:28:51.60 --> 0:28:56.910

Scott, Ethan

That's that's also something that we cleaned up after publishing this draft.

0:28:56.360 --> 0:28:58.160

Colleen Hutson

OK, publishing this draft, OK.

0:29:4.340 --> 0:29:8.10

Scott, Ethan

It will read its ISV certified retrofit installer mechanical.

0:29:55.680 --> 0:29:56.720

Steven Kramer

Sorry, this is Steve again.

0:29:56.730 --> 0:29:57.450

Steven Kramer

I have another question.

0:29:58.290 --> 0:29:59.470

Scott, Ethan

Let's what can you do?

0:30:1.980 --> 0:30:5.870

Steven Kramer

So on the page 30 under testing for lead.

0:30:8.460 --> 0:30:18.410

Steven Kramer

In the red there it says each subgrantee must have at least one designated staff member who is trained and refreshed annually at either Incas, sat or CMR on the use of the XRF analyzer.

0:30:18.780 --> 0:30:37.610

Steven Kramer

So that statement to me reads that the inspectors license is not required, but then down here on the lead inspection report in red, it says lead risk assessor or inspector's license number and expiration date.

0:30:41.350 --> 0:30:41.670

Scott, Ethan

Right.

0:30:37.800 --> 0:30:41.710

Colleen Hutson

Risk assessor or inspectors license number and expert original date.

0:30:41.90 --> 0:30:44.360

Steven Kramer

So how do we not have inspectors?

0:30:44.370 --> 0:30:47.690

Steven Kramer

But then we are required to have the inspector license number on the report.

0:30:43.630 --> 0:30:49.760

Colleen Hutson

So why do we not have inspectors then?

0:30:48.860 --> 0:30:53.290

Scott, Ethan

One person is is required to have the IRP.

0:30:53.700 --> 0:30:54.700

Scott, Ethan

Colleen, would you mind?

0:30:54.710 --> 0:30:55.740

Scott, Ethan

Uh muting, please.

0:31:0.750 --> 0:31:1.90

Scott, Ethan

Thank you.

0:30:49.790 --> 0:31:1.610

Colleen Hutson

The request to have the inspection since number on the before yeah person is is required to have the colleague.

0:31:1.620 --> 0:31:2.300

Colleen Hutson

Would you mind?

0:31:2.710 --> 0:31:15.560

Colleen Hutson

So no, I think I think Steven Wright, we can we can take that off cuz we took off the requirement that we somebody had to be a risk assessor or inspector at the agency.

0:31:15.690 --> 0:31:24.490

Colleen Hutson

We removed that requirement so they just need to is as long as they have that qualifying.

0:31:24.500 --> 0:31:29.270

Colleen Hutson

Knowing how to use the XRF class so I believe Stevens, right?

0:31:29.280 --> 0:31:30.110

Colleen Hutson

We can remove that little.

0:31:31.100 --> 0:31:39.60

Colleen Hutson

Second, you know how to get in red because I used to be what was required, so maybe it was taken out and put back in.

0:32:18.160 --> 0:32:30.60

Scott, Ethan

Yeah, I don't think that we ever did remove the RP certification from the letter requirement that has not been discussion that I've had.

0:32:31.620 --> 0:32:32.400

Scott, Ethan

Here.

0:32:30.660 --> 0:32:33.190

Colleen Hutson

I've been a discussion, not not the RP.

0:32:33.200 --> 0:32:34.450

Colleen Hutson

That's a different certification.

0:32:34.680 --> 0:32:35.560

Scott, Ethan

OK, OK.

0:32:36.0 --> 0:32:37.60

Colleen Hutson

OK, OK. Yeah.

0:32:37.70 --> 0:32:38.370

Colleen Hutson

RP is still required.

0:32:38.380 --> 0:32:45.590

Colleen Hutson

It's it's a lead lead inspector or lead renovate or lead risk assessor.

0:32:46.140 --> 0:32:46.430

Scott, Ethan

Right.

0:32:46.80 --> 0:32:47.140

Colleen Hutson

That's the right.

0:32:46.440 --> 0:32:47.230

Scott, Ethan

And that that's the.

0:32:47.190 --> 0:32:47.610

Colleen Hutson

Yeah.

0:32:47.240 --> 0:32:49.420

Scott, Ethan

So the license number needs to be removed.

0:32:47.620 --> 0:32:50.370

Colleen Hutson

That's so the license number needs to be removed.

0:32:50.380 --> 0:32:51.770

Colleen Hutson

That's no longer required, correct?

0:32:49.430 --> 0:32:52.570

Scott, Ethan

That's no longer requirement because we're not doing those, and that's right.

0:32:52.980 --> 0:32:53.330

Scott, Ethan

Thank you.

0:32:51.780 --> 0:32:54.900

Colleen Hutson

We're not doing this because we're not requiring that Yep.

0:34:22.570 --> 0:34:24.60

Scott, Ethan

I'm going to stop the transcription.

0:36:3.890 --> 0:36:4.770

Pearson, Joshua

So we know what it's on.

0:36:5.190 --> 0:36:6.240

Scott, Ethan

Alright, it is on.

0:36:6.680 --> 0:36:9.220

Pearson, Joshua

Alright, Steve and I see your comment.

0:36:9.290 --> 0:36:24.280

Pearson, Joshua

You're saying on page 33 in section 5.2, second sentence called out budget medication instead of a modification we can uh definitely edit that at uh, we'll look through make sure that that kind of a typo isn't there so.

0:36:24.950 --> 0:36:27.450

Scott, Ethan

Budget medication is that under 5.1?

0:36:28.180 --> 0:36:30.770

Pearson, Joshua

5.2 yeah, yeah.

0:36:29.340 --> 0:36:30.940

Scott, Ethan

5.2 I'll change that.

0:36:32.420 --> 0:36:33.300

Scott, Ethan

Yes, thank you.
0:36:34.220 --> 0:36:34.380
Pearson, Joshua
Right.
0:38:29.820 --> 0:38:31.400
Scott, Ethan
Going to start the transcription.
0:43:47.560 --> 0:43:48.320
Steven Kramer
This is Steve again.
0:43:50.720 --> 0:43:51.210
Scott, Ethan
Alrighty.
0:43:50.820 --> 0:43:51.250
Steven Kramer
Uh.
0:43:51.220 --> 0:43:53.60
Scott, Ethan
We have Steve Kramer with.
0:43:54.70 --> 0:43:55.700
Steven Kramer
South Central Community Action pro.
0:43:54.920 --> 0:43:57.100
Scott, Ethan
South Central Community Action, yeah.
0:43:57.770 --> 0:44:6.470
Steven Kramer
Earlier in the meeting you stated that the average cost per unit for DOE base was gonna be \$8250.
0:44:7.590 --> 0:44:7.710
Scott, Ethan
Yes.
0:44:8.110 --> 0:44:11.770
Steven Kramer
On page 46 it says \$8450.
0:44:12.820 --> 0:44:16.350
Scott, Ethan
Yeah, that's another thing that we decided to change.
0:44:16.360 --> 0:44:17.610
Scott, Ethan
We were going to have.
0:44:17.620 --> 0:44:25.70
Scott, Ethan
Do we build the 8450 and we were also going to have it have DOE based be 8450.
0:44:25.770 --> 0:44:28.340
Scott, Ethan
UM, we were we.
0:44:28.350 --> 0:44:35.260

Scott, Ethan

We reached a new agreement this week and so our new draft will will reflect that.

0:44:35.630 --> 0:44:46.740

Scott, Ethan

That's why I wanted to start this meeting off by saying 8250 will be the ACPU for both do we base and for Bill starting July 1st.

0:44:48.830 --> 0:44:58.140

Hale, Rodd

Uh, Steve, regarding that, yeah, it and it is a little weird that we posted the draft cause we have to post it and then other policy things came up.

0:44:58.150 --> 0:44:59.980

Hale, Rodd

And so we changed a few of those.

0:45:0.480 --> 0:45:11.90

Hale, Rodd

Umm, but you probably got my email about from DOE about the a CPU for Bill being a 5 year running average.

0:45:11.560 --> 0:45:12.420

Hale, Rodd

That was a surprise.

0:45:12.980 --> 0:45:16.970

Hale, Rodd

Ohm and I've actually reached out to DOE.

0:45:17.620 --> 0:45:24.830

Hale, Rodd

I don't think they really at least hour contact the monitor that we work with.

0:45:24.840 --> 0:45:25.930

Hale, Rodd

He was surprised.

0:45:26.520 --> 0:45:29.710

Hale, Rodd

He was like, wow, you're exactly right.

0:45:29.980 --> 0:45:33.770

Hale, Rodd

I have a lot of states that are are backloaded.

0:45:33.840 --> 0:45:36.430

Hale, Rodd

I mean, it takes time for the program to get up and running.

0:45:36.680 --> 0:45:39.220

Hale, Rodd

And so theoretically, if you do a lot of.

0:45:40.620 --> 0:45:46.160

Hale, Rodd

Completions at the end of the program and you're using and you go up to use that a CPU.

0:45:46.850 --> 0:45:52.980

Hale, Rodd

Technically, you could end up the program and go ohh geez I'm I kept it within each year.

0:45:52.990 --> 0:45:57.730

Hale, Rodd

I did what I was supposed to do, but for the program I busted the CPU.

0:45:59.350 --> 0:46:3.220

Hale, Rodd

It doesn't make a lot of sense to me the way they're doing it, but he was surprised.

0:46:3.230 --> 0:46:5.210

Hale, Rodd

He's gonna look into it, but.

0:46:6.410 --> 0:46:19.970

Hale, Rodd

For that reason would just 88250, and that's basically the average where we're at now, and we don't know what's gonna happen in the final two years, but we'll certainly be, umm, conservative.

0:46:22.540 --> 0:46:24.980

Hale, Rodd

Is a bit confusing and very surprising to me.

0:46:29.220 --> 0:46:30.440

Steven Kramer

I appreciate the clarification.

0:46:30.450 --> 0:46:30.750

Steven Kramer

Thank you.

0:55:15.470 --> 0:55:18.460

Scott, Ethan

Hello everybody I resumed the transcription.

0:55:18.650 --> 0:55:33.480

Scott, Ethan

Umm, I just want to reiterate that we submitted the public notice for the public hearing on in.gov backslash ihcc a backslash newsroom backslash public dash notices.

0:55:35.440 --> 0:55:53.620

Scott, Ethan

This is where we let the public know on December 22nd that we were going to be holding the public hearing today, UM, this will be included in our SF 424 application on page umm, including the transcriptions from this hearing and the recording as well.

0:55:54.880 --> 0:56:4.890

Scott, Ethan

Umm, this meeting will adjourn at 12:00 PM if we do not have any further discussion or comment.

0:56:17.940 --> 0:56:20.540

Brian Beckman (Guest)

Ethan, this is Brian with Tricap weatherization.

0:56:21.710 --> 0:56:22.30

Scott, Ethan

Hi, Brian.

0:56:22.700 --> 0:56:24.650

Brian Beckman (Guest)

I got a question on page 27.

0:56:27.280 --> 0:56:30.40

Brian Beckman (Guest)

It says cost associated with deferred units.

0:56:32.230 --> 0:56:36.700

Brian Beckman (Guest)

Are an allowable expense under base Operations base program operations.

0:56:39.700 --> 0:56:40.170

Brian Beckman (Guest)

Umm.

0:56:42.490 --> 0:56:43.470

Scott, Ethan

On page 27.

0:56:44.310 --> 0:56:44.470

Brian Beckman (Guest)

Yes.

0:56:47.310 --> 0:56:49.190

Brian Beckman (Guest)

In red, it's the only thing in red on that page.

0:56:48.230 --> 0:56:49.750

Colleen Hutson

And it's the only thing in red on that page.

0:56:55.920 --> 0:56:56.890

Scott, Ethan

What's the subsection?

0:56:56.410 --> 0:56:57.410

Colleen Hutson

What's this subsection?

0:57:2.660 --> 0:57:3.300

Scott, Ethan

Oh, I see it now.

0:57:3.110 --> 0:57:4.140

Colleen Hutson

Ohh I see it now.

0:57:4.110 --> 0:57:5.130

Brian Beckman (Guest)

Referral standards.

0:57:4.710 --> 0:57:5.630

Colleen Hutson

The world standards.

0:57:10.310 --> 0:57:16.100

Colleen Hutson

I think it's the cost to defer the home, not the cost to fix the deferral is what it's referring to.

0:57:16.110 --> 0:57:18.130

Colleen Hutson

Do we need to clarify that better, Brian, you think?

0:57:19.800 --> 0:57:23.80

Brian Beckman (Guest)

No, that, I mean that's good enough for me you've been.

0:57:20.360 --> 0:57:29.980

Colleen Hutson

No, that, I mean you know, so if you go out and do an inspection and an inspection, you can charge that inspection cost to base even if it ended up being a deferral.

0:57:30.740 --> 0:57:31.210

Brian Beckman (Guest)

OK.

0:57:31.460 --> 0:57:32.370

Brian Beckman (Guest)

OK, that makes sense.

0:57:31.240 --> 0:57:33.700

Colleen Hutson

OK, not for repairing the deferral.

0:57:35.250 --> 0:57:35.560

Brian Beckman (Guest)

OK.

0:57:35.570 --> 0:57:35.930

Brian Beckman (Guest)

Thank you.

0:57:35.940 --> 0:57:36.230

Colleen Hutson

OK.

0:57:36.240 --> 0:57:36.530

Colleen Hutson

Thank you.

0:57:37.540 --> 0:57:42.450

Steven Kramer

Just to answer your question, Colleen, I I was, I read that and I read it the same way that Brian did.

0:57:42.460 --> 0:57:44.220

Steven Kramer

So maybe some clarification would be.

0:57:42.710 --> 0:57:45.520

Colleen Hutson

And get some, maybe some a little clarification would be helpful.

0:57:45.610 --> 0:57:46.270

Colleen Hutson

Thank you guys.

0:57:45.890 --> 0:57:46.600

Scott, Ethan

I can put that in.

0:57:46.280 --> 0:57:46.820

Colleen Hutson

That's awesome.

0:58:41.700 --> 0:58:44.610

Steven Kramer

This is Steve again from South Central Community Action.

0:58:44.620 --> 0:58:53.860

Steven Kramer

Just one quick umm or typo I guess or whatever in the the Web DE master file.

0:58:57.120 --> 0:59:6.880

Steven Kramer

It doesn't have a page number listed on the page, but my PDF is telling me it's on page 14 under Section V .2.

0:59:8.910 --> 0:59:14.830

Steven Kramer

It says I HCA contracts with 20 and then in parentheses it says 19 so.

0:59:14.330 --> 0:59:14.910

Scott, Ethan

Right.

0:59:15.360 --> 0:59:22.130

Scott, Ethan

That that's another, uh, another notice that we received we we clarified that and changed that for our master file that will be submitted.

0:59:22.440 --> 0:59:22.800

Steven Kramer

There you go.

0:59:22.980 --> 0:59:30.450

Scott, Ethan

We are now at 19 subgrantees, 18 of which are Community Action agencies, one being a local unit of government.

0:59:31.40 --> 0:59:34.770

Scott, Ethan

There's also a mistake further down the line.

0:59:35.480 --> 0:59:45.830

Scott, Ethan

It should read as streamline solutions with five sub grantees and Hudson homes with 14 subgrantees in charge of monitoring.

1:0:11.270 --> 1:0:15.560

Scott, Ethan

Well, we are about to adjourn unless if anyone has anything else to comment.

1:0:15.740 --> 1:0:26.620

Scott, Ethan

We very much appreciate everyone's input and we look forward to the coming program year and we're very excited for our submittal to DOE.

1:0:26.670 --> 1:0:31.710

Scott, Ethan

So this is all very good progress and we're very thankful all of you made it today.

1:0:35.410 --> 1:0:36.90

Scott, Ethan

Have a good afternoon.

1:0:42.300 --> 1:0:42.710

Colleen Hutson

Bye.