



5th Congressional District Nutrient and Sediment Load Reductions

Accomplished By Private Landowners and the Indiana Conservation Partnership



Sediment Reduced: 24,183,300 lbs.
 Enough to fill 120 freight cars!



Phosphorus Reduced: 15,345 lbs.
 Enough to fill 15 truck beds (8' bed)!



Nitrogen Reduced: 31,725 lbs.
 Enough to fill 31 truck beds (8' bed)!



Practices do not include the many unassisted practices designed and installed by private landowners without ICP assistance. Nutrient estimates only consider sediment bound N and P, not dissolved components. Load reductions are calculated using the EPA's Region 5 Load Reduction Model.

Calendar Year	Practices Installed	Active Practices	Sediment Reduction (lbs)	Phosphorus Reduction (lbs)	Nitrogen Reduction (lbs)
2013	196	196	21,495,030	14,225	28,420
2014	221	244	23,636,670	14,985	29,950
2015	189	268	27,069,660	18,160	37,350
2016	73	231	15,367,800	9,815	20,670
2017	142	321	23,487,525	14,795	30,615
2018	162	384	24,183,300	15,345	31,725
13-18	983		135,239,985	87,325	178,730

The "practices installed" column indicates the number of newly installed best management practices within a given calendar year, while the "active practices" column indicates the number of best management practices that are actively reducing sediment, nitrogen, and phosphorus loading regardless of the year of installation. Load reduction calculations have been rounded to the multiple of 5.