

## 6th Congressional District Nutrient and Sediment Load Reductions

Accomplished By Private Landowners and the Indiana Conservation Partnership





## Sediment Reduced: 372,314,755 lbs.

Enough to fill 1,861 freight cars!



## Phosphorus Reduced: 191,905 lbs.

Enough to fill 191 truck beds (8' bed)!



## Nitrogen Reduced: 384,745 lbs.

Enough to fill 384 truck beds (8' bed)!



Practices do not include the many unassisted practices designed and installed by private landowners without ICP assistance.

Nutrient estimates only consider sediment bound N and P, not dissolved components. Load reductions are calculated using the EPA's Region 5 Load Reduction Model.

Calendar Year	Practices Installed	Active Practices	Sediment Reduction (lbs)	Phosphorus Reduction (lbs)	Nitrogen Reduction (lbs)
2013	1,731	1,731	231,199,205	115,715	231,540
2014	1,228	1,820	244,428,150	123,630	247,640
2015	1,511	2,338	295,058,725	148,135	296,720
2016	1,554	2,767	298,013,170	149,700	299,705
2017	1,476	3,122	302,656,570	154,055	308,410
2018	2,026	3,968	372,314,755	191,905	384,745
13-18	9,526		1,743,670,575	883,140	1,768,760

The "practices installed" column indicates the number of newly installed best management practices within a given calendar year, while the "active practices" column indicates the number of best management practices that are actively reducing sediment, nitrogen, and phosphorus loading regardless of the year of installation. Load reduction calculations have been rounded to the multiple of 5.

For more information visit: http://www.in.gov/isda/2991.htm or contact ISDANutrientReduction@isda.in.gov

Last updated: 3/6/2019

Data provided by: Indiana State Department of Agriculture, Indiana Department of Natural Resources, Indiana Department of Environmental Managment, Indiana Soil and Water Conservation Districts, and the USDA Natural Resource Conservation Service.