



Michael R. Pence
Governor

William C. VanNess II, MD
State Health Commissioner

March 25, 2014

Mr. Jim King
Eljen Corporation, Inc.
125 McKee Street
East Hartford, CT 06108

Dear Mr. King:

Re: Approval of Eljen GSF
For use in residential and commercial onsite sewage systems

The Eljen GSF is hereby approved for use in Indiana as a soil absorption field technology by the Indiana State Department of Health (department), under the provisions of *410 IAC 6-8.3-52(h)*, *410 IAC 6-10.1-49(h)*, and the *Indiana Standards for Eljen GSF* published by the department on March 25, 2014.

This approval supersedes and replaces any previous approvals granted by this department for the use of this technology. This approval is for the use in individual commercial residential onsite sewage systems. Approval is effective this 25th day of March, 2014 and subject to renewal by the department no later than the 25th of March, 2015.

- I. Eljen Corporation is required to:
- a) Certify manufacturers, distributors, designers, installers and service providers;
 - b) Submit to the department a list of all certified installers, distributors, service providers and manufacturers for the State of Indiana on a quarterly basis the first year and annually after that; and notify the department immediately of the removal of any certified installer, distributor, service providers or manufacturer;
 - c) Submit for review and approval of the department the Eljen GSF certification course materials. Also, Eljen Corporation shall demonstrate for approval this certification course to the department. Both above requirements must occur prior to the initial certification of any manufacturers, distributors, designers, installers, and service providers for Indiana. This process shall be repeated as needed based on changes to the training course.
 - d) Submit for review and approval of the department any proposed changes to any system component or the Eljen GSF Indiana Design & Installation Manual prior to implementation of the changes;
 - e) Notify the department of any scheduled training event at least 10 working days prior to the event;
 - f) Provide on-going consultation to health department staffs, designers, installers, and service providers;



Indiana
A State that Works

2 North Meridian Street • Indianapolis, IN 46204
317.233.1325 tdd 317.233.5577
www.statehealth.in.gov

To promote and provide
essential public health services.

- g) Submit to the department on a quarterly basis for the first year the installation of any onsite sewage system installed that includes an Eljen GSF using a data format provided by the department.
- II. The Eljen GSF is subject to:
- The applicable provisions of ISDH Rule 410 IAC 6-8.3, and ISDH Rule 410 IAC 6-10.1;
 - Receiving and dispersing only domestic and/or residential strength wastewater;
 - The Eljen GSF Indiana Design & Installation Manual, March 2014.
- III. The Eljen GSF manufacturer, designer, distributor, installer, and service provider is subject to:
- Eljen Corporation Certification;
 - Maintaining a status of good standing with Eljen Corporation.

This approval may be revoked or modified by the department for non-compliance, or if it is documented that it would not be in the best interests of public health for approvals to continue.

If you wish to request administrative review of this *Approval* pursuant to Indiana Code 4-21.5-3-5, you must file a petition for review within fifteen (15) days after this *Approval* is received. The petition for review and petition for stay of effectiveness must be postmarked no later than April 20, 2014.

The petition for review must be in writing and must include facts demonstrating that:

- The petitioner is a person to whom the *Approval* is specifically directed;
- The petitioner is aggrieved or adversely affected by the *Approval*; or
- The petitioner is entitled to review under any law.

If the petition for review is not filed timely, this *Approval* becomes FINAL. Any petition for review and petition for stay of effectiveness must be submitted in writing to:

Court Administrator
Office of Legal Affairs, #3H
Indiana State Department of Health
2 North Meridian Street
Indianapolis, IN 46204

If you do not object to this product submittal approval, you do not need to take any further action.

Sincerely,



Michael Mettler, REHS, Director
Environmental Public Health Division
317/233-7183
mmettler@isdh.in.gov

cc: Local Health Departments
Onsite Staff