

Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Action Ctr	123	18.7	56.1	20.3	0.0	0.0	4.9	0.0
Albion	1,073	64.4	0.3	33.1	0.0	0.7	1.5	0.0
Anderson	2,957	66.6	12.7	13.6	0.1	0.1	6.9	0.0
Ball Mem	21	*	*	*	*	*	*	*
Bartholome	2,031	71.5	1.2	23.3	0.0	0.4	3.5	0.0
Bedford	1,182	95.3	0.6	2.1	0.0	1.0	0.9	0.0
Benton Co	230	76.5	1.3	19.1	0.0	0.0	3.0	0.0
Berne	122	81.1	1.6	17.2	0.0	0.0	0.0	0.0
Bicknell	102	97.1	0.0	2.0	0.0	0.0	1.0	0.0
Blackburn	1,412	9.1	81.5	4.5	0.0	0.8	4.0	0.0
Blackford	418	93.3	0.5	3.1	0.2	0.0	2.9	0.0
Boone Co	772	91.1	0.9	5.3	0.0	0.4	2.3	0.0
Brazil	914	92.2	0.2	3.8	0.0	0.5	3.2	0.0
Brown Co	308	91.9	0.6	5.2	0.3	0.0	1.9	0.0
Cambridge	158	93.0	0.0	2.5	0.0	0.0	4.4	0.0
Carroll Co	387	82.4	0.3	14.5	0.0	0.0	2.8	0.0
Cass Co	1,658	57.2	0.8	39.0	0.0	1.0	1.9	0.0
Citizens	2,203	29.6	49.0	17.1	0.0	0.9	3.4	0.0
Civic Ctr	3,603	61.7	23.9	7.0	0.0	1.0	6.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Clark Co	2,905	61.5	9.6	21.4	0.1	0.9	6.6	0.0
Clay City	74	*	*	*	*	*	*	*
Clinton	414	97.8	0.0	1.2	0.0	0.2	0.7	0.0
Clinton Co	1,324	53.1	0.5	44.6	0.0	0.2	1.6	0.0
Comm East	253	30.8	50.2	7.5	0.0	0.4	11.1	0.0
Cottage Gr	2,924	65.3	9.6	21.6	0.1	0.3	3.2	0.0
Crawford	275	96.0	0.4	2.5	0.0	0.0	1.1	0.0
Crown Pt	2,042	76.6	6.7	13.3	0.0	0.7	2.7	0.0
Daviess Co	805	70.2	0.6	25.5	0.0	0.2	3.5	0.0
Dearborn	1,191	95.8	0.9	0.8	0.1	0.2	2.3	0.0
Decatur	682	84.6	0.6	12.2	0.0	0.1	2.5	0.0
Decatur Co	827	95.4	0.2	3.7	0.1	0.0	0.5	0.0
Dekalb Co	1,113	89.3	0.6	6.8	0.2	0.5	2.5	0.0
Dubois Co	1,055	64.8	0.9	30.9	0.1	0.7	2.7	0.0
E Chicago	2,546	2.9	32.8	62.3	0.1	0.0	1.8	0.0
Eaton	72	*	*	*	*	*	*	*
Elkhart	5,461	40.5	14.5	38.5	0.0	0.6	5.9	0.0
Elwood	347	88.8	1.2	7.5	0.0	0.0	2.6	0.0
Fayette Co	852	95.4	0.7	1.8	0.0	0.1	2.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Floyd Co	1,700	64.8	15.1	9.8	0.0	3.8	6.5	0.0
Forest Man	2,777	9.2	81.8	5.5	0.3	0.8	2.4	0.0
Fountain	460	96.1	0.2	2.4	0.0	0.4	0.9	0.0
Franklin C	383	98.7	0.0	0.5	0.0	0.0	0.8	0.0
Fulton	595	84.4	4.4	3.0	0.0	0.3	7.9	0.0
Fulton Co	675	86.1	0.9	10.8	0.0	0.1	2.1	0.0
Georgetown	4,919	15.4	40.3	40.9	0.2	1.1	2.2	0.0
Gibson Co	753	82.5	4.4	5.0	0.0	0.1	8.0	0.0
Glenn Pk	2,194	12.9	71.9	10.5	0.0	0.3	4.3	0.0
Goshen	2,805	47.2	1.2	48.9	0.0	0.3	2.4	0.0
Grant Co	2,508	67.9	10.6	12.3	0.0	0.3	8.9	0.0
Grant St	1,492	1.3	91.4	4.4	0.1	0.6	2.1	0.0
Grassy Crk	3,655	21.4	52.4	22.2	0.1	0.4	3.4	0.0
Greene Co	710	95.1	0.4	3.8	0.0	0.3	0.4	0.0
Hamilton	2,849	74.1	8.2	13.0	0.2	1.9	2.6	0.0
Hammond	3,361	21.6	28.9	46.4	0.0	0.3	2.8	0.0
Hancock Co	1,007	87.4	1.9	5.0	0.1	0.2	5.5	0.0
Hanna	4,487	51.5	6.6	19.5	0.0	17.1	5.2	0.0
Harrison	968	90.9	0.2	5.9	0.1	0.8	2.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Hendricks	1,557	85.7	5.2	4.7	0.1	2.8	1.6	0.0
Henry Co	1,365	89.7	1.1	4.2	0.1	0.4	4.4	0.0
Hessville	1,467	50.0	17.9	30.6	0.1	0.1	1.4	0.0
Hispanic C	566	1.1	4.8	94.2	0.0	0.0	0.0	0.0
Howard Co	3,084	74.6	10.7	6.4	0.0	0.3	8.0	0.0
Huntington	962	91.0	0.0	4.8	0.0	0.2	4.1	0.0
Jackson Co	1,423	75.3	1.5	22.6	0.0	0.4	0.1	0.0
Jasonville	39	*	*	*	*	*	*	*
Jasper Co	945	82.0	1.2	16.2	0.0	0.0	0.6	0.0
Jay Co	565	84.8	0.2	12.4	0.0	0.0	2.7	0.0
Jefferson	915	82.1	0.9	10.7	0.0	0.4	5.9	0.0
Jennings	1,228	92.8	1.9	4.5	0.2	0.2	0.6	0.0
Johnson Co	2,704	80.1	1.6	10.1	0.0	4.0	4.1	0.0
Kosciusko	1,724	66.1	0.9	30.3	0.1	0.3	2.3	0.0
Lagrange	654	80.0	0.5	15.4	0.0	1.1	3.1	0.0
Lake Station	1,927	40.0	15.1	37.4	0.1	0.2	7.4	0.0
Laporte	1,784	71.1	3.0	22.0	0.0	0.1	3.8	0.0
Main St	3,014	74.8	12.5	3.8	0.1	0.5	8.3	0.0
Marshall	1,424	65.9	1.0	29.6	0.0	0.0	3.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Martin Co	262	95.8	0.8	1.1	0.0	0.0	2.3	0.0
Memorial	458	42.1	32.8	18.8	0.0	0.7	5.7	0.0
Methodist	814	29.9	44.3	18.1	0.1	3.1	4.5	0.0
Miami Co	978	82.4	1.8	6.4	0.5	0.5	8.3	0.0
Mich City	1,638	47.6	36.3	7.9	0.1	0.9	7.2	0.0
Moms/Kids	265	15.8	32.8	47.9	0.0	1.5	1.9	0.0
Monroe Co	2,638	73.0	5.6	7.3	0.0	4.3	9.7	0.0
Montgomery	1,106	80.4	1.5	16.3	0.1	0.2	1.5	0.0
Morgan Co	1,583	94.1	0.6	2.1	0.0	0.1	3.2	0.0
N Arlingto	2,828	25.4	43.1	23.5	0.2	0.7	7.1	0.0
N Liberty	62	*	*	*	*	*	*	*
N Manchest	330	78.5	1.8	13.3	0.0	0.3	6.1	0.0
Newton Co	276	85.1	0.4	12.7	0.0	0.4	1.4	0.0
Northwest	2,382	11.5	32.6	49.3	0.4	2.7	3.5	0.0
Ohio Co	58	*	*	*	*	*	*	*
Orange Co	695	93.2	2.3	1.9	0.3	0.1	2.2	0.0
Owen Co	502	95.6	0.0	2.8	0.0	0.2	1.4	0.0
Parke Co	320	92.2	0.0	5.9	0.0	0.6	1.3	0.0
Perry Co	459	95.0	0.2	1.3	0.0	0.2	3.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Pike Co	277	94.9	0.0	1.8	0.0	0.0	3.2	0.0
Portage	1,460	68.6	10.3	18.4	0.1	0.5	2.0	0.0
Posey Co	383	89.6	2.6	2.6	0.0	0.0	5.2	0.0
Pulaski Co	381	92.4	0.5	4.7	0.0	0.3	2.1	0.0
Purdue	520	35.2	4.8	10.0	0.6	46.7	2.7	0.0
Putnam Co	989	93.2	1.3	2.3	0.0	0.2	2.9	0.0
Randolph	760	82.6	1.1	11.2	0.1	0.0	5.0	0.0
Richmond	2,169	69.1	5.8	11.5	0.2	0.3	13.2	0.0
Ripley Co	837	93.5	0.0	4.5	0.1	0.1	1.7	0.0
Rush Co	382	91.1	0.3	4.2	0.0	0.5	3.9	0.0
SB Ireland Rd	2,823	63.2	13.5	12.7	0.1	1.2	9.2	0.0
SB Lafayette	3,947	23.3	37.3	30.7	0.1	1.4	7.2	0.0
Scott Co	966	92.9	0.4	4.3	0.0	0.1	2.3	0.0
Shelby Co	1,192	83.1	1.0	14.3	0.0	0.1	1.4	0.1
Shelters	48	*	*	*	*	*	*	*
SJ Reg Ctr	203	47.3	29.6	15.8	0.0	1.0	6.4	0.0
So Calhoun	9,889	35.6	27.6	21.3	0.1	7.2	8.2	0.0
Spencer Co	381	85.3	0.5	10.8	0.0	0.0	3.4	0.0
St Francis	90	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
St V-FLC	445	14.4	51.9	24.5	0.0	0.2	9.0	0.0
Starke Co	862	90.7	0.1	7.4	0.0	0.0	1.7	0.0
Steuben Co	1,314	87.1	0.4	9.1	0.0	1.1	2.4	0.0
Sullivan	536	93.7	0.4	4.5	0.0	0.0	1.5	0.0
Switz""Land	189	95.8	0.5	2.1	0.0	0.0	1.6	0.0
Tippecanoe	4,601	55.8	10.6	28.2	0.3	0.5	4.7	0.0
Tipton Co	278	91.4	0.4	5.8	0.4	0.0	2.2	0.0
Union Co	207	95.2	0.0	1.4	0.0	0.0	3.4	0.0
United Fai	1,702	66.2	14.0	9.2	0.0	0.9	9.8	0.0
Valpo	1,488	75.1	4.2	15.0	0.1	0.9	4.8	0.0
Vigo	2,694	76.9	8.5	4.4	0.1	0.6	9.5	0.0
Vincennes	850	88.4	1.1	5.6	0.1	0.0	4.8	0.0
W 21st Ave	1,716	0.5	95.4	3.0	0.1	0.1	1.0	0.0
Wabash	647	86.7	0.2	5.9	0.0	0.6	6.6	0.0
Warren Co	259	97.7	0.0	2.3	0.0	0.0	0.0	0.0
Warrick Co	1,031	90.5	1.5	3.7	0.1	0.0	4.3	0.0
Washington	782	93.2	0.1	3.6	0.1	0.3	2.7	0.0
Wells Co	592	89.0	1.7	6.1	0.0	0.2	3.0	0.0
Westside	2,443	29.0	18.1	48.1	0.2	0.7	3.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
White Co	916	74.6	0.1	23.8	0.0	0.1	1.4	0.0
Whitley Co	828	92.8	0.7	4.7	0.0	0.6	1.2	0.0
Wishard	963	9.8	47.7	39.8	0.0	0.4	2.4	0.0
Indiana	181,175	57.6	17.2	18.8	0.1	1.6	4.6	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Action Ctr	123	30.9	27.6	41.5
Albion	1,073	29.7	26.0	44.3
Anderson	2,957	41.7	19.8	38.5
Ball Mem	21	*	*	*
Bartholome	2,031	38.4	21.5	40.2
Bedford	1,182	39.4	19.5	41.1
Benton Co	230	20.9	21.3	57.8
Berne	122	30.3	24.6	45.1
Bicknell	102	28.4	28.4	43.1
Blackburn	1,412	30.9	28.5	40.6
Blackford	418	30.9	21.3	47.8
Boone Co	772	33.3	24.4	42.4
Brazil	914	31.4	19.4	49.2
Brown Co	308	33.4	17.2	49.4
Cambridge	158	34.8	15.8	49.4
Carroll Co	387	31.0	18.6	50.4
Cass Co	1,658	33.1	16.6	50.4
Citizens	2,203	35.5	24.3	40.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Civic Ctr	3,603	43.5	17.7	38.9
Clark Co	2,905	35.7	21.1	43.3
Clay City	74	*	*	*
Clinton	414	35.5	20.5	44.0
Clinton Co	1,324	33.2	19.0	47.8
Comm East	253	97.2	1.6	1.2
Cottage Gr	2,924	23.2	28.9	47.9
Crawford	275	35.6	19.6	44.7
Crown Pt	2,042	42.9	18.1	38.9
Daviess Co	805	26.3	24.3	49.3
Dearborn	1,191	35.9	20.9	43.2
Decatur	682	35.9	19.1	45.0
Decatur Co	827	34.0	19.1	46.9
Dekalb Co	1,113	31.1	25.1	43.8
Dubois Co	1,055	35.8	20.7	43.5
E Chicago	2,546	34.9	18.7	46.4
Eaton	72	*	*	*
Elkhart	5,461	31.9	20.6	47.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Elwood	347	36.6	23.1	40.3
Fayette Co	852	36.7	19.1	44.1
Floyd Co	1,700	38.3	19.6	42.1
Forest Man	2,777	26.1	28.3	45.6
Fountain	460	32.6	23.5	43.9
Franklin C	383	37.3	17.5	45.2
Fulton	595	42.0	22.5	35.5
Fulton Co	675	37.3	18.1	44.6
Georgetown	4,919	26.6	26.7	46.7
Gibson Co	753	40.1	18.3	41.6
Glenn Pk	2,194	37.1	18.3	44.6
Goshen	2,805	31.6	21.5	46.9
Grant Co	2,508	35.1	18.6	46.3
Grant St	1,492	38.9	17.8	43.3
Grassy Crk	3,655	26.3	27.4	46.3
Greene Co	710	37.0	18.7	44.2
Hamilton	2,849	36.5	20.1	43.4
Hammond	3,361	34.4	20.1	45.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Hancock Co	1,007	41.1	17.4	41.5
Hanna	4,487	31.5	26.9	41.7
Harrison	968	34.7	16.3	49.0
Hendricks	1,557	37.5	23.1	39.4
Henry Co	1,365	34.3	19.4	46.3
Hessville	1,467	38.4	18.4	43.2
Hispanic C	566	20.5	24.4	55.1
Howard Co	3,084	35.9	18.6	45.5
Huntington	962	36.9	19.2	43.9
Jackson Co	1,423	32.9	21.2	46.0
Jasonville	39	*	*	*
Jasper Co	945	35.7	17.4	47.0
Jay Co	565	37.2	21.9	40.9
Jefferson	915	40.4	17.0	42.5
Jennings	1,228	29.9	20.9	49.2
Johnson Co	2,704	38.8	19.0	42.2
Kosciusko	1,724	31.6	23.0	45.4
Lagrange	654	32.7	17.4	49.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lake Station	1,927	37.5	18.0	44.5
Laporte	1,784	37.6	17.7	44.7
Main St	3,014	39.1	19.1	41.9
Marshall	1,424	35.5	20.4	44.1
Martin Co	262	33.6	24.0	42.4
Memorial	458	99.8	0.2	0.0
Methodist	814	98.5	1.2	0.2
Miami Co	978	35.0	17.9	47.1
Mich City	1,638	39.6	18.3	42.2
Moms/Kids	265	28.3	18.1	53.6
Monroe Co	2,638	37.9	17.2	44.8
Montgomery	1,106	33.5	21.4	45.1
Morgan Co	1,583	41.3	17.6	41.1
N Arlingto	2,828	25.0	27.8	47.2
N Liberty	62	*	*	*
N Manchest	330	25.8	19.1	55.2
Newton Co	276	36.2	20.3	43.5
Northwest	2,382	21.7	29.3	49.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Ohio Co	58	*	*	*
Orange Co	695	34.7	16.3	49.1
Owen Co	502	31.7	21.3	47.0
Parke Co	320	35.9	22.5	41.6
Perry Co	459	39.9	17.4	42.7
Pike Co	277	44.4	17.3	38.3
Portage	1,460	39.1	17.9	42.9
Posey Co	383	44.9	17.0	38.1
Pulaski Co	381	37.0	16.0	47.0
Purdue	520	36.7	20.8	42.5
Putnam Co	989	36.6	19.6	43.8
Randolph	760	40.8	20.5	38.7
Richmond	2,169	35.9	21.3	42.7
Ripley Co	837	35.7	20.4	43.8
Rush Co	382	33.5	22.5	44.0
SB Ireland Rd	2,823	30.0	24.7	45.3
SB Lafayette	3,947	23.0	24.4	52.5
Scott Co	966	32.2	20.5	47.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Shelby Co	1,192	40.4	16.9	42.7
Shelters	48	*	*	*
SJ Reg Ctr	203	100.0	0.0	0.0
So Calhoun	9,889	30.9	21.8	47.4
Spencer Co	381	36.0	19.4	44.6
St Francis	90	*	*	*
St V-FLC	445	98.9	0.7	0.4
Starke Co	862	34.2	16.4	49.4
Steuben Co	1,314	29.8	17.8	52.4
Sullivan	536	42.2	17.0	40.9
Switz""Land	189	33.9	21.7	44.4
Tippecanoe	4,601	34.8	20.2	45.0
Tipton Co	278	32.4	15.1	52.5
Union Co	207	29.0	20.3	50.7
United Fai	1,702	34.7	24.2	41.1
Valpo	1,488	37.2	19.1	43.7
Vigo	2,694	41.1	20.4	38.5
Vincennes	850	31.5	24.0	44.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
W 21st Ave	1,716	36.4	18.4	45.2
Wabash	647	32.0	19.9	48.1
Warren Co	259	28.2	22.0	49.8
Warrick Co	1,031	41.3	17.0	41.7
Washington	782	34.0	19.3	46.7
Wells Co	592	33.1	22.3	44.6
Westside	2,443	19.9	31.7	48.4
White Co	916	34.7	20.6	44.7
Whitley Co	828	34.9	19.6	45.5
Wishard	963	98.1	1.7	0.2
Indiana	181,175	35.0	21.0	44.1
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)		Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Action Ctr	29	* *	* *	121	0.8 (1)	5.0 (118)	7.4 (8)	51	* *	* *	79	* *
Albion	267	6.7 (19)	6.0 (42)	1,044	6.8 (78)	2.9 (90)	12.6 (98)	490	13.9 (15)	15.1 (67)	699	14.9 (79)
Anderson	848	6.7 (19)	5.2 (29)	2,882	9.8 (125)	2.4 (71)	12.7 (102)	1,134	15.9 (42)	16.0 (80)	1,957	22.8 (112)
Ball Mem	14	* *	* *	19	* *	* *	* *	4	* *	* *	7	* *
Bartholome	516	8.1 (36)	6.8 (62)	1,917	5.4 (41)	2.1 (55)	10.4 (47)	805	17.0 (63)	15.7 (78)	1,342	10.6 (41)
Bedford	286	13.3 (96)	7.0 (67)	1,155	8.7 (120)	1.6 (25)	10.8 (57)	480	16.9 (60)	14.8 (62)	839	7.3 (16)
Benton Co	34	* *	* *	228	3.5 (4)	0.4 (1)	11.4 (76)	130	17.7 (79)	16.9 (94)	182	14.3 (74)
Berne	24	* *	* *	119	7.6 (103)	3.4 (102)	9.2 (19)	55	* *	* *	87	* *
Bicknell	26	* *	* *	98	* *	* *	* *	44	* *	* *	70	* *
Blackburn	348	11.8 (90)	6.6 (57)	1,376	7.0 (88)	3.2 (96)	9.8 (33)	572	14.5 (23)	12.8 (29)	943	26.1 (116)
Blackford	84	* *	* *	414	8.0 (113)	2.4 (71)	9.7 (25)	199	15.6 (34)	11.1 (16)	319	12.5 (52)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)		Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Boone Co	177	11.3 (87)	5.6 (35)	761	7.5 (101)	5.0 (118)	10.4 (47)	326	12.6 (7)	14.7 (59)	543	10.9 (42)
Brazil	197	5.6 (6)	7.6 (77)	906	7.1 (92)	1.0 (8)	13.5 (118)	444	20.0 (109)	17.6 (101)	639	14.7 (78)
Brown Co	60	* *	* *	300	4.7 (23)	2.0 (44)	9.3 (20)	147	15.0 (29)	15.0 (66)	216	1.4 (1)
Cambridge	27	* *	* *	154	5.2 (31)	1.3 (12)	14.3 (122)	76	* *	* *	119	12.6 (53)
Carroll Co	73	* *	* *	379	6.3 (62)	1.8 (37)	11.6 (79)	193	19.7 (108)	16.1 (81)	289	17.0 (94)
Cass Co	336	8.3 (39)	7.4 (75)	1,602	4.9 (25)	2.9 (90)	12.7 (102)	824	17.0 (63)	16.9 (94)	1,216	12.2 (51)
Citizens	640	8.8 (49)	5.9 (40)	2,156	6.5 (71)	4.6 (117)	8.5 (15)	868	16.9 (60)	10.9 (14)	1,368	34.0 (119)
Civic Ctr	1,021	9.9 (69)	5.4 (32)	3,492	7.0 (88)	1.7 (33)	9.8 (33)	1,364	17.4 (73)	14.7 (59)	2,381	8.9 (25)
Clark Co	655	9.3 (55)	5.2 (29)	2,854	7.9 (110)	1.3 (12)	12.7 (102)	1,233	17.4 (73)	16.4 (88)	2,003	16.7 (92)
Clay City	14	* *	* *	74	* *	* *	* *	35	* *	* *	54	* *
Clinton	93	* *	* *	407	6.6 (74)	2.2 (62)	8.4 (14)	178	18.5 (92)	14.0 (48)	307	11.1 (46)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Clinton Co	277	7.9 (35)	9.0 (90)	1,289	6.5 (71)	0.8 (4)	14.4 (123)	616	17.9 (83)	18.3 (105)	964	13.2 (62)
Comm East	235	9.8 (68)	4.3 (14)	246	4.9 (25)	22.8 (127)	2.0 (1)	4	* *	* *	11	* *
Cottage Gr	567	9.3 (55)	6.2 (47)	2,872	7.3 (96)	2.2 (62)	13.1 (109)	1,392	16.7 (56)	13.6 (42)	2,076	9.2 (30)
Crawford	56	* *	* *	272	8.5 (118)	1.8 (37)	10.3 (45)	119	17.6 (77)	15.1 (67)	199	13.6 (66)
Crown Pt	542	7.4 (33)	7.7 (79)	1,999	7.6 (103)	2.1 (55)	8.6 (16)	801	13.5 (9)	8.5 (2)	1,338	8.7 (23)
Daviess Co	167	13.2 (95)	4.8 (22)	785	7.4 (98)	3.2 (96)	14.8 (126)	389	17.7 (79)	21.9 (117)	568	25.2 (114)
Dearborn	267	5.6 (6)	10.9 (99)	1,174	4.7 (23)	1.6 (25)	10.4 (47)	513	16.6 (54)	13.5 (39)	870	10.1 (36)
Decatur	172	14.0 (97)	5.8 (39)	666	8.4 (116)	2.6 (83)	9.6 (23)	298	15.8 (40)	10.4 (11)	477	23.9 (113)
Decatur Co	182	8.8 (49)	6.6 (57)	805	5.5 (44)	0.7 (3)	12.5 (97)	384	21.6 (113)	18.5 (107)	605	5.0 (8)
Dekalb Co	292	6.8 (24)	6.2 (47)	1,090	6.9 (83)	2.0 (44)	13.1 (109)	484	23.1 (116)	16.3 (85)	721	12.8 (55)
Dubois Co	230	5.7 (9)	7.4 (75)	1,026	5.4 (41)	2.2 (62)	10.7 (54)	451	14.2 (20)	16.6 (91)	766	9.1 (28)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number (Rank)	% <2500 g (Rank)	% >4000 g (Rank)	Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
E Chicago	561	8.6 (44)	5.0 (25)	2,496	6.2 (58)	2.2 (62)	12.7 (102)	1,152	18.2 (87)	14.9 (64)	1,788	13.7 (67)
Eaton	8	* *	* *	70	* *	* *	* *	34	* *	* *	59	* *
Elkhart	1,190	9.1 (53)	6.6 (57)	5,364	5.2 (31)	1.3 (12)	12.4 (94)	2,562	18.5 (92)	16.8 (93)	3,997	7.2 (15)
Elwood	78	* *	* *	342	10.2 (126)	1.8 (37)	12.0 (89)	141	13.5 (9)	15.6 (76)	253	17.4 (97)
Fayette Co	217	6.9 (26)	9.2 (91)	834	7.4 (98)	1.6 (25)	10.6 (53)	370	13.2 (8)	14.1 (50)	559	16.1 (85)
Floyd Co	397	10.3 (75)	5.0 (25)	1,666	9.7 (124)	1.6 (25)	14.6 (124)	717	17.9 (83)	19.8 (113)	1,141	8.9 (25)
Forest Man	593	11.5 (89)	4.4 (17)	2,702	5.8 (52)	4.4 (115)	9.7 (25)	1,235	14.6 (24)	10.0 (9)	1,833	13.1 (61)
Fountain	104	8.7 (46)	9.6 (94)	454	4.6 (21)	1.3 (12)	10.1 (41)	200	16.5 (52)	16.5 (90)	327	11.0 (45)
Franklin C	97	* *	* *	375	6.4 (65)	1.3 (12)	13.1 (109)	169	18.3 (89)	19.5 (112)	253	17.4 (97)
Fulton	76	* *	* *	576	5.2 (31)	1.4 (18)	10.9 (62)	219	17.4 (73)	13.7 (44)	411	6.6 (12)
Fulton Co	158	9.5 (61)	6.3 (52)	647	3.7 (5)	3.4 (102)	12.1 (90)	299	15.1 (30)	18.4 (106)	455	13.8 (68)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number (Rank)	% <2500 g (Rank)	% >4000 g (Rank)	Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Georgetown	1,056	8.7 (46)	7.1 (69)	4,827	5.3 (38)	3.6 (107)	13.0 (108)	2,253	17.3 (70)	15.5 (75)	3,348	18.4 (103)
Gibson Co	172	5.8 (10)	2.9 (4)	734	7.6 (103)	2.0 (44)	10.9 (62)	314	15.6 (34)	17.2 (97)	505	15.8 (83)
Glenn Pk	505	10.9 (83)	5.3 (31)	2,138	6.9 (83)	2.8 (88)	10.0 (38)	971	16.4 (49)	11.1 (16)	1,612	22.0 (110)
Goshen	607	7.2 (30)	9.4 (93)	2,752	5.1 (30)	1.4 (18)	11.9 (87)	1,298	15.9 (42)	17.2 (97)	2,038	4.3 (7)
Grant Co	563	8.3 (39)	5.0 (25)	2,445	6.4 (65)	3.2 (96)	11.2 (71)	1,129	15.2 (31)	14.4 (55)	1,801	22.7 (111)
Grant St	371	16.2 (100)	4.0 (10)	1,441	9.4 (122)	1.8 (37)	10.5 (51)	633	11.7 (3)	9.6 (7)	1,066	15.9 (84)
Grassy Crk	777	10.8 (82)	4.9 (23)	3,570	6.8 (78)	4.2 (113)	11.6 (79)	1,682	15.7 (36)	13.1 (36)	2,459	16.4 (88)
Greene Co	159	6.9 (26)	6.9 (66)	691	7.5 (101)	1.7 (33)	12.7 (102)	312	20.2 (110)	17.3 (99)	524	9.4 (33)
Hamilton	643	9.3 (55)	7.0 (67)	2,780	5.3 (38)	3.1 (94)	7.8 (11)	1,223	13.8 (14)	9.3 (5)	2,002	13.9 (70)
Hammond	715	10.9 (83)	5.7 (37)	3,293	5.6 (49)	2.2 (62)	9.8 (33)	1,514	15.9 (42)	12.7 (27)	2,390	18.1 (101)
Hancock Co	264	4.5 (3)	7.6 (77)	987	9.0 (121)	1.5 (22)	10.9 (62)	413	18.2 (87)	14.0 (48)	682	9.2 (30)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Hanna	1,137	8.1 (36)	6.1 (45)	4,431	7.9 (110)	2.1 (55)	10.8 (57)	1,849	17.2 (68)	13.7 (44)	3,061	17.2 (96)
Harrison	207	9.7 (67)	6.8 (62)	945	6.8 (78)	1.8 (37)	10.8 (57)	461	19.3 (103)	15.6 (76)	686	11.5 (50)
Hendricks	454	9.9 (69)	7.3 (71)	1,530	6.2 (58)	2.4 (71)	9.7 (25)	610	15.2 (31)	13.0 (34)	968	17.9 (100)
Henry Co	314	8.3 (39)	8.9 (89)	1,347	5.7 (51)	3.1 (94)	9.4 (22)	619	18.1 (85)	12.9 (31)	973	12.9 (57)
Hessville	365	9.0 (52)	6.8 (62)	1,431	6.6 (74)	2.7 (86)	10.7 (54)	627	14.8 (25)	14.2 (53)	1,024	4.1 (5)
Hispanic C	91	* *	* *	546	3.3 (3)	1.6 (25)	14.7 (125)	313	16.9 (60)	18.5 (107)	417	12.9 (57)
Howard Co	711	8.3 (39)	6.5 (55)	2,990	7.9 (110)	2.4 (71)	12.4 (94)	1,365	18.1 (85)	13.8 (47)	2,195	27.0 (117)
Huntington	218	3.7 (2)	4.6 (20)	953	5.2 (31)	2.9 (90)	10.8 (57)	412	16.0 (46)	14.3 (54)	713	10.4 (38)
Jackson Co	314	6.1 (13)	8.0 (82)	1,400	4.6 (21)	1.4 (18)	12.6 (98)	637	19.3 (103)	18.2 (104)	999	7.1 (14)
Jasonville	8	* *	* *	39	* *	* *	* *	17	* *	* *	29	* *
Jasper Co	198	4.5 (3)	7.1 (69)	917	4.4 (15)	2.9 (90)	11.3 (74)	427	15.5 (33)	15.2 (71)	688	15.4 (81)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)		Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Jay Co	137	6.6 (17)	3.6 (7)	557	7.4 (98)	1.6 (25)	9.9 (37)	229	18.3 (89)	15.7 (78)	403	21.1 (108)
Jefferson	232	12.9 (93)	9.9 (95)	901	6.4 (65)	2.0 (44)	13.3 (116)	380	21.1 (111)	21.6 (116)	617	8.8 (24)
Jennings	252	6.7 (19)	6.3 (52)	1,211	7.3 (96)	3.4 (102)	11.6 (79)	594	19.2 (101)	14.1 (50)	916	18.3 (102)
Johnson Co	643	6.5 (16)	7.3 (71)	2,618	5.2 (31)	2.4 (71)	7.6 (10)	1,120	16.4 (49)	10.6 (13)	1,935	10.9 (42)
Kosciusko	404	9.2 (54)	5.9 (40)	1,683	5.5 (44)	1.7 (33)	12.3 (93)	776	19.3 (103)	17.5 (100)	1,229	7.6 (19)
Lagrange	136	8.1 (36)	2.9 (4)	648	6.3 (62)	0.9 (7)	11.1 (69)	321	18.7 (94)	18.1 (103)	459	8.9 (25)
Lake Station	446	5.8 (10)	5.4 (32)	1,879	5.2 (31)	1.3 (12)	10.9 (62)	842	13.9 (15)	14.5 (56)	1,365	10.9 (42)
Laporte	388	10.3 (75)	6.7 (60)	1,738	6.4 (65)	2.1 (55)	12.1 (90)	785	19.0 (99)	12.2 (23)	1,248	7.3 (16)
Main St	788	10.5 (79)	4.9 (23)	2,945	6.2 (58)	6.9 (121)	10.8 (57)	1,218	17.0 (63)	15.1 (67)	2,020	16.1 (85)
Marshall	310	5.5 (5)	8.7 (88)	1,389	6.3 (62)	1.1 (9)	13.6 (119)	618	21.5 (112)	16.3 (85)	1,026	5.7 (10)
Martin Co	52	* *	* *	256	3.9 (6)	0.8 (4)	10.2 (43)	110	16.4 (49)	13.6 (42)	191	2.1 (2)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Memorial	434	12.0 (92)	6.2 (47)	435	6.9 (83)	7.8 (123)	2.8 (3)	0	* *	* *	40	* *
Methodist	768	10.3 (75)	7.7 (79)	786	7.8 (108)	12.5 (125)	4.1 (4)	2	* *	* *	24	* *
Miami Co	216	5.6 (6)	10.2 (97)	961	4.9 (25)	2.0 (44)	9.6 (23)	458	14.2 (20)	11.6 (20)	710	9.9 (35)
Mich City	380	11.1 (86)	3.4 (6)	1,576	5.4 (41)	3.6 (107)	11.1 (69)	682	15.8 (40)	14.1 (50)	1,094	16.9 (93)
Moms/Kids	51	* *	* *	260	6.5 (71)	0.4 (1)	13.1 (109)	135	17.8 (82)	14.8 (62)	186	20.4 (107)
Monroe Co	614	9.3 (55)	7.7 (79)	2,580	7.1 (92)	2.2 (62)	10.3 (45)	1,175	16.8 (58)	13.2 (37)	1,824	13.4 (65)
Montgomery	245	11.0 (85)	5.7 (37)	1,091	6.6 (74)	2.3 (69)	12.1 (90)	491	17.7 (79)	17.9 (102)	790	11.1 (46)
Morgan Co	397	9.6 (63)	6.8 (62)	1,536	7.2 (94)	1.6 (25)	11.7 (83)	640	21.7 (114)	16.1 (81)	1,090	18.7 (104)
N Arlingto	613	11.3 (87)	4.7 (21)	2,755	5.8 (52)	3.8 (111)	10.2 (43)	1,291	13.6 (12)	12.9 (31)	1,945	21.9 (109)
N Liberty	9	* *	* *	59	* *	* *	* *	29	* *	* *	44	* *
N Manchest	55	* *	* *	324	5.9 (54)	1.5 (22)	10.5 (51)	176	14.8 (25)	11.9 (21)	254	3.1 (3)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Newton Co	59	* *	* *	265	4.5 (18)	2.6 (83)	13.2 (115)	118	11.9 (6)	11.9 (21)	208	16.3 (87)
Northwest	404	8.4 (43)	6.7 (60)	2,323	4.1 (8)	2.7 (86)	12.4 (94)	1,155	17.2 (68)	14.6 (57)	1,713	14.4 (76)
Ohio Co	6	* *	* *	58	* *	* *	* *	37	* *	* *	47	* *
Orange Co	151	9.9 (69)	6.0 (42)	673	7.6 (103)	2.8 (88)	8.6 (16)	336	14.0 (17)	11.3 (18)	496	8.1 (22)
Owen Co	99	* *	* *	492	5.5 (44)	2.4 (71)	11.8 (85)	235	16.6 (54)	17.0 (96)	357	9.8 (34)
Parke Co	70	* *	* *	313	7.0 (88)	1.6 (25)	11.2 (71)	133	16.5 (52)	13.5 (39)	248	5.6 (9)
Perry Co	115	7.8 (34)	4.3 (14)	446	9.6 (123)	4.0 (112)	11.2 (71)	187	14.4 (22)	9.1 (4)	319	33.2 (118)
Pike Co	73	* *	* *	274	10.2 (126)	2.6 (83)	13.1 (109)	107	18.7 (94)	21.5 (115)	190	4.2 (6)
Portage	348	3.4 (1)	8.3 (86)	1,418	5.6 (49)	1.9 (42)	9.7 (25)	612	17.3 (70)	10.9 (14)	1,011	9.3 (32)
Posey Co	102	8.8 (49)	2.0 (1)	374	5.9 (54)	3.2 (96)	7.5 (9)	142	14.1 (19)	11.3 (18)	251	8.0 (20)
Pulaski Co	79	* *	* *	374	4.5 (18)	1.1 (9)	12.6 (98)	175	17.1 (66)	12.6 (24)	277	10.1 (36)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number (Rank)	% <2500 g (Rank)	% >4000 g (Rank)	Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Purdue	131	6.9 (26)	9.9 (95)	506	1.8 (2)	3.6 (107)	5.9 (6)	211	11.8 (4)	8.5 (2)	350	6.0 (11)
Putnam Co	246	7.3 (31)	11.0 (100)	975	5.9 (54)	3.6 (107)	13.7 (120)	427	21.8 (115)	19.4 (111)	661	8.0 (20)
Randolph	201	11.9 (91)	4.0 (10)	751	8.3 (115)	2.4 (71)	9.7 (25)	299	13.7 (13)	13.7 (44)	526	17.1 (95)
Richmond	521	9.4 (60)	6.1 (45)	2,129	6.8 (78)	2.0 (44)	11.3 (74)	913	15.7 (36)	14.9 (64)	1,497	16.4 (88)
Ripley Co	184	8.7 (46)	4.3 (14)	828	4.3 (11)	2.5 (80)	11.4 (76)	366	14.8 (25)	15.3 (72)	617	13.0 (59)
Rush Co	95	* *	* *	375	4.5 (18)	4.5 (116)	10.4 (47)	170	18.8 (97)	15.3 (72)	257	13.2 (62)
SB Ireland Rd	595	10.3 (75)	6.2 (47)	2,780	5.2 (31)	3.4 (102)	8.7 (18)	1,260	10.4 (1)	7.3 (1)	1,944	14.0 (72)
SB Lafayette	636	10.2 (74)	5.0 (25)	3,876	4.0 (7)	2.1 (55)	11.0 (68)	2,047	16.2 (47)	12.6 (24)	2,964	13.0 (59)
Scott Co	205	10.7 (81)	2.0 (1)	948	5.9 (54)	3.2 (96)	11.6 (79)	447	15.7 (36)	15.4 (74)	694	12.8 (55)
Shelby Co	309	6.8 (24)	6.5 (55)	1,173	6.8 (78)	1.4 (18)	13.1 (109)	495	16.2 (47)	16.4 (88)	816	14.1 (73)
Shelters	6	* *	* *	48	* *	* *	* *	29	* *	* *	38	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)		Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
SJ Reg Ctr	193	7.3 (31)	7.3 (71)	195	6.2 (58)	7.2 (122)	6.7 (7)	0	* *	* *	15	* *
So Calhoun	2,223	9.6 (63)	5.4 (32)	9,729	6.9 (83)	2.4 (71)	11.4 (76)	4,620	15.7 (36)	12.9 (31)	7,138	19.2 (105)
Spencer Co	91	* *	* *	368	8.4 (116)	0.8 (4)	13.3 (116)	162	17.3 (70)	21.0 (114)	276	9.1 (28)
St Francis	88	* *	* *	89	* *	* *	* *	0	* *	* *	1	* *
St V-FLC	422	10.0 (72)	4.5 (18)	422	5.0 (28)	16.8 (126)	2.6 (2)	2	* *	* *	12	* *
Starke Co	180	6.1 (13)	10.6 (98)	836	5.3 (38)	1.2 (11)	12.6 (98)	414	18.8 (97)	16.2 (84)	666	13.8 (68)
Steuben Co	250	9.6 (63)	6.0 (42)	1,287	4.2 (10)	3.3 (101)	11.7 (83)	679	17.1 (66)	16.1 (81)	949	11.3 (49)
Sullivan	148	9.5 (61)	8.1 (84)	530	8.5 (118)	1.7 (33)	13.8 (121)	215	16.7 (56)	18.6 (110)	371	10.5 (40)
Switz""Land	39	* *	* *	187	4.3 (11)	2.1 (55)	12.8 (107)	82	* *	* *	134	12.7 (54)
Tippecanoe	1,067	7.0 (29)	8.0 (82)	4,514	5.0 (28)	2.1 (55)	11.8 (85)	2,049	17.4 (73)	14.6 (57)	3,207	13.3 (64)
Tipton Co	63	* *	* *	269	4.1 (8)	5.2 (120)	7.8 (11)	143	14.0 (17)	10.5 (12)	201	7.5 (18)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Union Co	46	* *	* *	206	4.4 (15)	1.5 (22)	9.7 (25)	106	24.5 (117)	15.1 (67)	143	17.5 (99)
United Fai	428	9.3 (55)	6.3 (52)	1,665	7.2 (94)	2.3 (69)	10.0 (38)	688	19.6 (107)	12.6 (24)	1,178	14.4 (76)
Valpo	327	6.7 (19)	9.2 (91)	1,433	6.4 (65)	2.0 (44)	10.9 (62)	643	14.9 (28)	13.5 (39)	1,050	15.5 (82)
Vigo	744	6.0 (12)	8.2 (85)	2,635	6.4 (65)	2.0 (44)	11.9 (87)	1,033	17.6 (77)	16.3 (85)	1,856	11.2 (48)
Vincennes	236	10.6 (80)	4.2 (13)	831	5.5 (44)	4.2 (113)	9.7 (25)	370	16.8 (58)	13.0 (34)	526	3.4 (4)
W 21st Ave	382	14.7 (99)	3.7 (8)	1,659	6.9 (83)	3.5 (106)	9.3 (20)	758	10.7 (2)	9.6 (7)	1,233	25.6 (115)
Wabash	130	10.0 (72)	6.2 (47)	636	5.5 (44)	2.0 (44)	8.3 (13)	305	11.8 (4)	9.5 (6)	463	6.9 (13)
Warren Co	55	* *	* *	256	4.3 (11)	2.0 (44)	9.8 (33)	128	19.5 (106)	13.3 (38)	189	14.3 (74)
Warrick Co	259	6.6 (17)	7.3 (71)	1,010	7.0 (88)	2.4 (71)	10.0 (38)	407	13.5 (9)	12.8 (29)	699	15.0 (80)
Washington	152	8.6 (44)	3.9 (9)	768	7.8 (108)	2.5 (80)	10.7 (54)	360	19.2 (101)	14.7 (59)	569	10.4 (38)
Wells Co	125	14.4 (98)	2.4 (3)	587	6.6 (74)	2.0 (44)	10.1 (41)	267	18.7 (94)	12.7 (27)	439	16.4 (88)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)		Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Westside	373	6.2 (15)	8.6 (87)	2,377	4.3 (11)	2.2 (62)	15.1 (127)	1,165	19.1 (100)	18.5 (107)	1,801	20.3 (106)
White Co	195	6.7 (19)	4.1 (12)	899	4.4 (15)	1.9 (42)	9.7 (25)	408	15.9 (42)	10.3 (10)	673	16.6 (91)
Whitley Co	178	9.6 (63)	4.5 (18)	806	8.1 (114)	2.5 (80)	10.9 (62)	374	18.4 (91)	16.6 (91)	603	13.9 (70)
Wishard	896	13.1 (94)	5.6 (35)	905	7.6 (103)	11.5 (124)	5.4 (5)	3	* *	* *	33	* *
Indiana	43,579	8.9	6.3	177,081	6.3	2.6	11.1	78,634	16.6	14.2	124,826	14.4
Nation (Prior Year)	1,961,342	8.9	6.4	8,317,427	6.4	3.5	12.9	3,612,436	16.3	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Action Ctr	29	* *	17	* *	31	* *	13	* *	17	* *	48	* *	121	18.2 (28)
Albion	267	80.9 (6)	107	28.0 (12)	193	7.8 (53)	73	* *	107	12.1 (13)	519	66.9 (93)	1,071	24.3 (36)
Anderson	850	53.1 (92)	329	22.2 (25)	498	10.2 (22)	243	14.4 (22)	329	9.4 (29)	1,213	69.6 (79)	2,828	44.1 (83)
Ball Mem	14	* *	1	* *	1	* *	0	* *	1	* *	5	* *	21	* *
Bartholome	517	68.7 (37)	240	16.3 (50)	333	5.7 (74)	163	19.0 (10)	240	10.8 (19)	869	87.2 (8)	1,932	46.1 (86)
Bedford	286	65.0 (54)	148	14.9 (56)	216	8.8 (38)	97	* *	148	8.8 (30)	512	78.5 (36)	1,113	48.1 (95)
Benton Co	34	* *	25	* *	37	* *	15	* *	25	* *	138	68.8 (84)	228	39.9 (65)
Berne	24	* *	12	* *	23	* *	10	* *	12	* *	61	* *	121	34.7 (55)
Bicknell	26	* *	7	* *	19	* *	6	* *	7	* *	46	* *	102	41.2 (70)
Blackburn	349	48.4 (98)	152	22.4 (24)	283	8.5 (43)	112	12.5 (35)	152	4.6 (57)	296	65.9 (98)	1,400	13.6 (16)
Blackford	84	* *	48	* *	77	* *	41	* *	48	* *	218	70.2 (78)	405	52.8 (107)
Boone Co	177	62.1 (67)	102	26.5 (14)	155	12.9 (13)	74	* *	102	7.8 (36)	346	72.3 (72)	753	46.1 (86)
Brazil	197	64.0 (59)	92	* *	144	6.9 (62)	59	* *	92	* *	487	74.5 (53)	889	50.5 (102)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Crown Pt	546	84.4 (3)	243	29.6 (8)	317	13.6 (9)	191	23.0 (4)	243	14.8 (4)	863	81.6 (24)	1,874	35.8 (56)
Daviess Co	171	57.3 (80)	72	* *	148	3.4 (87)	39	* *	72	* *	425	68.9 (82)	800	40.0 (66)
Dearborn	269	62.1 (67)	150	14.0 (60)	223	4.9 (80)	87	* *	150	7.3 (40)	549	83.8 (16)	1,143	57.5 (120)
Decatur	172	75.0 (12)	74	* *	109	9.2 (34)	64	* *	74	* *	324	66.4 (95)	653	39.1 (63)
Decatur Co	182	69.8 (31)	78	* *	129	3.9 (86)	66	* *	78	* *	419	79.2 (34)	788	56.9 (119)
Dekalb Co	292	81.8 (4)	141	20.6 (30)	227	7.9 (52)	92	* *	141	9.9 (23)	510	79.6 (33)	1,106	56.5 (117)
Dubois Co	231	81.4 (5)	146	20.5 (31)	197	6.6 (66)	112	16.1 (17)	146	6.8 (42)	494	76.3 (43)	1,000	35.9 (57)
E Chicago	566	60.8 (71)	280	19.6 (37)	442	7.5 (56)	217	4.1 (52)	280	2.1 (69)	1,236	63.2 (102)	2,437	10.2 (9)
Eaton	8	* *	10	* *	16	* *	7	* *	10	* *	36	* *	65	* *
Elkhart	1,199	71.6 (22)	602	28.1 (11)	949	11.0 (20)	403	13.2 (30)	602	7.6 (37)	2,764	73.7 (64)	5,275	7.5 (4)
Elwood	78	* *	37	* *	68	* *	21	* *	37	* *	148	80.4 (30)	325	58.8 (125)
Fayette Co	220	53.2 (91)	86	* *	161	5.0 (78)	65	* *	86	* *	396	78.5 (36)	827	56.5 (117)
Floyd Co	400	66.0 (52)	191	24.1 (19)	292	9.2 (34)	156	20.5 (7)	191	8.4 (32)	768	73.3 (67)	1,618	43.5 (80)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Forest Man	601	57.4 (78)	285	19.3 (41)	551	6.4 (67)	190	12.6 (33)	285	3.9 (62)	742	28.4 (117)	1,686	13.2 (14)
Fountain	104	66.3 (51)	48	* *	88	* *	37	* *	48	* *	217	75.1 (52)	443	57.6 (121)
Franklin C	97	* *	42	* *	71	* *	31	* *	42	* *	178	87.6 (7)	368	54.6 (113)
Fulton	76	* *	55	* *	141	6.4 (67)	25	* *	55	* *	234	73.9 (60)	518	12.9 (13)
Fulton Co	160	66.9 (48)	68	* *	122	8.2 (47)	55	* *	68	* *	312	68.9 (82)	650	24.8 (37)
Georgetown	1,057	73.1 (16)	547	35.6 (1)	960	15.1 (4)	420	12.6 (33)	547	4.8 (56)	2,423	66.6 (94)	4,891	16.0 (22)
Gibson Co	173	60.1 (73)	98	* *	126	4.8 (81)	73	* *	98	* *	333	74.2 (57)	713	46.8 (89)
Glenn Pk	505	77.2 (10)	268	19.4 (40)	360	5.0 (78)	198	7.1 (48)	268	3.4 (64)	1,047	77.5 (39)	2,095	14.0 (17)
Goshen	614	77.5 (8)	294	31.0 (5)	494	13.8 (8)	218	20.2 (8)	294	13.9 (6)	1,432	80.9 (25)	2,703	5.3 (1)
Grant Co	566	57.2 (82)	287	11.1 (66)	448	4.2 (85)	209	13.9 (27)	287	6.3 (47)	1,229	56.4 (107)	2,417	30.9 (48)
Grant St	376	53.5 (89)	177	11.3 (65)	242	4.5 (83)	132	5.3 (49)	177	4.0 (61)	685	43.8 (113)	1,412	25.9 (41)
Grassy Crk	783	62.3 (66)	362	23.5 (20)	755	8.7 (40)	221	8.6 (45)	362	5.0 (55)	1,573	64.0 (101)	3,407	20.6 (31)
Greene Co	159	56.6 (83)	90	* *	112	7.1 (60)	69	* *	90	* *	332	96.4 (1)	663	39.2 (64)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hamilton	645	74.3 (13)	339	31.3 (3)	502	12.5 (14)	273	22.3 (5)	339	13.3 (8)	1,302	85.2 (12)	2,728	16.8 (27)
Hammond	718	74.1 (14)	404	20.3 (34)	598	6.9 (62)	298	8.1 (46)	404	4.5 (58)	1,612	71.8 (74)	3,204	21.4 (32)
Hancock Co	266	68.4 (40)	110	19.1 (42)	166	9.0 (36)	92	* *	110	10.9 (17)	445	73.9 (60)	966	10.7 (12)
Hanna	1,147	69.4 (32)	486	27.0 (13)	884	16.6 (3)	345	18.3 (13)	486	10.9 (17)	1,385	66.4 (95)	4,301	28.9 (43)
Harrison	207	68.6 (38)	107	15.0 (55)	172	6.4 (67)	77	* *	107	6.5 (45)	488	80.7 (27)	925	47.1 (90)
Hendricks	454	72.5 (18)	147	26.5 (14)	262	8.8 (38)	124	29.8 (2)	147	16.3 (2)	655	82.3 (21)	1,524	38.5 (60)
Henry Co	314	67.5 (45)	143	16.8 (47)	259	7.3 (58)	105	18.1 (14)	143	11.9 (14)	666	67.9 (89)	1,318	53.7 (110)
Hessville	365	67.7 (44)	184	19.0 (44)	259	8.5 (43)	137	7.3 (47)	184	5.4 (53)	677	68.4 (87)	1,398	16.5 (25)
Hispanic C	91	* *	57	* *	100	19.0 (2)	35	* *	57	* *	325	54.5 (109)	551	10.5 (10)
Howard Co	718	55.8 (86)	350	11.1 (66)	516	5.2 (76)	238	13.9 (27)	350	5.7 (51)	1,477	73.7 (64)	2,955	36.0 (58)
Huntington	218	63.3 (60)	107	15.9 (52)	166	7.2 (59)	67	* *	107	13.1 (9)	443	75.4 (50)	917	49.8 (101)
Jackson Co	314	66.6 (49)	145	16.6 (48)	250	6.4 (67)	117	15.4 (19)	145	9.7 (25)	695	81.7 (23)	1,389	43.3 (77)
Jasonville	8	* *	2	* *	4	* *	5	* *	2	* *	19	* *	38	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jasper Co	199	59.8 (75)	127	19.7 (36)	161	9.3 (33)	83	* *	127	12.6 (11)	462	57.6 (106)	907	47.7 (92)
Jay Co	137	66.4 (50)	64	* *	102	11.8 (16)	45	* *	64	* *	248	55.6 (108)	544	43.2 (76)
Jefferson	234	64.5 (56)	103	21.4 (27)	148	13.5 (10)	76	* *	103	14.6 (5)	418	76.3 (43)	866	30.8 (47)
Jennings	252	59.9 (74)	129	9.3 (69)	229	4.4 (84)	80	* *	129	3.1 (65)	642	80.7 (27)	1,198	49.2 (98)
Johnson Co	644	69.1 (33)	352	25.6 (16)	480	8.1 (50)	260	15.0 (21)	352	9.7 (25)	1,181	76.4 (42)	2,565	30.1 (44)
Kosciusko	405	62.7 (63)	206	21.8 (26)	322	9.9 (25)	149	18.8 (11)	206	10.2 (21)	831	73.0 (68)	1,696	31.0 (49)
Lagrange	137	71.5 (24)	58	* *	100	12.0 (15)	44	* *	58	* *	337	86.9 (9)	621	41.5 (71)
Lake Station	449	71.9 (21)	228	22.8 (23)	362	8.6 (41)	181	14.4 (22)	228	6.1 (49)	904	66.3 (97)	1,827	40.9 (69)
Laporte	391	69.1 (33)	207	18.8 (45)	304	8.6 (41)	146	12.3 (36)	207	3.9 (62)	853	34.5 (115)	1,707	43.4 (79)
Main St	792	64.5 (56)	313	20.4 (32)	503	9.5 (28)	214	14.0 (26)	313	2.9 (66)	1,310	76.3 (43)	2,877	30.3 (45)
Marshall	310	71.0 (26)	178	19.1 (42)	239	8.4 (46)	130	13.8 (29)	178	10.1 (22)	667	77.4 (40)	1,365	8.1 (5)
Martin Co	52	* *	35	* *	49	* *	23	* *	35	* *	120	88.3 (5)	248	31.9 (53)
Memorial	435	67.4 (46)	26	* *	7	* *	42	* *	26	* *	0	* *	446	13.2 (14)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Methodist	769	48.5 (97)	25	* *	16	* *	42	* *	25	* *	2	* *	788	37.7 (59)
Miami Co	218	61.9 (69)	113	15.9 (52)	167	3.0 (88)	76	* *	113	9.7 (25)	489	74.2 (57)	941	48.5 (97)
Mich City	380	53.4 (90)	201	11.9 (63)	281	7.1 (60)	144	4.9 (50)	201	2.5 (68)	627	69.5 (80)	1,543	22.2 (34)
Moms/Kids	51	* *	26	* *	47	* *	18	* *	26	* *	149	47.7 (111)	258	16.3 (24)
Monroe Co	615	76.9 (11)	343	30.3 (6)	403	22.3 (1)	262	30.5 (1)	343	19.0 (1)	1,252	87.9 (6)	2,519	15.9 (21)
Montgomery	245	65.7 (53)	130	14.6 (58)	218	6.0 (72)	98	* *	130	6.9 (41)	528	62.5 (104)	1,075	43.3 (77)
Morgan Co	397	68.3 (41)	171	16.4 (49)	253	9.5 (28)	132	15.9 (18)	171	8.2 (33)	679	64.2 (100)	1,472	58.2 (122)
N Arlingto	618	56.1 (85)	297	23.2 (21)	574	9.4 (30)	191	13.1 (31)	297	9.8 (24)	243	53.5 (110)	2,162	32.1 (54)
N Liberty	9	* *	6	* *	12	* *	4	* *	6	* *	33	* *	59	* *
N Manchest	55	* *	40	* *	56	* *	23	* *	40	* *	189	72.0 (73)	323	16.1 (23)
Newton Co	59	* *	29	* *	48	* *	19	* *	29	* *	133	32.3 (116)	261	59.0 (126)
Northwest	408	84.6 (2)	273	34.4 (2)	501	13.4 (11)	164	11.6 (39)	273	9.5 (28)	1,140	75.9 (47)	2,323	7.4 (3)
Ohio Co	6	* *	5	* *	8	* *	1	* *	5	* *	37	* *	58	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Orange Co	151	68.2 (43)	80	* *	103	1.9 (90)	54	* *	80	* *	360	71.4 (77)	671	25.5 (38)
Owen Co	99	* *	71	* *	97	* *	42	* *	71	* *	249	77.1 (41)	495	50.9 (103)
Parke Co	71	* *	38	* *	68	* *	32	* *	38	* *	145	73.8 (62)	310	54.2 (111)
Perry Co	115	53.0 (93)	46	* *	65	* *	47	* *	46	* *	207	73.4 (66)	431	61.5 (128)
Pike Co	76	* *	26	* *	43	* *	26	* *	26	* *	113	74.3 (56)	257	59.1 (127)
Portage	348	71.6 (22)	191	13.1 (61)	234	8.5 (43)	141	12.8 (32)	191	7.9 (34)	656	46.6 (112)	1,366	41.6 (72)
Posey Co	104	52.9 (94)	55	* *	64	* *	43	* *	55	* *	152	76.3 (43)	360	52.8 (107)
Pulaski Co	79	* *	45	* *	65	* *	29	* *	45	* *	188	75.5 (49)	365	45.5 (84)
Purdue	131	96.2 (1)	57	* *	92	* *	41	* *	57	* *	231	80.5 (29)	501	6.6 (2)
Putnam Co	246	64.6 (55)	91	* *	166	5.4 (75)	67	* *	91	* *	450	71.6 (75)	957	55.2 (114)
Randolph	202	57.4 (78)	81	* *	138	10.1 (23)	63	* *	81	* *	319	60.8 (105)	732	42.8 (75)
Richmond	522	59.0 (77)	289	18.3 (46)	449	6.9 (62)	183	14.2 (24)	289	5.5 (52)	983	83.3 (18)	2,113	40.6 (67)
Ripley Co	185	61.1 (70)	111	14.4 (59)	149	7.4 (57)	62	* *	111	5.4 (53)	399	75.7 (48)	802	55.2 (114)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Rush Co	95	* *	44	* *	70	* *	28	* *	44	* *	182	83.0 (19)	371	54.4 (112)
SB Ireland Rd	596	72.3 (20)	308	29.9 (7)	523	11.1 (19)	223	18.4 (12)	308	11.4 (16)	1,351	84.8 (14)	2,752	25.9 (41)
SB Lafayette	638	72.6 (17)	394	29.4 (9)	719	13.2 (12)	265	12.1 (37)	394	7.4 (38)	2,184	72.8 (69)	3,872	9.1 (7)
Scott Co	207	56.5 (84)	96	* *	166	4.8 (81)	61	* *	96	* *	472	78.6 (35)	936	53.3 (109)
Shelby Co	312	62.8 (62)	153	20.9 (29)	198	11.6 (17)	119	20.2 (8)	153	11.8 (15)	531	63.1 (103)	1,137	48.2 (96)
Shelters	6	* *	3	* *	2	* *	4	* *	3	* *	30	* *	45	* *
SJ Reg Ctr	193	68.9 (35)	14	* *	6	* *	19	* *	14	* *	0	* *	199	15.1 (20)
So Calhoun	2,228	62.4 (65)	1,101	21.2 (28)	1,753	8.2 (47)	776	12.1 (37)	1,101	7.9 (34)	4,709	74.2 (57)	9,437	31.4 (50)
Spencer Co	93	* *	59	* *	74	* *	53	* *	59	* *	182	80.8 (26)	372	52.7 (106)
St Francis	88	* *	0	* *	0	* *	6	* *	0	* *	0	* *	90	* *
St V-FLC	422	70.6 (28)	18	* *	9	* *	33	* *	18	* *	2	* *	441	23.8 (35)
Starke Co	180	68.3 (41)	116	14.7 (57)	147	8.2 (47)	77	* *	116	10.3 (20)	450	74.4 (54)	825	51.0 (104)
Steuben Co	254	77.6 (7)	126	23.0 (22)	195	9.7 (26)	78	* *	126	13.5 (7)	724	80.1 (32)	1,270	52.5 (105)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Sullivan	148	70.9 (27)	64	* *	73	* *	46	* *	64	* *	233	72.5 (71)	514	58.4 (124)
Switz""Land	39	* *	25	* *	36	* *	11	* *	25	* *	87	* *	180	58.3 (123)
Tippecanoe	1,068	73.2 (15)	475	29.1 (10)	813	13.9 (7)	340	24.1 (3)	475	15.6 (3)	2,188	73.8 (62)	4,417	30.3 (45)
Tipton Co	64	* *	29	* *	42	* *	19	* *	29	* *	152	84.9 (13)	273	20.1 (30)
Union Co	46	* *	14	* *	30	* *	10	* *	14	* *	112	88.4 (4)	205	47.3 (91)
United Fai	429	64.3 (58)	195	19.5 (38)	345	8.1 (50)	156	17.9 (15)	195	8.7 (31)	712	78.1 (38)	1,659	40.7 (68)
Valpo	330	70.6 (28)	179	25.1 (17)	233	9.4 (30)	138	17.4 (16)	179	12.3 (12)	694	90.3 (3)	1,393	9.2 (8)
Vigo	760	60.7 (72)	301	10.0 (68)	487	6.8 (65)	212	9.9 (42)	301	6.0 (50)	1,096	71.6 (75)	2,585	49.6 (99)
Vincennes	237	43.9(100)	74	* *	145	6.2 (71)	42	* *	74	* *	393	95.4 (2)	849	31.4 (50)
W 21st Ave	383	59.3 (76)	203	5.4 (70)	310	1.9 (90)	153	0.7 (53)	203	1.0 (70)	816	42.4 (114)	1,623	25.6 (39)
Wabash	132	62.9 (61)	65	* *	112	2.7 (89)	51	* *	65	* *	331	68.6 (86)	625	18.7 (29)
Warren Co	55	* *	33	* *	50	* *	25	* *	33	* *	134	68.7 (85)	254	49.6 (99)
Warrick Co	268	50.7 (95)	136	11.8 (64)	170	7.6 (54)	112	15.2 (20)	136	6.6 (44)	449	75.3 (51)	983	45.7 (85)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Washington	152	72.4 (19)	89	* *	139	9.4 (30)	64	* *	89	* *	391	74.4 (54)	753	41.7 (73)
Wells Co	126	70.6 (28)	79	* *	122	9.0 (36)	60	* *	79	* *	284	67.6 (91)	568	43.5 (80)
Westside	374	71.1 (25)	270	31.1 (4)	536	14.9 (5)	142	11.3 (40)	270	6.3 (47)	1,249	82.4 (20)	2,373	21.6 (33)
White Co	196	68.9 (35)	124	20.2 (35)	172	11.0 (20)	97	* *	124	6.5 (45)	441	81.9 (22)	876	16.6 (26)
Whitley Co	178	77.5 (8)	91	* *	132	14.4 (6)	75	* *	91	* *	405	84.0 (15)	794	43.5 (80)
Wishard	901	62.7 (63)	51	* *	21	* *	85	* *	51	* *	3	* *	939	25.7 (40)
Indiana	43,794	65.1	20,242	21.3	32,010	9.4	14,542	15.1	20,242	8.2	80,563	72.4	172,220	30.6
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3	1,022,933	77.3	4,355,723	10.2

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Action Ctr	90	* *	* *	317	2.5 (2)	9.5 (135)	6.6 (10)	122	14.8 (25)	10.7 (10)	199	12.6 (61)
Albion	590	8.6 (59)	5.9 (53)	2,118	8.0 (120)	2.5 (83)	12.7 (111)	879	14.9 (26)	15.4 (80)	1,416	15.3 (81)
Anderson	2,489	8.3 (49)	5.8 (51)	8,624	9.2 (133)	2.2 (68)	11.7 (88)	3,400	16.2 (50)	13.9 (52)	5,911	21.5 (122)
Ball Mem	34	* *	* *	45	* *	* *	* *	6	* *	* *	11	* *
Bartholome	1,594	8.3 (49)	6.6 (71)	5,617	5.5 (38)	1.8 (36)	10.2 (48)	2,322	16.5 (57)	15.1 (71)	3,949	9.4 (26)
Bedford	887	9.7 (92)	5.4 (37)	3,321	7.8 (115)	1.7 (31)	10.4 (54)	1,336	17.5 (79)	14.1 (55)	2,339	8.8 (21)
Benton Co	123	5.7 (3)	8.9 (120)	642	4.4 (7)	1.1 (7)	12.6 (109)	337	20.8 (122)	19.0 (122)	471	15.3 (81)
Berne	55	* *	* *	340	9.1 (131)	3.2 (113)	10.0 (38)	171	15.2 (31)	9.9 (5)	268	20.1 (119)
Bicknell	92	* *	* *	386	7.5 (110)	1.8 (36)	10.6 (58)	186	16.1 (48)	15.6 (82)	266	15.0 (78)
Blackburn	1,175	12.0 (123)	5.4 (37)	3,791	8.0 (120)	4.2 (128)	10.6 (58)	1,381	14.0 (12)	12.4 (27)	2,423	32.0 (132)
Blackford	265	7.9 (36)	3.8 (7)	1,161	6.4 (65)	2.6 (93)	9.0 (18)	524	14.3 (19)	10.9 (12)	861	9.5 (27)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Boone Co	599	10.2 (107)	6.0 (58)	2,204	7.0 (92)	3.3 (116)	10.1 (45)	909	14.3 (19)	13.4 (43)	1,444	15.7 (84)
Brazil	621	6.1 (4)	8.4 (113)	2,810	6.3 (60)	1.5 (22)	13.1 (119)	1,381	18.6 (101)	16.4 (96)	1,971	10.2 (34)
Brown Co	205	6.3 (7)	8.3 (110)	884	6.7 (73)	1.4 (16)	11.1 (69)	387	16.3 (53)	15.8 (86)	633	2.8 (1)
Cambridge	110	7.3 (23)	7.3 (89)	521	6.7 (73)	1.7 (31)	15.4 (138)	261	21.5 (124)	20.3 (125)	389	13.4 (69)
Carroll Co	237	9.7 (92)	8.4 (113)	1,106	5.2 (26)	1.4 (16)	12.3 (102)	524	17.9 (86)	17.9 (116)	837	15.8 (88)
Cass Co	1,073	8.1 (43)	6.7 (75)	4,851	5.3 (30)	2.4 (76)	13.3 (126)	2,360	15.9 (44)	17.3 (103)	3,657	11.5 (52)
Citizens	2,019	10.2 (107)	5.5 (40)	5,824	7.4 (106)	4.9 (132)	9.3 (23)	2,187	13.5 (11)	10.9 (12)	3,473	27.8 (131)
Civic Ctr	2,576	11.4 (117)	5.3 (34)	9,236	7.3 (104)	1.9 (45)	10.4 (54)	3,726	16.5 (57)	14.2 (56)	6,365	11.7 (55)
Clark Co	2,057	9.3 (78)	5.5 (40)	7,729	8.3 (125)	1.5 (22)	12.5 (107)	3,061	17.9 (86)	16.9 (101)	5,394	17.0 (101)
Clay City	40	* *	* *	202	4.0 (6)	1.0 (5)	11.4 (81)	101	23.8 (129)	12.9 (32)	153	10.5 (35)
Clinton	292	9.9 (100)	7.5 (96)	1,200	8.1 (123)	2.0 (53)	11.3 (77)	518	17.8 (82)	16.8 (99)	865	16.5 (97)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Clinton Co	898	7.2 (21)	9.1 (123)	4,041	6.7 (73)	1.0 (5)	14.4 (135)	1,887	18.2 (94)	18.8 (121)	3,008	11.1 (46)
Comm East	471	10.6 (115)	4.7 (22)	491	6.9 (86)	24.6 (141)	2.2 (2)	6	* *	* *	16	* *
Comm Munster	0	* *	* *	1	* *	* *	* *	0	* *	* *	1	* *
Cottage Gr	2,018	9.7 (92)	7.1 (86)	8,473	7.1 (95)	2.5 (83)	12.8 (113)	3,669	16.9 (67)	14.4 (64)	5,697	10.9 (42)
Crawford	190	8.4 (53)	3.7 (5)	809	8.0 (120)	2.1 (58)	10.0 (38)	342	16.7 (65)	14.3 (58)	587	11.8 (56)
Crown Pt	1,595	8.6 (59)	7.3 (89)	5,752	6.7 (73)	1.8 (36)	9.1 (20)	2,310	13.4 (9)	9.0 (4)	3,859	10.9 (42)
Daviess Co	560	12.5 (125)	2.7 (1)	2,321	7.8 (115)	1.9 (45)	15.5 (139)	1,054	18.8 (105)	22.0 (128)	1,615	19.6 (116)
Dearborn	895	7.5 (27)	8.0 (105)	3,683	5.6 (43)	1.5 (22)	10.0 (38)	1,577	18.4 (98)	13.4 (43)	2,638	12.2 (57)
Decatur	491	9.4 (79)	5.7 (49)	1,922	7.5 (110)	1.8 (36)	10.0 (38)	809	15.3 (34)	13.2 (39)	1,365	24.9 (129)
Decatur Co	574	7.5 (27)	5.6 (45)	2,506	5.2 (26)	1.7 (31)	12.2 (100)	1,152	19.6 (116)	17.4 (104)	1,839	6.1 (8)
Dekalb Closed	51	* *	* *	224	5.4 (34)	2.2 (68)	9.4 (25)	88	* *	* *	161	10.6 (37)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)	%	Number (Rank)	% (Rank)	% (Rank)	%	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Dekalb Co	653	6.9 (13)	8.3 (110)	2,121	6.9 (86)	2.1 (58)	13.0 (117)	902	22.8 (127)	17.4 (104)	1,355	11.1 (46)
Dubois Co	719	7.8 (34)	6.5 (67)	2,870	6.1 (51)	2.1 (58)	10.1 (45)	1,183	15.6 (37)	15.8 (86)	2,096	8.9 (22)
E Chicago	1,773	10.7 (116)	5.2 (33)	7,269	6.4 (65)	2.3 (74)	12.8 (113)	3,265	17.1 (73)	15.3 (78)	5,172	13.7 (73)
Eaton	51	* *	* *	234	9.0 (130)	4.7 (131)	13.2 (123)	106	11.3 (3)	14.2 (56)	175	13.7 (73)
Elkhart	3,738	8.5 (54)	7.0 (83)	15,808	5.5 (38)	1.2 (10)	12.0 (96)	7,192	18.3 (95)	16.0 (91)	11,382	7.9 (17)
Elwood	295	8.1 (43)	4.1 (10)	1,137	10.1 (137)	1.6 (28)	10.6 (58)	474	19.8 (118)	14.8 (68)	811	16.3 (93)
Fayette Co	658	7.9 (36)	6.4 (65)	2,475	7.3 (104)	1.7 (31)	9.6 (30)	1,052	16.9 (67)	12.9 (32)	1,669	18.9 (111)
Floyd Co	1,243	11.4 (117)	4.7 (22)	5,121	9.3 (134)	1.5 (22)	13.9 (131)	2,139	18.3 (95)	17.8 (114)	3,580	12.5 (59)
Forest Man	2,046	12.5 (125)	4.6 (21)	7,759	6.9 (86)	4.5 (130)	10.0 (38)	3,107	13.4 (9)	10.5 (9)	5,066	14.6 (76)
Fountain	340	7.4 (24)	7.1 (86)	1,394	5.2 (26)	1.4 (16)	10.3 (52)	632	18.8 (105)	15.2 (76)	978	11.1 (46)
Franklin C	292	8.6 (59)	6.8 (81)	1,128	7.4 (106)	2.7 (99)	11.9 (93)	489	18.4 (98)	17.4 (104)	781	23.3 (124)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)		Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Fulton	867	9.2 (75)	6.0 (58)	3,154	5.8 (46)	1.6 (28)	9.0 (18)	1,047	17.0 (70)	13.6 (47)	2,120	5.8 (7)
Fulton Co	534	9.0 (70)	5.1 (29)	2,055	4.8 (11)	2.8 (103)	12.1 (99)	881	16.5 (57)	18.5 (119)	1,443	15.7 (84)
Georgetown	3,311	9.2 (75)	6.7 (75)	13,488	5.5 (38)	3.2 (113)	13.0 (117)	5,822	17.6 (80)	15.9 (88)	9,029	15.8 (88)
Gibson Co	523	8.0 (41)	2.9 (2)	2,202	6.9 (86)	1.5 (22)	10.8 (63)	929	17.9 (86)	15.0 (70)	1,567	12.4 (58)
Glenn Pk	1,585	11.4 (117)	5.1 (29)	6,478	6.2 (54)	2.5 (83)	9.1 (20)	2,910	14.6 (24)	10.3 (7)	4,935	25.0 (130)
Goshen	1,970	7.4 (24)	8.9 (120)	8,134	4.9 (14)	1.3 (13)	11.3 (77)	3,641	17.3 (76)	16.2 (94)	5,867	4.0 (2)
Grant Co	1,682	9.5 (85)	4.8 (25)	6,819	7.0 (92)	3.0 (108)	12.3 (102)	3,007	16.5 (57)	16.2 (94)	4,899	24.8 (127)
Grant St	1,199	12.8 (127)	3.7 (5)	4,499	9.4 (135)	2.4 (76)	10.3 (52)	1,890	12.6 (6)	10.4 (8)	3,268	20.4 (121)
Grassy Crk	2,748	10.3 (110)	4.8 (25)	10,646	6.8 (81)	4.1 (127)	11.7 (88)	4,502	15.3 (34)	13.3 (40)	7,084	19.9 (117)
Greene Co	509	6.9 (13)	5.3 (34)	2,104	8.3 (125)	1.9 (45)	12.6 (109)	904	18.1 (89)	17.7 (112)	1,532	7.7 (14)
Hamilton	1,905	9.0 (70)	6.5 (67)	7,863	5.8 (46)	2.5 (83)	8.7 (16)	3,339	14.1 (14)	11.2 (14)	5,646	13.6 (72)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number <2500 g (Rank)	% >4000 g (Rank)		Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Hammond	2,234	9.6 (90)	5.5 (40)	9,502	5.3 (30)	2.4 (76)	10.4 (54)	4,216	15.2 (31)	13.6 (47)	6,827	18.1 (108)
Hancock Co	822	7.9 (36)	7.2 (88)	2,997	9.1 (131)	1.3 (13)	11.9 (93)	1,140	18.1 (89)	14.3 (58)	2,067	13.7 (73)
Hanna	3,125	8.5 (54)	6.5 (67)	11,435	7.8 (115)	2.5 (83)	11.4 (81)	4,498	17.6 (80)	14.4 (64)	7,482	16.1 (91)
Harrison	670	10.4 (112)	5.8 (51)	2,764	8.4 (129)	1.4 (16)	12.8 (113)	1,226	19.0 (109)	17.8 (114)	2,014	13.5 (71)
Hendricks	1,341	8.8 (65)	7.6 (100)	4,344	7.0 (92)	2.8 (103)	10.1 (45)	1,594	17.4 (78)	13.4 (43)	2,723	16.9 (98)
Henry Co	999	9.4 (79)	7.5 (96)	3,989	5.0 (16)	3.1 (112)	8.2 (12)	1,775	15.7 (39)	11.7 (19)	2,943	10.9 (42)
Hessville	1,109	10.1 (104)	6.6 (71)	4,362	5.9 (48)	2.5 (83)	11.2 (73)	1,882	15.7 (39)	14.3 (58)	3,147	5.5 (6)
Hispanic C	327	9.8 (97)	7.3 (89)	1,611	5.0 (16)	1.9 (45)	14.0 (132)	796	19.2 (114)	19.0 (122)	1,157	11.0 (45)
Howard Co	2,031	9.0 (70)	5.4 (37)	8,410	7.2 (101)	2.1 (58)	11.6 (83)	3,718	19.1 (110)	14.8 (68)	6,191	24.1 (126)
Huntington	698	8.3 (49)	5.3 (34)	2,820	6.6 (69)	2.4 (76)	9.4 (25)	1,185	14.1 (14)	12.2 (24)	2,050	10.5 (35)
IN0108 Closed	146	6.2 (6)	8.2 (107)	616	4.5 (8)	2.4 (76)	13.3 (126)	287	22.6 (126)	14.3 (58)	412	17.2 (102)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Jackson Co	1,002	6.7 (11)	5.9 (53)	4,060	6.0 (49)	1.2 (10)	11.9 (93)	1,715	20.6 (121)	18.5 (119)	2,915	8.1 (18)
Jasonville	22	* *	* *	112	15.2 (140)	0.9 (3)	11.6 (83)	49	* *	* *	75	* *
Jasper Co	639	8.5 (54)	7.5 (96)	2,814	5.5 (38)	3.4 (119)	11.8 (92)	1,286	15.7 (39)	14.5 (66)	2,102	17.3 (103)
Jay Co	432	9.7 (92)	4.2 (12)	1,602	7.1 (95)	1.7 (31)	11.2 (73)	617	17.2 (75)	18.2 (118)	1,104	17.6 (106)
Jefferson	709	10.2 (107)	8.2 (107)	2,707	7.1 (95)	1.8 (36)	12.9 (116)	1,109	22.3 (125)	20.6 (126)	1,867	9.9 (32)
Jennings	787	7.9 (36)	7.9 (103)	3,574	7.4 (106)	2.7 (99)	11.2 (73)	1,750	16.3 (53)	12.6 (29)	2,703	19.9 (117)
Johnson Co	2,052	7.5 (27)	7.4 (94)	7,670	5.1 (22)	2.5 (83)	8.2 (12)	3,120	16.1 (48)	11.8 (20)	5,511	11.5 (52)
K-ville closed	138	9.4 (79)	9.4 (125)	461	9.8 (136)	1.1 (7)	14.1 (134)	166	18.7 (103)	22.9 (129)	315	9.8 (31)
Kosciusko	1,217	9.4 (79)	6.7 (75)	4,698	6.9 (86)	1.4 (16)	12.7 (111)	1,999	19.1 (110)	17.5 (108)	3,279	9.3 (25)
Lagrange	398	9.0 (70)	5.0 (28)	1,865	6.3 (60)	1.1 (7)	10.2 (48)	870	19.3 (115)	15.1 (71)	1,347	9.7 (29)
Lake Station	1,355	7.6 (33)	5.6 (45)	5,527	5.1 (22)	2.7 (99)	10.2 (48)	2,445	14.0 (12)	12.1 (23)	3,997	10.7 (39)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Laporte	1,235	10.0 (101)	6.1 (62)	5,076	7.4 (106)	1.8 (36)	13.8 (130)	2,210	18.3 (95)	14.3 (58)	3,595	8.2 (20)
Ligonier closed	65	* *	* *	331	7.9 (118)	2.1 (58)	15.1 (137)	130	16.2 (50)	17.7 (112)	243	10.7 (39)
Main St	2,331	10.5 (113)	4.7 (22)	8,458	6.3 (60)	6.1 (133)	9.6 (30)	3,342	15.1 (30)	13.1 (38)	5,728	17.7 (107)
Marshall	996	7.1 (20)	8.3 (110)	4,096	6.8 (81)	0.8 (1)	14.6 (136)	1,787	19.9 (119)	17.5 (108)	2,992	6.6 (10)
Martin Co	184	6.5 (9)	6.0 (58)	771	5.4 (34)	0.8 (1)	9.5 (27)	322	14.9 (26)	11.5 (17)	561	4.5 (4)
Marycrest	34	* *	* *	334	4.5 (8)	2.1 (58)	17.4 (140)	210	18.1 (89)	21.0 (127)	272	19.5 (115)
Memorial	1,136	11.4 (117)	7.0 (83)	1,140	6.9 (86)	8.2 (134)	3.0 (3)	0	* *	* *	78	* *
Merrillville	9	* *	* *	15	* *	* *	* *	4	* *	* *	6	* *
Methodist	1,619	10.1 (104)	7.0 (83)	1,655	8.3 (125)	13.7 (138)	3.7 (5)	5	* *	* *	46	* *
Miami Co	697	8.8 (65)	8.2 (107)	2,981	5.7 (45)	2.0 (53)	10.0 (38)	1,399	14.4 (21)	12.4 (27)	2,172	13.0 (65)
Mich City	1,246	12.0 (123)	4.5 (17)	4,709	6.6 (69)	3.0 (108)	11.6 (83)	1,960	16.6 (63)	13.8 (51)	3,212	16.3 (93)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Mitchell	20	* *	* *	108	0.9 (1)	0.9 (3)	12.0 (96)	51	* *	* *	76	* *
Moms/Kids	227	8.8 (65)	6.6 (71)	1,061	4.7 (10)	2.8 (103)	11.0 (68)	507	15.2 (31)	15.6 (82)	763	16.9 (98)
Monroe Co	1,860	8.3 (49)	8.0 (105)	7,742	6.2 (54)	2.1 (58)	11.3 (77)	3,391	17.8 (82)	15.1 (71)	5,460	13.0 (65)
Montgomery	802	9.7 (92)	7.5 (96)	3,223	6.8 (81)	1.9 (45)	11.7 (88)	1,411	19.1 (110)	17.4 (104)	2,282	13.1 (67)
Morgan Co	1,227	8.2 (46)	5.1 (29)	4,558	7.1 (95)	1.6 (28)	12.2 (100)	1,822	19.6 (116)	15.6 (82)	3,203	18.9 (111)
N Arlingto	2,071	11.6 (122)	5.5 (40)	8,127	6.3 (60)	4.0 (125)	10.9 (65)	3,461	15.6 (37)	13.3 (40)	5,530	21.9 (123)
N Liberty	29	* *	* *	182	3.3 (5)	2.2 (68)	4.9 (7)	91	* *	* *	134	9.0 (24)
N Manchest	180	8.9 (69)	4.4 (15)	882	7.1 (95)	1.5 (22)	11.2 (73)	439	16.9 (67)	13.0 (35)	672	6.1 (8)
Newton Co	179	5.6 (2)	6.7 (75)	757	8.1 (123)	3.8 (124)	14.0 (132)	330	12.1 (5)	13.0 (35)	563	18.7 (110)
Northwest	1,710	8.5 (54)	5.9 (53)	7,236	5.6 (43)	2.4 (76)	13.1 (119)	3,177	17.8 (82)	15.9 (88)	4,894	15.2 (79)
Ohio Co	23	* *	* *	151	2.6 (3)	3.3 (116)	13.2 (123)	87	* *	* *	115	11.3 (50)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number (Rank)	% <2500 g (Rank)	% >4000 g (Rank)	Number (Rank)	% (Rank)	% (Rank)	% (Rank)	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number (Rank)	% (Rank)
Orange Co	458	10.0 (101)	5.7 (49)	2,055	7.1 (95)	1.8 (36)	9.7 (32)	995	16.3 (53)	12.2 (24)	1,520	8.1 (18)
Owen Co	345	7.0 (16)	8.7 (119)	1,489	6.0 (49)	3.0 (108)	12.3 (102)	654	17.0 (70)	17.0 (102)	1,091	8.9 (22)
Parke Co	244	6.6 (10)	4.5 (17)	1,015	6.7 (73)	1.9 (45)	11.1 (69)	420	15.0 (29)	12.6 (29)	755	9.7 (29)
Perry Co	348	9.8 (97)	4.0 (9)	1,297	19.0 (141)	3.5 (121)	22.1 (141)	544	13.1 (8)	10.1 (6)	892	24.8 (127)
Pike Co	213	9.4 (79)	8.5 (117)	771	12.7 (139)	2.1 (58)	13.2 (123)	288	20.5 (120)	19.4 (124)	528	4.7 (5)
Portage	1,097	6.8 (12)	8.5 (117)	4,160	6.1 (51)	1.8 (36)	9.5 (27)	1,639	16.3 (53)	10.8 (11)	2,968	9.9 (32)
Posey Co	285	9.5 (85)	3.9 (8)	1,098	6.2 (54)	2.6 (93)	8.7 (16)	422	14.5 (23)	11.8 (20)	760	7.8 (15)
Pulaski Co	273	8.1 (43)	5.9 (53)	1,157	5.3 (30)	2.6 (93)	11.1 (69)	525	14.1 (14)	13.9 (52)	860	11.2 (49)
Purdue	361	6.9 (13)	9.7 (126)	1,365	2.6 (3)	3.7 (123)	5.6 (9)	548	13.0 (7)	8.0 (1)	931	9.5 (27)
Putnam Co	720	7.5 (27)	10.0 (127)	2,893	6.2 (54)	2.8 (103)	12.3 (102)	1,242	19.1 (110)	16.8 (99)	2,022	7.1 (13)
Randolph	554	10.1 (104)	5.6 (45)	1,965	6.8 (81)	2.3 (74)	8.5 (15)	726	14.2 (18)	11.2 (14)	1,358	17.5 (105)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Richmond	1,550	8.6 (59)	6.0 (58)	5,993	6.4 (65)	1.9 (45)	10.7 (62)	2,494	17.1 (73)	14.3 (58)	4,113	15.7 (84)
Ripley Co	591	8.6 (59)	5.9 (53)	2,523	5.0 (16)	2.1 (58)	11.7 (88)	1,090	16.0 (47)	15.5 (81)	1,828	17.3 (103)
Rush Co	285	9.5 (85)	5.6 (45)	1,142	5.4 (34)	3.2 (113)	10.2 (48)	494	15.8 (42)	15.6 (82)	788	13.2 (68)
SB Ireland Rd	1,932	8.6 (59)	7.3 (89)	8,359	5.5 (38)	3.0 (108)	9.1 (20)	3,670	11.1 (2)	8.3 (2)	5,734	14.7 (77)
SB Lafayette	2,122	10.3 (110)	6.1 (62)	11,559	5.0 (16)	2.0 (53)	10.8 (63)	5,691	16.5 (57)	12.7 (31)	8,626	15.2 (79)
Scott Co	635	9.4 (79)	3.3 (3)	2,825	6.1 (51)	2.7 (99)	10.9 (65)	1,289	15.8 (42)	15.1 (71)	2,039	12.8 (63)
Shelby Co	878	7.2 (21)	7.9 (103)	3,299	6.6 (69)	1.4 (16)	13.5 (128)	1,346	15.9 (44)	18.0 (117)	2,278	13.4 (69)
Shelters	24	* *	* *	208	5.3 (30)	4.3 (129)	12.5 (107)	116	9.5 (1)	16.4 (96)	166	16.3 (93)
SJ Reg Ctr	472	7.4 (24)	7.6 (100)	475	5.1 (22)	10.1 (136)	5.3 (8)	1	* *	* *	28	* *
So Calhoun	7,008	10.0 (101)	4.5 (17)	29,060	7.2 (101)	2.5 (83)	11.6 (83)	13,382	16.6 (63)	13.5 (46)	20,809	19.2 (114)
Spencer Co	294	8.2 (46)	4.1 (10)	1,131	7.6 (113)	1.2 (10)	12.3 (102)	491	18.9 (107)	17.5 (108)	833	7.0 (12)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
St Francis	143	6.3 (7)	8.4 (113)	144	10.4 (138)	17.4 (139)	2.1 (1)	0	* *	* *	1	* *
St V-FLC	934	9.1 (74)	4.5 (17)	960	5.0 (16)	18.4 (140)	3.0 (3)	5	* *	* *	27	* *
Starke Co	574	7.0 (16)	9.1 (123)	2,468	5.4 (34)	1.3 (13)	13.1 (119)	1,131	18.6 (101)	16.0 (91)	1,926	15.6 (83)
Steuben Co	787	8.5 (54)	6.7 (75)	3,941	4.8 (11)	2.9 (107)	10.9 (65)	2,008	18.1 (89)	15.2 (76)	2,916	10.7 (39)
Sullivan	424	6.1 (4)	6.4 (65)	1,623	7.5 (110)	1.9 (45)	11.6 (83)	697	18.9 (107)	16.1 (93)	1,136	12.5 (59)
Switz""Land	135	4.4 (1)	4.4 (15)	584	5.0 (16)	2.6 (93)	9.9 (36)	265	16.2 (50)	14.0 (54)	423	11.3 (50)
Tippecanoe	3,321	7.5 (27)	8.9 (120)	13,723	5.2 (26)	2.5 (83)	12.0 (96)	6,127	17.3 (76)	15.3 (78)	9,919	15.7 (84)
Tipton Co	188	9.6 (90)	4.3 (14)	817	6.7 (73)	3.4 (119)	9.9 (36)	384	14.1 (14)	13.3 (40)	618	6.6 (10)
Union Co	129	7.0 (16)	10.1 (128)	589	4.8 (11)	2.2 (68)	9.5 (27)	273	23.4 (128)	11.4 (16)	434	19.1 (113)
United Fai	1,194	8.2 (46)	6.5 (67)	4,481	6.2 (54)	3.3 (116)	9.8 (35)	1,948	18.1 (89)	11.8 (20)	3,114	18.1 (108)
Valpo	1,034	7.5 (27)	8.4 (113)	4,192	6.3 (60)	2.2 (68)	10.5 (57)	1,780	14.9 (26)	13.7 (50)	2,991	12.7 (62)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

(1)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Vigo	2,265	7.9 (36)	6.9 (82)	7,888	6.6 (69)	2.2 (68)	11.1 (69)	3,027	17.0 (70)	15.9 (88)	5,381	11.5 (52)
Vincennes	688	10.5 (113)	4.9 (27)	2,495	6.7 (73)	3.6 (122)	9.7 (32)	1,092	16.8 (66)	13.6 (47)	1,581	4.2 (3)
W 21st Ave	1,261	14.9 (128)	3.4 (4)	5,185	6.8 (81)	4.0 (125)	7.9 (11)	2,340	11.7 (4)	8.4 (3)	3,727	23.5 (125)
Wabash	453	8.8 (65)	5.5 (40)	1,896	6.5 (68)	2.0 (53)	9.7 (32)	857	14.4 (21)	13.0 (35)	1,347	7.8 (15)
Warren Co	158	7.0 (16)	7.6 (100)	751	5.1 (22)	2.5 (83)	9.3 (23)	364	20.9 (123)	12.9 (32)	543	16.0 (90)
Warrick Co	729	9.5 (85)	6.7 (75)	2,832	8.3 (125)	2.6 (93)	13.1 (119)	1,197	15.4 (36)	14.6 (67)	1,976	12.8 (63)
Washington	505	9.5 (85)	4.2 (12)	2,273	7.2 (101)	2.1 (58)	10.6 (58)	1,034	17.8 (82)	15.1 (71)	1,653	10.6 (37)
Wells Co	413	9.2 (75)	5.1 (29)	1,690	6.7 (73)	2.4 (76)	8.4 (14)	738	15.9 (44)	11.5 (17)	1,239	16.2 (92)
Westside	1,778	8.0 (41)	7.4 (94)	7,727	6.2 (54)	2.0 (53)	13.7 (129)	3,324	18.5 (100)	17.5 (108)	5,204	16.9 (98)
White Co	577	7.8 (34)	7.3 (89)	2,440	4.9 (14)	1.8 (36)	10.0 (38)	1,082	16.5 (57)	12.3 (26)	1,830	20.2 (120)
Whitley Co	604	9.8 (97)	6.3 (64)	2,497	7.6 (113)	2.6 (93)	11.3 (77)	1,095	18.7 (103)	16.5 (98)	1,835	16.3 (93)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number <2500 g (Rank)	% >4000 g (Rank)	%	Number (Rank)	% (Rank)	% (Rank)	%	Number (Rank)	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Wishard	1,883	11.4 (117)	6.6 (71)	1,912	7.9 (118)	10.1 (136)	4.8 (6)	4	* *	* *	55	* *
Women""s	1	* *	* *	2	* *	* *	* *	0	* *	* *	1	* *
Indiana	134,607	9.2	6.2	518,392	6.5	2.6	11.2	220,804	16.7	14.3	360,165	14.7

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Action Ctr	104	62.5 (62)	68	* *	76	* *	67	* *	68	* *	115	65.2 (110)	191	18.3 (18)
Albion	774	69.1 (25)	472	20.1 (41)	491	8.8 (59)	470	14.5 (32)	466	8.6 (35)	934	69.9 (91)	1,242	29.8 (54)
Anderson	2,706	56.5 (93)	1,622	20.0 (43)	1,688	10.0 (41)	1,523	13.7 (38)	1,610	9.4 (25)	3,606	68.9 (96)	5,170	45.5 (94)
Ball Mem	27	* *	9	* *	7	* *	9	* *	9	* *	8	* *	32	* *
Bartholome	1,789	66.9 (40)	1,183	16.7 (65)	1,192	7.9 (69)	1,111	13.7 (38)	1,174	8.4 (39)	2,472	76.8 (35)	3,353	44.6 (91)
Bedford	983	66.0 (45)	650	14.6 (80)	690	7.8 (70)	623	13.3 (44)	646	7.3 (51)	1,443	78.7 (28)	1,906	46.2 (98)
Benton Co	143	58.7 (85)	107	15.9 (74)	125	9.6 (43)	94	* *	104	8.7 (33)	356	77.0 (33)	351	39.3 (77)
Berne	79	* *	60	* *	62	* *	56	* *	59	* *	186	75.8 (40)	182	30.2 (55)
Bicknell	105	53.3(107)	72	* *	85	* *	65	* *	72	* *	196	71.4 (84)	230	43.5 (86)
Blackburn	1,281	52.9(111)	785	17.2 (58)	868	6.6 (87)	740	8.9 (90)	767	5.6 (80)	1,139	52.8 (124)	2,261	11.9 (8)
Blackford	283	67.1 (38)	226	12.4 (96)	244	4.9 (109)	212	12.7 (53)	226	7.5 (50)	570	74.6 (50)	604	39.1 (76)
Boone Co	681	58.9 (83)	445	20.7 (36)	475	10.7 (32)	443	12.6 (55)	442	7.9 (44)	975	73.2 (65)	1,317	47.7 (102)
Brazil	654	59.6 (78)	478	14.6 (80)	524	8.0 (68)	443	8.8 (93)	475	6.5 (67)	1,474	72.0 (74)	1,521	49.2 (108)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Brown Co	235	74.5 (8)	181	27.6 (10)	180	16.1 (7)	162	22.8 (5)	179	8.9 (29)	419	81.1 (19)	493	47.9 (103)
Cambridge	124	67.7 (37)	99	* *	105	9.5 (46)	90	* *	99	* *	271	74.9 (48)	285	52.3 (120)
Carroll Co	261	67.8 (32)	201	24.9 (21)	221	12.2 (18)	181	17.7 (15)	198	9.6 (24)	563	85.6 (5)	584	22.6 (30)
Cass Co	1,176	58.8 (84)	876	16.7 (65)	957	9.4 (49)	821	7.8 (104)	870	4.5 (99)	2,555	65.3 (109)	2,597	19.3 (22)
Citizens	2,173	51.5(114)	1,191	20.2 (40)	1,205	10.6 (33)	1,167	10.8 (66)	1,174	6.5 (67)	2,326	72.4 (70)	3,650	27.2 (43)
Civic Ctr	2,962	49.3(120)	1,787	10.4 (115)	1,883	5.7 (101)	1,715	10.6 (68)	1,778	5.9 (75)	4,002	61.7 (116)	5,534	14.6 (13)
Clark Co	2,375	65.8 (46)	1,579	21.7 (31)	1,669	11.0 (29)	1,539	15.1 (29)	1,566	10.0 (18)	3,306	71.4 (84)	4,449	38.3 (73)
Clay City	45	* *	36	* *	37	* *	33	* *	36	* *	107	75.7 (43)	102	54.9 (128)
Clinton	322	51.2(116)	238	11.8 (100)	264	4.9 (109)	218	10.1 (76)	237	7.2 (53)	554	67.5 (99)	670	53.4 (124)
Clinton Co	988	71.4 (16)	769	17.2 (58)	813	8.9 (58)	704	9.2 (86)	766	4.8 (95)	2,054	75.2 (46)	2,197	20.5 (25)
Comm East	434	43.5(129)	100	7.0 (122)	90	* *	111	5.4 (114)	100	1.0 (122)	6	* *	429	38.0 (72)
Cottage Gr	2,230	55.7 (96)	1,535	16.2 (72)	1,754	8.4 (66)	1,415	7.9 (103)	1,486	5.5 (83)	2,926	87.5 (4)	4,476	43.5 (86)
Crawford	212	62.7 (61)	184	17.4 (57)	191	9.4 (49)	156	16.7 (21)	182	9.9 (20)	368	79.9 (23)	454	56.6 (134)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Crown Pt	1,794	82.3 (3)	1,058	26.3 (13)	1,071	13.8 (12)	997	16.8 (19)	1,040	11.8 (9)	2,477	83.9 (8)	3,479	27.7 (46)
Daviess Co	636	54.6(101)	438	11.4 (106)	496	4.8 (114)	416	4.8 (115)	436	3.7 (112)	1,141	69.9 (91)	1,326	34.7 (61)
Dearborn	994	54.4(103)	708	10.7 (113)	752	4.8 (114)	655	10.2 (74)	703	5.7 (77)	1,678	81.5 (15)	2,110	53.4 (124)
Decatur	524	74.6 (7)	351	21.9 (29)	363	9.6 (43)	340	16.8 (19)	344	10.5 (15)	886	74.2 (53)	1,050	39.5 (79)
Decatur Co	628	60.5 (74)	428	11.9 (99)	479	4.4 (116)	404	10.6 (68)	419	5.3 (88)	1,239	77.9 (30)	1,383	55.8 (129)
Dekalb Closed	37	* *	27	* *	43	* *	25	* *	27	* *	93	* *	161	56.5 (133)
Dekalb Co	801	70.5 (23)	470	18.1 (54)	474	7.0 (84)	469	13.6 (42)	466	9.4 (25)	968	76.2 (37)	1,267	54.4 (127)
Dubois Co	813	74.5 (8)	610	25.9 (16)	617	11.7 (21)	567	14.5 (32)	603	6.3 (72)	1,293	75.8 (40)	1,620	37.2 (68)
E Chicago	1,981	60.2 (76)	1,342	20.9 (35)	1,454	10.9 (30)	1,252	3.6 (119)	1,322	2.3 (119)	3,498	49.5 (125)	4,113	11.0 (7)
Eaton	56	* *	42	* *	46	* *	42	* *	42	* *	111	79.3 (25)	124	27.4 (44)
Elkhart	4,138	69.0 (26)	2,887	25.0 (19)	3,173	11.6 (22)	2,655	11.0 (64)	2,836	6.7 (64)	7,706	73.3 (63)	8,627	15.7 (15)
Elwood	322	46.3(127)	207	14.0 (86)	227	6.6 (87)	191	6.3 (113)	206	4.4 (103)	500	72.2 (72)	676	55.8 (129)
Fayette Co	713	58.3 (87)	459	15.0 (79)	510	6.9 (85)	439	8.4 (97)	458	4.6 (98)	1,127	75.0 (47)	1,416	50.4 (114)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Floyd Co	1,427	63.3 (58)	1,003	16.7 (65)	1,055	8.5 (62)	935	12.8 (51)	986	6.8 (62)	2,270	73.7 (59)	2,980	45.9 (96)
Forest Man	2,291	54.5 (102)	1,522	15.9 (74)	1,738	6.1 (95)	1,445	8.0 (99)	1,515	3.9 (107)	2,357	45.3 (127)	3,895	19.0 (21)
Fountain	379	58.3 (87)	265	17.0 (61)	286	11.2 (26)	245	7.3 (111)	262	5.7 (77)	689	76.3 (36)	815	48.0 (104)
Franklin C	315	55.2 (98)	227	11.0 (111)	243	7.8 (70)	188	8.5 (96)	224	3.6 (114)	526	82.3 (11)	684	51.8 (118)
Fulton	853	47.6 (125)	636	9.0 (120)	698	4.2 (121)	556	9.4 (84)	630	4.9 (94)	1,134	64.2 (112)	1,774	28.9 (50)
Fulton Co	586	60.6 (72)	383	14.6 (80)	419	7.4 (76)	364	12.4 (58)	377	6.6 (66)	927	71.7 (80)	1,149	20.9 (26)
Georgetown	3,915	71.1 (18)	2,742	30.3 (7)	2,995	14.9 (11)	2,555	9.1 (88)	2,691	4.5 (99)	6,254	61.8 (115)	7,767	13.7 (11)
Gibson Co	615	48.9 (122)	453	11.3 (108)	438	4.1 (122)	414	11.4 (62)	446	7.2 (53)	996	74.2 (53)	1,292	46.1 (97)
Glenn Pk	1,747	70.6 (20)	1,207	19.1 (46)	1,270	7.7 (72)	1,136	8.0 (99)	1,199	3.7 (112)	3,141	66.0 (103)	3,733	14.5 (12)
Goshen	2,205	78.4 (4)	1,502	34.8 (3)	1,640	15.5 (8)	1,434	17.3 (17)	1,480	8.5 (37)	3,967	75.7 (43)	4,479	10.4 (6)
Grant Co	1,820	52.4 (112)	1,345	11.1 (109)	1,427	5.2 (108)	1,242	9.8 (79)	1,340	5.5 (83)	3,290	62.3 (114)	3,724	35.4 (62)
Grant St	1,271	50.6 (118)	855	11.1 (109)	913	4.4 (116)	796	4.1 (118)	851	3.1 (116)	2,022	40.1 (129)	2,584	25.0 (36)
Grassy Crk	3,046	59.4 (80)	2,041	23.2 (24)	2,301	9.2 (52)	1,887	8.1 (98)	2,014	5.4 (87)	4,498	65.7 (107)	6,025	17.8 (17)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Greene Co	560	57.7 (89)	406	8.6 (121)	425	5.6 (102)	388	10.3 (72)	404	4.7 (96)	844	94.1 (1)	1,089	38.9 (74)
Hamilton	2,288	71.7 (15)	1,584	27.4 (11)	1,656	12.5 (17)	1,510	19.3 (7)	1,568	12.0 (7)	3,561	81.6 (13)	4,670	25.7 (39)
Hammond	2,550	70.3 (24)	1,831	19.2 (45)	1,945	9.5 (46)	1,737	8.0 (99)	1,818	5.3 (88)	4,522	65.7 (107)	5,339	22.4 (29)
Hancock Co	933	65.8 (46)	581	21.9 (29)	641	9.5 (46)	559	20.8 (6)	577	12.0 (7)	1,236	73.5 (61)	1,809	24.9 (35)
Hanna	3,664	64.0 (55)	2,372	25.0 (19)	2,532	15.2 (10)	2,230	13.8 (37)	2,335	9.8 (22)	3,982	64.1 (113)	6,735	27.7 (46)
Harrison	737	68.5 (28)	522	15.7 (76)	567	7.1 (82)	502	17.9 (13)	520	9.2 (28)	1,318	75.8 (40)	1,570	47.5 (101)
Hendricks	1,500	67.8 (32)	846	22.8 (25)	884	10.6 (33)	829	18.6 (12)	830	11.7 (10)	1,716	81.8 (12)	2,691	37.3 (70)
Henry Co	1,085	67.8 (32)	756	16.9 (63)	808	7.1 (82)	713	15.3 (27)	752	10.1 (17)	1,907	67.0 (100)	2,217	51.2 (116)
Hessville	1,206	62.9 (59)	832	15.1 (78)	874	7.4 (76)	752	7.4 (108)	825	4.5 (99)	2,041	66.6 (101)	2,498	18.5 (20)
Hispanic C	392	87.0 (2)	317	47.0 (2)	363	22.0 (2)	292	7.2 (112)	312	4.2 (106)	840	58.2 (122)	864	8.3 (3)
Howard Co	2,267	54.3 (105)	1,643	13.2 (91)	1,752	6.2 (92)	1,513	12.5 (57)	1,634	8.4 (39)	4,032	72.2 (72)	4,653	29.6 (53)
Huntington	786	61.3 (67)	545	13.6 (89)	586	6.5 (89)	526	12.7 (53)	543	8.5 (37)	1,278	70.8 (86)	1,583	34.4 (60)
IN0108 Closed	119	71.4 (16)	100	28.0 (9)	115	13.0 (15)	87	* *	98	* *	314	69.4 (93)	332	18.4 (19)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jackson Co	1,109	64.6 (53)	800	16.5 (69)	862	6.8 (86)	759	10.8 (66)	797	6.9 (57)	1,869	78.7 (28)	2,188	44.1 (88)
Jasonville	27	* *	19	* *	20	* *	22	* *	19	* *	52	* *	57	* *
Jasper Co	718	65.7 (49)	536	17.5 (56)	567	8.5 (62)	493	18.9 (10)	529	11.0 (12)	1,394	60.8 (119)	1,606	39.7 (81)
Jay Co	483	67.9 (31)	326	17.2 (58)	334	8.7 (60)	295	14.9 (31)	320	7.8 (46)	668	65.9 (105)	929	41.9 (84)
Jefferson	778	64.5 (54)	503	18.9 (47)	520	10.4 (38)	489	16.4 (23)	495	9.3 (27)	1,216	76.2 (37)	1,557	30.4 (56)
Jennings	863	57.4 (91)	620	11.6 (102)	703	4.4 (116)	581	10.5 (70)	619	5.7 (77)	1,888	79.2 (26)	1,916	50.2 (113)
Johnson Co	2,279	66.8 (41)	1,624	20.7 (36)	1,586	10.5 (36)	1,502	14.5 (32)	1,606	7.7 (48)	3,240	72.4 (70)	4,554	27.0 (41)
K-ville closed	66	* *	69	* *	99	* *	47	* *	69	* *	178	71.9 (78)	309	49.2 (108)
Kosciusko	1,396	66.7 (43)	951	26.2 (14)	1,031	11.8 (20)	914	13.0 (48)	942	7.9 (44)	2,138	72.5 (69)	2,731	37.3 (70)
Lagrange	475	68.4 (29)	339	22.7 (26)	369	11.4 (24)	314	19.1 (9)	337	12.5 (6)	928	81.6 (13)	1,070	44.5 (90)
Lake Station	1,464	65.8 (46)	1,020	18.2 (52)	1,093	9.6 (43)	948	8.9 (90)	1,011	6.3 (72)	2,635	66.0 (103)	3,048	35.6 (63)
Laporte	1,394	65.6 (50)	944	27.4 (11)	1,006	16.5 (6)	873	15.2 (28)	922	10.2 (16)	2,387	34.4 (130)	2,915	44.4 (89)
Ligonier closed	35	* *	41	* *	64	* *	31	* *	41	* *	144	70.8 (86)	203	27.1 (42)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Main St	2,498	60.3 (75)	1,574	15.6 (77)	1,660	7.5 (75)	1,465	13.0 (48)	1,543	6.7 (64)	3,322	74.2 (53)	4,616	28.4 (49)
Marshall	1,124	69.0 (26)	820	20.0 (43)	829	10.5 (36)	763	13.9 (36)	811	8.9 (29)	1,927	71.7 (80)	2,331	8.8 (4)
Martin Co	204	54.4 (103)	162	12.3 (97)	163	7.4 (76)	149	8.7 (94)	160	5.6 (80)	347	93.7 (2)	409	31.3 (58)
Marycrest	17	* *	25	* *	44	* *	17	* *	25	* *	209	74.2 (53)	181	3.9 (1)
Memorial	874	67.8 (32)	254	25.6 (17)	230	10.4 (38)	282	9.6 (82)	251	6.8 (62)	0	* *	884	13.6 (10)
Merrillville	9	* *	0	* *	0	* *	0	* *	0	* *	4	* *	12	* *
Meth South	1	* *	1	* *	1	* *	1	* *	1	* *	0	* *	1	* *
Methodist	1,333	47.9 (124)	305	18.7 (50)	273	10.6 (33)	336	10.4 (71)	304	6.9 (57)	4	* *	1,334	36.4 (65)
Miami Co	749	60.9 (69)	540	14.4 (84)	571	5.8 (100)	505	15.8 (25)	539	9.8 (22)	1,503	72.0 (74)	1,619	45.5 (94)
Mich City	1,394	50.0 (119)	904	21.2 (34)	943	11.6 (22)	858	4.5 (117)	895	3.4 (115)	1,620	65.0 (111)	2,697	25.4 (37)
Mitchell	8	* *	7	* *	17	* *	7	* *	7	* *	52	* *	63	* *
Moms/Kids	218	66.1 (44)	184	20.1 (41)	203	10.8 (31)	160	2.5 (120)	182	1.6 (121)	551	54.1 (123)	569	17.2 (16)
Monroe Co	2,084	76.5 (5)	1,477	30.5 (5)	1,538	19.3 (3)	1,369	24.0 (3)	1,444	17.0 (2)	3,124	85.6 (5)	3,911	20.0 (23)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Montgomery	893	63.7 (57)	621	14.2 (85)	681	5.9 (98)	589	9.2 (86)	614	5.0 (92)	1,506	71.8 (79)	1,826	45.1 (93)
Morgan Co	1,375	61.6 (65)	888	13.2 (91)	918	6.2 (92)	822	13.7 (38)	883	7.1 (55)	1,939	73.3 (63)	2,713	57.3 (135)
N Arlingto	2,288	56.1 (94)	1,564	18.7 (50)	1,807	9.1 (54)	1,407	9.0 (89)	1,507	6.4 (71)	1,768	70.5 (89)	4,498	26.7 (40)
N Liberty	44	* *	37	* *	39	* *	34	* *	37	* *	100	73.0 (67)	107	24.3 (34)
N Manchest	201	57.7 (89)	163	16.0 (73)	171	7.6 (73)	155	12.3 (59)	161	8.7 (33)	472	72.0 (74)	443	25.5 (38)
Newton Co	213	61.0 (68)	157	21.7 (31)	163	5.5 (104)	144	23.6 (4)	155	14.2 (3)	362	46.4 (126)	437	50.1 (111)
Northwest	1,935	75.3 (6)	1,410	33.2 (4)	1,594	16.8 (5)	1,306	10.9 (65)	1,368	7.8 (46)	3,257	75.5 (45)	3,958	10.2 (5)
Ohio Co	29	* *	23	* *	26	* *	21	* *	23	* *	87	* *	79	* *
Orange Co	493	71.8 (14)	338	14.5 (83)	398	5.5 (104)	310	10.3 (72)	335	3.9 (107)	1,058	71.6 (82)	1,120	31.1 (57)
Owen Co	385	64.9 (52)	289	20.4 (39)	305	12.8 (16)	266	15.8 (25)	284	8.8 (32)	711	77.8 (31)	832	50.1 (111)
Parke Co	258	54.7 (100)	207	9.2 (118)	221	5.9 (98)	188	8.0 (99)	205	3.9 (107)	450	73.6 (60)	565	55.8 (129)
Perry Co	392	46.9 (126)	231	9.1 (119)	230	4.3 (119)	246	7.7 (107)	231	3.9 (107)	594	68.9 (96)	784	58.5 (136)
Pike Co	239	51.0 (117)	144	13.9 (87)	153	9.2 (52)	141	12.8 (51)	138	2.9 (118)	309	60.5 (120)	452	60.2 (137)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Portage	1,238	65.1 (51)	865	16.3 (70)	869	9.0 (56)	804	12.2 (61)	855	7.3 (51)	1,762	61.5 (117)	2,381	39.6 (80)
Posey Co	317	53.3(107)	222	10.8 (112)	223	4.9 (109)	212	11.3 (63)	219	5.9 (75)	458	72.7 (68)	629	52.6 (121)
Pulaski Co	289	55.4 (97)	214	12.6 (94)	221	8.1 (67)	198	13.1 (47)	213	8.0 (43)	568	73.4 (62)	609	36.3 (64)
Purdue	455	94.5 (1)	286	70.6 (1)	307	49.5 (1)	261	52.1 (1)	272	46.7 (1)	585	80.9 (20)	831	4.7 (2)
Putnam Co	791	61.6 (65)	534	13.5 (90)	575	6.1 (95)	514	12.3 (59)	526	6.5 (67)	1,317	74.9 (48)	1,644	53.5 (126)
Randolph	627	59.2 (81)	374	21.4 (33)	405	11.1 (27)	360	17.5 (16)	364	11.0 (12)	779	69.3 (95)	1,135	39.3 (77)
Richmond	1,748	59.2 (81)	1,236	17.0 (61)	1,300	9.8 (42)	1,133	10.2 (74)	1,226	5.3 (88)	2,681	76.1 (39)	3,404	41.8 (83)
Ripley Co	667	53.7(106)	476	11.6 (102)	512	5.5 (104)	439	9.6 (82)	472	5.3 (88)	1,173	82.9 (9)	1,418	55.9 (132)
Rush Co	304	53.3(107)	209	11.5 (105)	227	5.3 (107)	195	8.7 (94)	207	3.9 (107)	534	74.5 (51)	638	52.7 (122)
SB Ireland Rd	2,362	71.0 (19)	1,592	23.7 (23)	1,734	11.4 (24)	1,506	16.0 (24)	1,580	10.0 (18)	3,934	77.1 (32)	4,878	22.6 (30)
SB Lafayette	2,673	70.6 (20)	2,100	29.2 (8)	2,377	15.5 (8)	1,898	13.3 (44)	2,070	8.1 (42)	6,129	73.2 (65)	6,257	12.4 (9)
Scott Co	725	52.4(112)	491	11.4 (106)	556	4.9 (109)	464	7.8 (104)	485	5.6 (80)	1,377	76.9 (34)	1,535	51.9 (119)
Shelby Co	990	59.5 (79)	642	16.8 (64)	647	8.5 (62)	601	14.0 (35)	638	8.2 (41)	1,453	66.6 (101)	1,895	48.3 (105)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Shelters	34	* *	30	* *	35	* *	28	* *	30	* *	117	81.2 (16)	140	46.4 (99)
SJ Reg Ctr	346	66.8 (41)	95	* *	86	* *	103	13.6 (42)	95	* *	1	* *	349	15.2 (14)
So Calhoun	7,547	58.5 (86)	5,323	18.8 (49)	5,939	9.3 (51)	4,983	10.1 (76)	5,233	6.9 (57)	13,985	70.1 (90)	15,799	29.1 (52)
Spencer Co	329	49.2(121)	239	12.6 (94)	238	6.3 (90)	225	8.9 (90)	238	5.0 (92)	543	84.3 (7)	667	48.4 (107)
St Francis	137	60.6 (72)	20	* *	16	* *	26	* *	20	* *	0	* *	136	39.0 (75)
St V-FLC	776	67.8 (32)	199	20.6 (38)	177	8.5 (62)	217	7.8 (104)	199	5.5 (83)	5	* *	780	21.8 (28)
Starke Co	625	62.9 (59)	503	16.3 (70)	526	7.2 (81)	442	16.7 (21)	495	10.7 (14)	1,228	74.3 (52)	1,333	51.1 (115)
Steuben Co	875	74.1 (10)	670	18.2 (52)	756	7.4 (76)	598	13.7 (38)	665	6.9 (57)	2,164	78.8 (27)	2,098	51.2 (116)
Sullivan	453	67.1 (38)	273	10.6 (114)	283	4.9 (109)	260	10.0 (78)	272	4.4 (103)	739	59.4 (121)	948	42.7 (85)
Switz""Land	144	48.6(123)	105	9.5 (116)	111	6.3 (90)	96	* *	104	7.7 (48)	282	82.6 (10)	331	62.2 (138)
Tippecanoe	3,591	72.4 (12)	2,518	24.7 (22)	2,800	13.3 (13)	2,353	19.2 (8)	2,481	13.5 (5)	6,584	74.0 (57)	7,431	28.9 (50)
Tipton Co	204	54.9 (99)	152	13.2 (91)	165	9.1 (54)	141	17.0 (18)	152	8.6 (35)	414	81.2 (16)	455	40.2 (82)
Union Co	150	60.7 (71)	98	* *	113	6.2 (92)	95	* *	98	* *	293	81.2 (16)	333	49.8 (110)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
United Fai	1,359	62.2 (64)	862	17.7 (55)	908	8.7 (60)	843	15.1 (29)	849	11.1 (11)	2,048	60.9 (118)	2,540	37.1 (67)
Valpo	1,199	73.2 (11)	819	22.6 (27)	846	10.4 (38)	786	18.8 (11)	808	8.9 (29)	1,915	89.5 (3)	2,426	20.2 (24)
Vigo	2,464	57.2 (92)	1,539	11.7 (101)	1,634	6.0 (97)	1,430	9.7 (81)	1,526	6.0 (74)	3,253	70.6 (88)	4,616	37.2 (68)
Vincennes	756	44.8(128)	447	11.6 (102)	519	5.6 (102)	424	9.4 (84)	443	4.5 (99)	1,160	80.9 (20)	1,514	36.8 (66)
W 21st Ave	1,325	51.5(114)	923	5.7 (123)	959	2.1 (124)	847	2.4 (121)	920	1.8 (120)	2,513	42.3 (128)	2,889	27.4 (44)
Wabash	484	59.9 (77)	363	12.1 (98)	396	3.8 (123)	337	9.8 (79)	361	4.7 (96)	929	69.4 (93)	1,023	28.1 (48)
Warren Co	177	55.9 (95)	129	9.3 (117)	138	4.3 (119)	121	7.4 (108)	129	3.1 (116)	390	73.8 (58)	407	53.3 (123)
Warrick Co	835	53.2(110)	525	13.9 (87)	539	7.6 (73)	529	13.0 (48)	522	6.5 (67)	1,290	67.8 (98)	1,676	48.3 (105)
Washington	570	63.9 (56)	429	16.6 (68)	455	9.0 (56)	386	13.2 (46)	421	7.1 (55)	1,120	72.0 (74)	1,239	44.6 (91)
Wells Co	453	70.6 (20)	318	18.9 (47)	352	7.4 (76)	309	17.8 (14)	313	9.9 (20)	787	71.5 (83)	919	34.1 (59)
Westside	2,034	62.4 (63)	1,561	26.1 (15)	1,736	13.1 (14)	1,438	7.4 (108)	1,532	5.5 (83)	3,340	65.8 (106)	4,294	23.1 (32)
White Co	638	68.2 (30)	483	22.2 (28)	488	11.1 (27)	452	12.6 (55)	475	6.9 (57)	1,188	80.6 (22)	1,297	21.0 (27)
Whitley Co	675	72.3 (13)	459	25.1 (18)	502	12.0 (19)	443	24.8 (2)	452	13.9 (4)	1,178	79.4 (24)	1,420	47.0 (100)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Wishard	1,558	60.8 (70)	374	30.5 (5)	326	17.5 (4)	417	4.8 (115)	370	4.3 (105)	4	* *	1,552	23.2 (33)
Women's	1	* *	1	* *	1	* *	1	* *	1	* *	0	* *	2	* *
Indiana	148,410	63.0	99,311	19.8	106,601	9.8	93,179	12.1	98,063	7.5	229,543	70.5	293,975	30.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

