

RECEIVED

JUN 08 2009

INDIANA UTILITY
REGULATORY COMMISSION**Mishawaka Utilities**

Electric • Water • Wastewater Treatment

126 North Church Street
Post Office Box 363
Mishawaka, IN 46546-0363
(574) 258-1630 Fax: (574) 258-1710
www.mishawakautilities.com

June 2, 2009

Mr. Brad Borum
Director of Engineering, Electricity Division
Indiana Utility Regulatory Commission
101 West Washington St., Suite 1500 E.
Indianapolis, IN 46204-3407

TO THE INDIANA UTILITY REGULATORY COMMISSION

1. The Mishawaka Electric Utility, 126 North Church Street, Mishawaka, Indiana, pursuant to the Commission's 30-day filing procedures set forth in 170 Indiana Administrative Code 1-6, respectfully files with the Indiana Utility Regulatory Commission for its approval, a change to the existing Mishawaka Utilities Electric Rate "OL". The purpose is to introduce a new rate for a 100 Watt Sodium lamp. A copy of the "OL" tariff, approved by Order 39719, dated June 29, 1995, is enclosed.
2. Most Outdoor Protective Lighting (schedule "OL"), in the past, has utilized 175 watt mercury vapor lamps or 250 watt sodium lamps. In today's market, the MU Electric Division finds it more efficient and less expensive to use 100 watt sodium lamps. Rate "OL" Outdoor Electric Lighting Service, in the current MU Electric Rate schedule, does not have an existing rate for 100 watt sodium lamps. This filing, if approved, will benefit our customers and correct that situation.
3. Lamps used in Outdoor Lighting are also used in Street Lighting. The cost for Outdoor Lighting is slightly higher in order to address the additional customer accounting costs attributable to Outdoor Lighting. The rate of a 100 Watt Sodium light used for Street Lighting is \$ 6.23. Mishawaka proposes the rate of \$6.23 plus \$.21, or \$6.44, to be the newly established rate for a 100 Watt Sodium lamp used for Outdoor Lighting. A copy of both rate schedules is included with this filing along with three (3) copies of a new rate schedule for the Commission's approval.
4. All of the matters and facts stated herein and in the attached exhibits are true and correct. If approved, this change of rates shall be applied to bills beginning with the next appropriate monthly cycle following approval. Any questions concerning information included with this filing can be addressed to Barbara A. Botka, Staff Consultant for the Mishawaka Utilities at 126 North Church St., Mishawaka, IN 46544. She may also be reached at 574-258-1637 or Bbotka@mishawakacity.com.

RECEIVED

JUN 08 2009

INDIANA UTILITY
REGULATORY COMMISSION

RATE "OL"

MISHAWAKA (INDIANA) ELECTRIC UTILITY

RATE FOR OUTDOOR LIGHTING

IURC 30-DAY FILING NO. 2566

ISSUED PURSUANT TO ORDER NUMBER
39719
DATE JUN 29 1995 INDIANA UTILITY REGULATORY COMMISSION

To Whom Available

Available for outdoor lighting customers within the service area of the Utility.

Rates Per Month

- (a) Where the lighting fixture can be installed on an existing distribution-type wood pole or other supporting device and served from existing secondary facilities, with no more than one span of secondary, the rate shall be:

\$ 6.61 per light for single 175 watt mercury vapor lamp.

\$ 8.72 per light for single 250 watt sodium lamp.

\$ 12.38 per light for single 400 watt mercury vapor lamp.

\$ 21.23 per light for two 400 watt mercury vapor lamps installed on same pole.

\$ 32.47 per light for single 1,000 watt mercury vapor lamp.

- (b) Where additional poles and spans of overhead secondary are required to provide outdoor lighting service, the following additional charges shall apply:

74¢ for each additional pole.

49¢ for each additional span of secondary.

- (c) Where a customer requests outdoor lighting service requiring special poles or fixtures, or the use of an underground distribution system instead of an overhead distribution system, the customer's rates will be increased according to the Company's cost to install, operate, and maintain such special facilities, or the customer may be required to make a payment to cover the investment made as a result of these special installations.

Terms

Contracts under this tariff will be for not less than one year for residential customers and three years for commercial or industrial customers.

Hours of Lighting

All rates assume that lamps will burn approximately 4,000 hours per year.

RECEIVED

JUN 08 2009

INDIANA UTILITY
REGULATORY COMMISSION

IURC 30-DAY FILING NO. 2566

RATE "SL"

MISHAWAKA (INDIANA) ELECTRIC UTILITY
MUNICIPAL STREET LIGHTING SERVICE

ISSUED PURSUANT TO
ORDER NUMBER
39719
DATE JUN 29 1995
INDIANA UTILITY REGULATORY COMMISSION

To Whom Available

Available to the City of Mishawaka and other governmental agencies for street lighting service.

Character of Service

The Utility shall install, operate, and maintain, at its expense, all street lighting equipment and appurtenances.

Rates

The rate for street lighting service shall be as follows:

Lamp Size	Lamp Type	Rate Per Lamp Per Month		
		On Wood Pole	On Ornamental Pole	Additional Lamps on Same Pole
100 W	Sodium	\$ 6.23	\$ 8.95	\$ 3.65
150 W	Sodium	6.32	9.04	3.74
175 W	Mercury vapor	6.36	9.08	3.78
250 W	Mercury vapor	8.44	11.14	5.84
250 W	Sodium	8.49	11.19	5.89
400 W	Mercury vapor	11.55	14.26	8.96
1,000 W	Mercury vapor	24.88	27.62	22.32
2,400 W	Fluorescent		56.27	

Hours of Lighting

All rates assume that lamps will burn approximately 4,000 hours per year.

RECEIVED

JUN 08 2009

IURC 30-DAY FILING NO. 2566

INDIANA UTILITY
REGULATORY COMMISSION

LEGAL NOTICE OF FILING FOR A CHANGE TO THE "OL" SCHEDULE OF ELECTRIC RATES BY THE CITY OF MISHAWAKA, INDIANA

Notice is hereby given that the Mishawaka Electric Utility, Mishawaka, Indiana, under and pursuant to the Indiana Utility Regulatory Commission's 30-day filing procedures set forth in 170 Indiana Administrative Code 46.1-6 hereby files with the Indiana Utility Regulatory Commission for its approval the following change in the Electric rate schedule for "OL" (Outdoor Lighting) \$6.44 per light for single 100 watt sodium lamp

The accompanying change in the "OL" schedule of rates is to add a rate for 100 watt sodium lamp to be used for outdoor protective lighting. If approved, this rate shall take effect when the next full billing cycle begins.

MISHAWAKA UTILITIES
Mishawaka, Indiana
James M. Schrader, General Manager

Any objection to the filing of this change of rates may be addressed to the following:
Indiana Office of Utility Consumer Counselor (OUCC)
115 W. Washington St., Suite 1500 South
Indianapolis, Indiana 46204
Toll-free: 1-888-441-2494
Voice/TDD: (317) 232-2494
Fax: (317) 232-5923
www.in.gov/oucc

Indiana Utility Regulatory Commission (IURC)
101 W. Washington St., Suite 1500 East
Indianapolis, Indiana 46204
Toll-free: 1-800-851-4268
Voice/TDD: (317) 232-2701
Fax: (317) 233-2410
www.in.gov/iurc

It 5: 17

State of Indiana
St. Joseph County ss:

Personally appeared before me, a notary public in and for said county and state, the undersigned Carol Smith who, being duly sworn says that she is of competent age and is Advertising Director of The South Bend Tribune, a daily newspaper which for at least five (5) consecutive years has been published in the City of South Bend, county of St. Joseph, State of Indiana, and which during that time, has been a newspaper of general circulation, having a bona fide paid circulation, printed in the English language and entered, authorized and accepted by the post office department of the United States of America as mailable matter of the second-class as defined by the act of Congress of the United States of March 3, 1879, and that the printed matter attached hereto is a true copy, which was duly published in said newspaper.

1 time s, the dates of publication being as follows:

May 17, 2009

Carol Smith

Subscribed and sworn to before me this 17th day

of May 2009.

Cheryl June Morey

Cheryl June Morey
Notary Public
Resident of St. Joseph County

My commission expires December 21, 2016

Charges \$17.01

RECEIVED

JUN 08 2009

IURC 30-DAY FILING NO. 2566

INDIANA UTILITY
REGULATORY COMMISSION


**LEGAL NOTICE OF FILING FOR A CHANGE TO THE "OL" SCHEDULE
OF ELECTRIC RATES BY THE CITY OF MISHAWAKA, INDIANA**

Notice is hereby given that the Mishawaka Electric Utility, Mishawaka, Indiana, under and pursuant to the Indiana Utility Regulatory Commission's 30-day filing procedures set forth in 170 Indiana Administrative Code 1-6, hereby files with the Indiana Utility Regulatory Commission for its approval, the following change in the Electric rate schedule for "OL" (Outdoor Lighting)

\$6.44 per light for single 100 watt sodium lamp

The accompanying change in the "OL" schedule of rates is to add a rate for 100 watt sodium lamp to be used for outdoor protective lighting. If approved, this rate shall take effect when the next full billing cycle begins.

MISHAWAKA UTILITIES
Mishawaka, Indiana

By: 
James M. Schrader, General Manager

Any objection to the filing of this change of rates may be addressed to the following:

Indiana Office of Utility Consumer Counselor (OUCC)
115 W. Washington St., Suite 1500 South
Indianapolis, Indiana 46204
Toll-free: 1-888-441-2494
Voice/TDD: (317) 232-2494
Fax: (317) 232-5923
www.in.gov/oucc

Indiana Utility Regulatory Commission (IURC)
101 W. Washington St., Suite 1500 East
Indianapolis, Indiana 46204
Toll-free: 1-800-851-4268
Voice/TDD: (317) 232-2701
Fax: (317) 233-2410
www.in.gov/iurc

POSTED IN LOBBY

RECEIVED

JUN 08 2009

INDIANA UTILITY
REGULATORY COMMISSION

**LEGAL NOTICE OF FILING FOR A CHANGE TO THE
"OL" SCHEDULE OF ELECTRIC RATES BY THE
CITY OF MISHAWAKA, INDIANA**

BACK TO TOP

Notice is hereby given that the Mishawaka Electric Utility, Mishawaka, Indiana, under and pursuant to the Indiana Utility Regulatory Commission's 30-day filing procedures set forth in 170 Indiana Administrative Code 1-6, hereby files with the Indiana Utility Regulatory Commission for its approval, the following change in the Electric rate schedule for "OL" (Outdoor Lighting)

\$6.44 per light for single 100 watt sodium lamp

The accompanying change in the "OL" schedule of rates is to add a rate for 100 watt sodium lamp to be used for outdoor protective lighting. If approved, this rate shall take effect when the next full billing cycle begins.

MISHAWAKA UTILITIES
Mishawaka, Indiana
By: _____
James M. Schrader, General Manager

Any objection to the filing of this change of rates may be addressed to the following:

Indiana Office of Utility Consumer Counselor (OUCC)
115 W. Washington St., Suite 1500 South
Indianapolis, Indiana 46204
Toll-free: 1-888-441-2494
Voice/TDD: (317) 232-2494
Fax: (317) 232-5923
www.in.gov/oucc

Indiana Utility Regulatory Commission (IURC)
101 W. Washington St., Suite 1500 East
Indianapolis, Indiana 46204
Toll-free: 1-800-851-4268
Voice/TDD: (317) 232-2701
Fax: (317) 233-2410
www.in.gov/iurc

2009 Water Quality Report Now Posted

BACK TO TOP

May 15, 2009

The 2009 Water Quality Report has been printed and was mailed to all customers with their utility bills during the month of June, as required by law. The reports are also available at the Business

NEWS

LEGAL NOTICE
FILING FOR A
CHANGE TO T
"OL" SCHEDULE
ELECTRIC RA
THE CITY OF
MISHAWAKA,
INDIANA

2009 Water Quality
Report Now Posted

Legal Notice of
for a Change of
Electric Rates
City of Mishawaka
Indiana

Legal Notice of
For A Change of
Electric Rates
City of Mishawaka
Indiana

Mayor Reappointed
State of the City
Address

Mishawaka Utility
Offers Updated
Combined Sewer
Overflow (CSO)
Progress

RECEIVED

IURC 30-DAY FILING NO. 2566

JUN 08 2009

RATE "OL"

INDIANA UTILITY
REGULATORY COMMISSION

MISHAWAKA (INDIANA) UTILITIES

OUTDOOR ELECTRIC LIGHTING

To Whom Available

Available for outdoor lighting customers within the service area of the Utility.

Rates Per Month

- (a) Where the lighting fixture can be installed on an existing distribution-type wood pole or other supporting device and served from existing secondary facilities, with no more than one span of secondary, the rate shall be:
- \$ 6.44 per light for single 100 watt sodium lamp.
 - \$ 6.61 per light for single 175 watt mercury vapor lamp.
 - \$ 8.72 per light for single 250 watt sodium lamp.
 - \$ 12.38 per light for single 400 watt mercury vapor lamp.
 - \$ 21.23 per light for two 400 watt mercury vapor lamps installed on same pole.
 - \$ 32.47 per light for single 1,000 watt mercury vapor lamp.
- (b) Where additional poles and spans of overhead secondary are required to provide outdoor lighting service, the following additional charges shall apply:
- 74¢ for each additional pole.
 - 49¢ for each additional span of secondary.
- (c) Where a customer requests outdoor lighting service requiring special poles or fixtures, or the use of an underground distribution system instead of an overhead distribution system, the customer's rates will be increased according to the Company's cost to install, operate, and maintain such special facilities, or the customer may be required to make a payment to cover the investment made as a result of these special installations.

Terms

Contracts under this tariff will be for not less than one year for residential customers and three years for commercial or industrial customers.

Hours of Lighting

All rates assume that lamps will burn approximately 4,000 hours per year.

RECEIVED

JUN 08 2009

INDIANA UTILITY
REGULATORY COMMISSION

IURC 30-DAY FILING NO. 2566

RATE "OL"

MISHAWAKA (INDIANA) UTILITIES

OUTDOOR ELECTRIC LIGHTING

To Whom Available

Available for outdoor lighting customers within the service area of the Utility.

Rates Per Month

- (a) Where the lighting fixture can be installed on an existing distribution-type wood pole or other supporting device and served from existing secondary facilities, with no more than one span of secondary, the rate shall be:
- \$ 6.44 per light for single 100 watt sodium lamp.
 - \$ 6.61 per light for single 175 watt mercury vapor lamp.
 - \$ 8.72 per light for single 250 watt sodium lamp.
 - \$ 12.38 per light for single 400 watt mercury vapor lamp.
 - \$ 21.23 per light for two 400 watt mercury vapor lamps installed on same pole.
 - \$ 32.47 per light for single 1,000 watt mercury vapor lamp.
- (b) Where additional poles and spans of overhead secondary are required to provide outdoor lighting service, the following additional charges shall apply:
- 74¢ for each additional pole.
 - 49¢ for each additional span of secondary.
- (c) Where a customer requests outdoor lighting service requiring special poles or fixtures, or the use of an underground distribution system instead of an overhead distribution system, the customer's rates will be increased according to the Company's cost to install, operate, and maintain such special facilities, or the customer may be required to make a payment to cover the investment made as a result of these special installations.

Terms

Contracts under this tariff will be for not less than one year for residential customers and three years for commercial or industrial customers.

Hours of Lighting

All rates assume that lamps will burn approximately 4,000 hours per year.

RECEIVED

RATE "OL"

JUN 08 2009

MISHAWAKA (INDIANA) UTILITIES

INDIANA UTILITY
REGULATORY COMMISSION

OUTDOOR ELECTRIC LIGHTING

To Whom Available

Available for outdoor lighting customers within the service area of the Utility.

Rates Per Month

- (a) Where the lighting fixture can be installed on an existing distribution-type wood pole or other supporting device and served from existing secondary facilities, with no more than one span of secondary, the rate shall be:
- \$ 6.44 per light for single 100 watt sodium lamp.
 - \$ 6.61 per light for single 175 watt mercury vapor lamp.
 - \$ 8.72 per light for single 250 watt sodium lamp.
 - \$ 12.38 per light for single 400 watt mercury vapor lamp.
 - \$ 21.23 per light for two 400 watt mercury vapor lamps installed on same pole.
 - \$ 32.47 per light for single 1,000 watt mercury vapor lamp.
- (b) Where additional poles and spans of overhead secondary are required to provide outdoor lighting service, the following additional charges shall apply:
- 74¢ for each additional pole.
 - 49¢ for each additional span of secondary.
- (c) Where a customer requests outdoor lighting service requiring special poles or fixtures, or the use of an underground distribution system instead of an overhead distribution system, the customer's rates will be increased according to the Company's cost to install, operate, and maintain such special facilities, or the customer may be required to make a payment to cover the investment made as a result of these special installations.

Terms

Contracts under this tariff will be for not less than one year for residential customers and three years for commercial or industrial customers.

Hours of Lighting

All rates assume that lamps will burn approximately 4,000 hours per year.