

ORIGINAL

5  
*[Handwritten signatures]*

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE ) APPROVED: NOV 29 2017  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

**IT IS SO ORDERED.**

**ATTERHOLT, FREEMAN, HUSTON, WEBER, AND ZIEGNER CONCUR**

APPROVED: NOV 29 2017

**I hereby certify that the above is a true and correct copy of the Order as approved.**

*Mary M. Becerra*  
\_\_\_\_\_  
Mary M. Becerra  
Secretary of the Commission

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **John Rich Mechanical & General Contracting**  
Other Party: **Citizens Gas**  
Case Number: **14816**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **10/4/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Warren**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Tom Venditti**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15049**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **10/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana American Water Co. DBA Indiana American**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15115**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **10/24/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Luginbill Excavating LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15212**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **11/18/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Shannon Miller**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **15221**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dorsey Paving, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15224**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/13/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions*):
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **John Rich Mechanical & General Contracting**  
Other Party: **Citizens Gas**  
Case Number: **15226**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Warren**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Stan Pryor**  
Other Party: **Citizens Gas**  
Case Number: **15227**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Warren**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Eads & Son Bulldozing Inc**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15344**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **15345**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking & Miller**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Absolute Precision Plumbing & Heating**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15346**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone                       Failure to Plan                       Self-Repair
  - Damaging Lines                       Potholing                       Using Stakes or Post Hole Diggers
  - Dig Tickets                       Probing                       White Lining
  - Demolitions
  
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **City of Fort Wayne**  
Case Number: **15347**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Midwest Trenchless Services**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15348**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate <sup>3,000</sup> \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: escalated b/c failed to take  
previously assigned training.

APPROVED: Ben Warren  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Advanced Solar Distributor LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15349**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Bunn Trucking & Excavating, Inc.**  
Case Number: **15350**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **NIPSCO - Electric**  
Case Number: **15351**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R V Sutton, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15352**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO - Electric**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15353**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Joink LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15384**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/6/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Snedegar Construction, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15414**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Poindexter Excavating**  
Case Number: **15416**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **J D H Contracting**  
Case Number: **15418**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Sontag**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Sub-Surface of Indiana, Inc.**  
Case Number: **15420**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Spiker Excavating**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15421**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Chris Fuhs**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15422**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **12/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Eudave Landscaping**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15426**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Wisel Enterprise, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15428**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/13/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Founders Contracting, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15429**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Wabash County Highway Department**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15430**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/11/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Graber Excavating & Trucking, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15431**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/10/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500 + \$1,000 no ticket escalation
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R V Sutton, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15432**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Patriot Engineering**  
Case Number: **15433**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Grade-Rite Excavating**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15434**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: pinched gas line to stop flow

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Crosby Excavating, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15435**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Robert Neises Construction Corp.**  
Case Number: **15436**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Shankster Brothers, LP**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15437**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Fox Contractors Corp.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15440**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/4/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3000 + \$1000 no ticket escalation
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Midwest Trenchless Services**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15442**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED: \_\_\_\_\_

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Richard Fields**  
Other Party: **Community Natural Gas Inc**  
Case Number: **15443**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **F A Wilhelm Construction, Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15516**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: DM  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A B C Contractors, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15518**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Lane Lynch**  
Other Party: **Citizens Gas**  
Case Number: **15520**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/1/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rex Gress & Sons, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15525**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: Completed 8/9/17

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Gehring Underground, Inc.**  
Case Number: **15526**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Lubovich Excavating, Inc.**  
Case Number: **15527**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **15528**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/4/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Miller**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **M & C Excavating Co., Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15529**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **1/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hartco Cable, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15652**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Hartco Cable, Inc.**  
Case Number: **15653**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Umphress Masonry, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15654**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Becca Drilling**  
Case Number: **15660**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/21/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Midwest Trenchless Services**  
Case Number: **15672**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/28/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **C & E Excavating**  
Case Number: **15698**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/16/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Carlisle Utility Contractors, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15699**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/16/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pierson Construction, Inc.**  
Other Party: **Batesville Water & Gas**  
Case Number: **15700**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **George McCoy**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **15701**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & J Contracting** Concrete Inc.  
Other Party: **Citizens Gas**  
Case Number: **15704**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/29/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Warren**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana Reclamation & Excavating, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15707**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/27/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Gerald Scott Jensen**  
Other Party: **Citizens Gas**  
Case Number: **15709**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/24/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Warren**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **L V G Construction, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15711**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana Foundation Service**  
Other Party: **Citizens Gas**  
Case Number: **15712**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/22/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & J Contracting Concrete Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15713**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/21/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Exceptional Excavating, LLC**  
Other Party: **Citizens Gas**  
Case Number: **15714**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/21/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & J Contracting Concrete Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15715**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/20/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & J Contracting Concrete Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15716**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/20/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Aztec WFR, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15717**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mike Nowlin & Sons**  
Other Party: **Citizens Gas**  
Case Number: **15718**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/16/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman





# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **H I S Constructors, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15723**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Layne Heavy Civil, Inc. (Reynolds, Inc.)**  
Other Party: **Citizens Gas**  
Case Number: **15724**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/2/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Roy Brown**  
Other Party: **Ohio Valley Gas Corp**  
Case Number: **15735**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **2/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Coner Miles**  
Other Party: **Ohio Valley Gas Corp**  
Case Number: **15736**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Town of Salem**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **15738**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **City of Fort Wayne**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15741**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **15743**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking & Miller**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Fox Contractors Corp.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15744**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/10/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **L & M Electric, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15745**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:                     *Be* *Wc*                      
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **T G R F Excavation, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15746**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Gordon Engineering**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15747**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/7/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **William Morford**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15748**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/7/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

APPROVED: \_\_\_\_\_

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Meade Electric Company, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15749**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **City of Columbia City**  
Case Number: **15750**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Robert Geans**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15751**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **City of Fort Wayne**  
Case Number: **15752**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Cal Homes, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15753**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **NIPSCO - Gas**  
Case Number: **15755**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **American Utility Corporation**  
Case Number: **15758**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15759**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15760**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:



- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:    
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Lykins Contracting Co.**  
Case Number: **15761**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Tim & Eugenia Storm**  
Other Party: **Vectren Energy Delivery**  
Case Number: **15762**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Patriot Engineering**  
Case Number: **15763**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kevin Peterson**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15829**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/21/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Glendarin Hills Golf Club**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15830**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/21/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Hoosier Cable Services, Inc. (Merrillville)**  
Case Number: **15831**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/21/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Gatlin Plumbing**  
Case Number: **15832**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/21/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Midwest Trenchless Services**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15833**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/20/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mark Neiner**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15834**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/20/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **City of Michigan City**  
Case Number: **15836**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Justen Cable Construction**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15837**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Double K Underground, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15839**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **3/16/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:  \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **American Residential Services**  
Other Party: **Citizens Gas**  
Case Number: **15842**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/20/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & J Contracting** *Concrete Inc.*  
Other Party: **Citizens Gas**  
Case Number: **15846**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/13/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Atlas Excavating, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15847**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: DM  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & J Contracting Concrete Inc.**  
Other Party: **Citizens Gas**  
Case Number: **15851**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jim Biggerstaff Excavating, LLC**  
Other Party: **Citizens Gas**  
Case Number: **15852**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/5/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Marvin Aor**  
Other Party: **Indiana Natural Gas Corporation**  
Case Number: **15854**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **5/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Corey Baker~~ Solutions Contracting LLC  
Other Party: Indiana Natural Gas Corporation  
Case Number: 15855  
Date of Advisory Meeting: 9/19/2017  
Date of Damage: 5/8/2017

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & B Paving, Inc.**  
Other Party: **Fountaintown Gas Company, Inc**  
Case Number: **15856**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **5/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **David Dunning**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15857**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/15/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:  \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Asplundh Construction Corp.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15859**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Asplundh Construction Corp.**  
Case Number: **15860**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/13/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Lightning Drilling**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15861**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Hough Hauling & Excavating, LLC**  
Case Number: **15863**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Pemberton-Davis Electric, Inc.**  
Case Number: **15866**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Hydaker Wheatlake Co.**  
Case Number: **15867**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Whitley County Highway Department**  
Case Number: **15869**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Don's Excavating, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15871**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **City of Fort Wayne**  
Case Number: **15873**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dan Britton**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15874**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/9/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R & W Contracting, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15875**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Verita Telecommunications**  
Case Number: **15876**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Eric Shirtz**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15877**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **D S M Contractors, LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15878**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **15879**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/7/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking & Miller**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Turkstra Electric, LLC**  
Case Number: **15880**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/7/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Pulver Asphalt Paving, Inc.**  
Case Number: **15881**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/7/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Eisaman Property Management & Realty, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **15882**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/7/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **A-1 Sanitary Sewer Service**  
Case Number: **15885**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **R C Underground**  
Case Number: **16008**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/25/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **R C Underground**  
Case Number: **16013**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **4/26/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Nexgen Directional LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16392**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **5/30/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Crosier Lane Consulting**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16484**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **6/19/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **R C Underground**  
Case Number: **16521**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **6/29/2017**



The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:    
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Crosier Lane Consulting**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16524**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **6/30/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Radical Concepts d/b/a Palindrome Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16635**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **7/18/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Radical Concepts d/b/a Palindrome Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16640**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **7/18/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R C Underground**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16694**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/1/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Radical Concepts d/b/a Palindrome Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16708**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)(out)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:                     *Ben Warren*                      
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **International Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16726**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R L M Underground**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16727**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **International Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16746**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/15/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **International Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16811**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/17/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **International Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **16812**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **RLM Underground**  
Case Number: **16813**  
Date of Advisory Meeting: **9/19/2017**  
Date of Damage: **8/24/2017**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman