

ORIGINAL

Handwritten signatures and initials: JTB, JMK, ARW, Sel

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE) APPROVED: DEC 28 2017
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

ATTERHOLT, FREEMAN, HUSTON, WEBER, AND ZIEGNER CONCUR:

APPROVED: DEC 28 2017

I hereby certify that the above is a true and correct copy of the Order as approved.

Mary M. Becerra
Mary M. Becerra
Secretary of the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **My Contractor, Inc.**
Other Party: **Citizens Gas**
Case Number: **14819**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **9/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James H Drew Corp.**
Other Party: **Vectren Energy Delivery**
Case Number: **15530**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **American Leak Detection**
Other Party: **Vectren Energy Delivery**
Case Number: **15531**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Steve Simpson**
Other Party: **Vectren Energy Delivery**
Case Number: **15532**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Duke Energy Indiana**
Case Number: **15533**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Niemier Enterprises LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15534**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Osborne Utilities**
Other Party: **Vectren Energy Delivery**
Case Number: **15535**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **L & S Underground, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15536**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Affordable Fence Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15537**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: *B* *W*
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **C S U, Inc.**
Case Number: **15539**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15540**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/13/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Weddle Brothers Construction Co., Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15564**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/30/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: Completed 4/13/17.

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **3-D Construction, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15565**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/30/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Burtner Electric**
Other Party: **Vectren Energy Delivery**
Case Number: **15566**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Q C Communications**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15567**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **1/31/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gordon Engineering**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15609**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/15/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **H & G Underground Utilities LLC**
Case Number: **15610**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/15/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **U R 1st Services**
Case Number: **15612**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Mr. Underground**
Case Number: **15613**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Asplundh Construction Corp.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15614**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/14/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Asplundh Construction Corp.**
Case Number: **15615**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Oxley Jr.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15616**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Meade Electric Company, Inc.**
Case Number: **15617**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/13/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **T & B Electrical Construction, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15618**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Fieldstone Enterprises, LLC**
Case Number: **15622**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of Mishawaka**
Case Number: **15623**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/9/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northwest Indiana Fence Co.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15624**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: *B Warren*
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Grimmer Construction Co.**
Case Number: **15626**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15627**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Fort Wayne**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15628**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Universal Services**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15629**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **H & H Tiling & Excavating**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15630**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Creed Septic System Specialist**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15631**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Fort Wayne**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15632**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/1/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Warrick County Highway Department**
Other Party: **Vectren Energy Delivery**
Case Number: **15634**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/1/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15635**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/1/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Blankenberger Brothers, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15636**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wabash Utilities, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15637**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy**
Other Party: **Vectren Energy Delivery**
Case Number: **15638**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Rieth-Riley Construction Co., Inc.**
Case Number: **15640**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ben Tryon**
Other Party: **Vectren Energy Delivery**
Case Number: **15641**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Reitz Electric Service**
Other Party: **Vectren Energy Delivery**
Case Number: **15642**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **P P M I Construction Co.**
Other Party: **Vectren Energy Delivery**
Case Number: **15643**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: Patriot Electric Co., LLC
Other Party: Vectren Energy Delivery
Case Number: 15647
Date of Advisory Meeting: 10/24/2017
Date of Damage: 2/13/2017

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hearne Development, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15648**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: *Ben Warren*
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Lubovich Excavating, Inc.**
Case Number: **15649**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **DirectTV, LLC**
Case Number: **15651**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **2/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Drainage Construction Unlimited, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15810**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **3/30/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawnscape Site Development**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15870**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/11/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Area Plumbing & Sewer Co., Inc.**
Case Number: **15883**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Suying Wu**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15886**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawrence Building Corp.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15887**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/4/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **E & B Paving, Inc.**
Case Number: **15888**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Action Plumbing, Inc. (Cedar Lake)**
Case Number: **15889**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Carlisle Utility Contractors, Inc.**
Case Number: **15890**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wiltjer Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15891**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Juan Obregon**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15893**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James Edlen**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15894**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Smith Projects, Inc.**
Other Party: **Citizens Gas**
Case Number: **15902**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____


Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman


MARIC Ritter

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Smith Projects, Inc.**
Other Party: **Citizens Gas**
Case Number: **15904**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Citizens Gas~~ Brahee Electric
Other Party: Citizens Energy Group
Case Number: 15905
Date of Advisory Meeting: 10/24/2017
Date of Damage: 5/2/2017

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Calumet Civil Contractors, Inc.**
Other Party: **Citizens Gas**
Case Number: **15906**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Middlebury Septic, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15941**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/18/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Trenchless Services**
Other Party: **Northern Indiana Public Service Company**
Case Number: **15942**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: *B Warren*
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Woodruff & Sons, Inc.**
Case Number: **15948**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/17/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **A B C Asphalt, Inc.**
Case Number: **15949**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ^c **Shroeder's Trucking & Excavating**
Other Party: **Ohio Valley Gas Corp**
Case Number: **15951**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Brady Tolle**
Case Number: **15954**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/1/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Blackmore Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **15955**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/1/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gordon Scherer**
Other Party: **Vectren Energy Delivery**
Case Number: **15956**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Arc American, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15957**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$~~1,500~~^{3,000}, can mitigate ~~\$1,500~~^{3,000} by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **German Township Water**
Other Party: **Vectren Energy Delivery**
Case Number: **15958**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Underground Contractors of Indiana, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15959**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/4/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Milestone Contractors, LP**
Case Number: **15963**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Reliable Handyman Service**
Other Party: **Vectren Energy Delivery**
Case Number: **15964**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Hartco Cable, Inc.**
Case Number: **15965**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jones Brothers Electric**
Other Party: **Vectren Energy Delivery**
Case Number: **15966**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Elm Ridge Funeral Home**
Other Party: **Vectren Energy Delivery**
Case Number: **15967**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/7/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Troy Jessup**
Other Party: **Vectren Energy Delivery**
Case Number: **15969**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Michael Wood**
Other Party: **Vectren Energy Delivery**
Case Number: **15971**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wilson Concrete Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **15972**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|---|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input checked="" type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **15973**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/10/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Gaylor Electric, Inc.**
Case Number: **15974**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C H Garmong & Son, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15975**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rodney W Harp**
Other Party: **Vectren Energy Delivery**
Case Number: **15976**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: City of New Albany
Other Party: Vectren Energy Delivery
Case Number: 15977
Date of Advisory Meeting: 10/24/2017
Date of Damage: 4/11/2017

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: *Ben Warren*
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Dave O'Mara Construction**
Case Number: **15978**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/11/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Milestone Contractors, LP**
Case Number: **15979**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/11/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D R Watson Co.**
Other Party: **Vectren Energy Delivery**
Case Number: **15980**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Addison Underground Utilities LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15981**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan (for failing to prev. take training)
- Civil penalty of \$ 5,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy**
Other Party: **Vectren Energy Delivery**
Case Number: **15982**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/12/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bruns Landscape, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15983**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wabash Utilities, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **15984**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **15985**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/13/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15986**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/14/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000 + \$1,000 no ticket escalation
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **City of Evansville (Water & Sewer Departments)**
Case Number: **15987**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **The Hoosier Co., Inc.**
Case Number: **15988**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/17/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Paving**
Other Party: **Vectren Energy Delivery**
Case Number: **15990**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/18/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15991**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Alan Acuff Construction LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **15994**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Hartco Cable, Inc.**
Case Number: **15995**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Wabash Utilities, Inc.**
Case Number: **15996**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **4/18/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sikma Plumbing, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16071**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **All Seasons General Contracting, LLC**
Case Number: **16072**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kenneth Stringer**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16073**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sons of Realty LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16075**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **G E Marshall, Inc.**
Case Number: **16076**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dave's Electric Heating & Cooling, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16077**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Lewis Backhoe, Inc.**
Case Number: **16078**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **T L C Plumbing**
Case Number: **16079**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Dyer Construction Co., Inc.**
Case Number: **16080**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **NIPSCO - Electric**
Case Number: **16081**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Max Thompson**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16082**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/7/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Chris Nadratowski**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16084**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/6/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of Valparaiso**
Case Number: **16085**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/5/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Chris Ewing**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16086**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/5/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Garcia Concrete Construction, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16089**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/3/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lower Electric, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16090**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paul Decker**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16091**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Town of Munster**
Case Number: **16093**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Whay's Signs LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16095**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/2/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Reeves Fence Co.**
Case Number: **16242**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/3/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Marlin Steury General Contracting Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **16257**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **11/15/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:  _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Q C Communications**
Other Party: **Vectren Energy Delivery**
Case Number: **16321**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A I Excavating LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **16323**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/2/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Manns, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **16325**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/3/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Corgroup, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **16326**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/3/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B & T Drainage & Excavating**
Other Party: **Vectren Energy Delivery**
Case Number: **16328**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **C S U, Inc.**
Case Number: **16329**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/8/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: _____


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David D. Sanders**
Other Party: **Vectren Energy Delivery**
Case Number: **16331**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **16332**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/9/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Custom Wood Fencing**
Case Number: **16333**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/9/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jake Potter**
Other Party: **Vectren Energy Delivery**
Case Number: **16334**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/9/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **S T Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **16335**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: Completed 8/22/17

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Duke Energy Indiana**
Case Number: **16337**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Roberts Boring/Trenching/Excavating LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **16338**
Date of Advisory Meeting: **10/24/2017**
Date of Damage: **5/10/2017**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman