



INDIANA UTILITY REGULATORY COMMISSION
101 WEST WASHINGTON STREET, SUITE 1500 EAST
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

MEMORANDUM

TO: Commission Chairman James F. Huston
Commissioners Freeman, Krevda, Ober, and Ziegner

FROM: Commission Technical Divisions

DATE: November 24, 2021

RE: 30-Day Utility Articles for Conference on *Wednesday December 1, 2021 @ 10:00 a.m.*

The following thirty-day filings have been submitted to the Commission. Each item was reviewed by the appropriate Commission Technical Divisions and all regulations were met in accordance with 170 IAC 1-6 Thirty-Day Administrative Filing Procedures and Guidelines. Therefore, the following filings listed below and attached hereto are recommended to be considered by the Commission at the next conference:

Attachment Number	30-Day Filing No.	Name of Utility Company	Type of Request	Date Received
1	50460	Lebanon Utilities	A revision to Purchase Power Cost Adjustment Tracking Factors, to be applied in January, February, and March 2022.	10/28/2021

Submitted By: Jane Steinhauer
Director, Energy Division

Filing Party: Lebanon Utilities
30-Day Filing ID No.: 50460
Date Filed: October 28, 2021
Filed Pursuant To: Commission Order No. 36835 - S3 dated December 13, 1989.
Request: A revision to Purchase Power Cost Adjustment Tracking Factors, to be applied in January, February, and March 2022.

Customer Impact: See below.

Rate Schedule	Metric	Change	Resultant
Residential Service (RS)	\$/kWh	(0.000324)	0.012394
Commercial Service - Single Phase (CS Single)	\$/kWh	0.000531	0.014146
Commercial Service - Three Phase (CS-3-Ph)	\$/kWh	(0.000672)	0.007983
Municipal Service (MS)	\$/kWh	0.001631	0.009705
Primary Power Light (PPL)	\$/kVA	0.549310	4.974187
Primary Power Light (PPL)	\$/kWh	0.003004	(0.001850)
Small General Power (SGP)	\$/kWh	0.001694	0.007768
Outdoor Lighting & Street Lighting (OL & SL)	\$/kWh	0.005071	0.016427

Tariff Page(s) Affected: Appendix A & B.

Staff Recommendations: Requirements met. Recommend approval.