

Commissioner	Yes	No	Not Participating
Huston	٧		
Bennett	٧		
Freeman	٧		
Veleta	٧		
Ziegner	٧		

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)	
APPROVING ADVISORY COMMITTEE)	APPROVED: JAN 17 2024
RECOMMENDATIONS PURSUANT TO)	
INDIANA CODE CHAPTER 8-1-26.)	

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: JAN 17 2024

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jacob Stachler
Other Party:	Citizens Gas
Case Number:	30102
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/10/2023
Damage Location:	2210 North Alabama Street, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Amanda Morales
Other Party:	Northern Indiana Public Service Company
Case Number:	30148
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/9/2023
Damage Location:	326 6 th Street, Plymouth
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Lavon Zimmerman	
Other Party:	Northern Indiana Public Service Company	
Case Number:	30149	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/10/2023	
Damage Location:	2127 County Road 72, Huntertown	
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):	
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company	
Other Party:	Kokosing Industrial, Inc.	
Case Number:	30140	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/7/2023	
Damage Location:	820 East 39th Avenue, Gary	
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):	
The Advisory Committee reco	mmends the following civil penalty:	
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	United Excavating & General Contracting, Inc.	
Case Number:	30410	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/19/2023	
Damage Location:	13301 Minden Drive, Fishers	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	ırman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	LEC Electrical LLC
Case Number:	30438
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/27/2023
Damage Location:	2733 Washington Avenue, Vincennes
IC 8-1-26-18(h)	ion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	C & E Excavating
Case Number:	30264
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/27/2023
Damage Location:	11902 County Road 38, Millersburg
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(no-response)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A PPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Ziese & Sons Excavating, Inc.
Case Number:	30269
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/28/2023
Damage Location:	8609 Madison Street, Merrillville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(no-response)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Infrastructure Systems, Inc.
Case Number:	30163
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/15/2023
Damage Location:	208 West Oxford Avenue, Otterbein
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

CenterPoint Energy Indiana

Other Party:	White Construction, LLC	
Case Number:	30228	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/27/2023	
Damage Location:	816 Lindberg Road, West Lafayette	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(records)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milestone Contractors North, Inc.
Case Number:	30245
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/20/2023
Damage Location:	261 Brown Street, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
A PPROVED:	James R. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Rex Construction Company, Inc.
Case Number:	30274
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/30/2023
Damage Location:	Meadow Lane & Sunset Road, Merrillville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Meade, Inc.
Case Number:	30275
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/30/2023
Damage Location:	173 East 1100 North, Wheatfield
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Deichman Excavating Co., Inc.
Case Number:	30276
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/30/2023
Damage Location:	700 South Cicott Street, Logansport
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	ommends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	F A Wilhelm Construction, Co., Inc.
Case Number:	30353
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/21/2023
Damage Location:	3030 Prospect Street, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-18(h)(records)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Fox Contractors Corp.
Case Number:	30356
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/24/2023
Damage Location:	East Hanna Avenue Fetlock Drive, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Hoosierland Excavating, LLC
Case Number:	30363
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/5/2023
Damage Location:	2412 Indianapolis Boulevard, Schererville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Shady Grove Mobile Home Park, LLC
Case Number:	30377
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/11/2023
Damage Location:	1621 West Springville Road Lot 28, LaPorte
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Electricom, Inc.
Case Number:	30383
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/13/2023
Damage Location:	5870 East Walnut Drive, Monticello
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Lonestar Utility Group LLC
Case Number:	30452
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/28/2023
Damage Location:	1352 Locust Street, Terre Haute
The IURC Pipeline Safety Divis	ion finds the following violation(s):
IC 8-1-26-18(h)(records)	
. , . ,	
The Advisory Committee recom	mends the following civil penalty:
\$1,000	
Φ1,000	
Abstentions:	
riostellusis.	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company	
Other Party:	American Electric Power DBA Indiana Michigan Power	
Case Number:	30465	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/19/2023	
Damage Location:	Wilber Street & Linden Avenue, South Bend	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(records)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Miller Pipeline, LLC
Case Number:	30473
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/20/2023
Damage Location:	2136 Johnson Street, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	NIPSCO - Electric
Other Party:	Northern Indiana Public Service Company
Case Number:	30235
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/12/2023
Damage Location:	2525 East Michigan Boulevard, Michigan City
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	NIPSCO - Gas
Other Party:	Northern Indiana Public Service Company
Case Number:	30278
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/30/2023
Damage Location:	234 South State Street, South Whitley
	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recors	mmends the following civil penalty:
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	T S W Utility Solutions, Inc.
Other Party:	Citizens Gas
Case Number:	30283
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/22/2023
Damage Location:	5048 Riverview Drive, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
10 0-1-20 20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	Citizens Gas
Case Number:	30352
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/20/2023
Damage Location:	5898 North College Avenue, Indianapolis
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	NIPSCO - Gas
Other Party:	Northern Indiana Public Service Company
Case Number:	30373
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/10/2023
Damage Location: Wayne	Kinsmoor Avenue & South Wayne Avenue, Ford
	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Rieth-Riley Construction Co., Inc.

Other Party:	CenterPoint Energy Indiana	
Case Number:	30444	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/30/2023	
Damage Location:	688 North Peterman Road, Greenwood	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	nends the following civil penalty:	
\$5,000		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	T S W Utility Solutions, Inc.
Other Party:	Citizens Gas
Case Number:	30507
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/3/2023
Damage Location:	52nd Street & Clarendon Road, Indianapolis
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Robinson Trenching & Directional Boring, Inc.	
Other Party:	Citizens Gas	
Case Number:	30285	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/26/2023	
Damage Location:	5337 Acorn Lane, Indianapolis	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$4,000		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Robinson Trenching & Directional Boring, Inc.
Other Party:	Citizens Gas
Case Number:	30350
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/18/2023
Damage Location:	8902 Sargent Road, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Hoosier Foundations, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30370
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/7/2023
Damage Location:	14818 Kelly Road, Mishawaka
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can compescalation - additional \$1,000	lete training instead of paying \$1,500; no ticket
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bradley's Professional Lawn & Landscape
Other Party:	Northern Indiana Public Service Company
Case Number:	30249
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/21/2023
Damage Location:	1224 West Oakdale Drive, Fort Wayne
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,500, respondent can complete escalation - additional \$1,000	e training instead of paying \$1,500; no ticket
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dirt Trucking, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30271
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/29/2023
Damage Location:	1429 Baker Place, Bluffton
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	nmends the following civil penalty:
\$1,500, respondent can comple escalation - additional \$1,000	ete training instead of paying \$1,500; no ticket
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Elite Commercial Roofing LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30251
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/21/2023
Damage Location:	17828 Devall Road, Spencerville
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
\$1,500, respondent can complescalation - additional \$1,000	lete training instead of paying \$1,500; no ticket
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Town of Ossian
Other Party:	Northern Indiana Public Service Company
Case Number:	30480
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/21/2023
Damage Location:	902 Homestead Avenue, Ossian
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can compescalation - additional \$1,000	elete training instead of paying \$1,500; no ticket
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Pfister Sprinkler Systems, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30141
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/8/2023
Damage Location:	6727 Mallard Cove Terrace, Fort Wayne
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,500, respondent can complet escalation - additional \$1,000	e training instead of paying \$1,500; no ticket
Abstentions: Smith	
Additional Information:	
and L	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	าสท



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Doctor Excavating
Other Party:	Northern Indiana Public Service Company
Case Number:	30255
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/22/2023
Damage Location:	2555 State Road 9, Columbia City
-	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Foster Concrete Construction
Other Party:	Northern Indiana Public Service Company
Case Number:	30469
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/20/2023
Damage Location:	734 South 27th Street, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Home Comfort Experts of Mishawaka, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30484
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/24/2023
Damage Location:	2600 Stark Avenue, Elkhart
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Middlebury Electric Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	30458
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/17/2023
Damage Location:	501 Lincolnway East, Goshen
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Paul's Well Service LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30386
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/13/2023
Damage Location:	9812 Yoder Road, Yoder
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED.	James R. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Ace Sewer and Drain Cleaning Co.
Other Party:	Northern Indiana Public Service Company
Case Number:	30165
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/15/2023
Damage Location:	392 Sassafrass Drive, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Bar-Bid Enterprises Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	30242
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/20/2023
Damage Location:	11015 Roth Road, Grabill
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
and s	
A PPROVED.	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Town of Saint John
Other Party:	Northern Indiana Public Service Company
Case Number:	30236
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/16/2023
Damage Location:	10955 West 93rd Avenue, Saint John
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Sam Lengacher Quality Construction LP
Other Party:	Northern Indiana Public Service Company
Case Number:	30272
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/30/2023
Damage Location:	18 EMS B40 Lane, Leesburg
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Tazco., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30265
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/27/2023
Damage Location:	5606 South US Highway 421, Westville
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Donald Niemeyer
Other Party:	Northern Indiana Public Service Company
Case Number:	30243
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/20/2023
Damage Location:	1788 Forest Lane, Crown Point
The IURC Pipeline Safety Div IC 8-1-26-16(h)(expire)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
MITROVED.	James K. Surd for Den warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lightspeed Utility LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30256
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/22/2023
Damage Location:	216 East 6th Street, Mishawaka
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Custom Outdoor Living Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30384
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/13/2023
Damage Location:	1709 Rosamond Drive, Long Beach
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Mark Temple Tree Service
Other Party:	Northern Indiana Public Service Company
Case Number:	30263
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/26/2023
Damage Location:	516 Clay Street, Mishawaka
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
Sall	
A PPROVED.	James P. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Dyer Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30253
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/22/2023
Damage Location:	551 214th Street, Dyer
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	ommends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stackhouse Management LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30375
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/11/2023
Damage Location:	8 Riggle Road, Peru
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Guardian Private Utility Locating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30250
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/21/2023
Damage Location:	3356 Wallhaven Court, Crown Point
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
.,,,,	mmends the following civil penalty:
The Advisory Commune reco.	infinences the following civil penalty.
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Yoder & Son Fencing, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30142
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/9/2023
Damage Location:	413 South 6th Street, Goshen
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Citizens Gas
Case Number:	30292
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/29/2023
Damage Location:	8503 East 13th Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Citizens Gas
Case Number:	30508
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/3/2023
Damage Location:	301 North Post Road, Indianapolis
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recon \$5,000	nmends the following civil penalty:
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Citizens Gas
Case Number:	30519
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/11/2023
Damage Location:	1620 Spann Avenue, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Northern Indiana Public Service Company
Case Number:	30161
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/14/2023
Damage Location:	206 North Meridian, New Carlisle
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fatimat Castillo Montelongo
Other Party:	Citizens Gas
Case Number:	30289
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/28/2023
Damage Location:	22 North Addison Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ismeel Prerra
Other Party:	Citizens Gas
Case Number:	30354
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/22/2023
Damage Location:	8145 Schoen Drive, Lawrence
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jason Church
Other Party:	Citizens Gas
Case Number:	30346
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/14/2023
Damage Location:	1502 South Moreland Avenue, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James P. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Larry Jones
Other Party:	Citizens Gas
Case Number:	30287
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/26/2023
Damage Location:	8001 West 96th Street, Zionsville
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Otto De Leon
Other Party:	Citizens Gas
Case Number:	30513
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/7/2023
Damage Location:	959 Udell Street, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
A DDD OVED	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rosa Montoya
Other Party:	Citizens Gas
Case Number:	30343
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/11/2023
Damage Location:	7533 Chestnut Hills Drive, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Walter Pinkston
Other Party:	Citizens Gas
Case Number:	30345
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/13/2023
Damage Location:	9148 New Harmony Circle, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	mmends the following civil penalty:
•	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	AAA Sealcoating and Paving	
Other Party:	Citizens Gas	
Case Number:	30290	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/28/2023	
Damage Location:	4061 Washington Boulevard, Indianapolis	
The IURC Pipeline Safety Divide IC 8-1-26-16(h)	ision finds the following violation(s):	
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dump & Demo LLC	
Other Party:	Citizens Gas	
Case Number:	30108	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/16/2023	
Damage Location:	1220 Meadowbrook Drive, Indianapolis	
The IURC Pipeline Safety Divisi IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recommittee recommittee	mends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Gupton Concrete
Other Party:	Citizens Gas
Case Number:	30107
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/15/2023
Damage Location:	5666 Moller Road, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K & M Investments LLC	
Other Party:	Citizens Gas	
Case Number:	30109	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/16/2023	
Damage Location:	923 Cottage Avenue, Indianapolis	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recom	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
Sal		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K M C Group
Other Party:	Citizens Gas
Case Number:	30524
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/16/2023
Damage Location:	2644 Chase Way, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	P T & B Handyman Services LLC
Other Party:	Citizens Gas
Case Number:	30340
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/8/2023
Damage Location:	1152 Churchman Avenue, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
Training or \$5,000 if respon	dent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R & V Concrete, Inc.
Other Party:	Citizens Gas
Case Number:	30281
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/20/2023
Damage Location:	2710 Granada Circle West, Indianapolis
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions: Warren	
Additional Information:	
and S.	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Town of Speedway
Other Party:	Citizens Gas
Case Number:	30348
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/16/2023
Damage Location:	5000 Crawfordsville Road, Speedway
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	



Respondent:	J M Concrete LLC	
Other Party:	Citizens Gas	
Case Number:	30286	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/26/2023	
Damage Location:	7650 Hillway Drive, Camby	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
$\$1,\!500,$ respondent can complete training instead of paying $\$1,\!500;$ no ticket escalation - additional $\$1,\!000$		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice C	Chairman	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Payton & Son Concrete, Inc.
Other Party:	Citizens Gas
Case Number:	30526
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/21/2023
Damage Location:	8955 Pleasant Garden Lane, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$3,000; no ticket escalation -	additional \$1,000
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	AmeriFence, Inc.
Other Party:	Citizens Gas
Case Number:	30098
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/3/2023
Damage Location:	2518 North New Jersey, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Electricom, Inc.

Other Party:	Ohio Valley Gas Corp	
Case Number:	30171	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/21/2023	
Damage Location:	204 South Hinshaw Street, Kennard	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(out)		
The Advisory Committee recomm	nends the following civil nenalty:	
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
rostentions.		
Additional Information:		
Sul		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
Den warren, Chann	1411	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

White Construction, LLC

Other Party:	CenterPoint Energy Indiana	
Case Number:	30308	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/7/2023	
Damage Location:	205 North 16th Street, New Castle	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	White Oaks Construction of Northern Indiana, Incorporated	
Other Party:	Northern Indiana Public Service Company	
Case Number:	30376	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/11/2023	
Damage Location:	11281 North Cedar Point High Road, Syracuse	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(expire)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	AmeriFence, Inc.
Other Party:	Citizens Gas
Case Number:	30636
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/24/2023
Damage Location:	2511 North Park Avenue, Indianapolis
-	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
and s	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Asplundh Construction Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	30390
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/14/2023
Damage Location:	10272 Tirian Pl, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ballard Irrigation Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30404	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/19/2023	
Damage Location:	2228 Dillman Road, Martinsville	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
•	•	
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha		



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Bowen Engineering Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	30407
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/18/2023
Damage Location:	3216 South Cherokee Road, Muncie
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomn	nends the following civil penalty:
\$5,000	
53,000	
Abstentions:	
Additional Information:	
Sall S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Boyd Asphalt, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30385
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/13/2023
Damage Location:	2450 Northridge Road, Valparaiso
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fiberflash LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30421	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/21/2023	
Damage Location:	1456 Bush Way, Shelbyville	
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):	
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Jim Gries Excavating
Other Party:	Community Natural Gas Inc
Case Number:	30298
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/23/2023
Damage Location:	20793 North County Road 500 East, Dale
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	White Construction, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30538	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	8/4/2023	
Damage Location:	1832 Northwestern Avenue, West Lafayette	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

CenterPoint Energy Indiana 30398 11/13/2023 7/17/2023 830 Black Rock Circle, Lebanon	
11/13/2023 7/17/2023	
7/17/2023	
830 Black Rock Circle, Lebanon	
· ·	
ision finds the following violation(s):	
mmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500	
James R. Surd for Ben Warren irman	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	3C Electrical	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30535	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	8/3/2023	
Damage Location:	1720 Michigan Road, Madison	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



Respondent:	Absolute Landscaping Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	30406
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/17/2023
Damage Location:	2679 Rix Court, Carmel
TI HIDGD! II G G . D. I	
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	mends the following civil penalty:
Training or \$5,000 if respondent fails to complete training	
Abstentions:	
Additional Information:	
Carl S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



Respondent:	Arista Garden and Landscaping LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30335
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/4/2023
Damage Location:	2709 Greenbush Street, Lafayette
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Evansville (Transportation & Services Department)	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29995	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/9/2023	
Damage Location:	1900 Buchanan Road, Evansville	
The IURC Pipeline Safety Divi	sion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Carl 1		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	irman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Emerald Grading & Seeding, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30546
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/8/2023
Damage Location:	IN RT 5 & HR-52 (Building 367), Crane
The IURC Pipeline Safety Div. IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Exceptional Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30332
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/15/2023
Damage Location:	8670 South Providence Drive, Nineveh
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
\$3,500; no ticket escalation - a	additional \$1,000
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Garcia's Remodeling and Construction LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30297	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/29/2023	
Damage Location:	627 Hannibal Street, Noblesville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)		
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha		
Den wanen, ena	11 11 1 a 1 1	



Respondent:	Lush Design Build LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30434
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/25/2023
Damage Location:	915 Quiet Bay Circle, Cicero
The IURC Pipeline Safety Divis	sion finds the following violation(s):
The Advisory Committee recom	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	McCormick's Creek State Park
Other Party:	Community Natural Gas Inc
Case Number:	30113
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/7/2023
Damage Location:	451 McCormicks Creek Park Road, Spencer
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Milcon	
Other Party:	Ohio Valley Gas Corp	
Case Number:	30578	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	8/8/2023	
Damage Location:	900 North Columbia Street, Union City	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recom	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Perlop E-Store LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30450
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/25/2023
Damage Location:	444 West Smokey Row Road, Carmel
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

R R R Services I I C

Respondent:	R B R Services LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30440	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/27/2023	
Damage Location:	1045 West Auman Drive, Carmel	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recon	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chai	rman	



Respondent:	Southern Riage Landscaping LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30431
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/25/2023
Damage Location:	4493 North Somerset Drive, Martinsville
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	II III ali



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Temple & Temple Excavating & Paving Inc.	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	30336	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/24/2023	
Damage Location:	101 West Cherry Street, Salem	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recor	mmends the following civil penalty:	
\$4,000; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	-	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Tennesota HDD LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29683	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	5/5/2023	
Damage Location:	7925 Boerner Court, Terre Haute	
The IURC Pipeline Safety Divi	sion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James D. Synd for Den Wanner	
Ben Warren. Chai	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	v anadco inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29979	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/6/2023	
Damage Location:	408 North Main Street, Veedersburg	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



Respondent:	Eaton Excavating LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30311	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/7/2023	
Damage Location:	7883 North State Road 39, Lizton	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	_	
Don warren, chann		



Respondent:	Outdoor Solutions	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30430	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/25/2023	
Damage Location:	4113 Stone Place, New Albany	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
The Advisory Committee recomm	nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



CenterPoint Energy Indiana 29692 11/13/2023
11/13/2023
5/8/2023
201 Ford Drive, Mooresville
on finds the following violation(s):
nends the following civil penalty:
e training instead of paying \$1,500
James R. Surd for Ben Warren



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	T L T Underground, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30435	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/26/2023	
Damage Location:	4745 West Boonville New Harmony Road, Evansville	
The IURC Pipeline Safety Division IC 8-1-26-16(h)(out)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bedell Plumbing
Other Party:	Citizens Gas
Case Number:	30344
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/12/2023
Damage Location:	5837 Suburban Drive, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
GM S	
APPROVED:	James R. Surd for Scott Sontag



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Edward & Jones Concrete, Inc.
Other Party:	Citizens Gas
Case Number:	30341
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/9/2023
Damage Location:	13th & Downey Avenue, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	May Properties Inc.
Other Party:	Citizens Gas
Case Number:	30510
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/5/2023
Damage Location:	1518 South Alabama, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Morphey Construction, Inc.
Other Party:	Westfield Gas Corporation
Case Number:	30347
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/15/2023
Damage Location:	2919 East State Road 32, Westfield
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recom	nmends the following civil penalty:
\$1,500, respondent can comple	ete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
Gal S	
APPROVED:	James R. Surd for Scott Sontag



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Robert Turner
Other Party:	Citizens Gas
Case Number:	30293
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/3/2023
Damage Location:	1934 Calvin Street, Indianapolis
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	ommends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
A PPROVED:	James P. Surd for Scott Sontag



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Swinney Brothers Excavating, Inc.
Other Party:	Citizens Gas
Case Number:	30529
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/1/2023
Damage Location:	5030 Nowland Avenue, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$4,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Verita Telecommunications Corp.
Other Party:	Citizens Gas
Case Number:	30288
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/26/2023
Damage Location:	1102 Bethel Avenue, Beech Grove
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recors \$5,000	nmends the following civil penalty:
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J E S Indiana, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30310
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/7/2023
Damage Location:	718 South 10th Street, Lafayette
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
A DDD OVED.	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



Respondent:	Edge Construction LLC
Other Party:	Citizens Gas
Case Number:	30521
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/14/2023
Damage Location:	3264 Orchard Avenue, Indianapolis
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions: Warren	
Additional Information:	
A DDD OVED.	I D C 16 C "C "
APPROVED:Scott Sontag, Vic	James R. Surd for Scott Sontag



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Deep Blue LLC
Other Party:	Citizens Gas
Case Number:	30625
Date of Advisory Meeting:	11/13/2023
Date of Damage:	9/5/2023
Damage Location:	7220 South Franklin Road, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Setser Cable Construction LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30014	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/13/2023	
Damage Location:	165 Dover Street, Avon	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	_	
Ben wanen, chann	1411	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Griffs Underground LLC	
Other Party:	Ohio Valley Gas Corp	
Case Number:	30168	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/22/2023	
Damage Location:	County Road 550 East, Hymera	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	irman	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Service Plus Heating & Air Conditioning Inc.	
Other Party:	Citizens Gas	
Case Number:	30522	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	8/15/2023	
Damage Location:	952 North Ritter Avenue, Indianapolis	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Warren		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Scott Sontag	



Respondent:	Ohio Valley Gas Corp	
Other Party:	Lykins Contracting LLC	
Case Number:	30169	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/27/2023	
Damage Location:	29703 Post 464, St. Leon	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairman		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ohio Valley Gas Corp	
Other Party:	Milestone Contractors, L.P.	
Case Number:	30170	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/28/2023	
Damage Location:	564 Vine Street, Connersville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Citizens Gas
Other Party:	Maintenance Free Fence Co. LLC
Case Number:	30351
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/19/2023
Damage Location:	338 North Holmes Avenue, Indianapolis
•	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Dotson Construction, Inc.	
Case Number:	30399	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/17/2023	
Damage Location:	4910 Longview Drive, Mount Vernon	
Γhe IURC Pipeline Safety Divis	ion finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
· - , · · ·		
Abstentions:		
Additional Information:		
and S		
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren	
Den warren, Chan	111411	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Lankford Excavating, LLC	
Case Number:	30408	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/19/2023	
Damage Location:	5239 Flintlock Court, Terre Haute	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
-		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	[81]	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Joink LLC	
Case Number:	30409	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/19/2023	
Damage Location:	1032 Edgebrook Avenue, Terre Haute	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairr	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	C A Advanced, Inc.	
Case Number:	30412	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/20/2023	
Damage Location:	223 West Garden Street, Fortville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
,		
Abstentions:		
A 11:::		
Additional Information:		
Sall		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
Ben warren, Chann	1411	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	B M B, Inc.	
Case Number:	30413	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/20/2023	
Damage Location:	3344 Jaylynn Court, Evansville	
The IURC Pipeline Safety Divi	sion finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recommends the following civil penalty:		
\$1,000		
41,000		
Abstentions:		
Additional Information:		
Sint		
APPROVED: Ben Warren, Chai	James R. Surd for Ben Warren	
Den wanen, Chai	1111411	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	AmeriFence, Inc.	
Case Number:	30416	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/20/2023	
Damage Location:	13430 Shakamac Drive, Carmel	
The IURC Pipeline Safety Divisio	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



CenterPoint Energy Indiana
RLA Utilities, Inc.
30418
11/13/2023
7/22/2023
34 Northwest East Street, Richmond
on finds the following violation(s):
nends the following civil penalty:
James R. Surd for Ben Warren
an



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	L G C Communications LLC
Case Number:	30424
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/24/2023
Damage Location:	Mitis Street & Patens Drive, Greenwood
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Vernon Knepp
Case Number:	30426
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/22/2023
Damage Location:	1967 County Road 350 East, Washington
The IURC Pipeline Safety Divisi IC 8-1-26-18(h)(locator-error)	ion finds the following violation(s):
The Advisory Committee recommunity \$1,000	mends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:Ben Warren, Chairn	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Michels Utility Services, Inc.
Case Number:	30428
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/25/2023
Damage Location:	310 North John Street, Frankton
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recomm	nends the following civil penalty:
The Advisory Committee recomm	iends the following civil penalty.
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Joink LLC	
Case Number:	30439	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/27/2023	
Damage Location:	446 South 20th Street, Terre Haute	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Lonestar Utility Group LLC
Case Number:	30442
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/29/2023
Damage Location:	712 North 14th 1/2 Street, Terre Haut
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	•)
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	MC Utility LLC
Case Number:	30506
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/31/2023
Damage Location:	3126 Woodlane Court, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indiana Natural Gas Corporation
Other Party:	Town of Nashville
Case Number:	30528
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/22/2023
Damage Location:	326 Town Hill Road West, Nashville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	nan



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	A B C Cutting Contractors, Inc.
Case Number:	30544
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/2/2023
Damage Location:	72 Peppertree Court, Lafayette
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recomn	nends the following civil penalty:
\$1,000	
,	
Abstentions:	
Additional Information:	
Additional information.	
A DDD OVED	, D.G. 16, D. W.
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren
,	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Citizens Energy Group - Water
Case Number:	30548
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/8/2023
Damage Location:	835 Sugarbush Ridge, Zionsville
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
\$1,000	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ohio Valley Gas Corp
Other Party:	LEC Electrical LLC
Case Number:	30577
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/25/2023
Damage Location:	7154 East Main Street, Cass
The IURC Pipeline Safety Division	n finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	B & E Excavating
Other Party:	Northern Indiana Public Service Company
Case Number:	30156
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/13/2023
Damage Location:	915 Westwood Drive, Goshen
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Justin Dorsey Plumbing
Other Party:	Citizens Gas
Case Number:	30512
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/7/2023
Damage Location:	322 North Summit Street, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)(prior)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Balsy Haven	
Other Party:	Community Natural Gas Inc	
Case Number:	30527	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	8/22/2023	
Damage Location:	9491 South 500 West, Huntingburg	
The IURC Pipeline Safety Divisio	n finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Grimmer Construction Inc.

-	
Other Party:	Rensselaer Municipal Gas System, City of
Case Number:	30573
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/30/2023
Damage Location:	201 E Washington St, Rensselaer
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$4,500	
,	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	American Cable & Telephone, LLC
Case Number:	29792
Date of Advisory Meeting:	11/13/2023
Date of Damage:	5/9/2023
Damage Location:	1650 West 81st Avenue, Merrillville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Key Concrete, Inc.
Case Number:	30144
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/9/2023
Damage Location:	4002 Avondale Drive, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Hunter Transit, LLC
Case Number:	30154
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/13/2023
Damage Location:	20966 8th Road, Plymouth
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	M & G Excavating
Case Number:	30158
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/14/2023
Damage Location:	13049 North Eastshore Drive, Syracuse
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Abes Plumbing Co, Inc.
Case Number:	30159
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/14/2023
Damage Location:	712 Broadmore Estates, Goshen
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	The Robert Henry Corporation
Case Number:	30247
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/21/2023
Damage Location:	3833 West Pawnee Drive, LaPorte
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Martell Electric LLC
Case Number:	30248
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/21/2023
Damage Location:	301 West Mishawaka Avenue, Mishawaka
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Northern Indiana Public Service Company
Other Party:	Paul Tarnowski
Case Number:	30257
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/22/2023
Damage Location:	228 South Washington Street Apartment A, Hobart
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	•)
The Advisory Committee recor	nmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Northern Indiana Public Service Company	
Other Party:	Abes Plumbing Co, Inc.	
Case Number:	30261	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/26/2023	
Damage Location:	1001 South Mayflower Road Lot 245, South Bend	
The IURC Pipeline Safety Divisi	ion finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	mends the following civil penalty:	
\$1,000		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Guardian Private Utility Locating LLC
Case Number:	30266
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/27/2023
Damage Location:	3363 Windy Hill Road 99 1L, Crown Point
The IURC Pipeline Safety Div	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	J & J Electric of Indiana, Inc.
Case Number:	30379
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/12/2023
Damage Location:	5012 South Webster Street, Kokomo
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	SBSC Co
Case Number:	30380
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/12/2023
Damage Location:	0810 East 465 South, Wolcottville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	National Underground Systems, Inc.
Case Number:	30382
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/13/2023
Damage Location:	401 Whitewood Drive, Schererville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Milestone Contractors, L.P.
Case Number:	30387
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/14/2023
Damage Location:	5001 Miami Street, South Bend
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Niblock Excavating, Inc.
Case Number:	30389
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/14/2023
Damage Location:	20 EMS T21 Lane, Leesburg
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Kip Lilja
Case Number:	30393
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/3/2023
Damage Location:	7725 Belmont Avenue, Hammond
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	•)
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Thomas Excavating & Welding, Inc.
Case Number:	30467
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/19/2023
Damage Location:	17664 State Road 17, Culver
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	G M S Construction, Inc.
Case Number:	30490
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/25/2023
Damage Location:	103 Adams Lake, Wolcottville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Town of Schererville
Other Party:	Northern Indiana Public Service Company
Case Number:	30460
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/17/2023
Damage Location:	22 West Joliet Street, Schererville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Pavey Excavating Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30466
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/19/2023
Damage Location:	1 Jamestown Drive, Michigan City
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Lonestar Utility Group LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30441
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/28/2023
Damage Location:	1124 Tippecanoe Street, Terre Haute
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jumpstart Communications LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30448
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/31/2023
Damage Location:	East Oak Street, Zionsville
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
and S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	All Pro Drilling, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30425	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/24/2023	
Damage Location:	14600 Darmstadt Road, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$3,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Anderson	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30443	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/30/2023	
Damage Location:	1904 Balsam Court, Anderson	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jeremy Roby
Other Party:	Northern Indiana Public Service Company
Case Number:	30482
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/22/2023
Damage Location:	1501 West Jefferson Street, Kokomo
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Garrett
Other Party:	Northern Indiana Public Service Company
Case Number:	30487
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/25/2023
Damage Location:	1105 North Walsh Street, Garrett
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(out)	
	mmends the following civil penalty: Determining instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	airman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Trent Electric Inc.
Other Party:	Westfield Gas Corporation
Case Number:	30520
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/12/2023
Damage Location:	2122 Ryder Place, Westfield
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
ALLKO VED.	James R. Suru 101 Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kiefer-Gibson LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30533
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/1/2023
Damage Location:	2540 Birchwood Lane, Terre Haute
The IURC Pipeline Safety Division	on finds the following violation(s):
•	
IC 8-1-26-20(a)(2)	
The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	30110
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/17/2023
Damage Location:	4632 North Post Road, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Eagle Valley Construction Corp.
Other Party:	Citizens Gas
Case Number:	30100
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/5/2023
Damage Location:	3202 Brouse Avenue, Indianapolis
The IURC Pipeline Safety Divis IC 8-1-26-20(a)(3)(b)	sion finds the following violation(s):
The Advisory Committee recom	nmends the following civil penalty:
\$1,500, respondent can compl	ete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
and S	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kenny Hughbanks	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	30173	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	3/6/2023	
Damage Location:	53 Green Street, Scottsburg	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rene Padilla
Other Party:	Northern Indiana Public Service Company
Case Number:	30150
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/10/2023
Damage Location:	5078 Lakeview Avenue, Portage
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Samuel Crull
Other Party:	Northern Indiana Public Service Company
Case Number:	30237
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/18/2023
Damage Location:	475 West 6th Street, Peru
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Darın Yoder
Other Party:	Northern Indiana Public Service Company
Case Number:	30240
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/19/2023
Damage Location:	58122 Andrew Drive, Goshen
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jorge Avila
Other Party:	Northern Indiana Public Service Company
Case Number:	30258
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/23/2023
Damage Location:	628 West Lexington Avenue, Elkhart
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Brandon Guthrie
Other Party:	Northern Indiana Public Service Company
Case Number:	30360
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/1/2023
Damage Location:	1032 West Rogers Street, Osceola
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	David Coday
Other Party:	Northern Indiana Public Service Company
Case Number:	30366
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/6/2023
Damage Location:	4551 East 29th Avenue, Hobart
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
TI A1: C :	1 (1 (11)) 1
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brandon Yoder
Other Party:	Northern Indiana Public Service Company
Case Number:	30372
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/8/2023
Damage Location:	1934 East Donald Street, South Bend
•	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	mmends the following civil penalty:
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miguel Gerrero
Other Party:	Northern Indiana Public Service Company
Case Number:	30374
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/10/2023
Damage Location:	603 West Dewald Street, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Joe Furore
Other Party:	Northern Indiana Public Service Company
Case Number:	30378
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/12/2023
Damage Location:	201 Lake Hills Drive, Michigan City
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Michael Green
Other Party:	Northern Indiana Public Service Company
Case Number:	30392
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/15/2023
Damage Location:	9890 Erie Street, Rochester
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Steve Griffey
Other Party:	Northern Indiana Public Service Company
Case Number:	30456
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/16/2023
Damage Location:	4216 East Daniels Road, Peru
The IURC Pipeline Safety Div IC 8-1-26-16(h)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Josh Eicher
Other Party:	Northern Indiana Public Service Company
Case Number:	30457
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/17/2023
Damage Location:	5216 County Road 28, Butler
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Angelo Patano
Other Party:	Northern Indiana Public Service Company
Case Number:	30476
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/20/2023
Damage Location:	9151 West 158th Court, Lowell
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jack Mcphearson
Other Party:	CenterPoint Energy Indiana
Case Number:	30419
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/22/2023
Damage Location:	1430 South Anderson Street, Elwood
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alex Martinez
Other Party:	Northern Indiana Public Service Company
Case Number:	30481
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/22/2023
Damage Location:	2324 East Pontiac Street, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dan Guth
Other Party:	Community Natural Gas Inc
Case Number:	30530
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/25/2023
Damage Location:	885 West Chestnut by the Fire, Santa Claus
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
Warning letter	
-	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jason Luna
Other Party:	CenterPoint Energy Indiana
Case Number:	29689
Date of Advisory Meeting:	11/13/2023
Date of Damage:	5/5/2023
Damage Location:	814 West 6th Street, Bloomington
The IURC Pipeline Safety Divi	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miami-Cass REMC
Other Party:	Northern Indiana Public Service Company
Case Number:	30246
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/21/2023
Damage Location:	396 North 400 West, Peru
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A B C Excavating & Landscaping, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30273
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/30/2023
Damage Location:	641 Dragoon Trail, Mishawaka
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Davidson Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30381
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/13/2023
Damage Location:	1400 East Gano Street, Kokomo
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Fernoado Aguas
Other Party:	CenterPoint Energy Indiana
Case Number:	30330
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/14/2023
Damage Location:	812 Congress Court, Jeffersonville
The IURC Pipeline Safety Division IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Pulver Asphalt Paving, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30143
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/9/2023
Damage Location:	218 Iwo Street, Auburn
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
11110 LD.	James R. Surd for Ben Walten



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fleming Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30153
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/12/2023
Damage Location:	Eme Road & Bass Road, Fort Wayne
The IURC Pipeline Safety Div IC 8-1-26-16(h)(out)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Parker Excavating LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30175
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/19/2023
Damage Location:	1738 Rose Court, Princeton
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Land Construction Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	30367
Date of Advisory Meeting:	11/13/2023
Date of Damage:	7/7/2023
Damage Location:	3530 North US Highway 33, Churubusco
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hugnes Paving Company, Inc.
Other Party:	Indiana Natural Gas Corporation
Case Number:	30454
Date of Advisory Meeting:	11/13/2023
Date of Damage:	8/16/2023
Damage Location:	Main Street & New York Street, West Baden Springs
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	National Seating & Mobility, Inc.	
Other Party:	Northern Indiana Public Service Company	
Case Number:	30244	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	6/20/2023	
Damage Location:	504 South Columbia Street, Warsaw	
The IURC Pipeline Safety Div	rision finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Smith		
Additional Information:		
Sales		
A PPROVED.	James P. Surd for Ren Warren	



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Brooks Construction Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30252
Date of Advisory Meeting:	11/13/2023
Date of Damage:	6/22/2023
Damage Location:	4720 Clubview Drive, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	T K C Underground LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30423	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	7/21/2023	
Damage Location:	1340 Eastern Court, Shelbyville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

C S Fenix Group LLC

Other Party:		
Case Number:	30338	
Date of Advisory Meeting:	11/13/2023	
Date of Damage:	8/1/2023	
Damage Location:	Central Ave., Columbus	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-19(c)		
The Advisory Committee recommends the following civil penalty:		
\$500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Bryan Stumler Excavating Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29608
Date of Advisory Meeting:	08/17/2023
Date of Damage:	04/18/2023
Damage Location:	4028 Summer Place, New Albany
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee recor	nmends the following civil penalty:
\$3,000	
Abstentions:	
Additional Information:	
Additional information.	
APPROVED:	James R. Surd for
Ben Warren, Chairman	James K. Suru ioi
•	