

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Veleta	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: JAN 18 2023

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, VELETA, AND ZIEGNER CONCUR:

APPROVED: JAN 18 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Weigand Construction Co Inc
Other Party: Northern Indiana Public Service Company
Case Number: 27468
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/6/2022
Damage Location: 330 Ironworks, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Quality Excavating Corp
Other Party: Northern Indiana Public Service Company
Case Number: 27494
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/14/2022
Damage Location: 55712 Alverston Drive, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jerry Poe dba Polo Lawn Care, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26972
Date of Advisory Meeting: 11/8/2022
Date of Damage: 4/12/2022
Damage Location: 409 Park St, Morgantown

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ley Excavating LLC
Case Number: 27037
Date of Advisory Meeting: 11/8/2022
Date of Damage: 4/25/2022
Damage Location: 334 West Pine Street, Topeka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: 4 Pillars Construction Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27146
Date of Advisory Meeting: 11/8/2022
Date of Damage: 5/5/2022
Damage Location: 116 South Montgomery Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Holcomb Enterprises LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27148
Date of Advisory Meeting: 11/8/2022
Date of Damage: 5/6/2022
Damage Location: 5315 Coldwater Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hill Excavation, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27156
Date of Advisory Meeting: 11/8/2022
Date of Damage: 5/9/2022
Damage Location: 25610 County Road 4, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: 4 Pillars Construction Services, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27314
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/14/2022
Damage Location: 1579 Northport Drive, Cicero

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: MasTec, Inc.
Other Party:
Case Number: 27406
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/22/2022
Damage Location: County Road 16, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Telecom Placement, Inc.
Other Party: Citizens Gas
Case Number: 27410
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/11/2022
Damage Location: 1110 South High School Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Erick Martinez
Other Party: Citizens Gas
Case Number: 27416
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/4/2022
Damage Location: 3321 North Bancroft, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Erylyn Gonzales
Other Party: Citizens Gas
Case Number: 27417
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/2/2022
Damage Location: 3534 Salem Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: H I S Constructors, Inc.
Other Party: Citizens Gas
Case Number: 27418
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/30/2022
Damage Location: 4615 North Hartman Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Melvin's Landscaping, LLC
Other Party: Citizens Gas
Case Number: 27420
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/29/2022
Damage Location: 3117 West 30th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ley Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27440
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/2/2022
Damage Location: 2422 S Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: F H Paschen, S N Nielsen & Associates LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27446
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/3/2022
Damage Location: 333 Oriole Avenue, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: H & G Underground Utilities, LLC
Case Number: 27507
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/6/2022
Damage Location: 4605 Maryland Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: H & G Underground Utilities, LLC
Case Number: 27508
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/7/2022
Damage Location: 4617 Maryland Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 27509
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/11/2022
Damage Location: 5635 East 5th Pl., Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hipskind Concrete Corp
Other Party: Northern Indiana Public Service Company
Case Number: 27511
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/16/2022
Damage Location: 3624 Summersworth Run, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gariup Construction Co Inc
Other Party: Northern Indiana Public Service Company
Case Number: 27512
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/16/2022
Damage Location: 7533 Broadway, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hasse Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27513
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/17/2022
Damage Location: 610 East North Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fleming Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27517
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/17/2022
Damage Location: 107 West Beech Drive, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: On the Level Fence & Deck Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27518
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/17/2022
Damage Location: 7554 West 174th Avenue Lot 54, Lowell

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Niezgodski Plumbing
Case Number: 27520
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/18/2022
Damage Location: 1013 Lindsey Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: G E Marshall, Inc.
Case Number: 27531
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/21/2022
Damage Location: 24820 US Highway 20, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: G & B Directional Boring LLC
Case Number: 27533
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/21/2022
Damage Location: 401 East First Street, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Riteway Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27535
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/21/2022
Damage Location: 15820 Hilltop Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mint City Underground, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27539
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/21/2022
Damage Location: 607 East Medusa Street, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodside Masonry, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27541
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/22/2022
Damage Location: 9720 West 700 South, Topeka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Niblock Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27542
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/22/2022
Damage Location: 1008 West 3rd Street, Ligonier

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rich Jacobsen
Other Party: Northern Indiana Public Service Company
Case Number: 27549
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/22/2022
Damage Location: 146 Brockton Pl., Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Norman Christner
Other Party: Northern Indiana Public Service Company
Case Number: 27550
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/23/2022
Damage Location: 2505 North 675 West, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fleming Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27552
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/24/2022
Damage Location: 3322 North Shady Lane, Decatur

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gutwein Bulldozing & Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27554
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/24/2022
Damage Location: 901 North Market Street, Monon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: James Stoner
Other Party: Northern Indiana Public Service Company
Case Number: 27557
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/25/2022
Damage Location: 1123 South Spring Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cooper's Party Rentals, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27558
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/26/2022
Damage Location: 2137 41st Pl., Highland

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Hipkind Concrete Corp
Case Number: 27559
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/27/2022
Damage Location: 4026 Summersworth Run, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Minnich's Lawn Care, Inc.
Case Number: 27560
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/27/2022
Damage Location: 319 West Wabash Street, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: David Teegardin
Other Party: Northern Indiana Public Service Company
Case Number: 27562
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/27/2022
Damage Location: 5840 South 1000 East, Hudson

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Selge Construction Co., Inc.
Case Number: 27564
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/27/2022
Damage Location: 14117 Kimberly Lane, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Dickie & Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hire Construction, Inc.
Case Number: 27569
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/28/2022
Damage Location: 5519 Coventry Lane, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Eric Bostwick Earth Works LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27572
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/28/2022
Damage Location: 1 Columbus Street, Wabash

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Terry Hoogenboom Builders, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 27579
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/29/2022
Damage Location: 54929 Moonfish Court Lot 54, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lappin Septic Service Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 27580
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/29/2022
Damage Location: 1323 Shady Lane, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fort Wayne City Utilities
Other Party: Northern Indiana Public Service Company
Case Number: 27585
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/30/2022
Damage Location: 6427 Londonderry Lane, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Flow Right Plumbing Inc
Other Party: Northern Indiana Public Service Company
Case Number: 27586
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/19/2022
Damage Location: 5938 West 117th Avenue Bldg Barn, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kevin Snyder
Other Party: Northern Indiana Public Service Company
Case Number: 27587
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/23/2022
Damage Location: 2504 West 275 North, Logansport

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Blackwell Contractors Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27660
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/30/2022
Damage Location: 3712 South Tyler Lane, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Evan Bobo
Other Party: CenterPoint Energy Indiana
Case Number: 27661
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/30/2022
Damage Location: 119 Lexington Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lykins Contracting Limited Liability Company
Other Party: CenterPoint Energy Indiana
Case Number: 27664
Date of Advisory Meeting: 11/8/2022
Date of Damage: 6/29/2022
Damage Location: 30 West Washington Street, Morgantown

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vogt's Construction Company
Other Party: Citizens Gas
Case Number: 27674
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/19/2022
Damage Location: 5250 West 16th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Specialties Co. LLC
Other Party: Citizens Gas
Case Number: 27677
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/15/2022
Damage Location: 4822 Mann Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: South Side Landfill, Inc.
Other Party: Citizens Gas
Case Number: 27680
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/10/2022
Damage Location: 2435 Kentucky Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Gas
Other Party: Calumet Civil Contractors, Inc.
Case Number: 27681
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/10/2022
Damage Location: 1035 Leonard Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Avilla Del Sol Apartments
Other Party: Citizens Gas
Case Number: 27682
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/10/2022
Damage Location: 3511 Mission Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Arc American, Inc.
Other Party: Citizens Gas
Case Number: 27683
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/10/2022
Damage Location: 545 Braeside South Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Deig Bros Lumber & Construction Co, Inc.
Other Party: Community Natural Gas Inc
Case Number: 27687
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/22/2022
Damage Location: 4th & Bryan Street, Gentryville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Joe White Excavating
Other Party: Community Natural Gas Inc
Case Number: 27689
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/25/2022
Damage Location: 5841 Pearl Street, Freedom

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Williams Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27690
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/1/2022
Damage Location: 1206 Riverside Drive, Huntington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Rice Contracting LLC
Case Number: 27692
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/1/2022
Damage Location: 1603 Hills Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Matthew Pierce
Other Party: CenterPoint Energy Indiana
Case Number: 27694
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/5/2022
Damage Location: 736 Fleming Drive, Nineveh

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: RLA Utilities, Inc.
Case Number: 27697
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/6/2022
Damage Location: Cottage Avenue & 21st Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dan Cristiani Excavating Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27698
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/7/2022
Damage Location: 731 North Randolph Avenue, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Schutte Excavating Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27701
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/7/2022
Damage Location: 16 Conrey Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Wallace Construction Inc
Case Number: 27702
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/7/2022
Damage Location: 582 Arlington Drive, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Buttz Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27704
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/7/2022
Damage Location: 15668 Trimble Circle, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: The Hydaker-Wheatlake Company
Other Party: CenterPoint Energy Indiana
Case Number: 27706
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/8/2022
Damage Location: 2615 Caren Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Deig Bros Lumber & Construction Co, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27708
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/8/2022
Damage Location: 5501 Old Boonville Highway, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bradford Teague
Other Party: CenterPoint Energy Indiana
Case Number: 27710
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/3/2022
Damage Location: 102 South 600 West, Anderson

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Indiana Underground Construction, Inc.
Case Number: 27712
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/11/2022
Damage Location: 415 Wabash Street, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ivanka Ravselt
Other Party: CenterPoint Energy Indiana
Case Number: 27717
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/9/2022
Damage Location: 2848 Barton Beach Road, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: R T Moore, Co., Inc.
Case Number: 27718
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/11/2022
Damage Location: 14915 Legacy Oaks Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Infrastructure Systems, Inc.
Case Number: 27722
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/12/2022
Damage Location: 5221 Hogue Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & S Underground, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27724
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/13/2022
Damage Location: 6887 Nottingham Lane, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mailbox Products Inc
Other Party: CenterPoint Energy Indiana
Case Number: 27725
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/13/2022
Damage Location: 6854 Sun River Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R P Cochran, LLC DBA Mowery Heating & Cooling
Other Party: CenterPoint Energy Indiana
Case Number: 27728
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/14/2022
Damage Location: 5266 North Macadama Drive, Poland

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R P Cochran, LLC DBA Mowery Heating & Cooling
Other Party: CenterPoint Energy Indiana
Case Number: 27729
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/14/2022
Damage Location: 5301 Macadama Drive, Poland

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mike McGhee & Associates, Inc
Other Party: CenterPoint Energy Indiana
Case Number: 27733
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/14/2022
Damage Location: 3891 Cherwell Drive, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: C R M Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27748
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/19/2022
Damage Location: 2717 South Morgantown Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: L A Landscapes Inc
Other Party: CenterPoint Energy Indiana
Case Number: 27749
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/19/2022
Damage Location: 7005 Oakbay Circle, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rios Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27751
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/20/2022
Damage Location: 2224 Allen Street, Madison

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Groomer Construction Inc
Case Number: 27753
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/20/2022
Damage Location: 421 East 15th Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana Reclamation & Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27754
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/20/2022
Damage Location: 508 Division Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Blaylock HDD Inc
Case Number: 27756
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/20/2022
Damage Location: 6225 Saint Wendel Cynthiana Road, Poseyville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Thacker & Thomas LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27760
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/21/2022
Damage Location: 2644 Reinford Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Weihe Construction Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 27761
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/21/2022
Damage Location: 18851 Cromarty Circle, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Truitt Electric Inc
Other Party: CenterPoint Energy Indiana
Case Number: 27763
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/22/2022
Damage Location: 221 Pearl St, New Albany

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Blankenberger Brothers, Inc.
Case Number: 27767
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/25/2022
Damage Location: Walnut & Parker, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Williams Creek Management Corporation
Other Party: CenterPoint Energy Indiana
Case Number: 27770
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/25/2022
Damage Location: 4620 South County Road 600 East, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: WCA Group, LLC dba Williams Comfort Air (Mr. Plumber)
Case Number: 27773
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/26/2022
Damage Location: 6275 Boone Ridge, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Schyler Memering
Other Party: CenterPoint Energy Indiana
Case Number: 27779
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/29/2022
Damage Location: 5696 S Handy Rd, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kevin Newman
Other Party: CenterPoint Energy Indiana
Case Number: 27780
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/30/2022
Damage Location: 1313 Ashley Dr, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 27783
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/25/2022
Damage Location: 8901 W Cornbread Rd, Yorktown

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 27785
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/25/2022
Damage Location: 119 W South B St, Gas City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Nathan Bostrom
Other Party: CenterPoint Energy Indiana
Case Number: 27789
Date of Advisory Meeting: 11/8/2022
Date of Damage: 7/16/2022
Damage Location: 1016 4th Street, Covington

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Scottsburg
Other Party: Midwest Natural Gas Corporation
Case Number: 27930
Date of Advisory Meeting: 11/8/2022
Date of Damage: 8/31/2022
Damage Location: 91 East Walnut Street, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /Jeremy Comeau for
Ben Warren, Chairman