

STATE OF INDIANA

| Commissioner | Yes | No | Not Participating |
|--------------|-----|----|----------------------|
| Huston | ٧ | | |
| Bennett | ٧ | | |
| Freeman | ٧ | | |
| Veleta | ٧ | | |
| Ziegner | ٧ | | |

INDIANA UTILITY REGULATORY COMMISSION

| IN THE MATTER OF AN ORDER |) | |
|------------------------------|---|-----------------------|
| APPROVING ADVISORY COMMITTEE |) | APPROVED: JAN 31 2024 |
| RECOMMENDATIONS PURSUANT TO |) | |
| INDIANA CODE CHAPTER 8-1-26. |) | |

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: JAN 31 2024

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | B P Construction Services LLC |
|--------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30362 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/5/2023 |
| Damage Location: | 234 Matteson Street, Dyer |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| <u>and</u> | |
| A PPROVED. | James P. Surd for Ren Warren |



| Respondent: | Erickson Construction Inc |
|--------------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30559 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/13/2023 |
| Damage Location: | 1109 West Market Street, Crawfordsville |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| The Advisory Committee recor | nmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Cha | irman |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Wolfe Construction | |
|--|---|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30658 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/18/2023 | |
| Damage Location: | 17 Main Street, Petersburg | |
| | | |
| The IURC Pipeline Safety Div | ision finds the following violation(s): | |
| IC 8-1-26-16(h)(expire) | | |
| The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training | | |
| | | |
| Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Chris Hall | |
|--|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30665 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/16/2023 | |
| Damage Location: | 409 5h Street, Oaktown | |
| | | |
| The IURC Pipeline Safety Divis | sion finds the following violation(s): | |
| IC 8-1-26-16(h)(out) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chair | | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Starcorp J M Underground Services | |
|--|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30667 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/23/2023 | |
| Damage Location: | 622 Greendale Court, Evansville | |
| The IURC Pipeline Safety Divi IC 8-1-26-16(h)(out) | sion finds the following violation(s): | |
| The Advisory Committee recon | nmends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chai | | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | P & R Cable Corp. |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30729 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/23/2023 |
| Damage Location: | 3290 Brown Street, Portage |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-16(h)(out) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R Surd for Ben Warren |



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Empire Electric Inc | |
|--|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30567 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/15/2023 | |
| Damage Location: | 2520 North County Road 1000 East, Indianapolis | |
| The IURC Pipeline Safety Div IC 8-1-26-16(h)(prior) | ision finds the following violation(s): | |
| The Advisory Committee recor | mmends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| Sal S | | |
| APPROVED: | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Pavey Excavating Company, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30496 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/27/2023 |
| Damage Location: | 1910 Indiana Avenue, LaPorte |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-16(h)(expire) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Vertical Underground LLC | |
|--|-------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30686 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/29/2023 | |
| Damage Location: | 1836 South 8th Street, Terre Haute | |
| | | |
| The IURC Pipeline Safety Division | n finds the following violation(s): | |
| IC 8-1-26-16(h)(prior) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$3,000 | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | _ | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Mike Holman Excavating, Inc. | |
|---|---|--|
| Other Party: | Midwest Natural Gas Corporation | |
| Case Number: | 29947 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 3/6/2023 | |
| Damage Location: | 1314 Mt. Zion Road, Henryville | |
| | | |
| The IURC Pipeline Safety Div | ision finds the following violation(s): | |
| IC 8-1-26-16(h)(out) | | |
| The Advisory Committee recor | mmends the following civil penalty: | |
| \$1,500, respondent can complete training instead of paying \$1,500 | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Hoosier Underground Utilities LLC |
|--|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30420 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/21/2023 |
| Damage Location: | 2913 West 150 South, Washington |
| The IURC Pipeline Safety Divi IC 8-1-26-16(h)(out) | sion finds the following violation(s): |
| The Advisory Committee recon | nmends the following civil penalty: |
| \$1,500, respondent can compl | ete training instead of paying \$1,500 |
| Abstentions: | |
| Additional Information: | |
| Sall | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chai | rman |



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Herrman & Goetz, Inc. DBA H & G Services, Inc. | |
|---|--|--|
| Other Party: | Northern Indiana Public Service Company | |
| Case Number: | 30759 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/30/2023 | |
| Damage Location: | 12563 Street Road 23, Suite A, Granger | |
| The IURC Pipeline Safety Divis IC 8-1-26-16(h)(prior) | sion finds the following violation(s): | |
| The Advisory Committee recom | nmends the following civil penalty: | |
| \$1,500, respondent can complete training instead of paying \$1,500 | | |
| Abstentions: Smith Additional Information: | | |
| A PPROVED: | James P. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Miller Pipeline, LLC |
|----------------------------------|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30553 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/9/2023 |
| Damage Location: | 202 Holman Street, Waynetown |
| | |
| The IURC Pipeline Safety Divisio | on finds the following violation(s): |
| IC 8-1-26-16(h)(out) | |
| | |
| The Advisory Committee recomm | ends the following civil penalty: |
| \$5,000 | |
| | |
| Abstentions: | |
| Additional Information: | |
| | |
| | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chairm | an |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Joseph Alilovich |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30746 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/27/2023 |
| Damage Location: | 421 Harrison Street, Monticello |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-16(h)(out) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Brian Shank |
|------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30491 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/25/2023 |
| Damage Location: | 8801 Deercrossing, Lot 66, Fort Wayne |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h)(prior) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



| Respondent: | Miller Pipeline, LLC | |
|-----------------------------------|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30451 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 7/27/2023 | |
| Damage Location: | 10200 North Pennsylvania Parkway, Carmel | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-20(a)(2) | | |
| | | |
| The Advisory Committee recomm | nends the following civil penalty: | |
| \$5,000 | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | aan | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Austgen Equipment, Inc. |
|--|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30462 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/18/2023 |
| Damage Location: | 123 South Fremont Street, Lowell |
| The IURC Pipeline Safety Div. IC 8-1-26-20(a)(2) | ision finds the following violation(s): |
| The Advisory Committee recor | mmends the following civil penalty: |
| \$3,500 | |
| Abstentions: Smith | |
| Additional Information: | |
| APPROVED: | Lawren B. Con 1.C. D. W. |
| AFFRUVED. | James R. Surd for Ben Warren |



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | J & E Utilities | |
|--|---|--|
| Other Party: | Northern Indiana Public Service Company | |
| Case Number: | 30486 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 7/25/2023 | |
| Damage Location: | 629 South Valley River Drive, Lot 4, Columbia Cit | |
| The IURC Pipeline Safety Division IC 8-1-26-20(a)(2) | on finds the following violation(s): | |
| The Advisory Committee recomm | nends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: Smith Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Hines Plumbing, Inc. | |
|--|--|--|
| Other Party: | Northern Indiana Public Service Company | |
| Case Number: | 30495 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 7/26/2023 | |
| Damage Location: | 802 Woodland Terrace, Apt. Front, Valparaiso | |
| The IURC Pipeline Safety Divisio IC 8-1-26-20(a)(2) | n finds the following violation(s): | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: Smith | | |
| Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | L G S Plumbing, Inc. |
|-------------|----------------------|
| | |

Other Party: Northern Indiana Public Service Company

Case Number: 30497

Date of Advisory Meeting: 12/7/2023

Date of Damage: 7/27/2023

Damage Location: 7355 West 159th Avenue, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500; training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information: Escalated to include mandatory training due to subsequent damages post onsite education and training.

APPROVED: James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Yoder Grain, Inc. |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30498 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/28/2023 |
| Damage Location: | Yoder Road & Swank Street, Yoder |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James P. Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | McAllister General Contractors Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30581 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/1/2023 |
| Damage Location: | 704 State Road 2, Hebron |
| | ision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | elete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| Carl 1 | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Versaw Earthworks LLC |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30589 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/4/2023 |
| Damage Location: | 3545 Manitou Trail, Michigan City |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Mike Schmidt |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30591 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/4/2023 |
| Damage Location: | 8527 Willow Hill Run, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



| Respondent: | Miller Pipeline, LLC | |
|-----------------------------------|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30691 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/31/2023 | |
| Damage Location: | 520 East Iowa Street, Evansville | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-20(a)(2) | | |
| | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$5,000 | | |
| , | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | _ | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Miller Pipeline, LLC | |
|---|-------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30702 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/23/2023 | |
| Damage Location: | 762 Jefferson Alley, Fortville | |
| | | |
| The IURC Pipeline Safety Divisio | n finds the following violation(s): | |
| IC 8-1-26-20(a)(2) | | |
| The Advisory Committee recommends the following civil penalty: \$5,000 | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | M/ Excavating, LLC |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 29760 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 4/28/2023 |
| Damage Location: | 13655 Muir Street, Cedar Lake |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$5,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | Pulver Asphalt Paving, Inc. |
| Case Number: | 30583 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/2/2023 |
| Damage Location: | South Main Street & 1st Street, Avilla |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-erro | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | Bulldog Backhoe LLC |
| Case Number: | 30585 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/3/2023 |
| Damage Location: | 11094 County Road 10, Middlebury |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-erro | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|---|
| Other Party: | Ley Excavating LLC |
| Case Number: | 30590 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/4/2023 |
| Damage Location: | 5126 Webster Street, Fort Wayne |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| A PPROVED: | James R. Surd for Ren Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | Rieth-Riley Construction Co., Inc. |
| Case Number: | 30593 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/5/2023 |
| Damage Location: | 2633 South Locust Road, South Bend |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-erro | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|--|
| Other Party: | Rob Swihart |
| Case Number: | 30594 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/5/2023 |
| Damage Location: | 9350 East Promontory Point Drive, Syracuse |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Northern Indiana Public Service Company | |
|-----------------------------------|---|--|
| Other Party: | Indiana American Water Co. DBA Indiana American | |
| Case Number: | 30600 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/8/2023 | |
| Damage Location: | 301 North Lake Street, Gary | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recomm | nends the following civil penalty: | |
| \$1,000 | | |
| Abstentions: Smith | | |
| Additional Information: | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | Ley Excavating LLC |
| Case Number: | 30602 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/8/2023 |
| Damage Location: | 5430 and 5504 Webster Street, Fort Wayne |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-erro | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James P. Surd for Ban Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|--------------------------------|--|
| Other Party: | Marshall County REMC |
| Case Number: | 30646 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/1/2023 |
| Damage Location: | 3817 West Shore Drive, Bremen |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|---|
| Other Party: | Milenium, Inc. |
| Case Number: | 30705 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/15/2023 |
| Damage Location: | 694 West Whitley Street, Churubusco |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|---|
| Other Party: | Raul Cardoza |
| Case Number: | 30716 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/18/2023 |
| Damage Location: | 2029 East Market Street, Logansport |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|---|
| Other Party: | Haskins Incorporated |
| Case Number: | 30723 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/22/2023 |
| Damage Location: | 2002 Lake Avenue, Plymouth |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| A PPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|---|
| Other Party: | Acorn Landscaping |
| Case Number: | 30733 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/24/2023 |
| Damage Location: | 858 Forest Avenue, South Bend |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | N.D.M. Electric LLC |
| Case Number: | 30742 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/26/2023 |
| Damage Location: | 3607 Tompkins Court, Gary |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-erro | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|---|
| Other Party: | Stackhouse Management LLC |
| Case Number: | 30751 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/28/2023 |
| Damage Location: | 3699 North 175 East, Lot 132, Warsaw |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| A PPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|-------------------------------|--|
| Other Party: | Glover Cable Construction LLC |
| Case Number: | 30752 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/28/2023 |
| Damage Location: | 52200 State Road 933, South Bend |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | Rieth-Riley Construction Co., Inc. |
| Case Number: | 30762 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/30/2023 |
| Damage Location: | 406 South Washington Street, Wakarusa |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-erro | r) |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James P. Surd for Ban Warran |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | City of Rensselaer |
|--------------------------------|--|
| Other Party: | Rensselaer Municipal Gas System, City of |
| Case Number: | 30842 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 10/2/2023 |
| Damage Location: | 8805 West State Road 114, Rensselaer |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Five Star Energy Services LLC | |
|---|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30307 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 7/6/2023 | |
| Damage Location: | 978 South 22nd Street, New Castle | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-20(a)(3)(a) | | |
| | | |
| The Advisory Committee recomm | nends the following civil penalty: | |
| \$1,500, respondent can complete training instead of paying \$1,500 | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| raditional information. | | |
| | | |
| Sall | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | nan | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Greenwald Enterprises, Inc. |
|---|---|
| Other Party: | Citizens Gas |
| Case Number: | 30620 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 9/5/2023 |
| Damage Location: | 7823 Mystic Bay Drive, Indianapolis |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(2) | ision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Warren | |
| Additional Information: | |
| APPROVED: | James R. Surd for Scott Sontag |

Scott Sontag, Vice Chairman



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Holden Construction LLC |
|---|---|
| Other Party: | Citizens Gas |
| Case Number: | 30626 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 9/5/2023 |
| Damage Location: | 68 East Caven Street, Indianapolis |
| The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2) | ision finds the following violation(s): |
| The Advisory Committee recor | nmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Warren | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Scott Sontag |
| Scott Sontag, Vic | e Chairman |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | JE Reedy, Inc. |
|--|---|
| Other Party: | Citizens Gas |
| Case Number: | 30621 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 9/5/2023 |
| Damage Location: | 2022 Midwest Boulevard, Indianapolis |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(2) | ision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$4,000 | |
| Abstentions: Warren | |
| Additional Information: | |
| APPROVED: | James R. Surd for Scott Sontag |

Scott Sontag, Vice Chairman



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Moon's Landscape Creations, LLC | | |
|--|--|--|
| Northern Indiana Public Service Company | | |
| 30604 | | |
| 12/7/2023 | | |
| 8/9/2023 | | |
| 42 Glencarry Court, Valparaiso | | |
| ision finds the following violation(s): | | |
| nmends the following civil penalty: | | |
| Training or \$5,000 if respondent fails to complete training | | |
| | | |
| | | |
| James P. Surd for Ren Warren | | |
| | | |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | R T Moore, Co., Inc. | |
|---|-----------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30551 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/9/2023 | |
| Damage Location: | 795 Pearson Pass, Avon | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$3,500 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | R T Moore, Co., Inc. |
|-------------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30555 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/10/2023 |
| Damage Location: | 14995 Flying Ebony Trail, Westfield |
| | |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| | |
| The Advisory Committee recor | nmends the following civil penalty: |
| \$4,000 | |
| | |
| Abstentions: | |
| Additional Information: | |
| | |
| | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Cha | irman |



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Temple & Temple Excavating & Paving Inc. |
|--|---|
| Other Party: | Midwest Natural Gas Corporation |
| Case Number: | 30575 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/29/2023 |
| Damage Location: | Corner Grace Avenue & Anson Street, Salem |
| The IURC Pipeline Safety Divisi | on finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee recommunity \$4,500 | mends the following civil penalty: |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Chair | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|---|
| Other Party: | City of Elkhart |
| Case Number: | 30582 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/2/2023 |
| Damage Location: | 119 Union Street, Elkhart |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company | |
|--|---|--|
| Other Party: | AG Quality Construction LLC | |
| Case Number: | 30710 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/16/2023 | |
| Damage Location: | 5478 Meadow Avenue, Portage | |
| The IURC Pipeline Safety Div IC 8-1-26-18(h)(no-response) | ision finds the following violation(s): | |
| 10 0 1 20 10(n)(no response) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| Abstentions: Smith | | |
| Additional Information: | | |
| Carl | | |
| APPROVED: | James R. Surd for Ben Warren | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Citizens Gas |
|---|---|
| Other Party: | S C Case Excavating LLC |
| Case Number: | 29942 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 5/10/2023 |
| Damage Location: | 7413 East 53 rd Street, Indianapolis |
| The IURC Pipeline Safety Division IC 8-1-26-18(h)(locator-error | ision finds the following violation(s): |
| The Advisory Committee recor | nmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Warren | |
| Additional Information: | |
| APPROVED: | James R. Surd for Scott Sontag |

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Indiana Natural Gas Corporation |
|-------------------------------|--|
| Other Party: | Hopf Contracting, LLC |
| Case Number: | 30834 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 9/28/2023 |
| Damage Location: | 6875 East Montana Drive North, Celestine |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error | ·) |
| The Advisory Committee recor | nmends the following civil penalty: |
| \$1,000 | |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Char | James R. Surd for Ben Warren irman |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Community Natural Gas Inc

| - | • | |
|---|---------------------------------------|--|
| Other Party: | B & T Drainage, Inc. | |
| Case Number: | 30838 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 9/28/2023 | |
| Damage Location: | Whitetail Road & Dubois Road, Spencer | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recomn | nends the following civil penalty: | |
| \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|---|
| Other Party: | John Boettcher Sewer & Excavating Contractor, LTD |
| Case Number: | 30365 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/5/2023 |
| Damage Location: | 511 West 7 th Street, Mishawaka |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(no-response) | |
| The Advisory Committee recor | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

CenterPoint Energy Indiana

| Other Party: | Rininger Excavating, Inc. |
|-----------------------------------|--|
| Case Number: | 30688 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/30/2023 |
| Damage Location: | 6608 South Scatterfield Road, Anderson |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(no-response) | |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,000 | |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|---|
| Other Party: | Internattional Inc. |
| Case Number: | 30485 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/24/2023 |
| Damage Location: | 1331 South Michigan Street, South Bend |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|---|
| Other Party: | Pyramid Excavating, Inc. |
| Case Number: | 30505 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/31/2023 |
| Damage Location: | 12028 Dawkins Road, New Haven |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | CenterPoint Energy Indiana |
|-----------------------------------|--------------------------------------|
| Other Party: | Miller Pipeline, LLC |
| Case Number: | 30554 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/10/2023 |
| Damage Location: | 1530 South 21st Street, Elwood |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| | |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,000 | |
| , | |
| Abstentions: | |
| Additional Information: | |
| Additional information. | |
| | |
| AND CAMED | |
| APPROVED: | James R. Surd for Ben Warren |
| 2011 | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|-----------------------------------|---|
| Other Party: | Integrity Kokosing Pipeline Services, LLC |
| Case Number: | 30569 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/14/2023 |
| Damage Location: | 12985 Lantern Road, Fishers |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee recomm | ends the following civil penalty: |
| \$1,000 | |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | Rex Construction Company, Inc. |
| Case Number: | 30592 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/4/2023 |
| Damage Location: | 341 South Howard Street, Gary |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|---|--|
| Other Party: | R & C Fence, Inc. |
| Case Number: | 30599 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/8/2023 |
| Damage Location: | 413 East Jefferson Boulevard, Fort Wayne |
| The IURC Pipeline Safety Divis IC 8-1-26-18(h)(records) | sion finds the following violation(s): |
| The Advisory Committee recom | nmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| A DODO OVED | |
| APPROVED: | James R. Surd for Ben Warren |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

| Other Party: | Town of Knightstown |
|--------------------------------------|--------------------------------------|
| Case Number: | 30652 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 111 West Lincoln Street, Knightstown |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,000 | |
| Abstentions: Additional Information: | |
| additional information. | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|-----------------------------------|---|
| Other Party: | Crosby Construction |
| Case Number: | 30656 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 1286 South Old State Road 65, Princeton |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,000 | |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

CenterPoint Energy Indiana

| Other Party: | Lawyer Excavation |
|-----------------------------------|--|
| Case Number: | 30678 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/24/2023 |
| Damage Location: | East 4th Street & Mill Street, Seymour |
| | |
| Γhe IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee recomn | nends the following civil penalty: |
| \$1,000 | |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |
| | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | CenterPoint Energy Indiana |
|-----------------------------------|--------------------------------------|
| Other Party: | Schmidt Excavating Inc |
| Case Number: | 30701 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/22/2023 |
| Damage Location: | 3931 Rome Drive, Lafayette |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| | |
| The Advisory Committee recomm | ends the following civil penalty: |
| \$1,000 | |
| , | |
| Abstentions: | |
| Additional Information: | |
| | |
| | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chairm | an |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|--|
| Other Party: | Ley Excavating LLC |
| Case Number: | 30711 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/16/2023 |
| Damage Location: | 5328 Webster Street, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northern Indiana Public Service Company |
|------------------------------|---|
| Other Party: | Key Concrete, Inc. |
| Case Number: | 30744 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/26/2023 |
| Damage Location: | 417 East Suttenfield Street, Fort Wayne |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-18(h)(records) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| Caral C | |
| A PPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dyer Construction Co., Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30489 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/25/2023 |
| Damage Location: | 1325 Madison Avenue, Dyer |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-20(a)(3)(b) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | H R P Construction, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30493 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/26/2023 |
| Damage Location: | 1000 East Woodview Drive, Nappannee |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Dyer Construction Co., Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30714 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 1337 Magnolia Avenue, Dyer |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-20(a)(3)(b) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,500 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | H R P Construction, Inc. |
|------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30709 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/16/2023 |
| Damage Location: | 855 South Van Buren, Shipshewana |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,500 | |
| Abstentions: Smith | |
| Additional Information: | |
| Sall | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Hipskind Concrete Corp |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30483 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/24/2023 |
| Damage Location: | 10101 Silver Lake Court, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$5,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Hipskind Concrete Corp |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30492 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/25/2023 |
| Damage Location: | 10101 Silver Lake Court, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$5,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Ley Excavating LLC |
|--|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30603 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/9/2023 |
| Damage Location: | 5414 Webster Street, Fort Wayne |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(2) | rision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Milestone Contractors, L.P. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30588 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/3/2023 |
| Damage Location: | County Road 40 and County Road 7, Wakarusa |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$5,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



| Respondent: | Milestone Contractors, L.P. | |
|-----------------------------------|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30565 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/11/2023 | |
| Damage Location: | 415 Columbia Street, Lafayette | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-20(a)(3)(b) | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$5,000 | | |
| 55,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| Sal | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |
| Den warren, Chann | uli | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| CenterPoint Energy Indiana |
|--------------------------------------|
| Flow Service Partners Union-Co LLC |
| 30668 |
| 12/7/2023 |
| 8/24/2023 |
| 2554 Woods Drive, Wadesville |
| |
| on finds the following violation(s): |
| |
| nends the following civil penalty: |
| |
| |
| |
| James R. Surd for Ben Warren |
| |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

| Other Party: | Dan Cristiani Excavating Co., Inc. |
|-----------------------------------|--------------------------------------|
| Case Number: | 30540 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/4/2023 |
| Damage Location: | 718 Potters Lane, Clarksville |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-18(h)(locator-error) | |
| | |
| The Advisory Committee recomn | nends the following civil penalty: |
| \$1,000 | |
| 71,000 | |
| Abstentions: | |
| | |
| Additional Information: | |
| | |
| Sall | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |
| Den wanen, Chaim | 1411 |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|--|-------------------------------------|--|
| Other Party: | Lonestar Utility Group LLC | |
| Case Number: | 30547 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/8/2023 | |
| Damage Location: | 2238 Liberty Avenue, Terre Haute | |
| The IURC Pipeline Safety Divisio | n finds the following violation(s): | |
| IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|---|-----------------------------------|--|
| Other Party: | Foley Foundations, Inc. | |
| Case Number: | 30560 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/7/2023 | |
| Damage Location: | 7388 Combine Drive, Lafayette | |
| | | |
| The IURC Pipeline Safety Division finds the following violation(s): | | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$1,000 | | |
| ¥-1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | an | |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|-----------------------------------|--------------------------------------|--|
| Other Party: | Double J Fencing LLC | |
| Case Number: | 30561 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/11/2023 | |
| Damage Location: | 1895 Longest Drive, Franklin | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$1,000 | | |
| ¥-1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| Traditional Information | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | _ | |
| | | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|---|--|--|
| Other Party: | C T S I, LLC | |
| Case Number: | 30648 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/16/2023 | |
| Damage Location: | 9013 East Whiteland Road, Martinsville | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recommends the following civil penalty: \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chair | James R. Surd for Ben Warren | |



| Respondent: | CenterPoint Energy Indiana | |
|---|--------------------------------|--|
| Other Party: | Rex Gress & Sons, Inc. | |
| Case Number: | 30657 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/17/2023 | |
| Damage Location: | 5632 Lakeview Drive, Loogootee | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recommends the following civil penalty: \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|---|---------------------------------|--|
| Other Party: | Arc American, Inc. | |
| Case Number: | 30662 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/18/2023 | |
| Damage Location: | 7711 Gunsmith Court, Plainfield | |
| | | |
| The IURC Pipeline Safety Division finds the following violation(s): | | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| , | | |
| Abstentions: | | |
| Additional Information | | |
| Additional Information: | | |
| | | |
| Sall | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Den warren, chann | 1411 | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|--|--------------------------------------|--|
| Other Party: | Dotson Construction, Inc. | |
| Case Number: | 30669 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/24/2023 | |
| Damage Location: | 3801 Davis Road North, Mount Vernon | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairn | James R. Surd for Ben Warren | |



| Respondent: | CenterPoint Energy Indiana | |
|---|--|--|
| Other Party: | Service Solutions of Bloomington, Inc. | |
| Case Number: | 30673 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/25/2023 | |
| Damage Location: | 120 South Kimble Drive, Bloomington | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chain | James R. Surd for Ben Warren | |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

CenterPoint Energy Indiana

| Other Party: | Lonestar Utility Group LLC | |
|---|--------------------------------|--|
| Case Number: | 30675 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/26/2023 | |
| Damage Location: | 2001 Grant Street, Terre Haute | |
| | | |
| The IURC Pipeline Safety Division finds the following violation(s): | | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| , | | |
| Abstentions: | | |
| A 11'4' 1T C 4' | | |
| Additional Information: | | |
| | | |
| Sull | | |
| APPROVED:Ben Warren, Chairm | James R. Surd for Ben Warren | |
| Den warren, Chaim | 1411 | |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|---|-------------------------------|--|
| Other Party: | Miller Pipeline, LLC | |
| Case Number: | 30676 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/18/2023 | |
| Damage Location: | 2705 North Elm Street, Muncie | |
| | | |
| The IURC Pipeline Safety Division finds the following violation(s): | | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| , | | |
| Abstentions: | | |
| A 11::: | | |
| Additional Information: | | |
| | | |
| Sall | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |
| Den warren, Chann | 1411 | |



| Respondent: | CenterPoint Energy Indiana | |
|---|---|--|
| Other Party: | Milestone Contractors, L.P. | |
| Case Number: | 30679 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/25/2023 | |
| Damage Location: | 208 East 6 th Street, Sheridan | |
| | | |
| The IURC Pipeline Safety Division finds the following violation(s): | | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$1,000 | | |
| . , | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | 7 | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | builted it. Duita for Dell Wallell | |



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana | |
|--|--|--|
| Other Party: | Whalen Construction Co., Inc. | |
| Case Number: | 30685 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/29/2023 | |
| Damage Location: | 635 North 10 th Street, Noblesville | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,000 | | |
| , | | |
| Abstentions: | | |
| A 11'4' 1 T C 4' | | |
| Additional Information: | | |
| | | |
| Sall | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | nan | |



| Respondent: | CenterPoint Energy Indiana | |
|---|------------------------------|--|
| Other Party: | Arc American, Inc. | |
| Case Number: | 30696 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/29/2023 | |
| Damage Location: | 9402 Kinsley Drive, Avon | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error) | | |
| The Advisory Committee recommends the following civil penalty: \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



| Respondent: | CenterPoint Energy Indiana | |
|-----------------------------------|--------------------------------------|--|
| Other Party: | Fencing Unlimited | |
| Case Number: | 30817 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 9/13/2023 | |
| Damage Location: | 69 Knoll Lane, Brownsburg | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-18(h)(locator-error) | | |
| | | |
| The Advisory Committee recomm | nends the following civil penalty: | |
| \$1,000 | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | nan | |



| Respondent: | CenterPoint Energy Indiana | |
|----------------------------------|--------------------------------------|--|
| Other Party: | Lonestar Utility Group LLC | |
| Case Number: | 30534 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/2/2023 | |
| Damage Location: | 2120 Liberty Avenue, Terre Haute | |
| | | |
| The IURC Pipeline Safety Divisio | on finds the following violation(s): | |
| IC 8-1-26-18(h)(no-response) | | |
| | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$1,000 | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | _ | |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | CenterPoint Energy Indiana |
|--|--|
| Other Party: | Wayne Asphalt & Construction Co., Inc. |
| Case Number: | 30653 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 855 North Broadway Street, Huntington |
| The IURC Pipeline Safety Division IC 8-1-26-18(h)(no-response) | on finds the following violation(s): |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,000 | |
| Abstentions: | |
| Additional Information: | |
| APPROVED:Ben Warren, Chairn | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Bunn Excavating, Inc. |
|-------------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30016 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 6/14/2023 |
| Damage Location: | 322 South Fourth Street, Upland |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | lete training instead of paying \$1,500 |
| Abstentions: | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | L N R Companies, Inc. |
|--|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30222 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 6/29/2023 |
| Damage Location: | 15310 Oak Bluffs Drive, Carmel |
| The IURC Pipeline Safety Division IC 8-1-26-20(a)(2) | ision finds the following violation(s): |
| The Advisory Committee recor | mmends the following civil penalty: |
| \$1,500, respondent can comp | lete training instead of paying \$1,500 |
| Abstentions: | |
| Additional Information: | |
| Sala | |
| APPROVED: | James R. Surd for Ben Warren |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | L & S Underground, Inc. |
|-----------------------------------|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30417 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/21/2023 |
| Damage Location: | 709 West Broadway Street, Fortville |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| | |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$5,000 | |
| , | |
| Abstentions: | |
| Additional Information: | |
| Additional information. | |
| | |
| Sall | |
| APPROVED: | James R. Surd for Ben Warren |
| Den wanten, Chairn | 1411 |



| Respondent: | C S Fenix Group LLC |
|--|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30436 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/26/2023 |
| Damage Location: | 902 Chestnut Street, Columbus |
| The IURC Pipeline Safety Division IC 8-1-26-20(a)(2) | on finds the following violation(s): |
| The Advisory Committee recomm | nends the following civil penalty: |
| Training or \$5,000 if responden | at fails to complete training |
| Abstentions: Additional Information: | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chairn | nan |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Steve Painter | |
|---|----------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30453 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 7/30/2023 | |
| Damage Location: | 7309 South 250 East, Markleville | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Warning letter | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Arc American, Inc. | |
|--|-------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30532 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/1/2023 | |
| Damage Location: | 3162 East Thorpe Street, Danville | |
| | | |
| The IURC Pipeline Safety Divisio | n finds the following violation(s): | |
| IC 8-1-26-20(a)(2) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$4,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dishman Construction LLC |
|---|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30537 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/4/2023 |
| Damage Location: | 4205 Red Pine Drive, Bloomington |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(2) | ision finds the following violation(s): |
| The Advisory Committee recor | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| APPROVED: | James R. Surd for Ben Warren |



| Respondent: | Maroska inc. |
|--|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30542 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/7/2023 |
| Damage Location: | 1471 Fairmount Drive, Greenfield |
| The IURC Pipeline Safety Division IC 8-1-26-20(a)(2) | on finds the following violation(s): |
| The Advisory Committee recomm \$1,500, respondent can complete | nends the following civil penalty: e training instead of paying \$1,500 |
| Abstentions: Additional Information: | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |



| Respondent: | Joe Beard & Sons Corp. |
|------------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30543 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/7/2023 |
| Damage Location: | 5621 North Green River Road, Evansville |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee recor | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: | |
| Additional Information: | |
| Cant 1 | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Cha | irman |



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Dan Cristiani Excavating Co., Inc.

| Other Party: | CenterPoint Energy Indiana | |
|---|-------------------------------|--|
| Case Number: | 30558 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/10/2023 | |
| Damage Location: | 710 Potters Lane, Clarksville | |
| | | |
| The IURC Pipeline Safety Division finds the following violation(s): | | |
| IC 8-1-26-20(a)(2) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$5,000 | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | шп | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Michels Utility Services, Inc. | |
|-----------------------------------|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30566 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/15/2023 | |
| Damage Location: | 714 Maple Street, Frankton | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-20(a)(2) | | |
| | | |
| The Advisory Committee recomm | ends the following civil penalty: | |
| \$4,500 | | |
| , | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | an | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | A & R Utility Construction | |
|--|---------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 29870 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 5/16/2023 | |
| Damage Location: | 1940 Garfield Avenue, Terre Haute | |
| The IURC Pipeline Safety Divising IC 8-1-26-16(h) | ion finds the following violation(s): | |
| The Advisory Committee recom | mends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | TSWT Acquisition, Inc. | |
|--|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30183 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 6/20/2023 | |
| Damage Location: | 2151 Jefferson Avenue, Evansville | |
| The IURC Pipeline Safety Div IC 8-1-26-16(h) | vision finds the following violation(s): | |
| The Advisory Committee reco | ommends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Mancera Landscaping |
|--|---|
| Other Party: | Citizens Gas |
| Case Number: | 30279 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 6/20/2023 |
| Damage Location: | 6949 Vistamere Way, Indianapolis |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training | |
| Abstentions: Warren | |
| Additional Information: | |
| <u> </u> | |
| APPROVED: | James R. Surd for Scott Sontag |

Scott Sontag, Vice Chairman



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Estates at Eagles Pointe |
|--------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30479 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/21/2023 |
| Damage Location: | 2701 Capehart Avenue, Peru |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R Surd for Ren Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Zacarias Remodeling LLC | |
|--|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30541 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/4/2023 | |
| Damage Location: | 309 North Olive Street, Arcadia | |
| The IURC Pipeline Safety Division IC 8-1-26-16(h) | on finds the following violation(s): | |
| The Advisory Committee recomm | nends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairn | | |
| | | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | NWI Concrete and Excavation LLC |
|--------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30596 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/6/2023 |
| Damage Location: | 3161 South County Road 210, Knox |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James P. Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Stump N Grind |
|--|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30645 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/1/2023 |
| Damage Location: | 7322 Capri Drive, Fort Wayne |
| The IURC Pipeline Safety Div IC 8-1-26-16(h) | ision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| Caral C | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | John Brumley | |
|--|-------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30331 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 7/14/2023 | |
| Damage Location: | 1118 East 32nd Street, Marion | |
| | | |
| The IURC Pipeline Safety Division | n finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Warning letter | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Roshadd Cole |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30468 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/19/2023 |
| Damage Location: | 845 South Edison Avenue, South Bend |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Daniel Adan |
|-------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30503 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 7/31/2023 |
| Damage Location: | 1814 High Street, Logansport |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| The Advisory Committee recor | nmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Todd Matthys |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30584 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/2/2023 |
| Damage Location: | 26666 Roosevelt Road, South Bend |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Brett Skiles |
|---|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30598 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/7/2023 |
| Damage Location: | 806 West 50 North, Flora |
| The IURC Pipeline Safety Div IC 8-1-26-16(h) | vision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| Canal | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Newgen Electric LLC | |
|--|--|--|
| Other Party: | Northern Indiana Public Service Company | |
| Case Number: | 30610 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/11/2023 | |
| Damage Location: | 13375 107th Avenue, Dyer | |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(2) | rision finds the following violation(s): | |
| The Advisory Committee reco | mmends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: Smith | | |
| Additional Information: | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | A & R Classic Construction LLC |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30612 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/12/2023 |
| Damage Location: | 6626 West Hamilton Road, Fort Wayne |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| Δ PPR ∩ VFD. | James R Surd for Ren Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Accucom Group LLC | |
|--|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30649 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/16/2023 | |
| Damage Location: | 32 1st Northeast Street, Carmel | |
| The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2) | sion finds the following violation(s): | |
| The Advisory Committee recon | nmends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chai | rman | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Riley Contracting Inc | |
|--|---|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30650 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/16/2023 | |
| Damage Location: | South State Road 39, Lebanon | |
| The IURC Pipeline Safety Division IC 8-1-26-20(a)(2) | ision finds the following violation(s): | |
| The Advisory Committee recor | mmends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: | James R. Surd for Ben Warren | |
| 111 1 1 CO 1 L/L/L | Julies It. Dura for Dell Wallell | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Signal Construction Incorporated | |
|--|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30672 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/25/2023 | |
| Damage Location: | 1200 South 9th Street, Richmond | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-20(a)(2) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Training or \$5,000 if respondent fails to complete training | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| Additional Information. | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chairm | | |
| Zii wanin Chann | | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Bassett Services Heating & Cooling LLC | |
|--|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30687 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/29/2023 | |
| Damage Location: | 661 Woodland Court, Plainfield | |
| The IURC Pipeline Safety Divis | ion finds the following violation(s): | |
| The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | ant rans to complete training | |
| Austentions. | | |
| Additional Information: | | |
| APPROVED: | James D. Sund for Dan Warran | |
| Ben Warren, Chair | James R. Surd for Ben Warren | |
| Don wanting Chan | 111W11 | |



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | MasTec, Inc. | |
|--|--|--|
| Other Party: | Northern Indiana Public Service Company | |
| Case Number: | 30494 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 7/26/2023 | |
| Damage Location: | 8952 Price Circle, Highland | |
| The IURC Pipeline Safety Div | vision finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| The Advisory Committee reco | mmends the following civil penalty: | |
| \$5,000; no ticket escalation - additional \$1,000 | | |
| Abstentions: Smith | | |
| Additional Information: | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Kayser Sawing & Drilling, Inc. |
|--|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30605 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/10/2023 |
| Damage Location: | 5614 Hartford Drive, Fort Wayne |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,500, respondent can complete escalation - additional \$1,000 | e training instead of paying \$1,500; no ticket |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| and S | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chairm | an |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Meade Industries, Inc. |
|--|---|
| Other Party: | Citizens Gas |
| Case Number: | 30786 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 9/9/2023 |
| Damage Location: | 2450 Chaseway Court, Indianapolis |
| The IURC Pipeline Safety Divi | sion finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recon | nmends the following civil penalty: |
| \$1,500, respondent can complescalation - additional \$1,000 | ete training instead of paying \$1,500; no ticket |
| Abstentions: Warren | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Scott Sontag |
| Scott Sontag, Vice | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Blackmore Construction LLC | |
|--|--|--|
| Other Party: | Westfield Gas Corporation | |
| Case Number: | 30788 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 9/6/2023 | |
| Damage Location: | 1204 Petit Verdot Drive, Westfield | |
| The IURC Pipeline Safety Divis IC 8-1-26-20(a)(1) | sion finds the following violation(s): | |
| The Advisory Committee recommends the following civil penalty: \$4,000 | | |
| Abstentions: Warren Additional Information: | | |
| APPROVED: | James R. Surd for Scott Sontag | |

Scott Sontag, Vice Chairman



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Crossroads Foundation Repair LLC |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30597 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/7/2023 |
| Damage Location: | 11126 Azbury Boulevard, Roanoke |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | olete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | G & B Directional Boring LLC |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30614 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/14/2023 |
| Damage Location: | 915 West Railroad Street, Waterloo |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | olete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Kenny Schaefer | |
|---|------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30674 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/26/2023 | |
| Damage Location: | 4801 Church Road, Evansville | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) | | |
| The Advisory Committee recommends the following civil penalty: Warning letter | | |
| Abstentions: Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Lonestar Utility Group LLC |
|-------------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30695 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/31/2023 |
| Damage Location: | Morton Street, Terre Haute |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| The Advisory Committee recor | nmends the following civil penalty: |
| \$1,500, respondent can comp | lete training instead of paying \$1,500 |
| Abstentions: | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Cha | irman —— |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | G E Marshall, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30706 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/16/2023 |
| Damage Location: | 350 South Campbell Street, Valparaiso |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Town of Schererville |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30720 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/21/2023 |
| Damage Location: | 915 Eagle Ridge Drive, Schererville |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Brooks Construction Company, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30726 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/22/2023 |
| Damage Location: | 5965 East State Boluvard, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$5,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Rieth-Riley Construction Co., Inc. |
|--|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30745 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/26/2023 |
| Damage Location: | 416 East Main Street, Camden |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(2) | rision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$5,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| Caral C | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Don Myers Plumbing & Heating, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30713 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 156 North Drive, Geneva |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | olete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Precision Utilities Group, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30715 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 424 Gatcombe Run, Fort Wayne |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | olete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James P. Surd for Ren Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | V T F Excavation, LLC |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30721 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/21/2023 |
| Damage Location: | 3401 Willowdale Road, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | olete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Pyramid Excavating, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30722 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/21/2023 |
| Damage Location: | 14425 Illinois Road, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | olete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | City of Richmond | |
|--|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30564 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/15/2023 | |
| Damage Location: | 1214 Boyer Street, Richmond | |
| The IURC Pipeline Safety Divisio | on finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | M & C Concrete Company, Inc. |
|--|---|
| Other Party: | Citizens Gas |
| Case Number: | 30640 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/22/2023 |
| Damage Location: | 11437 Hartwell Street, Indianapolis |
| The IURC Pipeline Safety Divi | sion finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recon | nmends the following civil penalty: |
| \$1,500, respondent can complescalation - additional \$1,000 | ete training instead of paying \$1,500; no ticket |
| Abstentions: Warren | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Scott Sontag |
| Scott Sontag, Vice | - |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | C A Advanced, Inc. |
|--|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30655 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 704 Adams Street, Carmel |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,500, respondent can complete escalation - additional \$1,000 | e training instead of paying \$1,500; no ticket |
| Abstentions: | |
| Additional Information: | |
| APPROVED:Ben Warren, Chairm | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | City of Brazil | |
|---|---------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30663 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/22/2023 | |
| Damage Location: | 217 North Beech Street, Brazil | |
| The IURC Pipeline Safety Division finds the following violation(s): | | |
| IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000 | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren an | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Dana A. Bontrager Excavating & Trucking, Inc |
|--|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30740 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/25/2023 |
| Damage Location: | 402 Greyhawk Parkway, Middlebury |
| The IURC Pipeline Safety Divis IC 8-1-26-16(h) | sion finds the following violation(s): |
| The Advisory Committee recom | nmends the following civil penalty: |
| \$1,500, respondent can complescalation - additional \$1,000 | ete training instead of paying \$1,500; no ticket |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chair | rman |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | City of Connersville |
|--------------------------------|---|
| Other Party: | Ohio Valley Gas Corp |
| Case Number: | 30579 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/15/2023 |
| Damage Location: | 3027 1/2 Wayne Avenue, Connersville |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | City of Monticello |
|--------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30613 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/14/2023 |
| Damage Location: | 705 East Street, Monticello |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Foht Concrete and Lawn Service LLC |
|--------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30615 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/14/2023 |
| Damage Location: | 2455 West Logansport Road, Peru |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | 3 PRO Environmental, LLC |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30707 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/16/2023 |
| Damage Location: | 516 Pointe Drive Apartment 2, Hammond |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Berglund Construction Company |
|--------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30730 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/23/2023 |
| Damage Location: | 360 Campbell Street, Valparaiso |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED. | James R Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Whispering Pines Wood Products, LLC |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30732 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/24/2023 |
| Damage Location: | 3126 Kylo Court, Fort Wayne |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | ommends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Doyne's Marine, Inc. |
|--------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30739 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/25/2023 |
| Damage Location: | 1340 Crisman Road, Portage |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED. | James R Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Tycol Excavating |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30741 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/25/2023 |
| Damage Location: | 19950 County Road 146, New Paris |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Wiegman Excavating, LLC |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30712 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/17/2023 |
| Damage Location: | 14730 Lightning Ridge Run, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James P. Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Northwest Indiana Concrete Cutting |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30727 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/22/2023 |
| Damage Location: | 1114 West Lincoln Highway, Schererville |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Calini & Associates Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30753 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/28/2023 |
| Damage Location: | 58299 Oakwood Court, Elkhart |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| • | mmends the following civil penalty: lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Weaver Gibson |
|-------------------------------|---|
| Other Party: | Ohio Valley Gas Corp |
| Case Number: | 30580 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/16/2023 |
| Damage Location: | 1224 North Central Avenue, Connersville |
| | |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recor | nmends the following civil penalty: |
| Warning letter | |
| Abstentions: | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Cha | |
| | |



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Aaron Hacker |
|-----------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30606 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/10/2023 |
| Damage Location: | 13535 Iowa Street Building Polebarn, Crown Point |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-16(h) | |
| | |
| The Advisory Committee recomm | nends the following civil penalty: |
| Warning letter | |
| | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Keith Smiley |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30611 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/12/2023 |
| Damage Location: | 2100 Hidden Valley Drive, Crown Point |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Gary Gervais |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30718 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/19/2023 |
| Damage Location: | 1143 East Mishawaka Avenue, Mishawaka |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | ommends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Blackhawk Millright & Rigging, Inc. |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30160 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 6/14/2023 |
| Damage Location: | 1315 Ann Street, Kokomo |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R Surd for Ren Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Rising Sun Developing Company |
|---------------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30195 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 6/22/2023 |
| Damage Location: | 2528 Michigan Road, Madison |
| | |
| The IURC Pipeline Safety Divis | sion finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recon | nmends the following civil penalty: |
| Training or \$5,000 if responde | ent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| | |
| ANS | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chai | rman |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Olson's Construction |
|--------------------------------|---|
| Other Party: | Midwest Natural Gas Corporation |
| Case Number: | 30576 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/30/2023 |
| Damage Location: | 3370 East State Road 160, Salem |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



| Respondent: | Impact Landscape |
|---------------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30682 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/28/2023 |
| Damage Location: | 9965 North Michigan Road, Carmel |
| | |
| The IURC Pipeline Safety Divis | sion finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recom | nmends the following civil penalty: |
| Training or \$5,000 if responde | ent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| | |
| APPROVED: | James D. Cyard for Dan Warren |
| Ben Warren, Chair | James R. Surd for Ben Warren |



| Respondent: | Coblentz Construction LLC | |
|--|--------------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30689 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/30/2023 | |
| Damage Location: | 423 North Main Street, Fairmount | |
| | | |
| The IURC Pipeline Safety Division | on finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Training or \$5,000 if respondent fails to complete training | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James D. Sund for Dan Warran | |
| Ben Warren, Chairn | James R. Surd for Ben Warren | |
| Den wanen, Challin | 1a11 | |



| Respondent: | Around The House Construction Inc | |
|--|-----------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30692 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/31/2023 | |
| Damage Location: | 4955 Woodcrest Drive, Columbus | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED:Ben Warren, Chairr | James R. Surd for Ben Warren | |
| Den wanen, Chain | Han | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | H V Landscaping LLC | |
|--|--|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30697 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/28/2023 | |
| Damage Location: | 11100 Queens Way Circle, Carmel | |
| | | |
| The IURC Pipeline Safety Divis | sion finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Training or \$5,000 if respondent fails to complete training | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Chair | _ | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Miller Building, L.L.C. |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30767 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/31/2023 |
| Damage Location: | 6012 US Highway 35, Royal Center |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R Surd for Ren Warren |



| Respondent: | Town of Owensville | |
|--|---|--|
| Other Party: | Community Natural Gas Inc | |
| Case Number: | 30771 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 9/20/2023 | |
| Damage Location: | Corner of Third & Clark, Owensville | |
| | | |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| The Advisery Committee week | do do e follossino oivil non alter | |
| The Advisory Committee recor | nmends the following civil penalty: | |
| Training or \$5,000 if respondent fails to complete training | | |
| | | |
| Abstentions: | | |
| Additional Information: | | |
| | | |
| | | |
| APPROVED: | James R. Surd for Ben Warren | |
| Ben Warren, Cha | irman | |



| Respondent: | Christian Flores | |
|--|-------------------------------------|--|
| Other Party: | Indiana Natural Gas Corporation | |
| Case Number: | 30531 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/27/2023 | |
| Damage Location: | 109 Borden Street, Birdseye | |
| | | |
| The IURC Pipeline Safety Division | n finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Warning letter | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Ronald Sheffler | |
|--|--|--|
| Other Party: | Rensselaer Municipal Gas System, City of | |
| Case Number: | 30574 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/31/2023 | |
| Damage Location: | 220 North Cullen Street, Rensselaer | |
| | | |
| The IURC Pipeline Safety Divisio | n finds the following violation(s): | |
| IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Warning letter | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Ellis Bryant | |
|--|--------------------------------|--|
| Other Party: | CenterPoint Energy Indiana | |
| Case Number: | 30680 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 8/27/2023 | |
| Damage Location: | 615 Centennial Street, Seymour | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Warning letter | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



| Respondent: | George Parsons | |
|--|-----------------------------------|--|
| Other Party: | Midwest Natural Gas Corporation | |
| Case Number: | 30703 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 9/19/2023 | |
| Damage Location: | 4321 North Halsted Street, Linton | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Warning letter | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Fahrudin Rizvahovic |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30747 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/27/2023 |
| Damage Location: | 1323 Cass Street, Fort Wayne |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-16(h) | |
| | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Warning letter | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Carson Dorn |
|-----------------------------------|--------------------------------------|
| Other Party: | Indiana Natural Gas Corporation |
| Case Number: | 30772 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 9/24/2023 |
| Damage Location: | 9151 West Youth Camp Road, Columbus |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-16(h) | |
| The Advisory Committee recomm | nends the following civil penalty: |
| Warning letter | |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

| Respondent: | Blake Ricketts | |
|--|------------------------------|--|
| Other Party: | Community Natural Gas Inc | |
| Case Number: | 30844 | |
| Date of Advisory Meeting: | 12/7/2023 | |
| Date of Damage: | 10/4/2023 | |
| Damage Location: | 7044 Lauderdale Road, Dale | |
| The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) | | |
| The Advisory Committee recommends the following civil penalty: | | |
| Warning letter | | |
| Abstentions: | | |
| Additional Information: | | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren | |



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | A P I Construction Corp |
|-------------|-------------------------|
| Responaent: | A P I Construction Corp |

Other Party: Northern Indiana Public Service Company

Case Number: 30761

Date of Advisory Meeting: 12/7/2023

Date of Damage: 8/30/2023

Damage Location: 240 Summey Street, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information: **OUT OF SCOPE**

APPROVED: James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Middlebury Electric Inc |
|--|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30764 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/30/2023 |
| Damage Location: | 206 West Plymouth Street, Bremen |
| The IURC Pipeline Safety Division IC 8-1-26-16(h) | on finds the following violation(s): |
| The Advisory Committee recomm | nends the following civil penalty: |
| \$1,500, respondent can complete escalation - additional \$1,000 | e training instead of paying \$1,500; no ticket |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Chairm | an |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | True Line Fence (Merrilville) |
|------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30601 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/8/2023 |
| Damage Location: | 18404 Peggy Sue Drive, Lot 63, Lowell |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-20(a)(1) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Reeves Fence Services, Inc. |
|------------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30644 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/1/2023 |
| Damage Location: | 1949 Springvale Drive, Crown Point |
| The IURC Pipeline Safety Div | ision finds the following violation(s): |
| IC 8-1-26-20(a)(1) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | City of Evansville (Water & Sewer Departments) |
|-----------------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30545 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/7/2023 |
| Damage Location: | 2906 Mockingbird Lane, Evansville |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-20(a)(1) | |
| | |
| The Advisory Committee recomm | ends the following civil penalty: |
| \$3,500 | |
| 4-, | |
| Abstentions: | |
| A 1100 - 17 C - 0 | |
| Additional Information: | |
| | |
| Sall | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |
| Ben wanen, Chamin | ш |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Infrasource Construction, LLC |
|--|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30608 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/10/2023 |
| Damage Location: | 802 East Kercher Road, Goshen |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(1) | ision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$3,500 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Wallace Construction Inc |
|-----------------------------------|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30659 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/18/2023 |
| Damage Location: | 239 North Wayne Street, Martinsville |
| | |
| The IURC Pipeline Safety Division | on finds the following violation(s): |
| IC 8-1-26-20(a)(1) | |
| The Advisory Committee recomm | ends the following civil penalty: |
| \$3,500 | |
| Abstentions: | |
| Additional Information: | |
| APPROVED: Ben Warren, Chairm | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Changler Construction Inc |
|--------------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 30654 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/18/2023 |
| Damage Location: | 100 North Monroe Street, Mooresville |
| The IURC Pipeline Safety Divi | ision finds the following violation(s): |
| 10 0 1 10 10(u)(1) | |
| The Advisory Committee recor | nmends the following civil penalty: |
| Training or \$5,000 if respond | ent fails to complete training |
| Abstentions: | |
| Additional Information: | |
| And S | |
| APPROVED: | James R. Surd for Ben Warren |
| Ben Warren, Cha | irman |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Town of Hebron |
|--|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30717 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/18/2023 |
| Damage Location: | 303 Boardwalk, Hebron |
| The IURC Pipeline Safety DivIC 8-1-26-20(a)(1) | ision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | lent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| APPROVED: | James R. Surd for Ren Warren |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Wolff's Fencing |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30738 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/25/2023 |
| Damage Location: | 1306 Corby Boulevard, South Bend |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(1) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED. | James R. Surd for Ren Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | DeYoung's Nursery & Landscaping |
|--------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30758 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/29/2023 |
| Damage Location: | 10399 Woodland Drive Lot 38, DeMotte |
| The IURC Pipeline Safety Div | vision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| Training or \$5,000 if respond | dent fails to complete training |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James P. Surd for Ban Warran |



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Always Underground, Inc. |
|------------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30756 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/29/2023 |
| Damage Location: | 9105 Indianapolis Boulevard, Highland |
| The IURC Pipeline Safety Div | rision finds the following violation(s): |
| IC 8-1-26-20(a)(2) | |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$5,000 | |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |



Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

| Respondent: | Summers of Fort Wayne, Inc. |
|---|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 30763 |
| Date of Advisory Meeting: | 12/7/2023 |
| Date of Damage: | 8/30/2023 |
| Damage Location: | 6611 Dumont Drive, Fort Wayne |
| The IURC Pipeline Safety Div IC 8-1-26-20(a)(2) | ision finds the following violation(s): |
| The Advisory Committee reco | mmends the following civil penalty: |
| \$1,500, respondent can comp | elete training instead of paying \$1,500 |
| Abstentions: Smith | |
| Additional Information: | |
| | |
| APPROVED: | James R. Surd for Ben Warren |