

| Commissioner | Yes | No | Not Participating |
|--------------|-----|----|----------------------|
| Huston | V | | |
| Freeman | V | | |
| Krevda | V | | |
| Veleta | V | | |
| Ziegner | V | | |

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

)

)

)

IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.

APPROVED: FEB 08 2023

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, VELETA, AND ZIEGNER CONCUR:

APPROVED: FEB 08 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Addison Underground Utilities LLC |
|---------------------------|-----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 21726 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 11/19/2019 |
| Damage Location: | 6780 E Woodland Ct, Mooresville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$10,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Addison Underground Utilities LLCOther Party:Citizens GasCase Number:23125Date of Advisory Meeting:12/14/2022Date of Damage:7/23/2020Damage Location:7 E Hill Valley Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$10,000

Abstentions: Warren

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Actin, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 24171 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 11/17/2020 |
| Damage Location: | 10224 Allison Road, Munster |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:T N O Underground Communication LLCOther Party:CenterPoint Energy IndianaCase Number:26965Date of Advisory Meeting:12/14/2022Date of Damage:4/9/2022Damage Location:2640 Pinewood Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors, L.P. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27020 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 4/20/2022 |
| Damage Location: | 6217 Brandonwood Lane, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors, L.P. |
|---------------------------|-----------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27062 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 4/18/2022 |
| Damage Location: | Pin Oak Court, Greenwood |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|--|
| Other Party: | Midwest Paving LLC |
| Case Number: | 27063 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 4/19/2022 |
| Damage Location: | Juniper Lane & River Birch Drive, Greenfield |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Tovey Perry Company Inc. |
|---------------------------|---------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27091 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 4/28/2022 |
| Damage Location: | Brown Street and 1st Street, Columbus |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors, L.P. |
|---------------------------|-----------------------------------|
| Other Party: | Midwest Natural Gas Corporation |
| Case Number: | 27101 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/1/2022 |
| Damage Location: | Corner State Road 56 & 135, Salem |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | NHTP LLC |
|---------------------------|-----------------------------------|
| Other Party: | Citizens Gas |
| Case Number: | 27126 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 5/20/2022 |
| Damage Location: | 11247 Turfgrass Way, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Enyeart Construction Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27152 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 5/7/2022 |
| Damage Location: | 169 West 6th Street, Peru |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|------------------------------------|
| Other Party: | Midwest Paving LLC |
| Case Number: | 27283 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/1/2022 |
| Damage Location: | 223 East Brown Street, Knightstown |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|------------------------------------|
| Other Party: | Midwest Paving LLC |
| Case Number: | 27295 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/1/2022 |
| Damage Location: | 38 North Adams Street, Knightstown |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | S T W Construction Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27329 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 5/17/2022 |
| Damage Location: | 63891 Miami Road, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Internattional Inc. |
| Case Number: | 27429 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 5/31/2022 |
| Damage Location: | 52137 Fieldstone Lane, Granger |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | M & S Excavating, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27432 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/1/2022 |
| Damage Location: | 4142 Covington Road, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Susan Riesen |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27434 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/2/2022 |
| Damage Location: | 5465 East 610 South, Wolcottville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors, L.P. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27438 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/2/2022 |
| Damage Location: | 3701 Reynolds Street, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dyer Construction Co., Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27441 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/2/2022 |
| Damage Location: | 10327 Allison Road, Munster |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Illiana Fence LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27442 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/2/2022 |
| Damage Location: | 1211 Woodhollow Court, Schererville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors, L.P. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27444 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/3/2022 |
| Damage Location: | 201 Delorenzi Avenue, Mishawaka |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Exterior Service LLC |
| Case Number: | 27447 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/3/2022 |
| Damage Location: | 7727 Freedom Way, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | J & J Newell Concrete Contractors, Inc |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27449 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/3/2022 |
| Damage Location: | 932 Royal Dublin Lane, Dyer |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | B L Wilson Construction LLC dba BLW Concrete |
|---------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27450 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/3/2022 |
| Damage Location: | 808 Country Wood Pl., Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Pages Circus |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27451 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/3/2022 |
| Damage Location: | 318 North Cressy Avenue, Remington |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | American Electric Power DBA Indiana Michigan Power |
| Case Number: | 27453 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/5/2022 |
| Damage Location: | 2752 County Road 64, Auburn |
| | |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Oscar Martinez |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27454 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/5/2022 |
| Damage Location: | 3924 Grand Blvd, East Chicago |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Gerald Brown |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27455 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/5/2022 |
| Damage Location: | 563 North 600 East, Logansport |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Chesley Fairfield |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27457 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/5/2022 |
| Damage Location: | 1019 Somerset Avenue, Mishawaka |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Jake Makinson |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27463 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/6/2022 |
| Damage Location: | 2715 West 200 South, Warsaw |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | J D G Construction & Services LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27470 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/7/2022 |
| Damage Location: | 7087 Boardwalk Circle, Crown Point |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Woodruff & Sons, Inc. |
| Case Number: | 27471 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/7/2022 |
| Damage Location: | 1204 North Warrick Street, Gary |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Nathan Abbs |
| Case Number: | 27472 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/7/2022 |
| Damage Location: | 58680 Sunlit Boulevard, Goshen |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Crosby Excavating, Inc. |
| Case Number: | 27480 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/10/2022 |
| Damage Location: | 11735 Millstone Drive, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dorothy Lehman |
|---------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27484 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/10/2022 |
| Damage Location: | 121 East 9 th Street, Mishawaka |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | R N C Cable Corp |
| Case Number: | 27485 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/10/2022 |
| Damage Location: | 406 South Grant Avenue, Fowler |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Amor Excavating, Inc. |
| Case Number: | 27489 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/13/2022 |
| Damage Location: | 235 North Main Street, Roanoke |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Verita Telecommunications Corp. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27491 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/13/2022 |
| Damage Location: | 4012 Glenview Drive, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Milestone Contractors, L.P. |
| Case Number: | 27493 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/13/2022 |
| Damage Location: | 60350 Orange Road, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Verita Telecommunications Corp. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27495 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/14/2022 |
| Damage Location: | 18806 Kintz Drive, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | M & M Field Services LLC |
| Case Number: | 27498 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/14/2022 |
| Damage Location: | 1080 East North Winds Drive, Warsaw |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Neil Witmer Builder, LLC |
|---------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27500 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/15/2022 |
| Damage Location: | 2505 Covington Commons Drive, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Electricom, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27501 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/15/2022 |
| Damage Location: | 14166 State Road 17, Culver |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Brooks Construction Company, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27503 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/15/2022 |
| Damage Location: | 611 West Maumee Street, Angola |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Woodruff & Sons, Inc. |
| Case Number: | 27510 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/15/2022 |
| Damage Location: | 500 South Indiana Street, Hobart |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Verita Telecommunications Corp. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27514 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/17/2022 |
| Damage Location: | 1251 Miner Street, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Gatlin Plumbing & Heating, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27516 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/17/2022 |
| Damage Location: | 1844 Pennsylvania Avenue, Whiting |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Site Worx Services LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27519 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/17/2022 |
| Damage Location: | 1318 Lexington Drive, Winona Lake |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Ronco Utilities |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27521 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/18/2022 |
| Damage Location: | 8102 Georgia Street, Merrillville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:TNT BobcatOther Party:Northern Indiana Public Service CompanyCase Number:27524Date of Advisory Meeting:12/14/2022Date of Damage:6/20/2022Damage Location:105 North 5th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Bergstrom Home Improvement |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27526 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/20/2022 |
| Damage Location: | 922 East Richmond Street, Kokomo |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Bullseye Directional Boring, LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27528 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/20/2022 |
| Damage Location: | 4355 Foxfire Drive, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Harrison's Paving & Seal Coating |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27534 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/21/2022 |
| Damage Location: | 718 North 200 East, Valparaiso |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | H & G Underground Utilities, LLC |
| Case Number: | 27536 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/21/2022 |
| Damage Location: | East 117 th Avenue & Jay Street, Crown Point |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dalton Mroczek |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27537 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/21/2022 |
| Damage Location: | 3354 East 425 North, Monticello |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Indiana Earth, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27540 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | 2777 Lincolnway East, Mishawaka |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Rainmaker Irrigation, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27545 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | 2904 Gable Drive, Valparasio |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | J B Concrete |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27546 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | 2900 Lothair Way, Michigan City |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milenium, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27547 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | Summer Street & Calumet Avenue, Hammond |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Electricom, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27548 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | 18198 14B Road, Culver |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Crossroads Construction Concepts LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27551 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/23/2022 |
| Damage Location: | 2102 Michigan Avenue, LaPorte |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Roaming Networks Inc |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27553 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/24/2022 |
| Damage Location: | 54440 Heron Cove Lane, Elkhart |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Ray Clark |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27561 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/27/2022 |
| Damage Location: | 55256 Lawndale Street, Osceola |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Gary Material Supply LLC |
| Case Number: | 27566 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/27/2022 |
| Damage Location: | 2812 Edgewood Drive, Dyer |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Square 1 Excavation, Inc., formerly Square 1 Builders, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27568 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/28/2022 |
| Damage Location: | 71432 County Road 101, Nappanee |
| | |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | NIPSCO - Gas |
| Case Number: | 27578 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/29/2022 |
| Damage Location: | 812 Pontiac Street, Rochester |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Ideal Plumbing Systems LLC |
|---------------------------|---|
| Other Party: | Citizens Gas |
| Case Number: | 27602 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 1110 North Sheffield Avenue, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | K D Construction LLC |
|---------------------------|------------------------------------|
| Other Party: | Citizens Gas |
| Case Number: | 27603 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 2115 Broadway Street, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | H I S Constructors, Inc. |
|---------------------------|--|
| Other Party: | Citizens Gas |
| Case Number: | 27604 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 4715 North Richardt Avenue, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Citizens Energy Group - Gas |
|---------------------------|------------------------------------|
| Other Party: | Citizens Gas |
| Case Number: | 27607 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/11/2022 |
| Damage Location: | 4775 Richardt Avenue, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Citizens Gas |
|---------------------------|------------------------------------|
| Other Party: | H I S Constructors, Inc. |
| Case Number: | 27608 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/11/2022 |
| Damage Location: | 4765 Richardt Avenue, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Pace Contracting LLCOther Party:CenterPoint Energy IndianaCase Number:27612Date of Advisory Meeting:12/14/2022Date of Damage:6/16/2022Damage Location:701 Bean Road, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:AddyOther Party:CenteCase Number:27618Date of Advisory Meeting:12/14/Date of Damage:6/18/2Damage Location:1230 \$

Addy Morales-Sabillon CenterPoint Energy Indiana 27618 12/14/2022 6/18/2022 1230 Sunset Boulevard, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Hayes Masonry and Concrete LLC |
|---------------------------|--------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27619 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/19/2022 |
| Damage Location: | 9943 Win Star Way, Fishers |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Whalen Construction Co., Inc. |
|---------------------------|---------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27621 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/18/2022 |
| Damage Location: | 61 Bluegrass Way, New Whiteland |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Draper Fencing Company LLC |
|---------------------------|--------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27622 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/20/2022 |
| Damage Location: | 5210 Red Stone Lane, Greenwood |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Hardrock's Concrete, Inc. |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27623 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/20/2022 |
| Damage Location: | 2100 Memorial Avenue, Washington |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Estes Excavating, Inc. |
|---------------------------|-----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27626 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/21/2022 |
| Damage Location: | 4903 Hamburg Pike, Jeffersonville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| CenterPoint Energy Indiana |
|--|
| American Residential Services LLC dba ARS Rescue Rooter |
| 27628 |
| 12/14/2022 |
| 6/21/2022 |
| 1029 North 20th Street, Lafayette |
| |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Hayes Masonry and Concrete LLCOther Party:CenterPoint Energy IndianaCase Number:27632Date of Advisory Meeting:12/14/2022Date of Damage:6/21/2022Damage Location:9943 Win Star Way, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Mother Nature Landscaping, Inc. |
|---------------------------|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27633 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | 4505 West State Road 45, Bloomington |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---------------------------------|
| Other Party: | Blankenberger Brothers, Inc. |
| Case Number: | 27636 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/23/2022 |
| Damage Location: | 1501 Russell Avenue, Evansville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|--------------------------------|
| Other Party: | Clifford Signs Inc. |
| Case Number: | 27643 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/16/2022 |
| Damage Location: | 930 Mezzanine Drive, Lafayette |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---------------------------------|
| Other Party: | EAC Fence LLC |
| Case Number: | 27646 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/27/2022 |
| Damage Location: | 7001 Patriot Court, Charlestown |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|-----------------------------------|
| Other Party: | Fox Contractors Corp. |
| Case Number: | 27649 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | 301 East Walnut Street, Frankfort |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|------------------------------------|
| Other Party: | Von Excavating, Inc. |
| Case Number: | 27652 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/25/2022 |
| Damage Location: | 2479 State Road 25 West, Lafayette |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Bowen Engineering Corporation |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27655 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/27/2022 |
| Damage Location: | 215 South College Avenue, Muncie |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---|
| Other Party: | WCA Group, LLC dba Williams Comfort Air (Mr. Plumber) |
| Case Number: | 27657 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/29/2022 |
| Damage Location: | 11110 Haverstick Road, Carmel |
| | |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dennis Coomer |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27663 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/22/2022 |
| Damage Location: | 1709 Rossville Avenue, Frankfort |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---------------------------------|
| Other Party: | Midwest Paving LLC |
| Case Number: | 27665 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 6/30/2022 |
| Damage Location: | 100 Lexington Drive, Zionsville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Rice Contracting LLC |
|---------------------------|-------------------------------|
| Other Party: | Community Natural Gas Inc |
| Case Number: | 27688 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/30/2022 |
| Damage Location: | 7388 East State Road 68, Dale |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Indy Site Works LLC |
|---------------------------|-----------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27691 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/1/2022 |
| Damage Location: | 1135 Arroyo Road, Greenwood |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Daystar Directional Drilling, Inc. |
|---------------------------|------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27693 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/1/2022 |
| Damage Location: | 13194 Huff Boulevard, Fishers |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Miller Pipeline, LLC |
|---------------------------|---------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27696 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/6/2022 |
| Damage Location: | 2515 Wilson Street, Terre Haute |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | City of Columbus |
|---------------------------|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27699 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/7/2022 |
| Damage Location: | 4370 North Riverside Drive, Columbus |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---------------------------------|
| Other Party: | Telecom Placement, Inc. |
| Case Number: | 27703 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/7/2022 |
| Damage Location: | 599 East 206th Street, Sheridan |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Michael Barrett |
|---------------------------|---------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27709 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 10204 East Muncie Street, Selma |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|----------------------------------|
| Other Party: | The Hagerman Group Inc |
| Case Number: | 27713 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/11/2022 |
| Damage Location: | 206 West Main Street, Plainfield |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|-------------------------------------|
| Other Party: | John & John Associates, Inc. |
| Case Number: | 27714 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/11/2022 |
| Damage Location: | 840 North Mary Patton Drive, Brazil |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Schneider Trucking & Excavating |
|---------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27716 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/12/2022 |
| Damage Location: | 1019 West 2 nd Street, Seymour |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Miller Pipeline, LLCOther Party:CenterPoint Energy IndianaCase Number:27720Date of Advisory Meeting:12/14/2022Date of Damage:7/7/2022Damage Location:500 South Main Street, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

___/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | J P J Concrete Construction Inc |
|---------------------------|-----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27721 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/12/2022 |
| Damage Location: | 1801 South 18th Street, Lafayette |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | All Around Concrete, LLC |
|---------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27726 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | Steinbeck Pl. & Valentine Lane, Carmel |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

____/Jeremy Comeau for

APPROVED:

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---------------------------------|
| Other Party: | Midwest Paving LLC |
| Case Number: | 27732 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 120 Lexington Drive, Zionsville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|--------------------------------|
| Other Party: | B M B, Inc. |
| Case Number: | 27734 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/15/2022 |
| Damage Location: | 1533 Buchanan Road, Evansville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|-----------------------------|
| Other Party: | Libs Paving Company, Inc. |
| Case Number: | 27735 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/15/2022 |
| Damage Location: | 552 Alden Road, Sellersburg |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Telecom Placement, Inc. |
|---------------------------|-------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27736 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/12/2022 |
| Damage Location: | 1474 Auburn Drive, Brownsburg |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Prorec Contracting LLC |
|---------------------------|--------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27739 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/10/2022 |
| Damage Location: | 1111 North Penn Street, Muncie |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Michels Utility Services, Inc. |
|---------------------------|---------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27740 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 2731 Old Romney Road, Lafayette |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Miller Pipeline, LLC |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27741 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 5530 Scatterfield Road, Anderson |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Trent Sollman |
|---------------------------|---------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27743 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 12152 South 200 East, Haubstadt |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | United Excavating & General Contracting, Inc. |
|---------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27744 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/18/2022 |
| Damage Location: | 740 East Main Street, Whiteland |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|--|
| Other Party: | Ground Penetrating Radar Services, LLC |
| Case Number: | 27745 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/18/2022 |
| Damage Location: | 7754 South 325 West, Fort Branch |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Indys Finest Fence LLC |
|---------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27746 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/18/2022 |
| Damage Location: | Goins Boulevard & Grassy Branch Road, Westfield |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|-------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27747 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 10314 Waterford Pl., Newburgh |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Overton & Sons Concrete |
|---------------------------|------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27750 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 1102 Bonnie View Drive, Evansville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

____/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---|
| Other Party: | Integrity Kokosing Pipeline Services, LLC |
| Case Number: | 27774 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/28/2022 |
| Damage Location: | 8211 Stacy Rd, Charlestown |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:CenterPoint Energy IndianaOther Party:Kiefer-Gibson LLCCase Number:27777Date of Advisory Meeting:12/14/2022Date of Damage:7/28/2022Damage Location:2851 Ashlea Ct, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors, L.P. |
|---------------------------|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 27787 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/5/2022 |
| Damage Location: | 729 4 th Street, Columbus |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---|
| Other Party: | Milestone Contractors, L.P. |
| Case Number: | 27788 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 611 East Jefferson Street, Crawfordsville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Remington Troyer |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27790 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/1/2022 |
| Damage Location: | 108 Hemsberd Street, Middlebury |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Ray Halsey |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27791 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/3/2022 |
| Damage Location: | 17834 West Main Street, Tyner |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Nolan Duncan |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27796 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/5/2022 |
| Damage Location: | 1701 Linden Avenue, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Milenium, Inc. |
| Case Number: | 27797 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/5/2022 |
| Damage Location: | 201 Harrison Street, Laporte |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Stephanie Kenny |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27798 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/5/2022 |
| Damage Location: | 60182 County Road 21, Goshen |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | INDOT |
| Case Number: | 27801 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/6/2022 |
| Damage Location: | SR 2 & Professional Court, Hebron |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Caribbean Pools, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27802 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/6/2022 |
| Damage Location: | 848 Pingel Place, Crown Point |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Skilled Tradesmen LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27806 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/7/2022 |
| Damage Location: | 10433 Lake Tahoe Drive, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Biesen Excavating, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27811 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/8/2022 |
| Damage Location: | 2501 Gaspar, Whiting |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Thelma Mulberger |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27812 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/8/2022 |
| Damage Location: | 5725 Inland Trail, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Alexis Concrete Construction LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27813 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/8/2022 |
| Damage Location: | 7009 Woodcroft Lane, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Big Concrete & Excavating LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27814 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/8/2022 |
| Damage Location: | 167 Coral Avenue, Portage |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Reynaldo Rojas |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27815 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 7521 Maple Avenue, Gary |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Mike Covey |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27816 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 14811 Day Road, Mishawaka |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | David Martinez |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27817 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 3067 Mallory Street, Portage |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | A C O Underground Utilities, Inc. |
| Case Number: | 27818 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 18615 Calumet Avenue, Lowell |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Jay Killingbeck |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27819 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 315 East Homer Street, Michigan City |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | B & E Landscaping LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27820 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 1818 Miami Street, South Bend |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | City of Mishawaka |
| Case Number: | 27822 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/11/2022 |
| Damage Location: | 4506 East Lincolnway, Mishawaka |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | All Type Fence Company |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27823 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/11/2022 |
| Damage Location: | 7022 Tapper Avenue, Hammond |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Fort Wayne Trees LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27826 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/12/2022 |
| Damage Location: | 406 Red Bluff Drive, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | G & B Directional Boring LLC |
| Case Number: | 27827 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/12/2022 |
| Damage Location: | 2209 Southwest Road, La Porte |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | HIdden Diamond Homes LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27829 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/12/2022 |
| Damage Location: | 273 Falls Avenue, Wabash |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Robert's Pools, Inc |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27830 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/12/2022 |
| Damage Location: | 1437 Saint Andrews Drive, Schererville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Joshua Yoder |
| Case Number: | 27833 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 23974 County Road 30, Goshen |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Nava's Fencing Co |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27834 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 305 South Main Street, Milford |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Other Party: Case Number: Date of Advisory Meeting: Date of Damage: Damage Location:

NYBE Homes, LLC Northern Indiana Public Service Company 27837 12/14/2022 7/13/2022 2582 West Joliet Road, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Woodruff & Sons, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27838 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 501 South Hobart Road, Hobart |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Raber Dirtworx |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27841 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 11403 County Road 24, Middlebury |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dirtworx Excavating LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27842 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 6243 West Dustys Road, Claypool |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Simplicity Contracting, Inc. |
| Case Number: | 27843 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 1635 West 600 North, Howe |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Windy City Underground, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27844 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 404 Lost Tree Drive, Chesterton |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Forest Landscaping, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27845 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 1072 Sterling Court, Crown Point |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Render Home Solutions, LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27846 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 1224 North Lafountain Street, Kokomo |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Kristen Burton |
| Case Number: | 27848 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/14/2022 |
| Damage Location: | 218 East Cumberland, Camden |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Roaming Networks Inc |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27850 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/15/2022 |
| Damage Location: | 56260 County Road 19, Bristol |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Property Company LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27851 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/15/2022 |
| Damage Location: | 4613 East Cardinal Drive, Syracuse |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Rock General Construction |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27852 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/15/2022 |
| Damage Location: | 6321 Moraine Avenue, Hammond |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Rothenberger Company, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27853 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/13/2022 |
| Damage Location: | 4729 Ottawa Drive, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Austin Paparella |
|---------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27854 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/16/2022 |
| Damage Location: | 215 South 7 th Street, Goshen |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Ryan Fields |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27855 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/16/2022 |
| Damage Location: | 1604 South Bld. Barn Arbogast, Griffith |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Town of Syracuse |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27856 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/18/2022 |
| Damage Location: | 307 East Maple Grove Street, Syracuse |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Calderon Cable Inc |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27860 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/18/2022 |
| Damage Location: | 490 East Burdick Road, Chesterton |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Weaver Electric & Heating Corporation |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27863 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 1620 Cobble Hills Drive, Osceola |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Core Bore, LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27865 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 3110 US Highway 20, Elkhart |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Hipskind Concrete Corp |
| Case Number: | 27866 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 9208 Dawnsford Drive, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Crosby Excavating, Inc. |
| Case Number: | 27867 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 4300 Oxford Street, Fort Wayne |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Selge Construction Co., Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27868 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 52163 Hickory Road, Granger |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Dickie & Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Gary Material Supply LLC |
| Case Number: | 27869 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 5400 West 29th Avenue, Gary |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Troy Lewis & Sons LLC |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27870 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 6067 Deer Hollow Road, Auburn |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Peerless Enterprises Inc dba Peerless Fence |
| Case Number: | 27871 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/19/2022 |
| Damage Location: | 6088 Fillmore Place, Merrillville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors North, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27872 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/20/2022 |
| Damage Location: | 210 East Columbia Avenue, Griffith |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Northern Indiana Public Service Company |
|---------------------------|---|
| Other Party: | Asplundh Construction Corp. |
| Case Number: | 27873 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/20/2022 |
| Damage Location: | 7345 South Wayne Street, Hamilton |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Jose Aguilar |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27874 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/20/2022 |
| Damage Location: | 2187 West 58th Avenue, Merrillville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:L AOther Party:NortCase Number:2787Date of Advisory Meeting:12/1Date of Damage:7/20Damage Location:802

L A W Son Inc Northern Indiana Public Service Company 27876 12/14/2022 7/20/2022 802 North 650 East, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Brooks Construction Company, Inc. |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27877 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/20/2022 |
| Damage Location: | 301 East Mcswain Drive, Fremont |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Milestone Contractors, L.P. |
|---------------------------|--|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27924 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 1224 East Jefferson Boulevard, Mishawaka |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Michael Cole |
|---------------------------|---|
| Other Party: | Northern Indiana Public Service Company |
| Case Number: | 27925 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 7/9/2022 |
| Damage Location: | 165 East Hoehn Street, Wheatfield |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Lindsey's Lumber & Builders Supply Inc |
|---------------------------|--|
| Other Party: | Indiana Natural Gas Corporation |
| Case Number: | 27981 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/22/2022 |
| Damage Location: | 8924 West State Road 56, French Lick |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Grace Christian Academy Inc. |
|---------------------------|---------------------------------------|
| Other Party: | Midwest Natural Gas Corporation |
| Case Number: | 27982 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 9/4/2022 |
| Damage Location: | 1525 North Gardner Street, Scottsburg |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Citizens Gas |
|---------------------------|--|
| Other Party: | Daniel Wilson |
| Case Number: | 27984 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 9/3/2022 |
| Damage Location: | 5630 West Southport Road, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Plus Ultra Construction LLC |
|---------------------------|-------------------------------------|
| Other Party: | Citizens Gas |
| Case Number: | 27986 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/31/2022 |
| Damage Location: | 8633 Chateaugay Drive, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Mante Oullis |
|---------------------------|-------------------------------------|
| Other Party: | Westfield Gas Corporation |
| Case Number: | 27992 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/24/2022 |
| Damage Location: | 1907 East 66th Strett, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Tony Oliver |
|---------------------------|----------------------------------|
| Other Party: | Citizens Gas |
| Case Number: | 27994 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/23/2022 |
| Damage Location: | 7408 Sedgewick Way, Indianapolis |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Solid Worx LLC |
|---------------------------|-----------------------------------|
| Other Party: | Boonville Natural Gas Corporation |
| Case Number: | 27998 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/29/2022 |
| Damage Location: | 100 Nottinghill Road, Chandler |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Case Construction, Inc. |
|---------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28070 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/1/2022 |
| Damage Location: | 910 East Washington Street, Greencastle |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|--------------------------------------|
| Other Party: | Daystar Directional Drilling, Inc. |
| Case Number: | 28071 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/2/2022 |
| Damage Location: | 240 North Monroe Street, Mooresville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|------------------------------------|
| Other Party: | Snedegar Construction, Inc. |
| Case Number: | 28072 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/3/2022 |
| Damage Location: | 1100 West 12th Street, Bloomington |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Other Party:Indiana Foundation Service, Inc.Case Number:28073Date of Advisory Meeting:12/14/2022Date of Damage:8/3/2022Damage Location:1315 Oak Manor, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:W & M Construction LLCOther Party:CenterPoint Energy IndianaCase Number:28075Date of Advisory Meeting:12/14/2022Date of Damage:8/3/2022Damage Location:1114 Indy Court, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|------------------------------------|
| Other Party: | Dan Cristiani Excavating Co., Inc. |
| Case Number: | 28078 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/4/2022 |
| Damage Location: | 5900 County Road 403, Charlestown |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Bartholomew County Highway Department |
|---------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28079 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/4/2022 |
| Damage Location: | 12995 North Executive Drive, Edinburgh |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Swinney Brothers Excavating, Inc. |
|---------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28083 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/5/2022 |
| Damage Location: | 1780 10 th Street, Danville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|--------------------------------|
| Other Party: | All Star Paving Inc. |
| Case Number: | 28085 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/5/2022 |
| Damage Location: | 16 Patterson Street, Greenwood |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dan Kreitl |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28088 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/4/2022 |
| Damage Location: | 4320 North Walnut Street, Muncie |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Central Indiana Plumbing Inc dba Mr. Rooter Plumbing of Anderson IN |
|--|
| CenterPoint Energy Indiana |
| 28090 |
| 12/14/2022 |
| 8/9/2022 |
| 523 West Indiana Avenue, Eaton |
| |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | American Pest Professionals, Inc. |
|---------------------------|-----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28091 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/9/2022 |
| Damage Location: | 3426 North Milton Street, Muncie |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

____/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Lykins Contracting Limited Liability Company |
|---------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28092 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/10/2022 |
| Damage Location: | 20 East Washington Street, Morgantown |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Timothy Laroche |
|---------------------------|------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28093 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/10/2022 |
| Damage Location: | 7784 Maxwelton Street, Mooresville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Permajack of Louisville |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28094 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/4/2022 |
| Damage Location: | 2328 South Walnut Street, Muncie |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Butler Masonry, Inc. |
|---------------------------|------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28098 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/10/2022 |
| Damage Location: | 8001 North Wheeling Avenue, Muncie |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Whittenberg Construction Company |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28101 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/11/2022 |
| Damage Location: | 351 Salem Road, Jeffersonville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Pike Electric, LLC |
|---------------------------|-------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28102 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/11/2022 |
| Damage Location: | 112 South Bohannon Lane, New Albany |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Frames Lawn Care LLCOther Party:CenterPoint Energy IndianaCase Number:28105Date of Advisory Meeting:12/14/2022Date of Damage:8/12/2022Damage Location:617 Chelsea Way, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Garcia & Son's Landscape LLC |
|---------------------------|------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28115 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/15/2022 |
| Damage Location: | 40 Pine Valley Drive, Carmel |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---|
| Other Party: | Miller Pipeline, LLC |
| Case Number: | 28116 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/10/2022 |
| Damage Location: | 2455 East County Road 67, Chesterfield (Anderson) |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | John Karst |
|---------------------------|------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28120 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/8/2022 |
| Damage Location: | 13082 North Bray Road, Mooresville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|--|
| Other Party: | Voorhies Contracting, LLC |
| Case Number: | 28121 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/16/2022 |
| Damage Location: | 3992 South Bushmill Drive, Bloomington |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Transport, Inc. |
|---------------------------|---------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28125 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/17/2022 |
| Damage Location: | 328 West 53rd Street, Lot 8, Anderson |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

____/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:US Hydrovac IncOther Party:CenterPoint Energy IndianaCase Number:28129Date of Advisory Meeting:12/14/2022Date of Damage:8/18/2022Damage Location:189 Yandes Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|------------------------------|
| Other Party: | Lazer Excavating Company |
| Case Number: | 28131 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/18/2022 |
| Damage Location: | 2736 Victory Drive, Columbus |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Sureseal Restorations LLC |
|---------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28132 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/18/2022 |
| Damage Location: | 1004 South Washington Street, Bloomington |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|-----------------------------------|
| Other Party: | Calumet Civil Contractors, Inc. |
| Case Number: | 28133 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/18/2022 |
| Damage Location: | 1424 South Rangeline Road, Carmel |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:CenterPoint Energy IndianaOther Party:Always Underground, Inc.Case Number:28134Date of Advisory Meeting:12/14/2022Date of Damage:8/19/2022Damage Location:1566 Dorset Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | G & R Excavating Inc |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28135 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/19/2022 |
| Damage Location: | 4535 Strathmore Lane, Zionsville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Rice Contracting LLC |
|---------------------------|---|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28136 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/19/2022 |
| Damage Location: | 1270 Nouth Boehne Camp Road, Evansville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Apex Electric & Sign Co., Inc. |
|---------------------------|--------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28152 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/26/2022 |
| Damage Location: | 2627 Courtyard, Danville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | L & S Underground, Inc. |
|---------------------------|---------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28153 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/26/2022 |
| Damage Location: | 5455 Woods Pointe Drive, Mccordsville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:L & S Underground, Inc.Other Party:CenterPoint Energy IndianaCase Number:28154Date of Advisory Meeting:12/14/2022Date of Damage:8/26/2022Damage Location:Orchard Drive, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Winters Plumbing LLC |
|---------------------------|--|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28156 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/26/2022 |
| Damage Location: | 1064 Central Park South Boulevard, Greenwood |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | CenterPoint Energy Indiana |
|---------------------------|---|
| Other Party: | LEC Electrical LLC |
| Case Number: | 28160 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/30/2022 |
| Damage Location: | 4799 West Sarah Myers Drive, West Terre Haute |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Limon Green Tree Landscaping LLC |
|---------------------------|----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28162 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/26/2022 |
| Damage Location: | 2916 Alba Drive, Lebanon |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Black Diamond Pest Control #3 Inc |
|---------------------------|-----------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28169 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/31/2022 |
| Damage Location: | 436 Graham Street, Jeffersonville |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Snedegar Construction, Inc. |
|---------------------------|------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28170 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/19/2022 |
| Damage Location: | 3314 South Eden Drive, Bloomington |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:SOther Party:CeCase Number:28Date of Advisory Meeting:12Date of Damage:8/Damage Location:90

S & S Construction Complete Home Improvement Inc CenterPoint Energy Indiana 28173 12/14/2022 8/30/2022 904 South 7th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Danny Jackson |
|---------------------------|---------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28178 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/16/2022 |
| Damage Location: | 8546 South Riser Drive, Nineveh |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Bob Tedrow |
|---------------------------|----------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28181 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/18/2022 |
| Damage Location: | 239 Oak Avenue, Shoals |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Steve Weston |
|---------------------------|---------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28183 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/22/2022 |
| Damage Location: | 1206 South 3rd Steet, Lafayette |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Jeff Gassaway |
|---------------------------|--------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28185 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/28/2022 |
| Damage Location: | 732 East Julia Drive, Columbus |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Dick Howe |
|---------------------------|--------------------------------------|
| Other Party: | CenterPoint Energy Indiana |
| Case Number: | 28188 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 8/31/2022 |
| Damage Location: | 12660 West County Road 300 N, Muncie |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

| Respondent: | Fountaintown Gas Company, Inc |
|---------------------------|-------------------------------|
| Other Party: | Hoosier Energy |
| Case Number: | 28191 |
| Date of Advisory Meeting: | 12/14/2022 |
| Date of Damage: | 9/14/2022 |
| Damage Location: | SR 9 & US 52, Fountaintown |

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman