

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	V		
Freeman	V		
Krevda	V		
Ober	V		
Ziegner	V		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: MAR 03 2021

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR

APPROVED: MAR 03 2021

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: 317 Grow, LLC
Other Party: Citizens Gas
Case Number: 21150
Date of Advisory Meeting: 12/15/2020
Date of Damage: 9/9/2019
Damage Location: 4501 N Meridian, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S T Construction
Other Party: Vectren Energy Delivery
Case Number: 21476
Date of Advisory Meeting: 12/15/2020
Date of Damage: 10/1/2019
Damage Location: 430 N 23rd, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mosier Enterprises
Other Party: Vectren Energy Delivery
Case Number: 21813
Date of Advisory Meeting: 12/15/2020
Date of Damage: 12/5/2019
Damage Location: 9301 Stat Road 37 S, Williams

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Terrain Paving & Construction, LLC
Other Party: Vectren Energy Delivery
Case Number: 21839
Date of Advisory Meeting: 12/15/2020
Date of Damage: 12/18/2019
Damage Location: helbig & Penn St, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: C C Concrete & Excavation Solutions
Other Party: Citizens Gas
Case Number: 21856
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/17/2020
Damage Location: 701 Parkway Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: C C Concrete & Excavation Solutions
Other Party: Citizens Gas
Case Number: 21857
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/16/2020
Damage Location: 701 Parkway Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Valenti Held Contractor/Developer
Other Party: Vectren Energy Delivery
Case Number: 21893
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/7/2020
Damage Location: Rose Dr and Peachtree Lot 19, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Livin' Green Lawn & Landscape, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21894
Date of Advisory Meeting: 11/17/2020
Date of Damage: 1/7/2020
Damage Location: 10635 E US Highway 136, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: 3D Company, Inc.
Other Party: Vectren Energy Delivery
Case Number: 21903
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/14/2020
Damage Location: 120 Bayshore Dr, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Miles
Other Party: Aurora Utilities
Case Number: 21915
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/1/2020
Damage Location: 107 Dinah Drive, Aurora

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cazares Construction, LLC.
Other Party: Citizens Gas
Case Number: 21931
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/4/2020
Damage Location: 5748 Primrose Ave, Alexandria

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brandt Construction Inc
Other Party: Citizens Gas
Case Number: 21934
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/29/2020
Damage Location: 831 W Hampton Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Concrete Enterprises, LLC
Other Party: Vectren Energy Delivery
Case Number: 21956
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/29/2020
Damage Location: 3115 Quinella Circle, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cam Deckard Excavating
Other Party: Vectren Energy Delivery
Case Number: 21958
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/29/2020
Damage Location: 229 Indiana Avenue, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DeYoung Drainage & Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21977
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/23/2020
Damage Location: 16151 S 380 W, Morocco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Schlarb
Other Party: Northern Indiana Public Service Company
Case Number: 21981
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/25/2020
Damage Location: 52711 County Road 11, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Schererville
Other Party: Northern Indiana Public Service Company
Case Number: 21983
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/27/2020
Damage Location: 7430 West 86th Avenue, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M L Concrete LLC
Other Party: Northern Indiana Public Service Company
Case Number: 21984
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/27/2020
Damage Location: 1326 Curdes Avenue, Spencerville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Derek Howell
Other Party: Northern Indiana Public Service Company
Case Number: 21985
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/27/2020
Damage Location: 607 Dupage Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wabash County Highway Department
Other Party: Northern Indiana Public Service Company
Case Number: 21986
Date of Advisory Meeting: 12/15/2020
Date of Damage: 1/27/2020
Damage Location: 3169 South Old State Road 15, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Professional Edge Lawn Care
Other Party: Indiana Natural Gas Corporation
Case Number: 21987
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/25/2020
Damage Location: 4401 S Poplar Dr, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sharon Garcia
Other Party: Vectren Energy Delivery
Case Number: 21989
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/2/2020
Damage Location: 548 Jonesville Road, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets, self-repair

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Donald James
Other Party: Vectren Energy Delivery
Case Number: 21992
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/3/2020
Damage Location: 117 W Camp Ground Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Thornton Brothers Concrete
Other Party: Vectren Energy Delivery
Case Number: 21998
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/10/2020
Damage Location: 1398 Gatewick Dr, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bayer's Plumbing, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22001
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/11/2020
Damage Location: 4912 White Chapel Dr, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training (completed)

Abstentions:

Additional Information: **already trained 10/1/20**

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kirk Firestone
Other Party: Vectren Energy Delivery
Case Number: 22002
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/12/2020
Damage Location: 1177 Twin Lakes Ct, Boonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: F & N Finish Concrete
Other Party: Vectren Energy Delivery
Case Number: 22006
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/19/2020
Damage Location: 10555 Beaver Ridge Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wert Electric LLC
Other Party: Vectren Energy Delivery
Case Number: 22008
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/20/2020
Damage Location: 9744 Oak Grove Dr, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training It is very concerning that the gas operator reports about the excavator, "He then told me next time he would not call us and let the house blow up and we could never prove it was him." However, it is assumed this was a heat of the moment statement and not

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michaelangelo Sims-Bruno
Other Party: Vectren Energy Delivery
Case Number: 22011
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/22/2020
Damage Location: 1206 S Nancy St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Internattional Inc.
Other Party: Vectren Energy Delivery
Case Number: 22021
Date of Advisory Meeting: 11/17/2020
Date of Damage: 2/27/2020
Damage Location: 10925 N Michigan RD, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hittle Landscaping
Other Party: Vectren Energy Delivery
Case Number: 22030
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/4/2020
Damage Location: 476 Heritage Terrace Lane, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ferguson Excavation LLC
Other Party: Vectren Energy Delivery
Case Number: 22032
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/5/2020
Damage Location: 3812 New Battle Ln, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Foundations by Thompson
Other Party: Vectren Energy Delivery
Case Number: 22034
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/6/2020
Damage Location: 16628 Pride Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dunlap & Company, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22036
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/6/2020
Damage Location: 1st Street Bldg 110, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Legend Underground Construction LLC
Other Party: Vectren Energy Delivery
Case Number: 22041
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/5/2020
Damage Location: 125 Harrison Ave, West Chester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Zeller
Other Party: Vectren Energy Delivery
Case Number: 22044
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/6/2020
Damage Location: 2700 Orchard Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Shroyer Bros., Inc.
Other Party: Vectren Energy Delivery
Case Number: 22046
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/9/2020
Damage Location: 126 W 5th Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Center Grove Community School Corporation
Other Party: Vectren Energy Delivery
Case Number: 22049
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/9/2020
Damage Location: 4795 W Stones Crossing Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dotlich Contractors Inc.
Other Party: Vectren Energy Delivery
Case Number: 22050
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/13/2020
Damage Location: 10900 E CR 750 N, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fesler's Excavating & Pump LLC
Other Party: Vectren Energy Delivery
Case Number: 22052
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/13/2020
Damage Location: 7313 W State Rd 38, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Roberts Boring/Trenching/Excavating LLC
Other Party: Vectren Energy Delivery
Case Number: 22053
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/11/2020
Damage Location: 700 W Main St, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K W K Construction LLC
Other Party: Vectren Energy Delivery
Case Number: 22055
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/12/2020
Damage Location: 1518 S 125 E, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Owen County Highway Department
Other Party: Community Natural Gas Inc
Case Number: 22058
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/21/2020
Damage Location: Intersection of Newport Dr & County Line Rd,
Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paul Odendahl
Other Party: Citizens Gas
Case Number: 22060
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/14/2020
Damage Location: 11603 E McGregor Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bill Kershaw Construction Company
Other Party: Citizens Gas
Case Number: 22061
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/12/2020
Damage Location: 4643 Byrkit St, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lorenzo Secundino
Other Party: Citizens Gas
Case Number: 22069
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/3/2020
Damage Location: 2007 Southeastern Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: T & T Construction & Cleaning
Other Party: Citizens Gas
Case Number: 22070
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/22/2020
Damage Location: 4819 Ribble Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED: *Delores J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: H I S Constructors, Inc.
Other Party: Community Natural Gas Inc
Case Number: 22076
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/15/2020
Damage Location: 770 Brookside Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnny Baker
Other Party: Citizens Gas
Case Number: 22079
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/31/2020
Damage Location: 710 S Mount St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greg Irish
Other Party: Citizens Gas
Case Number: 22080
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/27/2020
Damage Location: 9512 Central Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Acme Plumbing & Drain Service
Other Party: Citizens Gas
Case Number: 22083
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/24/2020
Damage Location: 4525 E Shelbyville, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Crane
Other Party: Vectren Energy Delivery
Case Number: 22091
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/2/2020
Damage Location: 49 Meadowview Estate, Mitchell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: Vectren Energy Delivery
Case Number: 22093
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/2/2020
Damage Location: 911 SE 2nd St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sub Terra Solutions, LLC
Other Party: Vectren Energy Delivery
Case Number: 22094
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/3/2020
Damage Location: Jeffries & Sharon Rd, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S C Case Excavating LLC
Other Party: Vectren Energy Delivery
Case Number: 22104
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/7/2020
Damage Location: 13743 N Gray Rd, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: 3D Company, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22106
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/9/2020
Damage Location: 9313 Canal St, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daystar Directional Drilling, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22111
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/9/2020
Damage Location: 9650 Port Royal Dr, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Snider Group, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22112
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/14/2020
Damage Location: 833 N 900 E, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: Vectren Energy Delivery
Case Number: 22116
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/13/2020
Damage Location: 753 MacAlpin St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Prince Excavating, LLC
Other Party: Vectren Energy Delivery
Case Number: 22118
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/14/2020
Damage Location: 2755 Clear Creek Blvd, Heltonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: L N R Companies, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22119
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/14/2020
Damage Location: 15525 Edanvale Drive, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: NSI-UC Inc.
Other Party: Vectren Energy Delivery
Case Number: 22120
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/15/2020
Damage Location: 5034 E 300 N, Riverdale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C L S Construction LLC
Other Party: Vectren Energy Delivery
Case Number: 22123
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/14/2020
Damage Location: 5619 W 200 N, Blue Springs

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Oliver Rubio
Other Party: Vectren Energy Delivery
Case Number: 22156
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/20/2020
Damage Location: 1006 Pratt St, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mid Ohio Utilities, LLC
Other Party: Vectren Energy Delivery
Case Number: 22162
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/23/2020
Damage Location: 3815 W Pine Tree Ln, Pleasantville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Brewer
Other Party: Vectren Energy Delivery
Case Number: 22164
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/26/2020
Damage Location: 7201 S 775 E, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Knecht With Nature
Other Party: Vectren Energy Delivery
Case Number: 22165
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/26/2020
Damage Location: 13 Eaglecrest Ct, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dr. Tree & Landscape Services, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22166
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/26/2020
Damage Location: 4349 W Bittner Ln, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22180
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/17/2020
Damage Location: 1607 Lochry Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Sheldon
Other Party: Vectren Energy Delivery
Case Number: 22182
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/17/2020
Damage Location: 3252 Old State Rd 37 N, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Davis Excavating, Inc.
Other Party: Vectren Energy Delivery
Case Number: 22184
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/16/2020
Damage Location: 1800 W 38th St, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NSI-UC Inc.
Other Party: Vectren Energy Delivery
Case Number: 22187
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/19/2020
Damage Location: 2170 N CR 400 W, Riverdale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: Vectren Energy Delivery
Case Number: 22188
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/18/2020
Damage Location: 410 S Broadway St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Miller**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richard Mangus
Other Party: Northern Indiana Public Service Company
Case Number: 22192
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/2/2020
Damage Location: 106 Helen Drive, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Exterior Service LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22195
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/5/2020
Damage Location: 4610 Parnell Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Norfolk Southern Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 22196
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/5/2020
Damage Location: 1590 Winter Street, Norfolk

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosier Foundations, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22201
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/7/2020
Damage Location: 12600 County Road 42, Lagrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Tony's Electrical Service
Other Party: Northern Indiana Public Service Company
Case Number: 22202
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/10/2020
Damage Location: 930 Monroe Street, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gift Septic Service, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22203
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/10/2020
Damage Location: 657 Yellowstone Drive, Wanatah

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lineal Contracting
Other Party: Northern Indiana Public Service Company
Case Number: 22204
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/10/2020
Damage Location: 1609 Bramoor Drive, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 22207
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/16/2020
Damage Location: 2528 Tyler Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elite Commercial Roofing LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22208
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/17/2020
Damage Location: 5648 Rothman Road, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schneck Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22209
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/17/2020
Damage Location: 1050 Vance Avenue, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: White Stallion, L C
Other Party: Northern Indiana Public Service Company
Case Number: 22210
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/17/2020
Damage Location: 150 East US Highway 20, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A & L Builder
Other Party: Northern Indiana Public Service Company
Case Number: 22212
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/18/2020
Damage Location: 3234 Eme Road, Spencerville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **line was bent over and taped, which is dangerous and could have resulted in an ignition from a static shock**

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A W T C, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22215
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/20/2020
Damage Location: 6415 Monroeville Road, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northwest Equipment & Trailer, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22216
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/20/2020
Damage Location: 0114 East Toto Road, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lynn's Transport & Service
Other Party: Northern Indiana Public Service Company
Case Number: 22219
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/22/2020
Damage Location: 9153 Freeport Lane, Lot 111, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training (completed)

Abstentions:

Additional Information: **already trained 11/23/20**

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DeYoung's Dirt Works, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22221
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/25/2020
Damage Location: 5538 West State Road 10, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S/T Bancroft Electric, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22222
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/25/2020
Damage Location: 306 Indiana Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 22226
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/28/2020
Damage Location: 2560 Hickory Grove Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lagro Canal Foundation, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22227
Date of Advisory Meeting: 12/15/2020
Date of Damage: 2/29/2020
Damage Location: 828 Washington Street, Lagro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets, self-repair

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Travis Construction
Other Party: Northern Indiana Public Service Company
Case Number: 22230
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/2/2020
Damage Location: 101 Chickadee Trail, Union Pier

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arjen Byvoets
Other Party: Northern Indiana Public Service Company
Case Number: 22233
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/3/2020
Damage Location: 344 W 400 N, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arjen Byvoets
Other Party: Northern Indiana Public Service Company
Case Number: 22236
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/4/2020
Damage Location: 344 W 400 N, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$100

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sam Bennet
Other Party: Northern Indiana Public Service Company
Case Number: 22239
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/7/2020
Damage Location: 761 North Clark Street, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Andres Cervantes
Other Party: Northern Indiana Public Service Company
Case Number: 22241
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/8/2020
Damage Location: 1711 South Carlisle Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rex Construction Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22242
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/10/2020
Damage Location: 3569 Monroe Street, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L M L Estate Management Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 22245
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/11/2020
Damage Location: 2502 East Shore Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22247
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/13/2020
Damage Location: 2701 Pennsylvania Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Hosford
Other Party: Northern Indiana Public Service Company
Case Number: 22249
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/16/2020
Damage Location: 8230 Quincy Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Faith Baptist Church
Other Party: Northern Indiana Public Service Company
Case Number: 22252
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/17/2020
Damage Location: 989 West 700 South, Berne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodruff & Sons, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22254
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/19/2020
Damage Location: 225 North Court Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Eugene Eastham
Other Party: Northern Indiana Public Service Company
Case Number: 22255
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/19/2020
Damage Location: 1324 Liberty Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hochstetler Concrete LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22257
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/24/2020
Damage Location: 2154 East Linker Road, Millersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone, self-repair

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Frontier Electric of Northwest Indiana, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22258
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/24/2020
Damage Location: 12544 Adams Road, Rolling Prairie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Deeds Land Surveying
Other Party: Northern Indiana Public Service Company
Case Number: 22259
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/24/2020
Damage Location: 202 Boulevard, Denver

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alejandro Rodriquez
Other Party: Northern Indiana Public Service Company
Case Number: 22261
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/25/2020
Damage Location: 2900 West 40th Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bridgeport Homes LLC
Other Party: Northern Indiana Public Service Company
Case Number: 22263
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/25/2020
Damage Location: 620 W 200 S, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Scott Cooper
Other Party: Northern Indiana Public Service Company
Case Number: 22264
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/27/2020
Damage Location: 13693 Iowa Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Clark Speilvogel
Other Party: Northern Indiana Public Service Company
Case Number: 22268
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/28/2020
Damage Location: 1415 Elston, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: P & P Septic & Excavating Contractor
Other Party: Northern Indiana Public Service Company
Case Number: 22272
Date of Advisory Meeting: 12/15/2020
Date of Damage: 3/30/2020
Damage Location: 207 South Woodland Avenue, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance zone

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: D B L Communications LLC
Other Party: Citizens Gas
Case Number: 22284
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/9/2020
Damage Location: 3269 Winthrop Ave, Kansas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Primetech Communications, Inc.
Other Party: Citizens Gas
Case Number: 22286
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/8/2020
Damage Location: 2502 S Holt Rd, Cincinnati

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hoosier Rock Trucking & Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 22342
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/3/2020
Damage Location: 1004 N Eddy Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Utilities Group, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22363
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/10/2020
Damage Location: 206 Davis Lane, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shambaugh & Son, LP
Other Party: Northern Indiana Public Service Company
Case Number: 22365
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/10/2020
Damage Location: 820 Goshen Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 22375
Date of Advisory Meeting: 12/15/2020
Date of Damage: 4/13/2020
Damage Location: 1555 East 3rd Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Natural Gas Corporation
Other Party: Jeff Wehr
Case Number: 22384
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/16/2020
Damage Location: 7942 E Schnellville Road, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22424
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/13/2020
Damage Location: 8680 High Point Dr #4, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Dan Cristiani Excavating Co., Inc.
Case Number: 22426
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/13/2020
Damage Location: 2741 Edgewood Ln, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: American Electric Power DBA Indiana Michigan
Power
Case Number: 22427
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/13/2020
Damage Location: 7003 S 275 E, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: City of Anderson
Case Number: 22429
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/14/2020
Damage Location: 2200 Lafayette St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: David A McCullough
Case Number: 22493
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/29/2020
Damage Location: 2537, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Citizens Energy Group - Water
Case Number: 22514
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/14/2020
Damage Location: 52 N Layman Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp
Other Party: Richard Mote Surveying
Case Number: 22580
Date of Advisory Meeting: 12/15/2020
Date of Damage: 6/4/2020
Damage Location: 536 - 540 N. Union St., Winchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Property Services Group, Inc.
Case Number: 22592
Date of Advisory Meeting: 12/15/2020
Date of Damage: 6/18/2020
Damage Location: 2537 Hideaway S Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Delana J. Poon* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Environmental Construction, Inc.
Case Number: 22611
Date of Advisory Meeting: 12/15/2020
Date of Damage: 6/1/2020
Damage Location: 3925 W University Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: The Robert Henry Corporation
Case Number: 22624
Date of Advisory Meeting: 12/15/2020
Date of Damage: 6/9/2020
Damage Location: 1702 W 38th St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Miller Pipeline, LLC
Case Number: 22629
Date of Advisory Meeting: 12/15/2020
Date of Damage: 6/11/2020
Damage Location: 1518 N Penn St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Miller**

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vectren Energy Delivery
Other Party: Green Custom Framing & Carpentry, Inc.
Case Number: 22637
Date of Advisory Meeting: 12/15/2020
Date of Damage: 6/15/2020
Damage Location: 687 Morningside Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vectren Energy Delivery
Other Party: Merrel Bierman Excavating, Inc.
Case Number: 22641
Date of Advisory Meeting: 12/15/2020
Date of Damage: 6/15/2020
Damage Location: 279 Market St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Niblock Excavating, Inc.
Case Number: 22831
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/19/2020
Damage Location: 1503 McNaughton Avenue, Building Rear,
Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delores J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: H R P Construction, Inc.
Case Number: 22851
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/22/2020
Damage Location: 1202 Lincolnway East, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 22861
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/26/2020
Damage Location: 2341 Jackson Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Specialties Co. LLC
Case Number: 22865
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/27/2020
Damage Location: 2616 Maplecrest Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Shambaugh & Son, LP
Case Number: 22868
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/29/2020
Damage Location: 1506 Forest Park Boulevard, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 22869
Date of Advisory Meeting: 12/15/2020
Date of Damage: 5/29/2020
Damage Location: 4022 Madison Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Delana J. Poon* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent:

Other Party:

Case Number:

Date of Advisory Meeting:

Date of Damage:

Damage Location: _____,

The IURC Pipeline Safety Division finds the following violation(s):

The Advisory Committee recommends the following civil penalty:

Abstentions:

Additional Information:

APPROVED: Delana J. Poon /for