

**ORIGINAL**

Commissioner	Yes	No	Not Participating
Zay	√		
Deig	√		
Swinger	√		
Veleta	√		
Ziegner	√		

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER** )  
**APPROVING ADVISORY COMMITTEE** )  
**RECOMMENDATIONS PURSUANT TO** )  
**INDIANA CODE CHAPTER 8-1-26.** )

**APPROVED: MAR 04 2026**

**ORDER OF THE COMMISSION**

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

**IT IS SO ORDERED.**

**ZAY, DEIG, SWINGER, VELETA, AND ZIEGNER CONCUR:**

**APPROVED: MAR 04 2026**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

\_\_\_\_\_  
**Dana Kosco**  
**Secretary of the Commission**



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Milestone Contractors, L.P.  
Case Number: 34455  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 5/21/2025  
Damage Location: 4935 1/2 Charlestown Road, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: CenterPoint Energy Indiana  
Case Number: 35111  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/15/2025  
Damage Location: 817 North Grant Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Weihe Construction Inc.  
Case Number: 35209  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/19/2025  
Damage Location: 1399 Upper Shelbyville Road, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Q C Communications, Inc.  
Case Number: 35237  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 1560 Kepner Drive, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Ace Home Improvements, Inc.  
Case Number: 35240  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/26/2025  
Damage Location: 3077 Trailwood Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: D C Construction Services, Inc.  
Case Number: 35242  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 2604 Morton Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: W R Johnson Excavation LLC  
Case Number: 35244  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/28/2025  
Damage Location: 2143 East Rutland Lane, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Vertical Underground LLC  
Case Number: 35248  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/28/2025  
Damage Location: 9511 County Line Road, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Dave O'Mara Contractor, Inc.  
Case Number: 35253  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/28/2025  
Damage Location: 531 North Broadway Street, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: B M B, Inc.  
Case Number: 35420  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/17/2025  
Damage Location: 2841 Willow Creek Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: K C Dewese & Company LLC  
Case Number: 35423  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/17/2025  
Damage Location: 3805 West State Road 340 Lot 8, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Dotson Construction, Inc.  
Case Number: 35427  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/18/2025  
Damage Location: 3103 Five Dollar Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Watson Excavating, Inc. (Redkey)  
Case Number: 35428  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/16/2025  
Damage Location: 408 East Armstrong Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: M & M Underground Construction, Inc.  
Case Number: 35443  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/24/2025  
Damage Location: 3621 South Home Avenue, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Marlow Excavating & Utility  
Case Number: 35444  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/24/2025  
Damage Location: 2351 North Baker Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: J & J Electric of Indiana, Inc.  
Case Number: 35462  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/29/2025  
Damage Location: 4001 Botanical Lane, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Evansville Water and Sewer Utility  
Case Number: 35467  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/30/2025  
Damage Location: 2624 Edgewood Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Mark Morron Excavating, LLC  
Case Number: 35468  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/30/2025  
Damage Location: 295 South State Road 135, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Q C Communications, Inc.  
Case Number: 35470  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/30/2025  
Damage Location: 1650 South Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 35474  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/29/2025  
Damage Location: 616 North Bauer Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35149  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/6/2025  
Damage Location: 11419 North 200 West, Ossian

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Surf Air Wireless LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35179  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/14/2025  
Damage Location: 21520 County Road 36, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35169  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/12/2025  
Damage Location: 854 West 59th Place, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Directional Boring, LTD  
Other Party: Northern Indiana Public Service Company  
Case Number: 35137  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/4/2025  
Damage Location: 809 Water Street, Ligonier

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Groen Maintenance Property Management LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35168  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/12/2025  
Damage Location: 2901 East 113th Lot A, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Liberty Developing, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35143  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/5/2025  
Damage Location: 5801 Schwartz Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lykins Contracting LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35615  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/8/2025  
Damage Location: 205 West Connersville Street, Milton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Phend & Brown, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35176  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/13/2025  
Damage Location: 201 Timber Valley Boulevard, Millersburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: I Just Buried, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35164  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/11/2025  
Damage Location: 3067 Upper Saint Joe Center Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wirex Prime Services LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35177  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/13/2025  
Damage Location: 133 Rhodes Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Kattner  
Other Party: Northern Indiana Public Service Company  
Case Number: 35160  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/10/2025  
Damage Location: 9404 Fireside Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adrian Pilarski  
Other Party: Northern Indiana Public Service Company  
Case Number: 35170  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/12/2025  
Damage Location: 437 West 300 South, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Angelica Arteeaga  
Other Party: CenterPoint Energy Indiana  
Case Number: 35461  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/29/2025  
Damage Location: 1020 West 10th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blake Bouser  
Other Party: CenterPoint Energy Indiana  
Case Number: 35425  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/18/2025  
Damage Location: 26858 State Road 19, Arcadia

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blanca Stefania  
Other Party: CenterPoint Energy Indiana  
Case Number: 35366  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/14/2025  
Damage Location: 1717 West 3rd Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Franco  
Other Party: CenterPoint Energy Indiana  
Case Number: 35433  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/21/2025  
Damage Location: 6232 East County Road 300 South, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Niehaus  
Other Party: CenterPoint Energy Indiana  
Case Number: 34960  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/23/2025  
Damage Location: 6200 Upton Road, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dolorus Auguirre  
Other Party: Northern Indiana Public Service Company  
Case Number: 34868  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/2/2025  
Damage Location: 1715 Hinton Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Duane Days  
Other Party: Northern Indiana Public Service Company  
Case Number: 35153  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/8/2025  
Damage Location: 3945 North 200 East, LaGrange

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eric Ellis  
Other Party: Northern Indiana Public Service Company  
Case Number: 35324  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 72 Goldenrod Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jay Pitman  
Other Party: Northern Indiana Public Service Company  
Case Number: 34876  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/6/2025  
Damage Location: 309 Cable Street, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Johnathon Mitchell  
Other Party: Midwest Natural Gas Corporation  
Case Number: 35186  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/7/2025  
Damage Location: 137 North Keith Street, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kendon Gudeman  
Other Party: Northern Indiana Public Service Company  
Case Number: 35271  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/17/2025  
Damage Location: 1050 Baums Bridge Road, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Leslie Stewart  
Other Party: Northern Indiana Public Service Company  
Case Number: 35161  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/10/2025  
Damage Location: 1409 Princeton Court, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Marquis  
Other Party: Ohio Valley Gas Corp  
Case Number: 35401  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/26/2025  
Damage Location: 402 N Main Street, Lynn

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Marlin Gingerich  
Other Party: Northern Indiana Public Service Company  
Case Number: 35163  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/11/2025  
Damage Location: 6537 West 800 North, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mitch Hawkins  
Other Party: Northern Indiana Public Service Company  
Case Number: 35159  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/9/2025  
Damage Location: 53829 State Road 13, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ray Castaneda  
Other Party: Northern Indiana Public Service Company  
Case Number: 35270  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/17/2025  
Damage Location: 1328 East Dubail Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richard Bobalik  
Other Party: Northern Indiana Public Service Company  
Case Number: 35325  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 1131 Benedict Avenue, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Beil  
Other Party: CenterPoint Energy Indiana  
Case Number: 35252  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/31/2025  
Damage Location: 13223 North Paddock Road, Camby

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ryan Kohlheim  
Other Party: Northern Indiana Public Service Company  
Case Number: 35312  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/26/2025  
Damage Location: 4819 Lafayette Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Nelson  
Other Party: CenterPoint Energy Indiana  
Case Number: 35344  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/5/2025  
Damage Location: 11026 North Kitchen Road, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tyler Batchelor  
Other Party: Indiana Natural Gas Corporation  
Case Number: 35398  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/30/2025  
Damage Location: 4191 South SR 37, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: F A Wilhelm Construction, Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35472  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/30/2025  
Damage Location: 2 Brickyard Lane, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ley Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35274  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/18/2025  
Damage Location: 6224 Landsdowne Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Swinney Brothers Excavating, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35604  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/3/2025  
Damage Location: 8396 Gunnoah Way East, Camby

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Paving LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35607  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/6/2025  
Damage Location: 315 South East Street, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Double Bee Fence Co.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35455  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/23/2025  
Damage Location: 48 Allendale Lane, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reichelt Plumbing, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35289  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/21/2025  
Damage Location: 3035 Garfield Avenue, Highland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brett Hite  
Other Party: Northern Indiana Public Service Company  
Case Number: 35181  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/14/2025  
Damage Location: 355 Lane 840 Snow Lake, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evansville Water and Sewer Utility  
Other Party: CenterPoint Energy Indiana  
Case Number: 35436  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/23/2025  
Damage Location: 2218 West Columbia Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Israel Santos  
Other Party: CenterPoint Energy Indiana  
Case Number: 35438  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/23/2025  
Damage Location: 1051 West Armstrong Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Leray Hinchman  
Other Party: Community Natural Gas Inc  
Case Number: 35589  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/6/2025  
Damage Location: 210 Second Street, Worthington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ranvir Sekhon  
Other Party: Northern Indiana Public Service Company  
Case Number: 35283  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: 10528 Lower Huntington Road, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Veilleux Concrete & Cutting LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35036  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/24/2025  
Damage Location: 5527 Richey Park, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & J Electric of Indiana, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35419  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/16/2025  
Damage Location: 7873 East County Road 200 North, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$4,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Company Green  
Other Party: Westfield Gas Corporation  
Case Number: 35378  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/10/2025  
Damage Location: 402 Elite St, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Krilich Construction, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35023  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/23/2025  
Damage Location: 3756 Kingsway Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pfingston Concrete  
Other Party: CenterPoint Energy Indiana  
Case Number: 35250  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/29/2025  
Damage Location: 4636 Kuebler Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Veilleux Concrete & Cutting LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35021  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/22/2025  
Damage Location: 5527 Richey Park, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aegean Construction Company  
Other Party: Northern Indiana Public Service Company  
Case Number: 35131  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/1/2025  
Damage Location: 2749 East 84th Place Building Pole Barn, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J R M Realty LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35327  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/28/2025  
Damage Location: 4517 Dicke Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M A J Underground Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35005  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/18/2025  
Damage Location: 11683 North Pied Piper Parkway, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pence Business Group  
Other Party: Northern Indiana Public Service Company  
Case Number: 35180  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/14/2025  
Damage Location: 3991 West Old Stone Road, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R. Yoder Construction, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35028  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/23/2025  
Damage Location: 2069 Whispering Pines Court 32B, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shannon Concrete  
Other Party: Northern Indiana Public Service Company  
Case Number: 35166  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/12/2025  
Damage Location: 712 Madison Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thornton Landscaping Company  
Other Party: Northern Indiana Public Service Company  
Case Number: 35282  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: 52326 Windings Water Lane, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vokes General Contractors LLC  
Other Party: Citizens Gas  
Case Number: 35379  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/13/2025  
Damage Location: 6780 E 13Th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & J Electric of Indiana, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35422  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/17/2025  
Damage Location: 101 Main Street, Michigantown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Dennis Trucking Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35215  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/18/2025  
Damage Location: 350 Kent Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rams Underground Group LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35226  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/22/2025  
Damage Location: 6072 Buchanan Drive, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & J Electric of Indiana, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35473  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/30/2025  
Damage Location: 107 Main Street, Michigantown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC  
Other Party: Citizens Gas  
Case Number: 35383  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/24/2025  
Damage Location: 2155 Catherwood Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mainstream Fiber Networks, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35356  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/10/2025  
Damage Location: 5520 Fourwheel Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pence Business Group, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35008  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/20/2025  
Damage Location: 3487 West Logansport Road RR4, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35214  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: 720 West Smith Valley Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35337  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/2/2025  
Damage Location: 833 East Washington Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lashure Concrete LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35336  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/2/2025  
Damage Location: 820 West University Avenue, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Illiana Fence LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35329  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/29/2025  
Damage Location: 204 Andover Drive Lot 95, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp  
Other Party: Ohio Valley Gas Corp  
Case Number: 35267  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/5/2025  
Damage Location: 270 East Liberty Street, Pennville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: V T F Excavation, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35284  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: 3421 Smith Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Engineered Soils, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35138  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/4/2025  
Damage Location: 534 Oxford Drive, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rosebud Construction LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34825  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/3/2025  
Damage Location: 2763 South State Road 57, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tavon Selleck  
Other Party: Northern Indiana Public Service Company  
Case Number: 35134  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/2/2025  
Damage Location: 70 Madison Avenue, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wilkerson Family Farms and Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 35156  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/8/2025  
Damage Location: 1325 West Wiley Avenue, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC  
Other Party: Citizens Gas  
Case Number: 35202  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/9/2025  
Damage Location: 5406 LALISTA CT, INDIANAPOLIS

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K D Trenching, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34851  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/8/2025  
Damage Location: 3650 US Highway 421, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & D Communication LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35097  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/8/2025  
Damage Location: 7106 Grant Line Road, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Maroska Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34976  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/30/2025  
Damage Location: 1759 South Spiceland Pike, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Myers Landscaping  
Other Party: CenterPoint Energy Indiana  
Case Number: 34958  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/22/2025  
Damage Location: 18740 Roscommon Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C & C Landscaping Professionals, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34967  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/26/2025  
Damage Location: 5858 State Road 144, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CSM Concrete and Construction, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34982  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/31/2025  
Damage Location: 13989 Hazel Dell Parkway, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Oaks Paving  
Other Party: CenterPoint Energy Indiana  
Case Number: 35246  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/28/2025  
Damage Location: 108 West Marion Street, Converse

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Best Pool LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34847  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/11/2025  
Damage Location: 2006 South Q Street, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Timber Development LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35241  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 1014 West 1st Street, Madison

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blackburn Properties  
Other Party: CenterPoint Energy Indiana  
Case Number: 34561  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 6/9/2025  
Damage Location: 2031 Ohio Avenue, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rigoberto Guillen Martinez  
Other Party: CenterPoint Energy Indiana  
Case Number: 35102  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/12/2025  
Damage Location: 1509 South High Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 35437  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/23/2025  
Damage Location: 2800 West Memorial Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Mark Morron Excavating, LLC  
Case Number: 35447  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/19/2025  
Damage Location: 27 Ashwood Circle, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Helebo Trenching, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34852  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/8/2025  
Damage Location: 3886 Goodwin Drive, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnson County REMC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34964  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/24/2025  
Damage Location: 1471 Saguaro Way, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vanderburgh County Highway Department  
Other Party: CenterPoint Energy Indiana  
Case Number: 35101  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/12/2025  
Damage Location: 825 Halsey Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wills Excavating, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34973  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/28/2025  
Damage Location: 11911 Gray Ghost Way, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Argenbright Dirtworks  
Other Party: Midwest Natural Gas Corporation  
Case Number: 35128  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/3/2025  
Damage Location: Corner SR 160 & Francke Road, Henryville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cris Smith Enterprises, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35206  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/19/2025  
Damage Location: 4701 University Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Larry Burgdorf Concert Inc  
Other Party: CenterPoint Energy Indiana  
Case Number: 34853  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/14/2025  
Damage Location: 1921 Saint Philip Road South, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & A Specialist  
Other Party: CenterPoint Energy Indiana  
Case Number: 35073  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/2/2025  
Damage Location: 2601 Nottingham Place, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Red Clay Lawn & Landscaping  
Other Party: CenterPoint Energy Indiana  
Case Number: 35211  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/18/2025  
Damage Location: 664 North County Road 950 West, Richland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reformation Electric LLC  
Other Party: Citizens Gas  
Case Number: 35390  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/30/2025  
Damage Location: 307 N Drexel Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ampro Pest Control LLC  
Other Party: Citizens Gas  
Case Number: 35394  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/1/2025  
Damage Location: 250 Koehne St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosiervac LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35451  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/25/2025  
Damage Location: 4121 South 500 East, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kinder Mechanical LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35450  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/25/2025  
Damage Location: 715 South State Road 57, Washington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Land Consultants  
Other Party: Sycamore Gas Company  
Case Number: 35405  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/22/2025  
Damage Location: 229 Short Street, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: River City Foundations LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35608  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/6/2025  
Damage Location: 2608 West Deville Court, Floyds Knobs

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: George Electrical Contracting, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35357  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/10/2025  
Damage Location: 2284 Highberry Drive, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hedricks Mowing & Landscaping LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35208  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/19/2025  
Damage Location: 1331 West US Highway 52, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(other)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C M Drilling  
Other Party: Northern Indiana Public Service Company  
Case Number: 34817  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 6/27/2025  
Damage Location: 622 East South Street, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Humphrey Electric  
Other Party: CenterPoint Energy Indiana  
Case Number: 35340  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/3/2025  
Damage Location: 2233 South Central Way, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dorsey Excavating, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35358  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/10/2025  
Damage Location: 9090 East 131st Street, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Top Line Hands LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35367  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/15/2025  
Damage Location: 448 Cobblestone Road, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Acme Plumbing & Drain Service  
Other Party: CenterPoint Energy Indiana  
Case Number: 35345  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/5/2025  
Damage Location: 718 East Main Street, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Overton & Sons Concrete  
Other Party: CenterPoint Energy Indiana  
Case Number: 35418  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/16/2025  
Damage Location: 420 Largo Court, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northwest Fence Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 34912  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/15/2025  
Damage Location: 255 Barbara Jean Drive, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Utilities Group, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35247  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/28/2025  
Damage Location: 2900 Schaal Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Axis Fiber Solutions  
Other Party: Citizens Gas  
Case Number: 35381  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/19/2025  
Damage Location: 4710 Sundance Trail, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Culy Contracting, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35217  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: 522 North Jefferson Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dotson Construction, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35245  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/28/2025  
Damage Location: 4865 University Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Artisan Plumbing & Design Inc.  
Other Party: Citizens Gas  
Case Number: 35395  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/17/2025  
Damage Location: 1315 N Warman Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: JC Plumbing LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35223  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/24/2025  
Damage Location: 713 East 10th Street, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lex Lawn & Landscaping  
Other Party: Midwest Natural Gas Corporation  
Case Number: 35377  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/3/2025  
Damage Location: 1826 Augusta Boulevard, Henryville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matthew Woolwine  
Other Party: CenterPoint Energy Indiana  
Case Number: 35624  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/5/2025  
Damage Location: 11716 Prairie Place, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Barrett  
Other Party: CenterPoint Energy Indiana  
Case Number: 35368  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/15/2025  
Damage Location: 8514 West Old Fort Road, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ragle, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35338  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/2/2025  
Damage Location: 114 South Rosenberger Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Koberstein Contracting, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35233  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/25/2025  
Damage Location: 4219 Gateway Boulevard, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: B & B Site Maintenance, Inc.  
Other Party: Citizens Gas  
Case Number: 35416  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/7/2025  
Damage Location: 402 S Kitley Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nicholas Morrison  
Other Party: CenterPoint Energy Indiana  
Case Number: 35334  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/1/2025  
Damage Location: 644 Ash Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Natural Gas Corporation  
Other Party: City of Salem  
Case Number: 35399  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/16/2025  
Damage Location: Near 403 Cox Ferry Road, Salem

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Asplundh Construction Corp.  
Case Number: 34777  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 6/18/2025  
Damage Location: 4669 Heatherwind Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Mike Guistolisi  
Case Number: 34783  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 6/19/2025  
Damage Location: 501 Canterbury Court, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Low Voltage Industries, Inc.  
Case Number: 35018  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/22/2025  
Damage Location: 2490 West Old US 30, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Northeastern REMC  
Case Number: 35130  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/1/2025  
Damage Location: 3714 Stone Creek Run, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Hipkind Concrete Corp  
Case Number: 35136  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/4/2025  
Damage Location: 3918 Willshire Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: V T F Excavation, LLC  
Case Number: 35141  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/5/2025  
Damage Location: 911 Woodview Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Freije-RSC  
Case Number: 35277  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/18/2025  
Damage Location: 1117 West 7th Street, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Don's Foundation Repair, Inc.  
Case Number: 35280  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/19/2025  
Damage Location: 3052 97th Place, Highland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Atlas Excavating, Inc.  
Case Number: 35315  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/26/2025  
Damage Location: 3593 West 675 South, Oxford

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Construction Logistics Group of Indy Inc  
Case Number: 35387  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/25/2025  
Damage Location: 10329 Vandergriff Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Emerald Grading & Seeding, Inc.  
Case Number: 35598  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/2/2025  
Damage Location: 300 Highway 361, Crane

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Axis Fiber Solutions  
Case Number: 35599  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/2/2025  
Damage Location: 725 East Moss Creek Circle, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Fox Contractors Corp.  
Case Number: 34897  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/9/2025  
Damage Location: 2323 West Shoaff Road, Huntertown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Gariup Construction Co Inc  
Case Number: 34902  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/10/2025  
Damage Location: West Summit & North West Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: S & S Directional Boring, LTD  
Case Number: 35016  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/22/2025  
Damage Location: 4839 Gaywood Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Meade Industries, Inc. - Electric  
Case Number: 35162  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/11/2025  
Damage Location: 6500 West 141st Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Northeastern REMC  
Case Number: 35288  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: 1931 Gump Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Holbrook's Mobile Home Service, LLC  
Other Party:  
Case Number: 35590  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/28/2025  
Damage Location: 10224 North Carthage Pike, Carthage

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-19(c)**

The Advisory Committee recommends the following civil penalty:

**\$500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade Industries, Inc. - Electric  
Other Party: Northern Indiana Public Service Company  
Case Number: 35320  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 5248 Westchester Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nobis Technology LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35205  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/16/2025  
Damage Location: 10911 Clear Spring Drive, Camby

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nobis Technology LLC  
Other Party: Citizens Gas  
Case Number: 35388  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/29/2025  
Damage Location: 8541 Woodstone Way S, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35316  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/26/2025  
Damage Location: 615 Mark Drive, Angola

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34911  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/15/2025  
Damage Location: 1653 Howell Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.  
Other Party: Citizens Gas  
Case Number: 34928  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/25/2025  
Damage Location: 3703 Washington Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35239  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/18/2025  
Damage Location: 111 Pleasant Run Drive, Markleville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35341  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/3/2025  
Damage Location: 5260 South State Road 67, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DVBC, INC. dba Terrazon Group  
Other Party: CenterPoint Energy Indiana  
Case Number: 35236  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/26/2025  
Damage Location: 110 South 6th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowman & Son Heating & Cooling Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 35321  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 61 West 2nd Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DVBC, INC. dba Terrazon Group  
Other Party: CenterPoint Energy Indiana  
Case Number: 34980  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/31/2025  
Damage Location: 10 South 3rd Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NIPSCO - Electric  
Other Party: Northern Indiana Public Service Company  
Case Number: 35178  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/13/2025  
Damage Location: 115 Greenfield Dr, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Weihe Construction Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35635  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/13/2025  
Damage Location: 11816 Gray Ghost Way, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnson's Hauling & Excavating  
Other Party: CenterPoint Energy Indiana  
Case Number: 35207  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/19/2025  
Damage Location: 1101 Indianapolis Road, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: LaPorte Construction Company Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 35328  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/29/2025  
Damage Location: 8338 South 800 West Road, Kewanna

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rochester Telephone Company Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 35323  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/27/2025  
Damage Location: 5775 North US Highway 35, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 3 J's Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35314  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/26/2025  
Damage Location: 550 Connexion Way, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 5 Star Company Inc  
Other Party: CenterPoint Energy Indiana  
Case Number: 35212  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/19/2025  
Damage Location: 825 South International Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ambition Home Improvement  
Other Party: CenterPoint Energy Indiana  
Case Number: 35611  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/7/2025  
Damage Location: 3897 Berkdale Court, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DuVall Designs Co. LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34859  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/2/2025  
Damage Location: 1630 Southwest 39th Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greener Grass LLC  
Other Party: Boonville Natural Gas Corporation  
Case Number: 34932  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/6/2025  
Damage Location: 920 SR 261, Boonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Servjit Palia  
Other Party: Midwest Natural Gas Corporation  
Case Number: 35404  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/23/2025  
Damage Location: 11808 East SR 250, Uniontown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aguilar Construction Services Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35174  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/13/2025  
Damage Location: 4653 Elmer Girtz Drive, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Plex Construction  
 Other Party: Northern Indiana Public Service Company  
 Case Number: 35290  
 Date of Advisory Meeting: 1/9/2026  
 Date of Damage: 8/21/2025  
 Damage Location: 790 East Lincoln Highway, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Neighbors Corporation  
Other Party: Northern Indiana Public Service Company  
Case Number: 35151  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/7/2025  
Damage Location: 207 Brown Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Martindale  
Other Party: Northern Indiana Public Service Company  
Case Number: 35285  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: 2012 South State Road 17, Kewanna

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tom Burbee  
Other Party: Northern Indiana Public Service Company  
Case Number: 35330  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/31/2025  
Damage Location: 1303 Valparaiso Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Christopher Henry  
Other Party: CenterPoint Energy Indiana  
Case Number: 34848  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/12/2025  
Damage Location: 2301 East Delta Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sean Ritzi  
Other Party: CenterPoint Energy Indiana  
Case Number: 35597  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/2/2025  
Damage Location: 2252 South 700 West, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niblock Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35276  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/18/2025  
Damage Location: 209 Charles Street, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C C & T Construction, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35609  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 10/3/2025  
Damage Location: 12506 Charing Cross Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NIPSCO - Gas  
Other Party: Northern Indiana Public Service Company  
Case Number: 35165  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/12/2025  
Damage Location: 2001 S Calhoun St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35417  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/16/2025  
Damage Location: 5297 West County Road 144, Bargerville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(a)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Hoosier Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35369  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/15/2025  
Damage Location: 6159 North 600 West, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(a)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: D C Construction Services, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34961  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/23/2025  
Damage Location: 1111 Saint Joseph Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B K H Homes LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35439  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 9/23/2025  
Damage Location: 80 Bayshore Drive, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CGR LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34856  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 7/15/2025  
Damage Location: 923 North Illinois Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Porter Installations, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35291  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/21/2025  
Damage Location: 12759 3A Road, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Will Power Excavation LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35210  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/20/2025  
Damage Location: Pruett Lane Lot 50, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(a)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman