

Commissioner	Yes	No	Not Participating
Huston	V		
Bennett	V		
Freeman	V		
Veleta	٧		
Ziegner	V		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

)

)

IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.

APPROVED: MAR 13 2024

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: MAR 13 2024

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	McCormick Deckard Enterprises LLC
Case Number:	30670
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/24/2023
Damage Location:	915 Pearl Drive, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Maintenance Free Fence Co. LLC
Case Number:	30791
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	543 North State Road 135, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Powell Construction
Case Number:	30792
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	111 Spring Water Court, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Patton Plumbing LLC
Case Number:	30812
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/12/2023
Damage Location:	40 Circle Drive, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Primo Drilling
Case Number:	30823
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	4970 North Indianapolis Road, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Dick McCalister & Sons, Inc.
Case Number:	30913
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/27/2023
Damage Location:	2817 North 6th 1/2 Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Good Shepherd Fence Company LLC
Case Number:	30924
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/20/2023
Damage Location:	590 Almond Creek Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Intren, LLC
Case Number:	30929
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/28/2023
Damage Location:	3400 South Fruitridge Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	McIntyre Brothers LLC
Case Number:	31044
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/3/2023
Damage Location:	3343 Michael Avenue, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Berry-It, Inc.
Case Number:	31070
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/10/2023
Damage Location:	2833 US Highway 52 West, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Q C Communications, Inc.
Case Number:	31090
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/13/2023
Damage Location:	1640 East Durham Drive, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Q C Communications, Inc.
Case Number:	31094
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/12/2023
Damage Location:	221 East Sycamore Drive, Springport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Five Star Energy Services LLC
Case Number:	31097
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/13/2023
Damage Location:	1825 Whittier Lane, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Backyard Builder Inc
Case Number:	31098
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/10/2023
Damage Location:	213 East 8th Street, Jonesboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Macdougall Pierce Construction Inc
Case Number:	30815
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/11/2023
Damage Location:	351 Park Avenue, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Minnesota Limited, LLC
Case Number:	30833
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	216 West Main Street, Springport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	VanArsdale Construction LLC
Case Number:	30948
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/16/2023
Damage Location:	6541 Ashley Springs Court, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Voorhies Contracting, LLC
Case Number:	30798
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/7/2023
Damage Location:	4788 East State Road 46, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	B M B, Inc.
Case Number:	30824
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	Braeburn Drive Lot 40, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	30934
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/22/2023
Damage Location:	7801 1/2 Marx Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	D & G Farms LLC
Case Number:	30952
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/22/2023
Damage Location:	5291 South 1225 West, Dunkirk

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Joink LLC
Case Number:	30960
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/27/2023
Damage Location:	2801 South 13th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	30749
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/28/2023
Damage Location:	18137 US Highway 20, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gerado Palma
Other Party:	Northern Indiana Public Service Company
Case Number:	30872
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/10/2023
Damage Location:	2622 Patterson Road, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mark George
Other Party:	CenterPoint Energy Indiana
Case Number:	30932
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/30/2023
Damage Location:	651 Yandes Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Keith Butler
Other Party:	Northern Indiana Public Service Company
Case Number:	31019
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/30/2023
Damage Location:	4715 Caballero Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kane Construction
Other Party:	CenterPoint Energy Indiana
Case Number:	30818
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	6102 Eaglewood Drive, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bespoke Fence, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31011
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/28/2023
Damage Location:	1814 Central Avenue, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mr. Fence, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31057
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/6/2023
Damage Location:	2123 East Michigan Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30371
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/7/2023
Damage Location:	740 West Shore Drive, Culver

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Always Underground, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30855
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	1514 Center Street, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	30986
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/22/2023
Damage Location:	Werling Drive and Queen Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Creekside Outdoor Living, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30123
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/2/2023
Damage Location:	842 213th Street, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lawn Order, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30882
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	52451 Helmen Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Shearer Concrete & Design
Other Party:	Northern Indiana Public Service Company
Case Number:	30888
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	95 Benwell Place, Yoder

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	W W Contracting Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	31066
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/2/2023
Damage Location:	4803 State Road 26 East, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Crown Point
Other Party:	Northern Indiana Public Service Company
Case Number:	30858
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	600 Thomas Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Merritt Contracting, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30813
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/12/2023
Damage Location:	2482 St George Way, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gehring Underground, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30690
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/31/2023
Damage Location:	411 South Madison Avenue, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Case Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30698
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/30/2023
Damage Location:	528 South Center Street, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fleming Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30865
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	515 Washington Street, Saint Joe

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	CenterPoint Energy Indiana
Case Number:	30909
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/26/2023
Damage Location:	424 South Bloomington Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Claudia Campos
Other Party:	Citizens Gas
Case Number:	30963
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/29/2023
Damage Location:	1762 Howard Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Young's Concrete
Other Party:	Citizens Gas
Case Number:	30280
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/20/2023
Damage Location:	3435 West 30th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	James Turner
Other Party:	Citizens Gas
Case Number:	30105
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/14/2023
Damage Location:	4840 South Meridian Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	INDOT
Other Party:	Northern Indiana Public Service Company
Case Number:	30643
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/1/2023
Damage Location:	1818 State Road 10, Bourbon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Koberstein Contracting, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31054
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/4/2023
Damage Location:	West Water Street & South West Street, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Salem
Other Party:	Midwest Natural Gas Corporation
Case Number:	30966
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/23/2023
Damage Location:	408 Hayes Avenue, Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	P & C Contracting LLC
Other Party:	Indiana Natural Gas Corporation
Case Number:	30901
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/17/2023
Damage Location:	168 Pleasant Avenue, Marengo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D & M Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30993
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/25/2023
Damage Location:	402 Truesdell Avenue Building North, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H & G Underground Utilities, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31014
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/29/2023
Damage Location:	27059 County Road 150, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H D M Contractors
Other Party:	Community Natural Gas Inc
Case Number:	30843
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/3/2023
Damage Location:	5891 1050 West, Owensville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Impulse Underground, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30926
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/28/2023
Damage Location:	4735 Alaina Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Paulson Earthworks LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30937
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	999 South Yankeetown Road, Boonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rylie Investments LLC dba Armor Air
Other Party:	CenterPoint Energy Indiana
Case Number:	30942
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	4526 Redcliff South Lane, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Greenfield
Other Party:	CenterPoint Energy Indiana
Case Number:	30953
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	1204 Melody Lane, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Graves Plumbing Company, Inc.
Other Party:	Community Natural Gas Inc
Case Number:	30839
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/19/2023
Damage Location:	770 West Market Street, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Austin Biggerstaff Excavating, LLC
Other Party:	Citizens Gas
Case Number:	30775
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	7525 Edgewater Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lunar Companies Inc
Other Party:	Lapel, Town of
Case Number:	30836
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/29/2023
Damage Location:	434 Persimmon Pass, Lapel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R T Moore, Co., Inc.
Other Party:	Westfield Gas Corporation
Case Number:	31032
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/28/2023
Damage Location:	15805 Kohut Lane, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	30783
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/12/2023
Damage Location:	5150 North Post Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jose Guevara-Laevano
Other Party:	Northern Indiana Public Service Company
Case Number:	30595
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/6/2023
Damage Location:	1105 1/2 11 Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ahmed Sobuh
Other Party:	Northern Indiana Public Service Company
Case Number:	30647
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/1/2023
Damage Location:	415 North 2nd Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Adam Lijewski
Other Party:	Northern Indiana Public Service Company
Case Number:	30719
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/20/2023
Damage Location:	6434 West Lee Len Trail, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Leroy Graber
Other Party:	Northern Indiana Public Service Company
Case Number:	30849
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/2/2023
Damage Location:	15411 Boger Road, Spencerville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jacob Saylor
Other Party:	Northern Indiana Public Service Company
Case Number:	30850
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/4/2023
Damage Location:	19675 Greenacre Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hal Hoffman
Other Party:	Northern Indiana Public Service Company
Case Number:	30863
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	9177 South 600 West, Claypool

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Larcile Gilmore
Other Party:	Northern Indiana Public Service Company
Case Number:	30869
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/9/2023
Damage Location:	1500 Tennessee Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Steve Foht
Other Party:	Northern Indiana Public Service Company
Case Number:	30877
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/12/2023
Damage Location:	2 Elizabeth Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Luis Martinez
Other Party:	Northern Indiana Public Service Company
Case Number:	30880
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/12/2023
Damage Location:	706 Cherry Lane, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jose Alvarado
Other Party:	Northern Indiana Public Service Company
Case Number:	30884
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	5202 Lillie Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mark Taulman
Other Party:	Northern Indiana Public Service Company
Case Number:	30971
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	6436 West 1600 South, Remington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	American Electric Power DBA Indiana Michigan Power
Other Party:	Northern Indiana Public Service Company
Case Number:	30162
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/14/2023
Damage Location: Wayne	2737 West Washington Center Road Lot 221, Fort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jack & Vernons Septic Tank
Other Party:	Northern Indiana Public Service Company
Case Number:	30361
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/5/2023
Damage Location:	1805 West 39th Court, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Illiana Fence LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30860
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	3563 Jefferson Street Apartment 2R, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Forrester Quality Tree Experts
Other Party:	Northern Indiana Public Service Company
Case Number:	30736
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/25/2023
Damage Location:	302 Harrison, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alfredo Carrete
Other Party:	Northern Indiana Public Service Company
Case Number:	30743
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/26/2023
Damage Location:	1111 North Vermillion Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Woodland Restoration, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30847
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/1/2023
Damage Location:	150 Spruce Court, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milmar Post Buildings LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30861
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	10553 North State Road 39 Building Storage, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	MC Rental
Other Party:	Northern Indiana Public Service Company
Case Number:	30870
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/9/2023
Damage Location:	4330 North Old State Road 15, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G M S Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30856
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	3635 South 200 East, LaGrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Eicher Concrete LP
Other Party:	Northern Indiana Public Service Company
Case Number:	30867
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/7/2023
Damage Location:	12239 Bay Heights Boulevard, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:N.D.M. Electric LLCOther Party:Northern Indiana Public Service CompanyCase Number:30967Date of Advisory Meeting:1/23/2024Date of Damage:9/9/2023Damage Location:3662 Tompkins Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	V T F Excavation, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30887
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	1414 Hickory Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Caribbean Pools, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30896
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	10232 Whitehall Garden, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Premier Directional Boring Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30853
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	20711 Windrush Court, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J & J Electric of Indiana, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30864
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	4511 Rolland Drive, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30852
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	712 Maxine Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	E A Outdoor Services
Other Party:	CenterPoint Energy Indiana
Case Number:	30415
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/19/2023
Damage Location:	8939 Technology Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C & H/M Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30671
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/25/2023
Damage Location:	2110 Keller Avenue, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Go Irrigation, Inc.
Other Party:	Indiana Natural Gas Corporation
Case Number:	30096
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/24/2023
Damage Location:	1181 West Grandview Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	SR Home Improvements
Other Party:	Community Natural Gas Inc
Case Number:	30770
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/28/2023
Damage Location:	8553 West Hedrick Road, Stinesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	James Barrett
Other Party:	CenterPoint Energy Indiana
Case Number:	30683
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/29/2023
Damage Location:	312 Monroe Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Monoform, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30801
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	1419 O Street, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Abundio Lopez
Other Party:	CenterPoint Energy Indiana
Case Number:	30804
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/10/2023
Damage Location:	1620 Reverend J T Menifee Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hamm's Concrete Artistry LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30814
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	4072 Fox Run Drive, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S A Boyce Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	30827
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	828 East Adams Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Enterprise Plumbing, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30920
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	2720 North Rolling Hills Drive, Yorktown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Frey Drainage & Excavating LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30922
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/19/2023
Damage Location:	North Lumberyard Road, Edwardsport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chris' Lawn Care Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	30907
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/26/2023
Damage Location:	1035 North Lincoln Street, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jonathan Bischoff
Other Party:	Ohio Valley Gas Corp
Case Number:	30167
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/9/2023
Damage Location:	9430 Spades Road, Sunman

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Christopher Lopez
Other Party:	Citizens Gas
Case Number:	30638
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/22/2023
Damage Location:	725 Haugh Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John Einsfeld
Other Party:	CenterPoint Energy Indiana
Case Number:	30955
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/19/2023
Damage Location:	10714 Gladeview Circle, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Darrell Reed
Other Party:	Midwest Natural Gas Corporation
Case Number:	30769
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	3247 West Commerce Street, Vallonia

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kyler English
Other Party:	CenterPoint Energy Indiana
Case Number:	30931
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	428 Stierley Road South, Wadesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Midwest Paving LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30666
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/22/2023
Damage Location:	517 East Wabash Avenue, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bowen Engineering Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	30699
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/31/2023
Damage Location:	West Carson Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lankford Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30225
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/29/2023
Damage Location:	1207 South 20th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Broadband of Indiana LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30449
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/31/2023
Damage Location:	8400 Saint Wendel Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C C Equipment Solutions LLC dba C C Concrete and Excavation Solutions
Other Party:	CenterPoint Energy Indiana
Case Number:	30571
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/10/2023
Damage Location:	1618 South 10th Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Bloomington
Other Party:	CenterPoint Energy Indiana
Case Number:	30681
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/28/2023
Damage Location:	2575 South Sunflower Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Portland
Other Party:	Ohio Valley Gas Corp
Case Number:	31100
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/31/2023
Damage Location:	333 Blaine Pike, Portland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tempest Homes LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30539
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/1/2023
Damage Location:	242 Millingden Trail, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	DrillTek LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30789
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/1/2023
Damage Location:	5535 Cambridge Court, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Juventino Cuatlatl
Other Party:	Citizens Gas
Case Number:	30342
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/10/2023
Damage Location:	5321 Gary Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lisa Lewis
Other Party:	Citizens Gas
Case Number:	30632
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/28/2023
Damage Location:	1812 Beckenbauer Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stephen Pressnell
Other Party:	Citizens Gas
Case Number:	30776
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/20/2023
Damage Location:	4020 Glencairn Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Robert Wheeler
Other Party:	Northern Indiana Public Service Company
Case Number:	30893
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/14/2023
Damage Location:	306 East Woodside Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Andre Ransom
Other Party:	Northern Indiana Public Service Company
Case Number:	30897
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	2610 Dellwood Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jerry Yoder
Other Party:	Northern Indiana Public Service Company
Case Number:	30984
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	71800 County Road 33, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brandi Rhoton-Girdley
Other Party:	Northern Indiana Public Service Company
Case Number:	30985
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	3016 Kenbridge Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Steve Ruzbasan
Other Party:	Northern Indiana Public Service Company
Case Number:	31006
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/27/2023
Damage Location:	2534 Sycamore Drive, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rest Assured Pest Solutions
Other Party:	Citizens Gas
Case Number:	30515
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/8/2023
Damage Location:	1257 South East Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All About Water
Other Party:	Citizens Gas
Case Number:	30525
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/17/2023
Damage Location:	1001 Churchman Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Livley Fence
Other Party:	Citizens Gas
Case Number:	30629
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/31/2023
Damage Location:	1120 Southwood Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Custom Creations & Designs LLC
Other Party:	Citizens Gas
Case Number:	30635
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/25/2023
Damage Location:	2917 North New Jersey Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gregory Excavating Incorporated
Other Party:	Citizens Gas
Case Number:	30782
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	8955 Pleasant Garden Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Regenerative Horticulture Services LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30892
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/14/2023
Damage Location:	320 East 124 South Lot 2, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blue Gate Realty, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30980
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	370 North Harrison Street, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Allied Water Services
Other Party:	Northern Indiana Public Service Company
Case Number:	31001
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/26/2023
Damage Location:	3515 Main Street, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Danch, Harner & Associates, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31002
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/26/2023
Damage Location:	613 North Brookfield Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Javelina Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31010
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/28/2023
Damage Location:	975 North Seminary Street, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Charles Morris
Other Party:	Northern Indiana Public Service Company
Case Number:	30987
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/22/2023
Damage Location:	401 East Enota Street, Oxford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Corey Arndt
Other Party:	Northern Indiana Public Service Company
Case Number:	30996
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/25/2023
Damage Location:	923 West North Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Melissa Mejia
Other Party:	Northern Indiana Public Service Company
Case Number:	31018
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/30/2023
Damage Location:	4121 Bowser Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	New Style Concrete, Inc.
Other Party:	Citizens Gas
Case Number:	30774
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	9044 Pleasant Garden Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Precision Utilities Group, Inc.
Other Party:	Indiana Natural Gas Corporation
Case Number:	30964
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/26/2023
Damage Location:	102 South Indiana Avenue, English

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Reichelt Plumbing, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30970
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	East 109th Avenue and Fayette Street, Winfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Southlawn Cemetery Association, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30995
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/25/2023
Damage Location:	61430 US Highway 31, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Walls Lawn Care
Other Party:	Midwest Natural Gas Corporation
Case Number:	31037
Date of Advisory Meeting:	1/23/2024
Date of Damage:	11/1/2023
Damage Location:	221 Tarr Avenue, Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rex Gress & Sons, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31068
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/10/2023
Damage Location:	644 North 350 East, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Altstadt Hoffman Plumbing Service, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31084
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/10/2023
Damage Location:	8255 Bell Oaks Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	N.D.M. Electric LLC
Case Number:	30968
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/16/2023
Damage Location:	3552 Gerry Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Reed & Sons Construction, Inc.
Case Number:	31050
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/3/2023
Damage Location:	1110 Candice Court, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Electricom, Inc.
Case Number:	30474
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/20/2023
Damage Location:	4933 Boxman Place, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Gonzalez Directional Drilling LLC
Case Number:	30846
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/28/2023
Damage Location:	511 South Ijams Street, Garrett

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Core Bore, LLC
Case Number:	30851
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	133 North William Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Berry-It, Inc.
Case Number:	30874
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/11/2023
Damage Location:	3612 North 150 West, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Gordon Engineering
Case Number:	30879
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/12/2023
Damage Location:	3906 Timberstone Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Brinks Investments LLC, dba Brinks Boring
Case Number:	30883
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	2262 West 350 South, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Williams Excavating
Case Number:	30975
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/20/2023
Damage Location:	319 Northern Avenue, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Perkins Septic & Drain Services
Case Number:	30981
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/21/2023
Damage Location:	3757 North 900 West Lot 59, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	G & B Directional Boring LLC
Case Number:	30990
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/22/2023
Damage Location:	0190 South 875 East, Mill Creek

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Specialties Co. LLC
Case Number:	30991
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/22/2023
Damage Location:	56934 County Road 29, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Niezgodski Plumbing
Case Number:	31005
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/27/2023
Damage Location:	821 Cushing Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	A P I Construction Corp.
Case Number:	31008
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/28/2023
Damage Location:	160 Harrison Street, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Weihe Construction Inc.
Case Number:	31059
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/6/2023
Damage Location:	1563 Sheek Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Q C Communications, Inc.
Case Number:	31081
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/12/2023
Damage Location:	760 Commerce Parkway East Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Hawk Enterprises, Inc.
Case Number:	30845
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/23/2023
Damage Location:	Ridge Road and Manor Avenue, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	D & B Plumbing LLC
Case Number:	30894
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	516 West Carlton Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Town of Bremen
Case Number:	30976
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/20/2023
Damage Location:	222 East Bike Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Gatlin Plumbing & Heating, Inc.
Case Number:	31004
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/27/2023
Damage Location:	451 South Franklin Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Layne's Landscape & Lawncare
Case Number:	31020
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	221 Winn Place, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Justin Dorsey Plumbing
Other Party:	Citizens Gas
Case Number:	30623
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	8438 Catamaran Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J G Case Construction, Inc.
Other Party:	Citizens Gas
Case Number:	30633
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/28/2023
Damage Location:	7909 East 46Th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Devon Walden
Other Party:	Citizens Gas
Case Number:	30778
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	40 North Forest Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	North Indy Fence Deck & Rail
Other Party:	Citizens Gas
Case Number:	30784
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/12/2023
Damage Location: Indianapolis	5914 East Fall Creek Parkway North Drive,

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Adams Water & Sewer Service, Inc.
Other Party:	Citizens Gas
Case Number:	30637
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/23/2023
Damage Location:	2333 Nowland Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Renascent, Inc.
Other Party:	Citizens Gas
Case Number:	30779
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/14/2023
Damage Location:	1255 North Senate Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	30787
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	3527 Evergreen Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	Citizens Gas
Case Number:	30291
Date of Advisory Meeting:	1/23/2024
Date of Damage:	6/28/2023
Damage Location: Indianapolis	North College Ave & East Westfield Boulevard,

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Selge Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30641
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/1/2023
Damage Location:	35 EMS C30 Lane, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Dickie & Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Niblock Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31013
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/29/2023
Damage Location:	40 EMS T13F Lane, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	31099
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/11/2023
Damage Location:	1111 Warren Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Walters

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wigent Excavating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29523
Date of Advisory Meeting:	1/23/2024
Date of Damage:	4/11/2023
Damage Location:	507 North Main Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Martin Vargas
Other Party:	Northern Indiana Public Service Company
Case Number:	30619
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/15/2023
Damage Location:	801 Thayer Street, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Devin Essary
Other Party:	CenterPoint Energy Indiana
Case Number:	30911
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/22/2023
Damage Location:	11920 Denzer Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dewey Price
Other Party:	CenterPoint Energy Indiana
Case Number:	30912
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/28/2023
Damage Location:	141 East City Center Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Elisha Shelton
Other Party:	CenterPoint Energy Indiana
Case Number:	30954
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/26/2023
Damage Location:	715 Sweetbrier Court, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John Turner
Other Party:	Community Natural Gas Inc
Case Number:	30962
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/20/2023
Damage Location:	10170 West 565 South, Owensville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Isaac Hillyard
Other Party:	Northern Indiana Public Service Company
Case Number:	30501
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/30/2023
Damage Location:	9725 Founders Way Lot 161, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mark Haney
Other Party:	CenterPoint Energy Indiana
Case Number:	30810
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/9/2023
Damage Location:	1619 South 11th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Richard Jewell
Other Party:	Midwest Natural Gas Corporation
Case Number:	31039
Date of Advisory Meeting:	1/23/2024
Date of Damage:	11/4/2023
Damage Location:	185 West Broad Street, Lyons

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Marion Restaurants Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	31052
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/4/2023
Damage Location:	1223 North Wabash Avenue, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J L C Construction IN LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	31085
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/6/2023
Damage Location:	1217 West Rex Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Large Ink
Other Party:	Ohio Valley Gas Corp
Case Number:	31104
Date of Advisory Meeting:	1/23/2024
Date of Damage:	10/17/2023
Damage Location:	1831 N Section St, Sullivan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K S A Builders
Other Party:	Northern Indiana Public Service Company
Case Number:	30500
Date of Advisory Meeting:	1/23/2024
Date of Damage:	7/28/2023
Damage Location:	131 South County Road 975 East, New Waverly

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wide Open Properties LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30700
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/30/2023
Damage Location:	4700 Bureau Road, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hublar Pools and Outdoor Living
Other Party:	CenterPoint Energy Indiana
Case Number:	30796
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	108 Plum Ridge Way, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Midwest Contracting & Maintenance, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30797
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/7/2023
Damage Location:	300 North Royal Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Woodruff & Sons, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30734
Date of Advisory Meeting:	1/23/2024
Date of Damage:	8/24/2023
Damage Location:	1070 North Warren Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	FFC Fencing Co.
Other Party:	Northern Indiana Public Service Company
Case Number:	30890
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/14/2023
Damage Location:	10157 Northcote Court, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Land Construction Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	30895
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	121 North Main Street, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Northern Indiana Public Service Company
Case Number:	30969
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/17/2023
Damage Location:	1506 Lagoon Court, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Elliotts Earth Creation Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	30794
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	10435 Hussey Lane, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Prime Utility Service
Other Party:	CenterPoint Energy Indiana
Case Number:	30800
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/6/2023
Damage Location:	1833 South 25th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Muncie Sanitary District
Other Party:	CenterPoint Energy Indiana
Case Number:	30821
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	1115 South Liberty Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Infinite Energy Services
Other Party:	CenterPoint Energy Indiana
Case Number:	30825
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/15/2023
Damage Location:	2417 East Canada Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	White Construction, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30805
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/5/2023
Damage Location:	400 Leslie Avenue, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	CenterPoint Energy Indiana
Case Number:	30816
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/13/2023
Damage Location:	500 South Maple Street, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30935
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/18/2023
Damage Location:	1623 Morton Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:C T S I, LLCOther Party:CenterPoint Energy IndianaCase Number:30795Date of Advisory Meeting:1/23/2024Date of Damage:9/6/2023Damage Location:415 South King Avenue, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Pace Contracting LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30820
Date of Advisory Meeting:	1/23/2024
Date of Damage:	9/8/2023
Damage Location:	314 East Montgomery Avenue, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren