

ORIGINAL

Commissioner	Yes	No	Not Participating
Zay	√		
Deig	√		
Swinger	√		
Veleta	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: MAR 25 2026

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

ZAY, DEIG, SWINGER, VELETA, AND ZIEGNER CONCUR:

APPROVED: MAR 25 2026

I hereby certify that the above is a true and correct copy of the Order as approved.

_____ on behalf of
Dana Kosco
Secretary of the Commission



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Promised Land Concrete Construction LLC
Other Party: Citizens Gas
Case Number: 35203
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/9/2025
Damage Location: 410 North Meridian, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fort Wayne Trees LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35009
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/21/2025
Damage Location: 1616 East Poplar Road, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M C Concrete
Other Party: Citizens Gas
Case Number: 35200
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/9/2025
Damage Location: 11823 Moorefield Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: South Land Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35504
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/8/2025
Damage Location: 8485 Burr Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sunset Septic & Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35565
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/26/2025
Damage Location: 1341 East State Road 2, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Spectra Scapes
Other Party: Citizens Gas
Case Number: 35187
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/26/2025
Damage Location: 2419 East 62nd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500, \$1500

Abstentions: **Warren**

Additional Information: **Escalated with an additional \$1,500 penalty because the excavator left the scene after causing damage to a pipeline.**

APPROVED: _____

Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bardwell & Sons Properties LLC
Other Party: Citizens Gas
Case Number: 35061
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/7/2025
Damage Location: 922 North College Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Barleys Boys LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35569
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/29/2025
Damage Location: 3324 West 250 South, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Construction for Less LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35132
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/1/2025
Damage Location: 2052 Muscatatuck Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Copper Valley Landscape, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35182
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/14/2025
Damage Location: 8337 Lake Shore Drive, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G N Z Fencing N Decking LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35032
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/24/2025
Damage Location: 6225 West 136th Place, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jac Industries LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35479
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/2/2025
Damage Location: 62210 County Road 13, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hylton E. Donaldson
Other Party: Northern Indiana Public Service Company
Case Number: 34992
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/16/2025
Damage Location: 7629 Lake Shore Drive, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ashley Speaks
Other Party: Citizens Gas
Case Number: 35065
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/15/2025
Damage Location: 3889 West Perry Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Church of Jesus Christ of Latter Day Saints
Other Party: Northern Indiana Public Service Company
Case Number: 35150
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/7/2025
Damage Location: 1008 College Avenue, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Robinson Trenching & Directional Boring, Inc.
Case Number: 35385
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/24/2025
Damage Location: 2020 Rosedale Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Citizens Energy Group - Gas
Case Number: 35655
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/21/2025
Damage Location: 22 Jefferson Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Prostar Underground LLC
Case Number: 34936
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/16/2025
Damage Location: 4251 West 800 North, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J & K Underground Utilities, LLC
Case Number: 35421
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/17/2025
Damage Location: 520 Southridge Drive, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Highlines Communication Corp
Case Number: 35463
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/29/2025
Damage Location: 14841 Dennison Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Land Construction Corp.
Case Number: 35603
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/3/2025
Damage Location: 155 North Lee Street, Markle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: David Price Excavating, Inc.
Case Number: 35643
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/15/2025
Damage Location: 1001 West Main Street, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: C Lee Construction Services, Inc.
Case Number: 35715
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/14/2025
Damage Location: 716 East 5th Avenue, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Premier Directional Boring Inc.
Case Number: 35814
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/21/2025
Damage Location: 22951 Ardmore Trail, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrasource Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35534
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/17/2025
Damage Location: 2429 West Shoaff Road, Huntertown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aquila Corp
Other Party: CenterPoint Energy Indiana
Case Number: 35083
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/5/2025
Damage Location: 743 Morey Street, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Directional Boring Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35477
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/2/2025
Damage Location: 215 Prestwick Drive, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aquila Corp
Other Party: CenterPoint Energy Indiana
Case Number: 35094
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/8/2025
Damage Location: 1247 North 8th Street, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Directional Boring Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35670
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/2/2025
Damage Location: 2014 Cortland Lane Lot 66, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infrasource Construction, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35486
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/3/2025
Damage Location: 10419 North Roanoke Road, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34994
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/16/2025
Damage Location: 4909 Stratford Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35154
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/8/2025
Damage Location: 4009 Arlington Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ley Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35555
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/24/2025
Damage Location: 6008 DOWNTOWN DRIVE, FORT WAYNE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ley Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35815
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/22/2025
Damage Location: 624 Kimberton Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ley Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35822
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/24/2025
Damage Location: 15128 Mercury Lane, Huntertown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000; training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **Escalated with an additional requirement to complete training or pay \$5000 because excavator has committed multiple violations of the same type in 2025.**

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indy Excavating & Utilities, LLC
Other Party: Citizens Gas
Case Number: 35063
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/11/2025
Damage Location: 833 Woodhill Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: M & R Construction Enterprises
Case Number: 34937
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/16/2025
Damage Location: 8402 Aberdeen Lane, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Lewen Line Construction Inc.
Case Number: 34938
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/16/2025
Damage Location: 2808 Sandalwood Drive, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Garry Sutton
Case Number: 34943
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/18/2025
Damage Location: 415 South Walnut Street, Fairmount

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Kiefer-Gibson LLC
Case Number: 35099
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/11/2025
Damage Location: 3717 South State Road 57, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Aquila Corp
Case Number: 35104
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/14/2025
Damage Location: 758 North 8th Street, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: McGuyer Trucking and Excavating LLC
Case Number: 35108
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/14/2025
Damage Location: 1823 Broadway Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Karma Utility Incorporated
Case Number: 35445
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/24/2025
Damage Location: 1700 South G Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Joink LLC
Case Number: 35601
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/1/2025
Damage Location: 130 South Market Street, Rockville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milenium, Inc.
Case Number: 35613
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/8/2025
Damage Location: 1147 North Chamberlain Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: B Cardenas Construction Co Inc
Case Number: 35628
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 5911 West Lincoln Street, Richland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 35629
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/10/2025
Damage Location: 1616 Meridian Street, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Wharff Excavating, LLC
Case Number: 35637
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/13/2025
Damage Location: 255 West Wiley Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: B & T Drainage, Inc.
Case Number: 35639
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/14/2025
Damage Location: 2505 Swan Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Culy Contracting, LLC
Case Number: 35640
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/14/2025
Damage Location: 900 East Mcgalliard Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Bell Drainage & Excavation LLC
Case Number: 35642
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/15/2025
Damage Location: 1501 Burlington Avenue, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Rieth-Riley Construction Co., Inc.
Case Number: 35645
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/8/2025
Damage Location: 325 Lincoln Street, Williamsport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Larry Douglas
Case Number: 35728
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/16/2025
Damage Location: 47 South State Road 29, Michigantown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Technology Integration Services Inc
Case Number: 35734
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/20/2025
Damage Location: 218 Cheshire Circle, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dion Barley
Case Number: 35761
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/28/2025
Damage Location: 4705 National Road West, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Tony Paul
Case Number: 35775
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/31/2025
Damage Location: 18500 Old Highway 57, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Cam Deckard Excavating
Case Number: 35856
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/4/2025
Damage Location: 2717 South Danlyn Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Intren, LLC
Case Number: 35861
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/3/2025
Damage Location: 13044 East 350 North, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Knox County Highway Department
Case Number: 35864
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/4/2025
Damage Location: 1214 South Monroe City Road, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: D R Watson Co Inc.
Case Number: 35865
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/5/2025
Damage Location: 2560 Pearson Parkway, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Precision Fiber Solutions LLC
Case Number: 35881
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/10/2025
Damage Location: 35 East North 4th Street, Carbon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35622
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 307 Lincoln Street, Williamsport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Noah Strom
Other Party: Northern Indiana Public Service Company
Case Number: 35810
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/18/2025
Damage Location: 300 Boardwalk, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Creative Design & Construction
Other Party: Northern Indiana Public Service Company
Case Number: 35050
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/29/2025
Damage Location: 906 Nicholas Trail, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35042
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/26/2025
Damage Location: 824 East Elm Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35454
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/25/2025
Damage Location: 11501 Yorktown Boulevard, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35058
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/31/2025
Damage Location: 8846 North State Road 55, Pine Village

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35515
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/12/2025
Damage Location: 3405 East US Highway 20, Rolling Prairie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35682
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/6/2025
Damage Location: 205 South Main Street, Pine Village

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brothers Pipe, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35038
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/24/2025
Damage Location: 1900 North Bell Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Osborne Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35017
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/22/2025
Damage Location: 30350 Fillmore Road, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Osma Inc
Other Party: Northern Indiana Public Service Company
Case Number: 35035
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/24/2025
Damage Location: 53407 Olive Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Fair Wind LLC
Case Number: 34809
Date of Advisory Meeting: 2/19/2026
Date of Damage: 6/27/2025
Damage Location: 7510 Winchester Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Longenberger Excavation LLC
Case Number: 35054
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/30/2025
Damage Location: 1209 Jackson Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Haskins Incorporated
Case Number: 35172
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/13/2025
Damage Location: Webster Avenue & Miner Street, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Fort Wayne
Case Number: 35286
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/20/2025
Damage Location: 1830 Andrew Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Austgen Equipment, Inc.
Case Number: 35310
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/26/2025
Damage Location: 4102 West 107th Avenue, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Infracore Construction, LLC
Case Number: 35482
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/2/2025
Damage Location: 1013 Elroy Drive, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: M G L Strategies, LLC
Case Number: 35490
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/3/2025
Damage Location: 602 Commercial Drive, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Boender Electric of Indiana, Inc.
Case Number: 35495
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/4/2025
Damage Location: 72 Hillcrest Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Derry Electric, Inc.
Case Number: 35510
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/10/2025
Damage Location: 11630 North Elm Grove, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: C & J Mast Excavating Inc.
Case Number: 35513
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/11/2025
Damage Location: 450 North Eastfield Circle 15, Milford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Dynasty Utility Services
Case Number: 35514
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/12/2025
Damage Location: 8684 Connecticut Street, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Silver Development & Associates, Inc
Case Number: 35522
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/12/2025
Damage Location: 9462 N SR 19, Lot 30, Etna Green

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Premier Directional Boring Inc.
Case Number: 35542
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/18/2025
Damage Location: 18289 Wee Acres Drive, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Niblock Excavating, Inc.
Case Number: 35684
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/6/2025
Damage Location: 2720 West State Road 120, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Dogwood Hills Tree Farm
Case Number: 35818
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/23/2025
Damage Location: 701 East Barker Avenue, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: R L M Underground
Case Number: 35183
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/14/2025
Damage Location: Intersection of Thorpe Drive & Hay Avenue, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: M G L Strategies, LLC
Case Number: 35317
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/26/2025
Damage Location: 6199 Abercorn Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Witech Company Inc.
Case Number: 35331
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/13/2025
Damage Location: 748 North 712 West, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Douglas Excavation LLC
Case Number: 35506
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/9/2025
Damage Location: 15155 South 680 West, Remington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Carlisle Utility Contractors, Inc.
Case Number: 35507
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/9/2025
Damage Location: 1969 Central Avenue, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Area Plumbing & Sewer Co., Inc.
Case Number: 35539
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/18/2025
Damage Location: 534 East 37th Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Michigan City Department of Waterworks
Case Number: 35551
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/23/2025
Damage Location: 833 Fern Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hawk Enterprises, Inc.
Case Number: 35559
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/24/2025
Damage Location: 1247 Mishawaka Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Key Concrete, Inc.
Case Number: 35572
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/29/2025
Damage Location: 301 East Woodland Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC
Other Party:
Case Number: 35262
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/19/2025
Damage Location: Moller Road & West 56th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC
Other Party:
Case Number: 35263
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/19/2025
Damage Location: West 56th Street & Moller Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC
Other Party:
Case Number: 35264
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/19/2025
Damage Location: West 56th Street & Moller Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Morron Excavating, LLC
Other Party:
Case Number: 35265
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/19/2025
Damage Location: West 56th Street & Moller Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James H Drew Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 35778
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/22/2025
Damage Location: South Memorial Drive & Cherry Street, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Basement Systems of Indiana, LLC
Other Party: Citizens Gas
Case Number: 35660
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/30/2025
Damage Location: 429 West Hampton Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Justin Sell, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C & E Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 35146
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/6/2025
Damage Location: Vistula Road and Barrows Court, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ash Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 35634
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 8118 Abington Way, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jackson Concrete, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35621
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 1581 South 100 West, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: N L S Hauling LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35491
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/4/2025
Damage Location: 2421 Winter Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Homes of Southern Indiana, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35616
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/8/2025
Damage Location: 7006 Hollkamp Way, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Professional Concrete Cutting and Drilling LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35644
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/15/2025
Damage Location: 169 West Hendricks Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A & C Masonry & Backhoe, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35352
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/9/2025
Damage Location: 505 South 6th Street, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Amberger Concrete, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35744
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/22/2025
Damage Location: 272 West Taylor Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ben Bush Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 35766
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/23/2025
Damage Location: 5309 Bell Road, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eastern Bartholomew Water Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 35647
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 6816 La Salle Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Baptist College Inc
Other Party: CenterPoint Energy Indiana
Case Number: 35760
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/27/2025
Damage Location: 1231 Commission Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jack Doughty Well & Pump Services
Other Party: CenterPoint Energy Indiana
Case Number: 35116
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/14/2025
Damage Location: 2113 West Pineview, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Martinez Renovation Inc
Other Party: CenterPoint Energy Indiana
Case Number: 35866
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/5/2025
Damage Location: 613 Alabama Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Kinder & Sons, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35103
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/14/2025
Damage Location: 1846 South Main Street, Upland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Brookville
Other Party: Sycamore Gas Company
Case Number: 35782
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/8/2025
Damage Location: 530 E 5th St, Brookville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wagers Construction LLC
Other Party: Indiana Natural Gas Corporation
Case Number: 35650
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/5/2025
Damage Location: 1199 Annadale Estates, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Faith Builders Promotions Incorporated
Other Party: CenterPoint Energy Indiana
Case Number: 34721
Date of Advisory Meeting: 2/19/2026
Date of Damage: 6/18/2025
Damage Location: 1207 South Madison Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Riverview Farms Inc
Other Party: Indiana Natural Gas Corporation
Case Number: 35651
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/5/2025
Damage Location: 4012 E CR 400 N, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grace Baptist Church of Hope Indiana Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35435
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/19/2025
Damage Location: 8475 North State Road 9, Hope

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gregory Phillips
Other Party: CenterPoint Energy Indiana
Case Number: 35850
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/2/2025
Damage Location: 3835 South Eastmont Avenue, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Pro Drilling, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34949
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/21/2025
Damage Location: 501 South Morton Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lucas Fencing
Other Party: Midwest Natural Gas Corporation
Case Number: 35071
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/26/2025
Damage Location: 515 Jennings Street, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Integrity Kokosing Pipeline Services, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35346
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/6/2025
Damage Location: 2799 West Shaw Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dennis Trucking Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35742
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/22/2025
Damage Location: 1426 South Brown Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Crawfordsville
Other Party: CenterPoint Energy Indiana
Case Number: 34335
Date of Advisory Meeting: 2/19/2026
Date of Damage: 5/5/2025
Damage Location: 61 North Sugar Cliff Drive, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greenfield Tent Rental, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34975
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/30/2025
Damage Location: 1170 South Pendleton Avenue, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: My Mobility LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35238
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/27/2025
Damage Location: 1643 Kay Street, Taylorsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandon Drake
Other Party: CenterPoint Energy Indiana
Case Number: 35736
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/20/2025
Damage Location: 5238 North Graham Road, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Kingsbury
Other Party: CenterPoint Energy Indiana
Case Number: 35753
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/26/2025
Damage Location: 6833 Saint Johns Road, Elberfeld

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Trenching, Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 35402
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 6449 Hilltop Road, West Harrison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Filson Earth Work Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35448
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/22/2025
Damage Location: USA Parkway, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Knies Construction Inc
Other Party: Jasper Municipal Gas
Case Number: 35781
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/28/2025
Damage Location: 916 W 20th Street, Jasper

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Temple & Temple Excavating & Paving Inc.
Other Party: Midwest Natural Gas Corporation
Case Number: 35397
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/8/2025
Damage Location: Corner Main Street & Lovers Lane, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rams Underground Group LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35606
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/4/2025
Damage Location: 3405 Hunter Road, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bobby Luttrell & Sons L.L.C.
Other Party: CenterPoint Energy Indiana
Case Number: 35618
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 7749 West County Road 400 North, Richland City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & M Underground Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35086
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/5/2025
Damage Location: 1285 West 200 South, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction
Other Party: CenterPoint Energy Indiana
Case Number: 35617
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 1514 South Rogers Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 35078
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/4/2025
Damage Location: 564 Division Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35750
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/23/2025
Damage Location: North East Street & Bastian Court, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kindred Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 35087
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/6/2025
Damage Location: 10417 East US Highway 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Micronet
Other Party: CenterPoint Energy Indiana
Case Number: 35105
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/14/2025
Damage Location: 11177 7 Hills Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ben Schmucker Construction, LLP
Other Party: Northern Indiana Public Service Company
Case Number: 35703
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/10/2025
Damage Location: 306 West Mulberry Street, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Blade Cutters, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35823
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/24/2025
Damage Location: 3130 Willowcreek Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosier Foundations, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35574
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/29/2025
Damage Location: 316 West Douglas Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 2010 Investment Group LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35808
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/17/2025
Damage Location: 1715 Dale Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A R S Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35842
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/30/2025
Damage Location: 3223 Revere Place, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Accelerated Underground Construction
Other Party: Citizens Gas
Case Number: 35652
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/10/2025
Damage Location: 2018 Egret Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Captain Crawlspace LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35581
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/30/2025
Damage Location: 1085 North 400 West, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daniel Landscape Design LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35586
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/24/2025
Damage Location: 6976 East Harrold Place, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Everlast Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35583
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/30/2025
Damage Location: 61501 Fellows Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana's Asphalt LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35576
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/29/2025
Damage Location: 3140 Tremont Lane, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stanton Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35584
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/19/2025
Damage Location: 2617 Larch Way, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Switchback Electric, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35834
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/27/2025
Damage Location: 1101 Riverside Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Utility Pros. LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35578
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/30/2025
Damage Location: 3830 East Oldfield Drive, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Waste Removal Solutions LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35575
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/29/2025
Damage Location: 6156 Birch Lane, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Wang
Other Party: Northern Indiana Public Service Company
Case Number: 35831
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/26/2025
Damage Location: 287 South 00 East-West, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Wise
Other Party: Northern Indiana Public Service Company
Case Number: 35827
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/25/2025
Damage Location: 7064 West 250 South Building House, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kimberly Maller
Other Party: Northern Indiana Public Service Company
Case Number: 35829
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/25/2025
Damage Location: 39 EMS W17 C Lane, North Webster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K L S Underground, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34990
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/16/2025
Damage Location: 433 Lower Huntington, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mullets Fencing & Supplies LLC
 Other Party: Northern Indiana Public Service Company
 Case Number: 35690
 Date of Advisory Meeting: 2/19/2026
 Date of Damage: 10/8/2025
 Damage Location: 5361 East 650 North, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ricci's Landscape Management
Other Party: Northern Indiana Public Service Company
Case Number: 35527
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/16/2025
Damage Location: 411 Hilbrich Drive, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schwartz Electric, Inc
Other Party: Northern Indiana Public Service Company
Case Number: 35548
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/23/2025
Damage Location: 459 Maple Lane, Wakarusa

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sweney Electric Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35723
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/15/2025
Damage Location: 9111 Louisiana Street, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bleeke Electric, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35847
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/31/2025
Damage Location: 110 Brookwood Drive, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dykstra Plumbing LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35538
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/18/2025
Damage Location: 2640 162nd Place, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E L D Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35552
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/23/2025
Damage Location: 3545 Manitou Trail, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L Turner
Other Party: CenterPoint Energy Indiana
Case Number: 35770
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/30/2025
Damage Location: 1420 South Hoyt Avenue, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tharon Freudenberg
Other Party: CenterPoint Energy Indiana
Case Number: 35636
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/13/2025
Damage Location: 14100 North State Route 61, Lynnville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vancel Contracting LLC
Other Party: Citizens Gas
Case Number: 35193
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/4/2025
Damage Location: 12315 E 86TH ST, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: W W Construction
Other Party: CenterPoint Energy Indiana
Case Number: 35072
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/1/2025
Damage Location: 702 West Green Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Phend & Brown, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35679
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/6/2025
Damage Location: 902 South 14th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Telecom Placement, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35625
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/8/2025
Damage Location: 2489 Cape Henry Court, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H R P Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35520
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/15/2025
Damage Location: 1401 Spruce Street, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Longenberger Excavation LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34900
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/10/2025
Damage Location: 1773 Granger Lane, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Allen County Fence LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35560
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/25/2025
Damage Location: 2611 Terrace Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Everdry Waterproofing of Findlay
Other Party: Northern Indiana Public Service Company
Case Number: 35686
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/7/2025
Damage Location: 6435 Rockingham Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Zion Underground LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35677
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/3/2025
Damage Location: 59260 Peppermint Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 7 N T Engineering LLC
Other Party: Citizens Gas
Case Number: 35790
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/20/2025
Damage Location: 3334 Broadway St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Howard Companies, Inc
Other Party: Citizens Gas
Case Number: 35785
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/7/2025
Damage Location: 6450 Around The Hills Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cedar Gardens Mobile Home Park
Other Party: Northern Indiana Public Service Company
Case Number: 35706
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/10/2025
Damage Location: 11601 West 126th Avenue Lot 20, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & S 22 Group LLC
 Other Party: Citizens Gas
 Case Number: 35795
 Date of Advisory Meeting: 2/19/2026
 Date of Damage: 11/14/2025
 Damage Location: 3485 Hillside Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
 Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandy Campolattara
Other Party: Northern Indiana Public Service Company
Case Number: 35907
Date of Advisory Meeting: 2/19/2026
Date of Damage: 11/1/2025
Damage Location: 4512 Ohio Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J D H Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35747
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/23/2025
Damage Location: West Country Club Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E & B Paving, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35739
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/21/2025
Damage Location: 509 West 1st Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Walters**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Northern Indiana Public Service Company
Case Number: 35568
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/27/2025
Damage Location: 12917 Fulton Street, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niblock Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35533
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/17/2025
Damage Location: 16851 State Road 120, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Next Solutions, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35648
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/10/2025
Damage Location: 9526 New Harmony Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & C Fence, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35813
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/21/2025
Damage Location: 32104 State Road 2, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stackhouse Management LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35722
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/15/2025
Damage Location: 2950 West 1100 North Lot 62, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ronnie Rogers
Other Party: Northern Indiana Public Service Company
Case Number: 35708
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/12/2025
Damage Location: 54020 Violet Road, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AmeriDream Fence & Deck Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34408
Date of Advisory Meeting: 2/19/2026
Date of Damage: 5/8/2025
Damage Location: 9408 Buchanan Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Utilities One
Other Party: Northern Indiana Public Service Company
Case Number: 35711
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/13/2025
Damage Location: 125 Lakeview Drive, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hope Plumbing, LLC
Other Party: Citizens Gas
Case Number: 35188
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/27/2025
Damage Location: 5117 Ford Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H & G Underground Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35502
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/8/2025
Damage Location: 345 Lahonda Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Big Concrete & Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35724
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/15/2025
Damage Location: 1623 Sunnyslope Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Engineered Soils, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35536
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/17/2025
Damage Location: 3701 East US Highway 20, Rolling Prairie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Graham's Trucking & Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35512
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/11/2025
Damage Location: 13649 Wicker Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Site Services Inc
Other Party: Northern Indiana Public Service Company
Case Number: 35835
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/27/2025
Damage Location: 8101 Wicker Avenue, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J D G Construction & Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35140
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/4/2025
Damage Location: 5790 Adams Street Lot 11, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lava Remedial Services, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35142
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/5/2025
Damage Location: Olive Trail & 13th Road, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M C S Communication LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35133
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/1/2025
Damage Location: 1921 Ardmore Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Summit City Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35664
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/1/2025
Damage Location: 4729 Tirol Pass, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sara Hoop
Other Party: Citizens Gas
Case Number: 35653
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/16/2025
Damage Location: 1032 N Lasalle St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E & B Paving, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 35759
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/27/2025
Damage Location: 505 West 1st Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Walters**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M G L Strategies, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35496
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/4/2025
Damage Location: 204 Parkwood Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gatlin Plumbing & Heating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35171
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/12/2025
Damage Location: 679 Aspen Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35543
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/18/2025
Damage Location: 6541 West 129th Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35561
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/26/2025
Damage Location: 332 Tweedwood Drive, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hope Plumbing, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 35620
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/8/2025
Damage Location: 5 East Senator Way, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hope Plumbing, LLC
Other Party: Citizens Gas
Case Number: 35661
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/31/2025
Damage Location: 7446 Caroline Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co.
Other Party: Northern Indiana Public Service Company
Case Number: 35511
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/10/2025
Damage Location: 1105 Lillian Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Citizens Gas
Case Number: 35392
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/30/2025
Damage Location: 8924 S Acton Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
Jeremy Comeau for Blaine Walters, Member



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Northern Indiana Public Service Company
Case Number: 35716
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/14/2025
Damage Location: 50754 North Mayflower Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwestern Electric, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35139
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/4/2025
Damage Location: 9954 West US Highway 6, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Snowball Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35544
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/20/2025
Damage Location: 6028 West Hills Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Potawatomi Zoological Society, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35523
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/16/2025
Damage Location: 500 South Greenlawn Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J W Hicks Inc
Other Party: Northern Indiana Public Service Company
Case Number: 35494
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/4/2025
Damage Location: 20 Kloeckner Drive Building SLD GT, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aubreigh Ellis
Other Party: CenterPoint Energy Indiana
Case Number: 35112
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/15/2025
Damage Location: 2809 South Eastlawn Court, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bailey Cottrell
Other Party: Northern Indiana Public Service Company
Case Number: 35546
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/21/2025
Damage Location: 11565 West Von Hollow Drive, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandi Morales
Other Party: CenterPoint Energy Indiana
Case Number: 35074
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/3/2025
Damage Location: 305 South Avenue, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brice Helton
Other Party: CenterPoint Energy Indiana
Case Number: 35749
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/24/2025
Damage Location: 11236 East Main Street, Owensburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calvin Lambright
Other Party: Northern Indiana Public Service Company
Case Number: 35505
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/8/2025
Damage Location: 10275 County Road 34, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chip Train
Other Party: CenterPoint Energy Indiana
Case Number: 35471
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/30/2025
Damage Location: 6511 South 800 East, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hector Duran
Other Party: CenterPoint Energy Indiana
Case Number: 35729
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/17/2025
Damage Location: 212 East 14th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jack Kwitek
Other Party: Northern Indiana Public Service Company
Case Number: 35476
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/1/2025
Damage Location: 733 South 36th Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Yoder
Other Party: Northern Indiana Public Service Company
Case Number: 35148
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/6/2025
Damage Location: 54734 State Road 13, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lawayne Yoder
Other Party: Northern Indiana Public Service Company
Case Number: 35545
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/20/2025
Damage Location: 4160 South 250 West, LaGrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Les Christianson
Other Party: CenterPoint Energy Indiana
Case Number: 35465
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/30/2025
Damage Location: 11232 US Highway 231 South, Romney

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lisa Vaught
Other Party: CenterPoint Energy Indiana
Case Number: 34820
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/1/2025
Damage Location: 650 Old Moore Road, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lyndsay Kinsey
Other Party: Northern Indiana Public Service Company
Case Number: 35528
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/16/2025
Damage Location: 515 Cherry Street, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mitchel Childress
Other Party: Northern Indiana Public Service Company
Case Number: 35145
Date of Advisory Meeting: 2/19/2026
Date of Damage: 8/5/2025
Damage Location: 401 East Main Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parker Warren
Other Party: CenterPoint Energy Indiana
Case Number: 35632
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/10/2025
Damage Location: 506 South 8th Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paul Roney
Other Party: Northern Indiana Public Service Company
Case Number: 35529
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/16/2025
Damage Location: 108 Brown Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L Strickland
Other Party: Northern Indiana Public Service Company
Case Number: 35497
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/4/2025
Damage Location: 469 West 20th Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rick Reubelt
Other Party: Northern Indiana Public Service Company
Case Number: 35500
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/6/2025
Damage Location: 2110 Wynnewood Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ronald Mikash Jr.
Other Party: Northern Indiana Public Service Company
Case Number: 35501
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/7/2025
Damage Location: 5241 West 1050 North, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ruth Watts
Other Party: Northern Indiana Public Service Company
Case Number: 35567
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/27/2025
Damage Location: 1738 West Quarry Drive Lot 80, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ted Steibling
Other Party: Northern Indiana Public Service Company
Case Number: 35489
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/3/2025
Damage Location: 60 Lane 890 Snow Lake, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Conner
Other Party: CenterPoint Energy Indiana
Case Number: 34827
Date of Advisory Meeting: 2/19/2026
Date of Damage: 7/4/2025
Damage Location: 812 South 10th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Yashira Colon
Other Party: CenterPoint Energy Indiana
Case Number: 35767
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/29/2025
Damage Location: 1481 Brookside Court North, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Zach Macwalters
Other Party: Northern Indiana Public Service Company
Case Number: 35809
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/17/2025
Damage Location: 5112 Goshen Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: V T F Excavation, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35577
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/30/2025
Damage Location: 3325 Oliver Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 35697
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/9/2025
Damage Location: 430 East Davis Street, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Michigan City Department of Waterworks
Other Party: Northern Indiana Public Service Company
Case Number: 35669
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/2/2025
Damage Location: 153 Mayfield Drive Lot 9, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: F & K Construction Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35667
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/1/2025
Damage Location: 167 East Clinton Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & J Underground Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35676
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/3/2025
Damage Location: 7400 Burr Street, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rainmaker Irrigation, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 35683
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/6/2025
Damage Location: 13095 Carolina Street Lot 4-1, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M & Sons Underground Boring LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35714
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/14/2025
Damage Location: 3527 West Coliseum Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M D Landscaping Services Inc
Other Party: Northern Indiana Public Service Company
Case Number: 35585
Date of Advisory Meeting: 2/19/2026
Date of Damage: 9/22/2025
Damage Location: 1408 Canterbury Drive, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Solid Construction and Contracting, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 35712
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/13/2025
Damage Location: 1715 East Schug Road, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Otterbein
Other Party: Northern Indiana Public Service Company
Case Number: 35820
Date of Advisory Meeting: 2/19/2026
Date of Damage: 10/23/2025
Damage Location: 408 North Main Street, Otterbein

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman