

Commissioner	Yes	No	Not Participating
Huston	V		
Freeman	V		
Krevda			V
Veleta	V		
Ziegner	V		

#### **STATE OF INDIANA**

#### INDIANA UTILITY REGULATORY COMMISSION

)

)

)

#### IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.

#### APPROVED: MAR 29 2023

#### **ORDER OF THE COMMISSION**

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

#### IT IS SO ORDERED.

#### HUSTON, FREEMAN, VELETA, AND ZIEGNER CONCUR; KREVDA ABSENT:

#### APPROVED: MAR 29 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana Broadband LLC
Other Party:	Midwest Natural Gas Corporation
Case Number:	26370
Date of Advisory Meeting:	1/19/2023
Date of Damage:	12/29/2021
Damage Location:	410 Crone Rd., Memphis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	American Residential Services LLC dba ARS Rescue Rooter
Other Party:	Citizens Gas
Case Number:	26999
Date of Advisory Meeting:	1/19/2023
Date of Damage:	4/8/2022
Damage Location:	702 Shepard St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

Journ

APPROVED:

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bryan Snyder
Other Party:	Indiana Natural Gas Corporation
Case Number:	27428
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/10/2022
Damage Location:	1072 Jackson Branch Road, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	J & R Fence & Deck LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27460
Date of Advisory Meeting:	1/19/2023
Date of Damage:	6/6/2022
Damage Location:	212 North Madison Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Internattional Inc.
Case Number:	27571
Date of Advisory Meeting:	1/19/2023
Date of Damage:	6/28/2022
Damage Location:	16774 Hampton Drive, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Internattional Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27575
Date of Advisory Meeting:	1/19/2023
Date of Damage:	6/28/2022
Damage Location:	17917 Auten Road, Granger

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Internattional Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27576
Date of Advisory Meeting:	1/19/2023
Date of Damage:	6/29/2022
Damage Location:	17180 Wheatridge Court, Granger

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000; training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: Escalated to include an additional mandatory training because of the failure to report the damage.

augu

APPROVED:

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milldrill, LLC
Other Party:	Citizens Gas
Case Number:	27589
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/4/2022
Damage Location:	8043 East Edgewood, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

APPROVED

<u>for Scott Sontag</u> Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	US Radius Services Inc
Other Party:	Citizens Gas
Case Number:	27595
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/25/2022
Damage Location:	6812 Smithfield Boulevard, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	317 Construction LLC
Other Party:	Citizens Gas
Case Number:	27596
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/25/2022
Damage Location:	3141 Sutherland Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: /for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Glidden Fence Company, Inc.
Other Party:	Citizens Gas
Case Number:	27606
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/12/2022
Damage Location:	4310 Ansar Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

APPROVED

: /<u>for Scott Sontag</u> Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hummel Electric, Inc.
Other Party:	Ohio Valley Gas Corp
Case Number:	27609
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/16/2022
Damage Location:	11th and Washington Street, Tell City

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$3,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fountaintown Gas Company, Inc
Other Party:	Electricom, Inc.
Case Number:	27611
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/19/2022
Damage Location:	103 South Street, Shirley

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Grade-On Excavating Service Limited Liability Company
Case Number:	27654
Date of Advisory Meeting:	1/19/2023
Date of Damage:	6/27/2022
Damage Location:	5536 Earl Young Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana Natural Gas Corporation
Other Party:	Korbin Basinger
Case Number:	27669
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/28/2022
Damage Location:	413 Southeast 1st Street, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Midwest Natural Gas Corporation
Other Party:	KBS Enterprises LLC
Case Number:	27670
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/6/2022
Damage Location:	52 North Beechwood Street, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jerry Winkler
Other Party:	Citizens Gas
Case Number:	27671
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/21/2022
Damage Location:	644 Laclede Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions: Warren

APPROVED

/for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chad Huff
Other Party:	Westfield Gas Corporation
Case Number:	27672
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/19/2022
Damage Location:	2330 East 186th Street, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

APPROVED

/for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brown's Construction Inc.
Other Party:	Citizens Gas
Case Number:	27676
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/16/2022
Damage Location:	6011 Rural Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: /for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Michael Gibert
Case Number:	27685
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/5/2022
Damage Location:	4207 Superior Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lunar Companies Inc
Other Party:	Westfield Gas Corporation
Case Number:	27686
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/5/2022
Damage Location:	1051 Macoun Drive, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

augu

APPROVED:

/for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	AmeriFence, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27758
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	5698 Upper Garden Way, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Billy Mason
Other Party:	CenterPoint Energy Indiana
Case Number:	27759
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	990 Bridge Street, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27764
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/22/2022
Damage Location:	214 S 16th St, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### \$5,000; no ticket escalation - additional \$1,000

Abstentions:

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Lewen Line Construction Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27765
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/23/2022
Damage Location:	7606 County Line Rd, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### \$3,500; no ticket escalation - additional \$1,000

Abstentions:

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Landscape Designs of Indianapolis, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27766
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	20290 Chatham Hills Blvd, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Terracon Consultants, Inc.
Case Number:	27769
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/18/2022
Damage Location:	8775 Old State Rd 37, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	I & C Telecom, Inc.
Case Number:	27772
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/26/2022
Damage Location:	1730 Blaine Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bullseye Directional Boring, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27776
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/28/2022
Damage Location:	3620 S Farmstone Cir, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$4,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	C T S I LLC
Case Number:	27778
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/28/2022
Damage Location:	110 Essex Ct, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Robert Killebrew
Other Party:	CenterPoint Energy Indiana
Case Number:	27781
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/29/2022
Damage Location:	10155 Lothbury Cir, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Maximum Contracting And Realestate LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27782
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/29/2022
Damage Location:	28 Edgelea Dr, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Maglish Plumbing & Heating & Electric LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27879
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	5374 Osage Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Q C Communications, Inc.
Case Number:	27880
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	6440 Armstrong Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L & J Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27881
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	8990 Clark Place, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Q C Communications, Inc.
Case Number:	27882
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	6448 Armstrong Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Grade A Concrete LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27883
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	711 Walnut Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	David Lopez Landscaping
Other Party:	Northern Indiana Public Service Company
Case Number:	27884
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	430 West Angela Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

## Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Q C Communications, Inc.
Case Number:	27885
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	6504 Armstrong Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Q C Communications, Inc.
Case Number:	27886
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/21/2022
Damage Location:	6528 Armstrong Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jared Ritter
Other Party:	Northern Indiana Public Service Company
Case Number:	27888
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/23/2022
Damage Location:	1306 Washington Boulevard, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Alfred Bentley
Other Party:	Northern Indiana Public Service Company
Case Number:	27891
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/25/2022
Damage Location:	1019 Spruce St, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

## Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wolff's Fencing
Other Party:	Northern Indiana Public Service Company
Case Number:	27894
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/26/2022
Damage Location:	904 Corby Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Anveri Construction Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	27895
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/26/2022
Damage Location:	1102 Norbeh Drive, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Just Grass Lawn Care LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27896
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/26/2022
Damage Location:	14994 Verity Parkway, Huntertown

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

## Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	M & M Field Services LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27897
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/26/2022
Damage Location:	1841 North Brook Boulevard, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Always Underground, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27898
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/26/2022
Damage Location:	52976 Red Fox Trail, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Valparaiso City Utilities
Case Number:	27899
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/26/2022
Damage Location:	704 Brown Street, Valapraiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	K L S Underground, Inc.
Case Number:	27901
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/27/2022
Damage Location:	7615 West 650 North, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	K L S Underground, Inc.
Case Number:	27902
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/27/2022
Damage Location:	West 650 North & North 775 West, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Acculevel, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27903
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/27/2022
Damage Location:	11224 West 80th Court, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$3,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Teracom, Inc.
Case Number:	27904
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/27/2022
Damage Location:	405 West Market Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Your Guy Excavating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27905
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/27/2022
Damage Location:	15 Lane 134 Turkey Lake, Lagrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Q C Communications, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27906
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/27/2022
Damage Location:	1343 Slater Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Brooks Construction Company, Inc.
Case Number:	27908
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/28/2022
Damage Location:	2114 Glen Hollow Drive, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	V T F Excavation, LLC
Case Number:	27909
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/28/2022
Damage Location:	1690 East 250 North, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

## \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Jeff Venable
Other Party:	Northern Indiana Public Service Company
Case Number:	27911
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/28/2022
Damage Location:	2830 Hancock Street, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	B Connect Corporation
Other Party:	Northern Indiana Public Service Company
Case Number:	27914
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/28/2022
Damage Location:	170 East Oak Hill Road, Porter

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hipskind Concrete Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	27916
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/29/2022
Damage Location:	3816 Winterfield Run, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$3,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Four Trees Enterprises LLC dba Four Trees Landscaping
Other Party:	Northern Indiana Public Service Company
Case Number:	27917
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/29/2022
Damage Location:	1636 Summer Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Construction Services of Indiana
Case Number:	27920
Date of Advisory Meeting:	1/19/2023
Date of Damage:	7/30/2022
Damage Location:	1310 East Clark Street, Apt. A, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fountaintown Gas Company, Inc
Other Party:	Sage Drilling, Inc
Case Number:	27983
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/12/2022
Damage Location:	Hinshaw & Martindale, Kennard

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Verita Telecommunications Corp.
Other Party:	Citizens Gas
Case Number:	27985
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/1/2022
Damage Location:	4140 Bradford Woods Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fisher Contracting, LLC
Other Party:	Citizens Gas
Case Number:	27987
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/30/2022
Damage Location:	7799 Michigan Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

APPROVED

: /<u>for Scott Sontag</u> Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S L B Pipe Solutions LLC
Other Party:	Citizens Gas
Case Number:	27988
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/30/2022
Damage Location:	8221 East 47th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions: Warren

APPROVED

<u>for Scott Sontag</u> Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Encore Landscape LLC
Other Party:	Citizens Gas
Case Number:	27989
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/30/2022
Damage Location:	1123 Olive Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Meyer Najem Construction LLC
Other Party:	Citizens Gas
Case Number:	27990
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/27/2022
Damage Location:	6215 North College Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: /for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Statement Excavating LLC
Other Party:	Citizens Gas
Case Number:	27991
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/26/2022
Damage Location:	1957 Clement Street, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

## \$3,000; no ticket escalation - additional \$1,000

Abstentions: Warren

APPROVED

: /<u>for Scott Sontag</u> Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Internattional Inc.
Other Party:	Citizens Gas
Case Number:	27995
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/23/2022
Damage Location:	8433 Twin Pointe Circle, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Barr Excavating
Other Party:	Community Natural Gas Inc
Case Number:	27996
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/9/2022
Damage Location:	828 US Highway 231, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

## Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jeff Schue
Other Party:	Community Natural Gas Inc
Case Number:	27997
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/19/2022
Damage Location:	50 South Sunset Drive, Dale

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bayer's Plumbing Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	28069
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/1/2022
Damage Location:	9944 Monte Way, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	I & C Telecom, Inc.
Case Number:	28074
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/3/2022
Damage Location:	804 North 8th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Saldana Pools LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28076
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/2/2022
Damage Location:	1315 Van Buskirk Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Louisville Paving Company
Other Party:	CenterPoint Energy Indiana
Case Number:	28077
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/4/2022
Damage Location:	2427 Stover Drive, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Environmental Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28080
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/5/2022
Damage Location:	19 NW 11th Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Addison Underground Utilities LLC
Case Number:	28081
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/5/2022
Damage Location:	5763 Brenda Boulevard, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Telecom Placement, Inc.
Case Number:	28084
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/4/2022
Damage Location:	2014 Stafford Road, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Versatile Construction LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28087
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/8/2022
Damage Location:	501 West Main Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Prince Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28089
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/9/2022
Damage Location:	355 West Roszell Drive, Nineveh

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	United Connections LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28095
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/8/2022
Damage Location:	6629 Dunsdin Drive, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Phillip Cooper
Other Party:	CenterPoint Energy Indiana
Case Number:	28096
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/10/2022
Damage Location:	921 North 8th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Solid Rock Solutions LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28099
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/10/2022
Damage Location:	19 Highland Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	28100
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/10/2022
Damage Location:	7043 South 450 West, Owensville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J E Reedy, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28103
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/11/2022
Damage Location:	114 South Main Street, Linden

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$3,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	B Cardenas Construction Co Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	28104
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/9/2022
Damage Location:	Prestwick & Stapelton, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John Lasley Outdoor Solutions LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28106
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/12/2022
Damage Location:	609 East Walnut Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Garald Dean
Other Party:	CenterPoint Energy Indiana
Case Number:	28109
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/14/2022
Damage Location:	131 South East Street, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Los Catrachos Underground Contractor LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28113
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/15/2022
Damage Location:	1229 Shoreline Drive, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Milenium, Inc.
Case Number:	28114
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/15/2022
Damage Location:	North 25th Street & Linden Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Milenium, Inc.
Case Number:	28119
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/15/2022
Damage Location:	2125 North 25th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Target One Services LLC
Case Number:	28122
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/16/2022
Damage Location:	1520 Nantucket Drive, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Helebo Trenching, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28123
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/17/2022
Damage Location:	4300 Indianapolis Road, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### \$3,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	28124
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/17/2022
Damage Location:	Willow Street & Briarwood Avenue, Dana

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	AmeriFence, Inc.
Case Number:	28126
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/17/2022
Damage Location:	425 Raines Street, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:HCE LLCOther Party:CenterPoint Energy IndianaCase Number:28127Date of Advisory Meeting:1/19/2023Date of Damage:8/17/2022Damage Location:7754 Co Rt 500 W, Trafalgar

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R T Moore, Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28128
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/18/2022
Damage Location:	14819 Legacy Oaks Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wildeman Septic and Excavating Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	28138
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/22/2022
Damage Location:	19515 Barton Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	T & T Underground & Contracting, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28139
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/19/2022
Damage Location:	3576 East Saddlebrook Lane, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$3,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Evansville (Water & Sewer Departments)
Case Number:	28140
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/23/2022
Damage Location:	900 West Boonville - New Harmony Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Michels Utility Services, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28141
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/24/2022
Damage Location:	3206 West Torquay Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$3,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Anderson
Case Number:	28143
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/23/2022
Damage Location:	918 Hickory Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Top Choice Fence LLC
Case Number:	28146
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/25/2022
Damage Location:	3212 West Durbin Drive, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nobis Technology LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28147
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/25/2022
Damage Location:	4205 West Gilbert Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	R C Roofing & Construction LLC
Case Number:	28148
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/24/2022
Damage Location:	3123 Union Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	LM5 Underground Corp
Other Party:	CenterPoint Energy Indiana
Case Number:	28149
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/24/2022
Damage Location: Fishers	Charleston Parkway & Jamestown North Drive,

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	4 Brothers
Other Party:	CenterPoint Energy Indiana
Case Number:	28151
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/25/2022
Damage Location:	1700 West Memorial Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28155
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/27/2022
Damage Location:	406 Williams Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Adrian Swartzenruber
Case Number:	28157
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/27/2022
Damage Location:	270 Abel Lane, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	K & K Fence, Inc.
Case Number:	28158
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/29/2022
Damage Location:	9084 Technology Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Cantarero Construction LLC
Case Number:	28159
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/29/2022
Damage Location:	60 Battleview Court, Battle Ground

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Garrett Roak
Other Party:	CenterPoint Energy Indiana
Case Number:	28161
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/29/2022
Damage Location:	2851 East Sunset Lane, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D R Watson Co Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28164
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/30/2022
Damage Location:	14292 Wilbur Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Joe Beard & Sons Corp.
Other Party:	CenterPoint Energy Indiana
Case Number:	28165
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/31/2022
Damage Location:	2400 Schlensker Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Automated Irrigation Systems, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28171
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/31/2022
Damage Location:	10600 Holliday Farms Boulevard, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nottingham Excavating LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28172
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/30/2022
Damage Location:	2108 North Maplewood Avenue, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mother Nature Landscaping, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28174
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/25/2022
Damage Location:	4848 South Walnut Street Pike, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Arc American, Inc.
Case Number:	28176
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/30/2022
Damage Location:	2522 Smith Drive, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bowen Engineering Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	28177
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/29/2022
Damage Location:	2024 West Jackson Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Janine Guzman
Other Party:	CenterPoint Energy Indiana
Case Number:	28180
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/17/2022
Damage Location:	1225 East Main Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Daniel Garcia
Other Party:	CenterPoint Energy Indiana
Case Number:	28182
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/21/2022
Damage Location:	1621 Halford Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Aaron Neaveill
Other Party:	CenterPoint Energy Indiana
Case Number:	28184
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/27/2022
Damage Location:	6010 Romaine Road, Poseyville

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jay Flatt
Other Party:	CenterPoint Energy Indiana
Case Number:	28187
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/31/2022
Damage Location:	15720 West Commerce Road, Daleville

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lineal Contracting, Inc.
Other Party:	Indiana Natural Gas Corporation
Case Number:	28189
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/7/2022
Damage Location:	208 South Main Street, Marengo

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

#### \$4,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fountaintown Gas Company, Inc
Other Party:	Sage Drilling, Inc
Case Number:	28192
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/21/2022
Damage Location:	103 South Rosewood Street, Kennard

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Midwest Natural Gas Corporation
Other Party:	Temple & Temple Excavating & Paving Inc.
Case Number:	28194
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/20/2022
Damage Location:	606 Tucker Street, Salem

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hummel Electric, Inc.
Other Party:	Ohio Valley Gas Corp
Case Number:	28196
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/16/2022
Damage Location:	11th & Washington Street, Tell City

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ohio Valley Gas Corp
Other Party:	The Fishel Company
Case Number:	28197
Date of Advisory Meeting:	1/19/2023
Date of Damage:	8/25/2022
Damage Location:	2530 Toddy Place, Bright

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Sorg Properties
Other Party:	Northern Indiana Public Service Company
Case Number:	28198
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/22/2021
Damage Location:	4323 Wayne Trace, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Temple & Temple Excavating & Paving Inc.
Other Party:	Indiana Natural Gas Corporation
Case Number:	28199
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/11/2022
Damage Location:	8324 W State Road 56, West Baden Springs

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Novinium, Inc.
Other Party:	Citizens Gas
Case Number:	28202
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/22/2022
Damage Location:	9142 Misty Lake Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: /for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Milestone Contractors, L.P.
Case Number:	28204
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/19/2022
Damage Location:	8867 Alderly Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Citizens Gas
Case Number:	28207
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/16/2022
Damage Location:	11541 Presidio Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### \$5,000; no ticket escalation - additional \$1,000

Abstentions: Warren

APPROVED

: /for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cohron's Investments, LLC
Other Party:	Citizens Gas
Case Number:	28209
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/15/2022
Damage Location:	5334 Judith Anne Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions: Warren

APPROVED

/for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Evertt's Sons, LLC
Other Party:	Citizens Gas
Case Number:	28211
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/14/2022
Damage Location:	6724 Lambert Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alexander Construction & Landscaping, LLC
Other Party:	Citizens Gas
Case Number:	28212
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/14/2022
Damage Location:	8843 Centerstone Circle, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: <u>/for Scott Sontag</u> Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D W D Company LLC
Other Party:	Citizens Gas
Case Number:	28214
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/13/2022
Damage Location:	320 Country Woods Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: /for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Jude Blankenberger
Other Party:	CountryMark Refining and Logistics, LLC
Case Number:	28219
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/15/2022
Damage Location:	County Road 300 South - South Side, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: DeKemper

Additional Information:

APPROVED

/for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Higher Ground Conference & Retreat Center
Other Party:	Sycamore Gas Company
Case Number:	28220
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/5/2022
Damage Location:	3820 Logan Creek Lane, West Harrison

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Roto-Rooter Plumbing & Drain Service
Other Party:	Sycamore Gas Company
Case Number:	28221
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/11/2022
Damage Location:	931 Pribble Circle, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

APPROVED /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	28397
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/11/2022
Damage Location:	4400 E 38th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Diversified Equipment Group LLC
Other Party:	Citizens Gas
Case Number:	28400
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/10/2022
Damage Location:	201 Bethel Avenue, Beech Grove

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

APPROVED

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Al's Landscaping and Excavating Services
Other Party:	Citizens Gas
Case Number:	28405
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/5/2022
Damage Location:	2606 Winthrop Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: <u>/for Scott Sontag</u> Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	C A Advanced, Inc.
Case Number:	28406
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/5/2022
Damage Location:	719 Braeside Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gordon Plumbing
Other Party:	Citizens Gas
Case Number:	28408
Date of Advisory Meeting:	1/19/2023
Date of Damage:	10/4/2022
Damage Location:	2206 E 58th, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

# IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

APPROVED

: /for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	28415
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/29/2022
Damage Location:	7003 E 38th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$4,500

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	28418
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/27/2022
Damage Location:	4826 West Naomi, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

APPROVED /for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Coy Landscaping Inc
Other Party:	Citizens Gas
Case Number:	28419
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/26/2022
Damage Location:	5708 Carvel Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions: Warren

APPROVED

/for Scott Sontag Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Steven Lewer
Other Party:	Citizens Gas
Case Number:	28421
Date of Advisory Meeting:	1/19/2023
Date of Damage:	9/25/2022
Damage Location:	2828 Davis Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions: Warren

APPROVED

Scott Sontag, Vice Chairman