

Commissioner	Yes	No	Not Participating
Huston	٧		
Freeman	٧		
Krevda	٧		
Ober	٧		
Ziegner			V

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)	
APPROVING ADVISORY COMMITTEE)	APPROVED: APR 06 2022
RECOMMENDATIONS PURSUANT TO)	
INDIANA CODE CHAPTER 8-1-26.)	

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, AND OBER CONCUR; ZIEGNER ABSENT:

APPROVED: APR 06 2022

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	24080
Date of Advisory Meeting:	2/8/2022
Date of Damage:	11/9/2020
Damage Location:	1421 E Michigan St, Evansville
IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Additional Information:	
APPROVED: Eleabeth	5 Walke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Yoder Painting
respondent.	1 odel 1 dilliding

Other Party: CenterPoint Energy Indiana

Case Number: 24084

Date of Advisory Meeting: 2/8/2022

Date of Damage: 11/10/2020

Damage Location: 216 S Vine St, Haubstadt

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H P Masonry & Remodeling LLC

Other Party: Citizens Gas

Case Number: 24400

Date of Advisory Meeting: 2/8/2022

Date of Damage: 1/12/2021

Damage Location: 1125 N Arsenal Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Green Acres Golf LLC
-------------	----------------------

Other Party: Indiana Natural Gas Corporation

Case Number: 24882

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 1345 W Leonard Circle, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Community Natural Gas Inc
Other Party:	Roberts Boring/Trenching/Excavating LLC
Case Number:	24937
Date of Advisory Meeting:	2/8/2022
Date of Damage:	5/27/2021
Damage Location:	1130 Freeman Rd, Spencer
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions:	
Additional Information:	

Elealith Walker /for Ben Warren

Ben Warren, Chairman

APPROVED:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Angie's Pool & Spa, Inc.

Other Party: Citizens Gas

Case Number: 24943

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/1/2021

Damage Location: 6321 Silverton Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Difiniti Sewer & Drain

Other Party: Citizens Gas

Case Number: 24944

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/1/2021

Damage Location: 5217 Madison Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Simplicity Contracting, Inc.

Other Party: Citizens Gas

Case Number: 24945

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 5730 N Keystone Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



Respondent:

APPROVED:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

John Jacobson

Other Party:	Midwest Natural Gas Corporation	
Case Number:	24950	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/13/2021	
Damage Location:	2856 N. Nubian Rd., Salem	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recomm	nends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		

Elealith Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bruner Excavating & DMP Trucking
Other Party:	Midwest Natural Gas Corporation

Case Number: 24951

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/11/2021

Damage Location: Lot # 16 Village Lane, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: E'lealith' Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 24992

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/25/2021

Damage Location: 4016 Aboite Lake Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: The Robert Henry Corporation

Case Number: 24993

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/25/2021

Damage Location: 2421 S Michigan Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Dyer Construction Co., Inc.

Case Number: 25000

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/26/2021

Damage Location: 1417 Harrison St, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C B S Service LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25001

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 402 Truesdell Ave, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Pavey Excavating Company, Inc.

Case Number: 25002

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 111 Noble St, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Network Concrete LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25003

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 6219 Cherry Hill Pkwy, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: P-Squared Contracting

Other Party: Northern Indiana Public Service Company

Case Number: 25004

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 2114 Spear St, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cooper Trenching, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25005

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 11901 Covington Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Axis Fiber Solutions

Case Number: 25006

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 1023 E Berry St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Andy Runyon

Other Party: Northern Indiana Public Service Company

Case Number: 25007

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 0330 N 50 W, Lagrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chuck Leuenberger

Other Party: Northern Indiana Public Service Company

Case Number: 25008

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/28/2021

Damage Location: 813 Kenwood Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Housman

Other Party: Northern Indiana Public Service Company

Case Number: 25009

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/29/2021

Damage Location: 11194 N Honeycomb Ln, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lucis Mendoza

Other Party: Northern Indiana Public Service Company

Case Number: 25010

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/30/2021

Damage Location: 57936 County Road 9, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Premier Directional Boring Inc.

Case Number: 25011

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/31/2021

Damage Location: 220 E Middlebury St, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Julie Frick

Other Party: Northern Indiana Public Service Company

Case Number: 25012

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/30/2021

Damage Location: 123 E Hively Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$100

Abstentions: Smith

Additional Information:

APPROVED: Elealith Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fishburn Remodeling, LLC-S

Other Party: Fountaintown Gas Company, Inc

Case Number: 25013

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 725 W 500 S, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **Trained 2-16-22**

APPROVED: Elealith Walke /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Specialized Construction & Utility Corp	
Other Party:	Indiana Natural Gas Corporation	
Case Number:	25014	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/26/2021	
Damage Location:	Sr 66, Carefree	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(expire)		
The Advisory Committee reco	mmends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Elealith	5 Walke /for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Freije Excavation & Land Maintenance LLC

Other Party: Citizens Gas

Case Number: 25015

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/22/2021

Damage Location: 2424 Graysford Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Other Party: Citizens Gas

Case Number: 25016

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/21/2021

Damage Location: 1162 N Goodlet Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Raintree Electric

Other Party: Citizens Gas

Case Number: 25017

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 10910 Wonderland Dr., Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Viriri Tinashe

Other Party: Citizens Gas

Case Number: 25018

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/16/2021

Damage Location: 2209 Carrollton Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M C Communications LLC

Other Party: Citizens Gas

Case Number: 25020

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/16/2021

Damage Location: 4908 Franklin Villas Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arbuckle Nursery & Landscaping

Other Party: Citizens Gas

Case Number: 25022

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 5950 Hillside Ave E Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Environmental Assurance Company, Inc.

Other Party: Citizens Gas

Case Number: 25023

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/12/2021

Damage Location: 4612 W 30Th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Telecom Placement, Inc.

Other Party: Citizens Gas

Case Number: 25024

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/11/2021

Damage Location: 8955 Us 31 S, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NHTP LLC

Other Party: Citizens Gas

Case Number: 25025

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/9/2021

Damage Location: 7507 Michigan Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas

Other Party: Calumet Civil Contractors, Inc.

Case Number: 25026

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/8/2021

Damage Location: 1104 S Keystone Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bernadette Zaya Monk

Other Party: Citizens Gas

Case Number: 25027

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/8/2021

Damage Location: 1432 N Routiers Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'leolitto Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greenwald Enterprises, Inc.

Other Party: Citizens Gas

Case Number: 25028

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/8/2021

Damage Location: 3419 W Bando Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Cleaning Hood Service-1 Inc.

Other Party: Ohio Valley Gas Corp

Case Number: 25029

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 5674 S. In Rt. 162, Huntingburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Alexander Scott Sullivan

Other Party:	Midwest Natural Gas Corporation	
Case Number:	25030	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/5/2021	
Damage Location:	927 S Seminary St, Bloomfield	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Elsolith	5 Walke /for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dyer Construction Co., Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25032

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/1/2021

Damage Location: 1575 Harrison St, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25033

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/1/2021

Damage Location: 4007 N Main Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25035

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/1/2021

Damage Location: 1710 E State Rd 18, Young America

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: Elealith Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Juan Gerrero

Other Party: Northern Indiana Public Service Company

Case Number: 25036

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/1/2021

Damage Location: 1138 Hoffman Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors North, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25037

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/2/2021

Damage Location: 12110 Delaware St, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Glover Cable Construction LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25038

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/2/2021

Damage Location: 668 E 650 N, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: E'lealeth' Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cleary Construction Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25041

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/2/2021

Damage Location: 509 Mize Court, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Comp	Northern Indiana Public Service Company
--	---

Other Party: City of Fort Wayne

Case Number: 25042

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/3/2021

Damage Location: 2002 Coronet Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Amor Excavating, Inc.

Case Number: 25043

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/3/2021

Damage Location: 108 N Cedar Street, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: S/T Bancroft Electric, Inc.

Case Number: 25045

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/3/2021

Damage Location: Highway 20 & Quince Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Elmer's Service, LLC

Case Number: 25046

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/3/2021

Damage Location: 15234 Valentia Dr, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G E Marshall, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25047

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/4/2021

Damage Location: 506 Evans Ave, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Daniel Rabe

Case Number: 25048

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/4/2021

Damage Location: 2302 Laforge Ln, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Malott Contracting, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25049

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/4/2021

Damage Location: 9929 Rainer Pass, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elmer's Service, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25050

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/4/2021

Damage Location: 15194 Valentia Drive, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gerardo Coriad

Other Party: Northern Indiana Public Service Company

Case Number: 25052

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/4/2021

Damage Location: 1115 W Jefferson Blvd, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Greg Hennings

Case Number: 25053

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/5/2021

Damage Location: 682 Coventry Ln, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Pipeline Construction Company

Other Party: Northern Indiana Public Service Company

Case Number: 25054

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/5/2021

Damage Location: 1212 N Washington St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shane Ray

Other Party: Northern Indiana Public Service Company

Case Number: 25055

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/6/2021

Damage Location: 655 Washington St, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nermin Begovic

Other Party: Northern Indiana Public Service Company

Case Number: 25056

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/6/2021

Damage Location: 7809 Woodbine Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Don's Foundation Repair, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25058

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/7/2021

Damage Location: 4147 Oakmont Ct, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Donna Tipold

Other Party: Northern Indiana Public Service Company

Case Number: 25059

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/7/2021

Damage Location: 225 Coolspring Dr, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Concrete Leveling & Foundation Repair

Other Party: Northern Indiana Public Service Company

Case Number: 25061

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/8/2021

Damage Location: 6065 Inwood Ln, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.

Other Party: Northern Indiana Public Service Company

Case Number: 25063

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/8/2021

Damage Location: 3622 Green Rd, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: Elealith Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S/T Bancroft Electric, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25065

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/9/2021

Damage Location: 26807 Us Highway 20, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Graber's Well Drilling

Case Number: 25067

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/9/2021

Damage Location: 5999 S 455 E, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Geeding Construction, LLC

Case Number: 25068

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/9/2021

Damage Location: 16226 Ireland Rd, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meadows Concrete & Backhoe Service

Other Party: Northern Indiana Public Service Company

Case Number: 25069

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/9/2021

Damage Location: 8280 E Us Highway 30 Lot 48, Pierceton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & B Directional Boring LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25070

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/9/2021

Damage Location: 1815 Greenwood Dr, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P E X Pro Exteriors

Other Party: Northern Indiana Public Service Company

Case Number: 25071

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/9/2021

Damage Location: 1509 W Taylor St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Custom Concrete & Construction

Other Party: Northern Indiana Public Service Company

Case Number: 25072

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/10/2021

Damage Location: 53 Mound St, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Four Seasons Custom Decks & Fences

Case Number: 25074

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/10/2021

Damage Location: 1130 Belmont Ave, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Graycor Industrial Constructors, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25075

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/10/2021

Damage Location: 1200 E Bristol Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Wigent Excavating, Inc.

Case Number: 25076

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/10/2021

Damage Location: 306 N Sweet Briar Ct, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Fox Contractors Corp.

Case Number: 25078

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/11/2021

Damage Location: 2209 1/2 Saint Joe Center Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeremy Hazelton

Other Party: Northern Indiana Public Service Company

Case Number: 25079

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/11/2021

Damage Location: 216 Strathmoor Ave, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeremy Voorhees

Other Party: Northern Indiana Public Service Company

Case Number: 25080

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/11/2021

Damage Location: 2686 E State Rd 4, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Rieth-Riley Construction Co., Inc.

Case Number: 25081

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/11/2021

Damage Location: 15589 County Road 38 Pole Barn, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alex Alvarez

Other Party: Northern Indiana Public Service Company

Case Number: 25083

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/12/2021

Damage Location: 411 Grove St, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rickard's Stump Removal

Other Party: Northern Indiana Public Service Company

Case Number: 25084

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/12/2021

Damage Location: 616 W Marion St, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jade Gaul

Other Party: Northern Indiana Public Service Company

Case Number: 25085

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/12/2021

Damage Location: 8145 E 750 S, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Scheeringa

Other Party: Northern Indiana Public Service Company

Case Number: 25086

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/12/2021

Damage Location: 3453 Laverne Dr, Highland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Kokosing Industrial, Inc.

Case Number: 25088

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 2472 County Road 27, Waterloo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25089

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 8606 Ventura Dr, St. John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brown & Sons Concrete, LLC (Merrillville)

Other Party: Northern Indiana Public Service Company

Case Number: 25090

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 3407 Debbie Ln, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Elkhart

Other Party: Northern Indiana Public Service Company

Case Number: 25091

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 518 Laurel Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Justin Yonkin

Other Party: Northern Indiana Public Service Company

Case Number: 25092

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 2516 N Peterson Dr, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alejandro Recio

Other Party: Northern Indiana Public Service Company

Case Number: 25093

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 907 Carroll St, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Havmack Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25094

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 1630 Myrtle Ave Apt 1, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mr. Fence It, Assumed Business Name of Green T

Fencing, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25096

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 11163 S State Road 43, Brookston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: E'lgaleth' Walke for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mr. Fence It, Assumed Business Name of Green T

Fencing, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25099

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/15/2021

Damage Location: 11163 S State Rd 43, Brookston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: E'lgaleth' Nalke for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowsher Excavating LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25100

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/15/2021

Damage Location: 106 W 5Th St, Monon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Triple G Construction Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25102

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/15/2021

Damage Location: 10515 Eby Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Low Voltage Industries, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25103

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/15/2021

Damage Location: 127 N Main St, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ed Raleigh & Son LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25104

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/15/2021

Damage Location: 501 W 8Th St, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training; self-repair attempt escalation - additional \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: E'lealeth' Nalke for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25105

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 352 E First St, Boone Grove

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Milestone Contractors North, Inc.

Case Number: 25107

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/8/2021

Damage Location: 6456 Ellsworth Pl, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Lonnie Riddell
Other Party:	Aurora Utilities
Case Number:	25109
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/4/2021
Damage Location:	15141 Leffler Rd, Aurora
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recommends the following civil penalty:	
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Eliabeth	Walke /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Joe Griffith

Other Party:	Indiana Natural Gas Corporation
Case Number:	25110
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/16/2021
Damage Location:	410 S Main, English
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Eleabeth	BWalke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lineal Contracting, Inc.
-------------	--------------------------

Other Party: Indiana Natural Gas Corporation

Case Number: 25111

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/21/2021

Damage Location: 675 E Jackson Street, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Covington
Case Number:	25128
Date of Advisory Meeting:	2/8/2022
Date of Damage:	5/25/2021
Damage Location:	4 Saint Francis Dr, Covington
The IURC Pipeline Safety Div IC 8-1-26-18(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elfolith	Dalke /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Kokosing Industrial, Inc.
Case Number:	25132
Date of Advisory Meeting:	2/8/2022
Date of Damage:	5/25/2021
Damage Location:	1016 Syracuse Dr, Lebanon
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalita	b Walker /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Lubovich Excavating, Inc.
Case Number:	25133
Date of Advisory Meetin	g: 2/8/2022
Date of Damage:	5/26/2021
Damage Location:	7830 Rosedale Rd, Terre Haute
The IURC Pipeline Safet	y Division finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee	e recommends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Els	obth Walker /for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, LP
Other Party:	CenterPoint Energy Indiana
Case Number:	25135
Date of Advisory Meeting:	2/8/2022
Date of Damage:	5/26/2021
Damage Location:	927 N 12Th St, Richmond
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	

Eleolith Walker /for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Roland Lottman
Other Party:	CenterPoint Energy Indiana
Case Number:	25136
Date of Advisory Meeting:	2/8/2022
Date of Damage:	5/28/2021
Damage Location:	158 E Clinton St, Danville
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) The Advisory Committee recommends the following civil penalty: Warning letter	
Abstentions: Additional Information:	
APPROVED: Eleolith	Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stonecrest Manor MHC, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 25137

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/26/2021

Damage Location: 2801 S Stone Rd Lot 11, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana			
Other Party:	Kiefer-Gibson LLC			
Case Number:	25138			
Date of Advisory Meeting:	2/8/2022			
Date of Damage:	5/28/2021			
Damage Location:	1075 W Main St, Plainfield			
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)				
The Advisory Committee reco \$1,000	mmends the following civil penalty:			
Abstentions:				
Additional Information:				
APPROVED: Eleabeth	DWalke /for Ben Warren			

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Minon Construction
Case Number:	25139
Date of Advisory Meeting:	2/8/2022
Date of Damage:	5/26/2021
Damage Location:	9612 Alexander Ln, Fishers
IC 8-1-26-18(h)	ision finds the following violation(s): mmends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED: Elsolith	Dalke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Complete Construction Enterprises LI
--

Other Party: CenterPoint Energy Indiana

Case Number: 25140

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 312 W 29Th St, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Boyd Transportation Services, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 25141

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/26/2021

Damage Location: 1324 100 N, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A E F Concrete LLC

Other Party: CenterPoint Energy Indiana

Case Number: 25142

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 265 Gathering Ln, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ro	binson's	s C	Construction
-------------	----	----------	-----	--------------

Other Party: CenterPoint Energy Indiana

Case Number: 25143

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/27/2021

Damage Location: 217 Johnson St, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Gehring Underground, Inc.	
Case Number:	25144	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	5/28/2021	
Damage Location:	1862 S Philadelphia Pass, New Palestine	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elsaletto	Walke /for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Fort Wayne City Utilities

Case Number: 25146

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/16/2021

Damage Location: 5000 Illinois Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H L Design & Build

Other Party: Northern Indiana Public Service Company

Case Number: 25147

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/16/2021

Damage Location: 3865 Kingsway Dr, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vincent Wells

Other Party: Northern Indiana Public Service Company

Case Number: 25148

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 412 W 19Th St, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Downing Plumbing & Heating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25149

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 511 Rose St, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25150

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 202 Greenfield Dr, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Directional Boring Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25151

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/18/2021

Damage Location: 13554 County Road 22, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: HRP Construction, Inc.

Case Number: 25152

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/18/2021

Damage Location: 413 N Cedar St, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Henn & Sons Construction Services, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25153

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/18/2021

Damage Location: 13212 Wicker Ave, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: Trained 12/15/22

APPROVED: Elealith Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Burl White

Other Party: Northern Indiana Public Service Company

Case Number: 25155

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/19/2021

Damage Location: 0212 W Us Hwy 6, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: McQ Fence

Case Number: 25158

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/21/2021

Damage Location: 454 Glendale Blvd, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Bendix Builders LLC

Case Number: 25160

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/21/2021

Damage Location: 53251 Martin Lane, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Faulkner Fabricating, Inc

Other Party: Northern Indiana Public Service Company

Case Number: 25164

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/21/2021

Damage Location: 4050 A Lincoln Hwy, Bourbon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Northern Pipeline Construction Company

Case Number: 25165

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/22/2021

Damage Location: 612 W Madison St, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Meade, Inc.

Case Number: 25167

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/23/2021

Damage Location: 7288 W Joliet Rd, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kissinger Electric, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25168

Date of Advisory Meeting: 2/8/2022

Date of Damage: 5/25/2021

Damage Location: 5233 S 50 E Bldg Hub, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: R & W Contracting, Inc.

Case Number: 25169

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/23/2021

Damage Location: 2606 N Wells St, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Infrasource Construction, LLC

Case Number: 25170

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/23/2021

Damage Location: County Rd 38 & St Rd 13, Millersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bryan Pickens

Other Party: Northern Indiana Public Service Company

Case Number: 25171

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/23/2021

Damage Location: 56968 Wilson Mnr, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 3D Company, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25174

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/24/2021

Damage Location: 724 W Main St, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Darryl Goodwin

Other Party: Northern Indiana Public Service Company

Case Number: 25175

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/24/2021

Damage Location: 625 Black Oak Dr, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gough, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25176

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/24/2021

Damage Location: 6721 W State Road 10, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A J the Plumber LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25177

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/24/2021

Damage Location: 4401 Jefferson St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James McLaughlin

Other Party: Northern Indiana Public Service Company

Case Number: 25178

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/24/2021

Damage Location: 1628 Davis Ave, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Sylvester

Other Party: Northern Indiana Public Service Company

Case Number: 25179

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/24/2021

Damage Location: 1268 S State Road 13, Pierceton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Graham's Trucking & Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25180

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/25/2021

Damage Location: 3104 West Wind Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: E'lealetto' Nalke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Garrett Vahst

Other Party: Northern Indiana Public Service Company

Case Number: 25181

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/28/2021

Damage Location: 37 Aspen Rd, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.

Other Party: Northern Indiana Public Service Company

Case Number: 25182

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/28/2021

Damage Location: 438 N Line St, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Superior Hardscapes, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25183

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/28/2021

Damage Location: 50653 E Indiana Lake Avenue, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors North, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25184

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/29/2021

Damage Location: 2101 E 4Th St, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M7 Excavating, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 25186

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/29/2021

Damage Location: 5519 W 154Th St, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Wabash

Other Party: Northern Indiana Public Service Company

Case Number: 25187

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/30/2021

Damage Location: 1420 Rosewood Ct, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & W Contracting, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25188

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/30/2021

Damage Location: 1326 Wells St, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nathan Visak

Other Party: Northern Indiana Public Service Company

Case Number: 25190

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/20/2021

Damage Location: 447 N True St, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nathan Visak

Other Party: Northern Indiana Public Service Company

Case Number: 25191

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/29/2021

Damage Location: 447 N True St, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$100

Abstentions: Smith

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Boonville Natural Gas Corporation	
Other Party:	Veolia Water Co.	
Case Number:	25192	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/23/2021	
Damage Location:	666 Heritage Ln, Boonville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Eliabeth	Walke /for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Midwest Natural Gas Corporation
Other Party:	Town of Salem
Case Number:	25194
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/13/2021
Damage Location:	N. High St., Salem
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	Dalke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

hael Sebastian

Other Party: Midwest Natural Gas Corporation

Case Number: 25195

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/20/2021

Damage Location: 1571 N. Shady Ln., Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Temple & Temple Excavating & Paving Inc.	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	25196	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/21/2021	
Damage Location:	604 N. N. Shelby St., Salem	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
\$3,500		
Abstentions:		
Additional Information:		
APPROVED: Elealith	Walker for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam Short

Other Party: Ohio Valley Gas Corp

Case Number: 25197

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/7/2021

Damage Location: 281 S. Elinor St., Sullivan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Elsoletto Walke /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

City of Connersville

-	•	
Other Party:	Ohio Valley Gas Corp	
Case Number:	25198	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/13/2021	
Damage Location:	433 W. 3Rd St., Connersville	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Eleabeth	Nalke /for Ben Warren	



Respondent:

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

L & N Utilities, LLC

Other Party:	CenterPoint Energy Indiana
Case Number:	25199
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/1/2021
Damage Location:	1317 Stafford Rd, Plainfield
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Elsolith	Dalka /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Edwards Electrical & Mechanical Inc
Case Number:	25200
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/3/2021
Damage Location:	475 S Mount Zion Rd, Lebanon
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions:	
Additional Information:	

Eleolith Walker /for Ben Warren

Ben Warren, Chairman

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Rex Gress & Sons, Inc.
Case Number:	25201
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/1/2021
Damage Location:	4585 Upper South Point, Loogootee
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions:	
Additional Information:	
APPROVED: Eleolith	Nalke /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Baumgartner & Co Asphalt Services
Case Number:	25202
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/4/2021
Damage Location:	3816 Harry Ave, Lafayette
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	

Eleolith Walker /for Ben Warren

Ben Warren, Chairman

APPROVED:



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Samuel Barker

Other Party:	CenterPoint Energy Indiana
Case Number:	25203
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/5/2021
Damage Location:	558 W Wabash St, Frankfort
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Elsolith	Salka /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Fox Contractors Corp.
Case Number:	25204
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/5/2021
Damage Location:	6Th And Walnut Ave, Frankfort
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
The Advisory Committee reco	inimends the following civil penalty.
\$1,000	
Abstentions: Additional Information:	
APPROVED: Elealetta	b Walke /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Dennis Trucking Co., Inc.
Case Number:	25205
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/5/2021
Damage Location:	421 Bluebird Ln, Terre Haute
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
•	8
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elealita	to Walker /for Ben Warren



Respondent:

Abstentions:

APPROVED:

Additional Information:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Black Diamond Excavating & Contracting, Inc.

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Other Party:	CenterPoint Energy Indiana	
Case Number:	25206	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/4/2021	
Damage Location:	3443 State Road 26 E, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(expire)		
The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500		
φ1,500, respondent can complete training instead of paying φ1,500		

Eleolith Walker /for Ben Warren



APPROVED:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CBEX
Other Party:	CenterPoint Energy Indiana
Case Number:	25207
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/2/2021
Damage Location:	5929 Regency Dr, Columbus
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000	
Abstentions:	
Additional Information:	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Berry-It, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 25208

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/2/2021

Damage Location: 7848 W 300 N, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Fisher Contracting.	LLC
	Fisher Contracting,

Other Party: CenterPoint Energy Indiana

Case Number: 25209

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/4/2021

Damage Location: 4655 W Tradwell Dr, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Metzger Construction Co Inc.	
Case Number:	25211	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/4/2021	
Damage Location:	5522 Stacer Rd, Newburgh	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elealett	Walke /for Ben Warren	

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Travis Creek Development, L

Other Party: CenterPoint Energy Indiana

Case Number: 25212

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/7/2021

Damage Location: 6215 Raders Rdg, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rod Green Excavating Inc.
Other Party:	CenterPoint Energy Indiana

Case Number: 25214

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/7/2021

Damage Location: 8343 S Us Hwy 231, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Vanguard Painting & Flooring	Services LLC

Other Party: CenterPoint Energy Indiana

Case Number: 25215

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/4/2021

Damage Location: 303 Mill St, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	River Valley Communities LLC
respondent.	Taver vaney communicies and

Other Party: CenterPoint Energy Indiana

Case Number: 25216

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/4/2021

Damage Location: 1515 S Miller Ave, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Verita Telecomr	nunications Corp
Respondent.	venta refección	numeauons Corp

Other Party: CenterPoint Energy Indiana

Case Number: 25217

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/4/2021

Damage Location: 13533 Myrtle Ln, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Roy Woodruff

Other Party: CenterPoint Energy Indiana

Case Number: 25219

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/10/2021

Damage Location: 460 W Palmer St, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	All Star Paving Inc.	
Case Number:	25220	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/8/2021	
Damage Location:	605 E Pearl St, Greenwood	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elealith	Walke /for Ben Warren	

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crown Concrete Cutting & Coring, L	LC
Kespondent.	Crown Concrete Cutting & Cornig, L	

Other Party: CenterPoint Energy Indiana

Case Number: 25221

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/8/2021

Damage Location: 200 S Park Blvd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michels Pipeline Construction Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 25222

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/7/2021

Damage Location: 1305 E Kirk St, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: Trained 10/6/21

APPROVED: Elealith Walke /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Snedegar Construction, Inc.			
Other Party:	CenterPoint Energy Indiana			
Case Number:	25223			
Date of Advisory Meeting:	2/8/2022			
Date of Damage:	6/8/2021			
Damage Location:	3042 Lintel Dr, Bloomington			
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)				
The Advisory Committee recommends the following civil penalty:				
\$3,000				
Abstentions: Additional Information:				
APPROVED: Elsabeth	b Walke /for Ben Warren			

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H S I Underground LLC

Other Party: CenterPoint Energy Indiana

Case Number: 25224

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/9/2021

Damage Location: 3528 Troy Rd, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Pellie's Construction, LLC

Other Party:	CenterPoint Energy Indiana			
Case Number:	25225			
Date of Advisory Meeting:	2/8/2022			
Date of Damage:	6/10/2021			
Damage Location:	525 E 8Th St, Jeffersonville			
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)				
The Advisory Committee recommends the following civil penalty:				
Warning letter				
Abstentions:				
Additional Information:				
APPROVED: Elsalith	Dalke /for Ben Warren			



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Anderson			
Other Party:	CenterPoint Energy Indiana			
Case Number:	25227			
Date of Advisory Meeting:	2/8/2022			
Date of Damage:	6/8/2021			
Damage Location:	2209 W 29Th St, Anderson			
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(3)(b)				
The Advisory Committee recommends the following civil penalty:				
\$3,000				
Abstentions:				
Additional Information:				

Eleolith Walker /for Ben Warren

Ben Warren, Chairman

APPROVED:



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Henroy Development Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	25228
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/10/2021
Damage Location:	2138 Burton Ln, Martinsville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Eleolith	Salke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stephenson Landscaping Co.
Other Party:	CenterPoint Energy Indiana

Case Number: 25229

Date of Advisory Meeting: 2/8/2022 Date of Damage: 6/8/2021

Damage Location: 10860 N Michigan Rd, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Sub-Surface of Indiana, Inc.
Case Number:	25230
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/10/2021
Damage Location:	5674 State Road 144, Greenwood
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalit	To Walker /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G & G Underground Construction, Inc.
-------------	--------------------------------------

Other Party: CenterPoint Energy Indiana

Case Number: 25231

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/10/2021

Damage Location: 370 Traditions Pass, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Axis Fiber Solutions
Case Number:	25232
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/9/2021
Damage Location:	13727 Offutt Dr, Carmel
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Eleolita	Salke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brusco, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 25233

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/11/2021

Damage Location: Paris Dr & Jennifer Ct, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training, \$1,500

Abstentions:

Additional Information: Escalated for dangerous handling of the pipeline.

APPROVED: Elealith Walke /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Gehring Underground, Inc.
Case Number:	25234
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/11/2021
Damage Location:	1228 Saticoy Ct, Franklin
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions: Additional Information:	
APPROVED: Eliabeth'	Walke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

mulana Onuci gibunu	Trant Protection Advisory Committee
Respondent:	Anne Garris
Other Party:	CenterPoint Energy Indiana
Case Number:	25235
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/10/2021
Damage Location:	2233 S B St, Richmond
The IURC Pipeline Safety Divisi	on finds the following violation(s):
IC 8-1-26-16(h)	

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: Ekoltto Walke /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	All Star Paving Inc.
Case Number:	25236
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/12/2021
Damage Location:	629 E Pearl St, Greenwood
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	Walker /for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Fox Contractors Corp.
Case Number:	25238
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/14/2021
Damage Location:	Walnut And Boomer, Frankfort
IC 8-1-26-18(h) The Advisory Committee reco \$1,000	mmends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED: Elsolita	Saller /for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Fox Contractors Corp.
Case Number:	25239
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/15/2021
Damage Location:	810 Walnut, Frankfort
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsolith	Salka /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Lazer Excavating Company
Other Party:	CenterPoint Energy Indiana
Case Number:	25241
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/15/2021
Damage Location:	10768 Boulder Ridge Dr, Brownsburg
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$4,000	
Abstentions:	
Additional Information:	
APPROVED: Elealith	Walke /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Farmer Treadway, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	25242
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/15/2021
Damage Location:	310 Monroe St, Fortville
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if responden additional \$1,500	t fails to complete training; concealment escalation
Abstentions:	
Additional Information:	
APPROVED: Eleolith	Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Wesley Porter	
Case Number:	25243	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/15/2021	
Damage Location:	104 N 10Th, Greencastle	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elsalith	SWalke /for Ben Warren	

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Rice Construction LLC (Noblesville)
Case Number:	25244
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/15/2021
Damage Location:	N Cr 400 W & Sr 144, Bargersville
IC 8-1-26-18(h) The Advisory Committee reco \$1,000	mmends the following civil penalty:
Abstentions: Additional Information:	
APPROVED: Elealita	Dalka /for Ben Warren



Abstentions:

APPROVED:

Additional Information:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mark Mauck	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25245	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/15/2021	
Damage Location:	5371 E Sr 144, Mooresville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 9 1 2(1(/L)		
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		

Eleolith Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

	Respondent:	K & B Concrete LLC
--	-------------	--------------------

Other Party: CenterPoint Energy Indiana

Case Number: 25246

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/14/2021

Damage Location: 1011 S Pendleton Ave, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

EM7LLC

Other Party:	CenterPoint Energy Indiana
Case Number:	25248
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/15/2021
Damage Location:	15557 Outside Trl, Noblesville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	Salke /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Dave O'Mara Contractor, Inc.	
Case Number:	25249	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/15/2021	
Damage Location:	419 Francis Ct, Jeffersonville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions: Additional Information:		
APPROVED: Elsalita	b Walke /for Ben Warren	

Ben Warren, Chairman



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Norbert Mattingly

Other Party:	CenterPoint Energy Indiana
Case Number:	25250
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/15/2021
Damage Location:	707 Butcher Blvd, Loogootee
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Elsolith	Nalka /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Hydromax Plumbing, Inc.	
Case Number:	25251	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/15/2021	
Damage Location:	1125 N.Green River Rd., Evansville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elsabeth	Walke /for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Kerry Marschand	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25252	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/16/2021	
Damage Location:	5320 N County Road 600 E, Brownsburg	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Eliabeth	Walke /for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Ed Patton Construction, Inc.
Case Number:	25253
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/16/2021
Damage Location:	810 Anderson St, Crawfordsville
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Eleabet	To Walker /for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	R T Moore, Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	25254
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/16/2021
Damage Location:	2746 Towne Meadows Dr, Carmel
IC 8-1-26-20(a)(2)	vision finds the following violation(s): commends the following civil penalty:
Abstentions: Additional Information:	
APPROVED: Elialita	Dalke /for Ben Warren

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Fox Contractors Corp.
Case Number:	25255
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/17/2021
Damage Location:	1005 W Walnut, Frankfort
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	S Walke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stover Excavating & Lawn Care LI	LC
Kespondent.	Stover Excavating & Lawn Care Li	_

Other Party: CenterPoint Energy Indiana

Case Number: 25256

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 1012 Brockton Ct, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Pellie's Construction, LLC
Other Party:	CenterPoint Energy Indiana

Case Number: 25257

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 626 E 8Th St, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	L N R Companies, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25258	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/18/2021	
Damage Location:	1807 Wellpark Dr, Noblesville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) The Advisory Committee recommends the following civil penalty: \$5,000		
Abstentions: Additional Information:		
APPROVED: Elsolith	Dalke /for Ben Warren	

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	B & T Drainage, Inc.	
Case Number:	25260	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/21/2021	
Damage Location:	Fort Harrison And Lafayette, Terre Haute	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elsaluth	Walke /for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Powers Welding	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25261	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/17/2021	
Damage Location:	1749 Bellaire Ave, Evansville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(prior) The Advisory Committee recommends the following civil penalty: \$3,000		
Abstentions:		
Additional Information:		
APPROVED: Elealetta	DValle /for Ben Warren	

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Round II, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 25262

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/17/2021

Damage Location: 314 N High St, Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Eric Bransteter

Other Party:	CenterPoint Energy Indiana
Case Number:	25265
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/16/2021
Damage Location:	510 Pixley Lane, Noblesville
The IURC Pipeline Safety Division IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	Nalke /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Lisa Bricker

Other Party:	CenterPoint Energy Indiana
Case Number:	25266
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/21/2021
Damage Location:	1723 W 11Th, Marion
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
` ,	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
warming letter	
Abstentions:	
Additional Information:	
APPROVED: Eleabeth	DValle /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Edwards Landscape & Lawn Care LLC	
Case Number:	25267	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/21/2021	
Damage Location:	812 Campbell St, Lebanon	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elsaletto	Walke /for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tippecanoe County Highway Dept	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25269	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/23/2021	
Damage Location:	Cr 200 N And Schuyler, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(1)		
The Advisory Committee record	mmends the following civil penalty:	
Warning letter		
Abstentions: Additional Information:		
APPROVED: Elsolith	Nalke /for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Man & Machine Equipment LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	25270
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/17/2021
Damage Location:	8433 Countrywood Ct, Newburgh
IC 8-1-26-16(h)(expire)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
•	
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	Nalle /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Micheal White

Other Party:	CenterPoint Energy Indiana
Case Number:	25271
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/22/2021
Damage Location:	11201 Sr 66, Evansville
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Eleabeth	Dalke /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	West Texas Boring Co. LLC d/b/a WT Boring Company LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	25272
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/19/2021
Damage Location:	3118 Grant Line Rd, New Albany
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) The Advisory Committee recommends the following civil penalty: Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Elealith	Walke /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	espondent: Priority Underground Services, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25274	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/25/2021	
Damage Location:	4844 Denton Dr, Zionsville	
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	rision finds the following violation(s):	
The Advisory Committee reco	mmends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Eleolita	Dalka /for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Miller Pipeline, LLC	
Case Number:	25275	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/22/2021	
Damage Location:	2917 Grove St, Evansville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty:		
φ ₁ 000		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Eleabeth	Salka /for Ben Warren	

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	MAC Construction & Excavating, Inc.	
Case Number:	25276	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/22/2021	
Damage Location:	311 Wall St, Jeffersonville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		

Eleolith Walker /for Ben Warren

Ben Warren, Chairman

APPROVED:



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

G & G Underground Construction, Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	25277
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/21/2021
Damage Location:	72 Fernleaf Dr, New Whiteland
The IURC Pipeline Safety Div	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$3,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	5 Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Bloomington

Other Party: CenterPoint Energy Indiana

Case Number: 25278

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/22/2021

Damage Location: 1309 E Prairie Dr, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Gilbert Linnel

Other Party:	CenterPoint Energy Indiana
Case Number:	25281
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/25/2021
Damage Location:	1303 E Kirby Ave, Muncie
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Eleabeth	BWalker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alfred Schaller
Other Party:	CenterPoint Energy Indiana
Case Number:	25282
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/26/2021
Damage Location:	165 E New Albany Ave, Vincennes
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) The Advisory Committee recommends the following civil penalty: Warning letter	
Abstentions:	
Additional Information:	

Elealith Walker /for Ben Warren

Ben Warren, Chairman

APPROVED:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ci	ty of	Madison
----------------	-------	---------

Other Party: CenterPoint Energy Indiana

Case Number: 25283

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/28/2021

Damage Location: Elm St & 3Rd St, Madison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Colley Perry

Other Party:	CenterPoint Energy Indiana	
Case Number:	25284	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	6/27/2021	
Damage Location:	728 Wilson St, Columbus	
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):	
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Eleabeth	5 Walke /for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Goodfellas Electric, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	25285
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/29/2021
Damage Location:	4406 Helen Rd Unit A, Jeffersonville
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond additional \$1,500	ent fails to complete training; concealment escalation
Abstentions:	
Additional Information:	
APPROVED: Eleabeth	Nalka /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Louisville Paving Company
Case Number:	25286
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/29/2021
Damage Location:	1820 E Park Pl, Jeffersonville
IC 8-1-26-18(h) The Advisory Committee recom \$1,000	nmends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED: Elsolith	Walker /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Arc Construction Company Inc.
-------------	-------------------------------

Other Party: CenterPoint Energy Indiana

Case Number: 25287

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/30/2021

Damage Location: 1004 E Illinois St, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Van Hoy & Sons Contracting, Inc
-------------	---------------------------------

Other Party: CenterPoint Energy Indiana

Case Number: 25288

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/30/2021

Damage Location: 471 N 1300 E, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D R Watson Co Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	25289
Date of Advisory Meeting:	2/8/2022
Date of Damage:	6/29/2021
Damage Location:	11213 Heirloom Dr, Monrovia
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2) The Advisory Committee recomm \$3,500	on finds the following violation(s): nends the following civil penalty:
Abstentions: Additional Information:	

Elealith Walker /for Ben Warren

Ben Warren, Chairman

APPROVED:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Myers Construction Management, Inc.
-------------	-------------------------------------

Other Party: CenterPoint Energy Indiana

Case Number: 25290

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/30/2021

Damage Location: 180 S Jackson St, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	American Pest Professionals, Inc.
-------------	-----------------------------------

Other Party: CenterPoint Energy Indiana

Case Number: 25291

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/29/2021

Damage Location: 417 S Elliott St, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Calumet Civil Contractors, Inc.
Case Number:	25292
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/2/2021
Damage Location:	234 N Adams St, Brownsburg
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Eleabeth	Malke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DIY Re	entals, Inc.
--------------------	--------------

Other Party: CenterPoint Energy Indiana

Case Number: 25293

Date of Advisory Meeting: 2/8/2022 Date of Damage: 7/5/2021

Damage Location: 233 North St, Bloomingdale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



APPROVED:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Manor Bros. Concrete Work, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25294	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/1/2021	
Damage Location:	520 N Dill St, Muncie	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent. Juste's Concrete LLC	espondent:	Josie's Concrete LLC
----------------------------------	------------	----------------------

Other Party: CenterPoint Energy Indiana

Case Number: 25295

Date of Advisory Meeting: 2/8/2022 Date of Damage: 7/2/2021

Damage Location: 3421 Naples Way, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	25296
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/7/2021
Damage Location:	1400 1/2 Washington Ave, Vincennes
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalita	SWalke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McCammons Irish	Market, LLC
-----------------------------	-------------

Other Party: CenterPoint Energy Indiana

Case Number: 25297

Date of Advisory Meeting: 2/8/2022 Date of Damage: 7/3/2021

Damage Location: 5160 Karlyn Ct, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bullseye Fence Design Inc.
Other Party:	CenterPoint Energy Indiana

Case Number: 25299

Date of Advisory Meeting: 2/8/2022 Date of Damage: 7/6/2021

Damage Location: 1779 Field Dr Bldg V, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Libs Paving Company, Inc.	
Other Party:	CenterPoint Energy Indiana	

Case Number: 25300

Date of Advisory Meeting: 2/8/2022 Date of Damage: 7/6/2021

Damage Location: 2102 Sterling Oaks Dr, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Roberts Boring/Trenching/Excavating LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25301	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/2/2021	
Damage Location:	3966 Red Brush Rd, Newburgh	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$3,500		
Abstentions:		
Additional Information:		
APPROVED: Eleabeth'	Walke /for Ben Warren	



APPROVED:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Clark Nickles, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25302	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/9/2021	
Damage Location:	5417 Utica Pike, Jeffersonville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Dylan Darling
Other Party:	CenterPoint Energy Indiana
Case Number:	25304
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/4/2021
Damage Location:	80 Cardinal Ct, Lafayette
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h) The Advisory Committee recommends the following civil penalty: Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Eleoleth	Walke /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Other Party: CenterPoint Energy Indiana

Case Number: 25305

Date of Advisory Meeting: 2/8/2022 Date of Damage: 7/6/2021

Damage Location: 1291 N Madison Ave, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A E F Concrete LLC

Other Party: CenterPoint Energy Indiana

Case Number: 25306

Date of Advisory Meeting: 2/8/2022 Date of Damage: 7/9/2021

Damage Location: 971 Indrum Ct Lot 105, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Todd Umphries

Other Party:	CenterPoint Energy Indiana
Case Number:	25308
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/13/2021
Damage Location:	512 S 5Th, West Terre Haute
The IURC Pipeline Safety Div IC 8-1-26-16(h)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED: Eleolith	Dalle /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Cornerstone Property Services Inc

Other Party: CenterPoint Energy Indiana

Case Number: 25309

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/6/2021

Damage Location: 2104 N 500 W, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Fleck's Trenching & Backhoe Service, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25310	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/9/2021	
Damage Location:	833 N Main St, Andrews	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(3)(a)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Elealith	DNaller /for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	25311
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/13/2021
Damage Location:	915 N Heidelbach Ave, Evansville
IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$1,000	
Abstentions: Additional Information:	
APPROVED: Elsalita	DValler /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Buddy's Cable Inc.
Case Number:	25313
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/12/2021
Damage Location:	1438 E 151 St, Westfield
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Eleolita	DWalke /for Ben Warren



Respondent:

APPROVED:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Ragle, Inc.

1		
Other Party:	CenterPoint Energy Indiana	
Case Number:	25315	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/8/2021	
Damage Location:	In 57 & In 61, Petersburg	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
Additional Information:		

Elealith Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respond	ent:	Monroe	L	LC	١

Other Party: CenterPoint Energy Indiana

Case Number: 25317

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/12/2021

Damage Location: 1821 S Maxwell St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Weihe Construction Inc.	
Case Number:	25319	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/15/2021	
Damage Location:	Eagle Ave, Plainfield	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee reco	ommends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Elealith	b Walker /for Ben Warren	

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Techno Drill, LLC
Case Number:	25321
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/15/2021
Damage Location:	516 S 7Th, Lafayette
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalita	b Walke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K W Hardscapes
respondent.	ii w iiaiaseapes

Other Party: CenterPoint Energy Indiana

Case Number: 25322

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/15/2021

Damage Location: 313 Wellington Blvd, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	25323	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/6/2021	
Damage Location:	1784 Shady Ln, Columbus	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2) The Advisory Committee recommends the following civil penalty: \$5,000		
Abstentions:		
Additional Information:		

Eleolith Walker /for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Infrastructure Systems, Inc.
Case Number:	25324
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/12/2021
Damage Location:	3310 Allens Ln, Evansville
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions:	
Additional Information:	
APPROVED: Eleolitt	Walker /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tomahawk Services, LLC
Other Party:	CenterPoint Energy Indiana

Case Number: 25325

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/12/2021

Damage Location: 7728 Coventry Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	United Construction Services LLC
Case Number:	25326
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/15/2021
Damage Location:	581 S Rangeline Rd, Carmel
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h) The Advisory Committee recommends the following civil penalty: \$1,000	
Abstentions: Additional Information:	

Eleolith Walker /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tomahawk Services, LLC
Other Party:	CenterPoint Energy Indiana

Case Number: 25327

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/14/2021

Damage Location: 7724 Coventry Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: Elsaletto Walke /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Miller Pipeline, LLC	
Case Number:	25328	
Date of Advisory Meeting:	2/8/2022	
Date of Damage:	7/12/2021	
Damage Location:	1411 Washington Ave, Vincennes	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee reco \$1,000	mmends the following civil penalty:	
Abstentions:		
Additional Information:		
APPROVED: Elsalita	Dalke /for Ben Warren	

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	J B I Construction, Inc.
Case Number:	25329
Date of Advisory Meeting:	2/8/2022
Date of Damage:	7/13/2021
Damage Location:	8488 Countrywood Ct, Newburgh
The IURC Pipeline Safety Div IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Elsalith	SWalke /for Ben Warren

Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Todo Excavation & Grading, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25330

Date of Advisory Meeting: 2/8/2022

Date of Damage: 6/24/2021

Damage Location: 3444 Swanson Rd, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stephan Jones
Other Party:	Indiana Natural Gas Corporation
Case Number:	25331
Date of Advisory Meeting:	2/8/2022
Date of Damage:	8/1/2021
Damage Location:	7895 W Abbydale Pipe, West Baden Springs
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(expire) The Advisory Committee recommends the following civil penalty:	
Warning letter	
Abstentions: Additional Information:	
APPROVED: Elialith	Walker /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wright Way Floors & More, LLC

Other Party: Citizens Gas

Case Number: 25332

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/22/2021

Damage Location: 11747 Admirals Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas

Other Party: Citizens Energy Group - Water

Case Number: 25333

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/21/2021

Damage Location: 1405 E Castle Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Guadallupe Ortiz

Other Party: Citizens Gas

Case Number: 25334

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/20/2021

Damage Location: 1125 Mccord St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'leolith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City-Wide Paving, Inc.

Other Party: Citizens Gas

Case Number: 25335

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/20/2021

Damage Location: 231 S Sherman Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Angie's Pool & Spa, Inc.

Other Party: Citizens Gas

Case Number: 25337

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/19/2021

Damage Location: 7702 Donnehan Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hyger Acogta

Other Party: Citizens Gas

Case Number: 25338

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/18/2021

Damage Location: 1724 N Ritter Ave,, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ryan Trent

Other Party: Citizens Gas

Case Number: 25339

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/17/2021

Damage Location: 444 S Catherwood Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: E'lealith Walker /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Beyond Landscaping, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 25372

Date of Advisory Meeting: 2/8/2022

Date of Damage: 7/9/2021

Damage Location: 12359 N Camelot Trl, Milford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: Eleabeth Walker /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:
Other Party:
Case Number:
Date of Advisory Meeting:
Date of Damage:
Damage Location: ,
The IURC Pipeline Safety Division finds the following violation(s): The Advisory Committee recommends the following civil penalty:
Abstentions:
Additional Information:
APPROVED: Eleolith Walker /for