

**ORIGINAL**

Commissioner	Yes	No	Not Participating
Zay			√
Deig	√		
Swinger	√		
Veleta	√		
Ziegner	√		

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER** )  
**APPROVING ADVISORY COMMITTEE** )  
**RECOMMENDATIONS PURSUANT TO** )  
**INDIANA CODE CHAPTER 8-1-26.** )

**APPROVED: APR 29 2026**

**ORDER OF THE COMMISSION**

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

**IT IS SO ORDERED.**

**DEIG, SWINGER, VELETA, AND ZIEGNER CONCUR; ZAY ABSENT:**

**APPROVED: APR 29 2026**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

---

**Dana Kosco**  
**Secretary of the Commission**



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Midwestern Electric, Inc.  
Case Number: 35059  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 7/31/2025  
Damage Location: 4727 South US Highway 421 Building Z, Westville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Gas City Municipal Utilities  
Case Number: 35228  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/25/2025  
Damage Location: 815 North Grant Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Milenium, Inc.  
Case Number: 35234  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/20/2025  
Damage Location: 6 North Arlington Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: J B G Contractors LLC  
Case Number: 35249  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/26/2025  
Damage Location: 1834 State Road 25 West, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: R L M Underground  
Case Number: 35537  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/17/2025  
Damage Location: 629 West 11th Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Rodriguez Landscaping & Construction Inc  
Case Number: 35540  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/18/2025  
Damage Location: 4578 East Park 30 Drive, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp  
Other Party: A M P P Construction Inc.  
Case Number: 35591  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/14/2025  
Damage Location: 3919 W 775 S, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Fiberflash LLC  
Case Number: 35671  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/2/2025  
Damage Location: 11328 Garden Way, Harlan

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Hammady Construction  
Case Number: 35678  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/4/2025  
Damage Location: 9251 East 93rd Avenue, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Rex Construction Company, Inc.  
Case Number: 35691  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/8/2025  
Damage Location: 1304 Johnson Street Apt 1, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Milenium, Inc.  
Case Number: 35695  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/8/2025  
Damage Location: 601 Domke Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: S & S Fiberoptics Corp  
Case Number: 35731  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/18/2025  
Damage Location: 622 South 5th Street, Cambridge City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: J B G Contractors LLC  
Case Number: 35733  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/20/2025  
Damage Location: 1016 1/2 South 29th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Evansville Water and Sewer Utility  
Case Number: 35740  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/22/2025  
Damage Location: 2800 Sonntag Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Sub Service of Indiana  
Case Number: 35757  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/27/2025  
Damage Location: 101 North Main Street, Brooklyn

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Incored International LLC  
Case Number: 35763  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/24/2025  
Damage Location: 6893 Woodridge Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: D R Watson Co Inc.  
Case Number: 35764  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/28/2025  
Damage Location: 16157 Quarter Pole Lane, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: S & S Fiberoptics Corp  
Case Number: 35771  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/30/2025  
Damage Location: 8410 Old State Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas  
Other Party: Basement Systems of Indiana, LLC  
Case Number: 35788  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/14/2025  
Damage Location: 6090 Fall Creek Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, UPPAC Member



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Crawford Excavating LLC  
Case Number: 35811  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/20/2025  
Damage Location: 218 East Douglas Street, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Phend & Brown, Inc.  
Case Number: 35828  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/25/2025  
Damage Location: 606 West Portland Street, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Signature Lawns, LLC  
Case Number: 35837  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/28/2025  
Damage Location: 71 West US Highway 6 Lot 43, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Wesley Feikema & Son Sanitation Service, Inc.  
Case Number: 35844  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/30/2025  
Damage Location: 3837 Madison Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: J & K Underground Utilities, LLC  
Case Number: 35855  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/3/2025  
Damage Location: 2133 South Tucker Road, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Prime Utility Service  
Case Number: 35878  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/5/2025  
Damage Location: 3113 West 1000 South, Rosedale

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Telecom Placement, Inc.  
Case Number: 35883  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/7/2025  
Damage Location: 14758 Greyhound Pass, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Integrity Kokosing Pipeline Services, LLC  
Case Number: 35888  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/11/2025  
Damage Location: 5500 Lakeside Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Milenium, Inc.  
Case Number: 35892  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/11/2025  
Damage Location: 3601 East Haythorne Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: C A Advanced, Inc.  
Case Number: 35897  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/13/2025  
Damage Location: 19641 Highclere Lane, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Yarberry Landscape Excavating  
Case Number: 35900  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/3/2025  
Damage Location: 87 Circle Drive, Chesterfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: C S U, Inc.  
Case Number: 35917  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/4/2025  
Damage Location: 7301 Old Trail Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Kankakee Valley REMC  
Case Number: 35918  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/5/2025  
Damage Location: 663 North 300 East, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: City of Berne  
Case Number: 35919  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/6/2025  
Damage Location: 417 West Parr Road, Berne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: M G L Strategies, LLC  
Case Number: 35931  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/12/2025  
Damage Location: 3630 East 600 North, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Always Underground, Inc.  
Case Number: 35933  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/12/2025  
Damage Location: 114 East Edgar Avenue, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: M G L Strategies, LLC  
Case Number: 35940  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/15/2025  
Damage Location: 230 Cessna Drive, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Bir & Son Well Services, Inc.  
Case Number: 35947  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/17/2025  
Damage Location: 20 Royal Oak Estates Court, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Intren, LLC  
Case Number: 35949  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/17/2025  
Damage Location: 1623 West Arlington Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: J & J Electric of Indiana, Inc.  
Case Number: 35950  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/19/2025  
Damage Location: 268 Point West II, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Lomax  
Other Party: Indiana Natural Gas Corporation  
Case Number: 35258  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/13/2025  
Damage Location: 1124 Hill Street, West Baden

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Keith Ponder  
Other Party: Northern Indiana Public Service Company  
Case Number: 35566  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/27/2025  
Damage Location: 909 Cedar Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Amos Elliott  
Other Party: Indiana Natural Gas Corporation  
Case Number: 35268  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/16/2025  
Damage Location: 3501 North State Road 37, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Chad Marks  
Other Party: Northern Indiana Public Service Company  
Case Number: 35725  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/15/2025  
Damage Location: 349 Devon Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chris Slaven  
Other Party: CenterPoint Energy Indiana  
Case Number: 35633  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/12/2025  
Damage Location: 2129 North 13th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Henry Diedrich  
Other Party: Northern Indiana Public Service Company  
Case Number: 35672  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/2/2025  
Damage Location: 6792 West 550 North, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Spoonhour  
Other Party: Northern Indiana Public Service Company  
Case Number: 35707  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/11/2025  
Damage Location: 617 Highland Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Jose Reyes  
Other Party: CenterPoint Energy Indiana  
Case Number: 35779  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/26/2025  
Damage Location: 827 Fulton Street, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Basham  
Other Party: CenterPoint Energy Indiana  
Case Number: 35776  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/31/2025  
Damage Location: 3150 North 17th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kelvin Perry  
Other Party: Northern Indiana Public Service Company  
Case Number: 35817  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/22/2025  
Damage Location: 7890 West 990 North, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Roger Cartagena  
Other Party: Northern Indiana Public Service Company  
Case Number: 35311  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/26/2025  
Damage Location: 1586 Northwood Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sandra Garza  
Other Party: Northern Indiana Public Service Company  
Case Number: 35821  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/24/2025  
Damage Location: 7518 Maple Avenue, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Scott Tyree  
Other Party: CenterPoint Energy Indiana  
Case Number: 35364  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/13/2025  
Damage Location: 1009 North Cassius Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sean Silvers  
Other Party: Northern Indiana Public Service Company  
Case Number: 35719  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/14/2025  
Damage Location: 1438 Springbrook Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Troy Hughes  
Other Party: Citizens Gas  
Case Number: 35658  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/29/2025  
Damage Location: 7011 Castle Manor Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, UPPAC Member



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Zach Fleener  
Other Party: CenterPoint Energy Indiana  
Case Number: 35251  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/29/2025  
Damage Location: 8930 Vienna Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: M & M Underground LLC  
Case Number: 35954  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/19/2025  
Damage Location: 1345 Brookwood Circle, Danville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Healthy Spaces System LLC  
Case Number: 35968  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/26/2025  
Damage Location: 2132 Covert Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Healthy Spaces System LLC  
Case Number: 35972  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/18/2025  
Damage Location: 1101 North Helfrich Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Brothers Cable LLC  
Case Number: 36033  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/20/2025  
Damage Location: 125 York Drive, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Fiberflash LLC  
Case Number: 36039  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/21/2025  
Damage Location: 12821 Repp Road, Harlan

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Ley Excavating LLC  
Case Number: 36046  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/24/2025  
Damage Location: 2708 Saint Louis Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Patton Plumbing LLC  
Case Number: 36062  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/4/2025  
Damage Location: 9450 Old State Road 37 North, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Watson Excavating, Inc. (Anderson)  
Case Number: 36068  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/8/2025  
Damage Location: 2729 South 300 East, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Corner Cable, Inc.  
Case Number: 34842  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 7/10/2025  
Damage Location: 4583 South 537 East, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: K L S Underground, Inc.  
Case Number: 35665  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/1/2025  
Damage Location: 11340 Fishers Pond Lot 53, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: German Township Water  
Case Number: 35946  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/17/2025  
Damage Location: 5401 South Posey County Line Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: C & E Excavating  
Case Number: 35524  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/16/2025  
Damage Location: Vistula Road & Oakland Avenue, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Rex Construction Company, Inc.  
Case Number: 35675  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/3/2025  
Damage Location: 4556 Pennsylvania Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: City of Fort Wayne  
Case Number: 35688  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/8/2025  
Damage Location: 2304 Sherman Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Milenium, Inc.  
Case Number: 35718  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/14/2025  
Damage Location: 4008 Victoria Drive Lot 72, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Bedino Construction Co Inc.  
Case Number: 35727  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/16/2025  
Damage Location: 2003 North Main Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Crosby Construction  
Case Number: 35732  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/17/2025  
Damage Location: 2043 South State Road 57, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 35777  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/29/2025  
Damage Location: 812 West Jefferson Street, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: NIPSCO - Gas  
Case Number: 35800  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/16/2025  
Damage Location: 206 Park Drive, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Estates at Eagles Pointe  
Case Number: 35816  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/22/2025  
Damage Location: 1635 Warhawk Road, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Key Concrete, Inc.  
Case Number: 35825  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/24/2025  
Damage Location: 3539 Rolston Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Prime Utility Service  
Case Number: 35958  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/20/2025  
Damage Location: 117 South West Street, Rosedale

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Natural Gas Corporation  
Other Party: Lewen Line Construction Inc.  
Case Number: 36055  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/17/2025  
Damage Location: 762 W 2nd St, Leavenworth

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Engineered Soils, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35666  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/1/2025  
Damage Location: 4868 West US Highway 20 Building House, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josie's Concrete LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35457  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/27/2025  
Damage Location: 4515 Venice Way, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Myers Landscaping  
Other Party: CenterPoint Energy Indiana  
Case Number: 35351  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/9/2025  
Damage Location: 7722 Paige Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35812  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/20/2025  
Damage Location: 1125 West Washington Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$5,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alexis Concrete Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35845  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/30/2025  
Damage Location: 1025 West Wayne Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alonso Calzada Concrete LLC  
Other Party: Citizens Gas  
Case Number: 35793  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/10/2025  
Damage Location: 1456 Hoyt Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, UPPAC Member



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Backroad Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35022  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 7/23/2025  
Damage Location: 1039 South 11th Street, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chuck's Custom Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35532  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/17/2025  
Damage Location: 356 Tweedwood Drive, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lopez & Sons Concrete, LLC  
Other Party: Citizens Gas  
Case Number: 35787  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/13/2025  
Damage Location: 3328 E 10Th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, UPPAC Member



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M A J Underground Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35281  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/19/2025  
Damage Location: 9473 Deer Trail, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M Davis Excavation LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35913  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/3/2025  
Damage Location: 3913 Riverdale Avenue, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Portillomax Construction LLC  
Other Party: Ohio Valley Gas Corp  
Case Number: 35592  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/16/2025  
Damage Location: 107 E Washington St, Saint Paul

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Singh Construction Corporation  
Other Party: CenterPoint Energy Indiana  
Case Number: 35370  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/15/2025  
Damage Location: 6995 East US Highway 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Three Nail Concrete LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35459  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/26/2025  
Damage Location: 6995 East US Highway 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arturo Magallanes  
Other Party: CenterPoint Energy Indiana  
Case Number: 35466  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/30/2025  
Damage Location: 9215 Bentgrass Court, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Complete Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35925  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/7/2025  
Damage Location: 10221 Calumet Avenue Suite 101 Building 1, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Countryside Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35571  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/29/2025  
Damage Location: 6145 South 455 East, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D Reliable Contractor, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35717  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/14/2025  
Damage Location: 1924 US Highway 41, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D W Builders  
Other Party: Northern Indiana Public Service Company  
Case Number: 35541  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/18/2025  
Damage Location: 4125 East Jennings Loop, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E J M Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35326  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/28/2025  
Damage Location: 299 Ninepark Cove, Huntertown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Feikes 4 Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35564  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/26/2025  
Damage Location: 12 Deerfield Crescent, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & N Holdings & Associates LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35720  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/15/2025  
Damage Location: 800 Nicholas Trail Lot 155, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: JF Landscape LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35928  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/11/2025  
Damage Location: 60 Lane 840 Snow Lake, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh's Handyman Service  
Other Party: Northern Indiana Public Service Company  
Case Number: 35914  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/4/2025  
Damage Location: 9 EMS D4 Lane, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Leonard Walker Plumbing LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35896  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/13/2025  
Damage Location: 516 Kay Avenue, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M Davis Excavation LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35912  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/3/2025  
Damage Location: 3907 Riverdale Avenue, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Larimore  
Other Party: Northern Indiana Public Service Company  
Case Number: 35478  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/2/2025  
Damage Location: 221 East Colfax Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northwest Indiana Patio Professionals, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35807  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/17/2025  
Damage Location: 893 Betty Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pink Lady Contracting Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35751  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/24/2025  
Damage Location: 825 Hemlock Court, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pinnacle Landscape Management LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35521  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/15/2025  
Damage Location: 9905 Merrillville Road, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Powerhouse Electric LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35219  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/21/2025  
Damage Location: 11451 Westfield Boulevard, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pronto Construction Company  
Other Party: Northern Indiana Public Service Company  
Case Number: 35530  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/17/2025  
Damage Location: 2017 Clark Street, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pro-Turf Indiana LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35535  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/17/2025  
Damage Location: 7432 Main Street, Leiters Ford

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rangel Professional Landscaping LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35743  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/22/2025  
Damage Location: 6444 Travis Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tri County Heating & Energy, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35802  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/17/2025  
Damage Location: 2925 East 600 South, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Varo Remodeling LLC  
Other Party: Citizens Gas  
Case Number: 35396  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/30/2025  
Damage Location: 1718 Southeastern Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, UPPAC Member



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wickeys Construction, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35951  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/19/2025  
Damage Location: 606 Highland Drive, Madison

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woolf Construction, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35735  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/20/2025  
Damage Location: 224 North 15th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alejandro Esinosa De Los Monteros  
Other Party: Citizens Gas  
Case Number: 35794  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/16/2025  
Damage Location: 2347 Shelby St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, UPPAC Member



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: TNT Commercial Construction  
Other Party: Town of Osgood  
Case Number: 35118  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/23/2025  
Damage Location: 539 Leslie Street, Osgood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Berry-It, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 36113  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/30/2025  
Damage Location: 390 North Grand Oak Drive, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$3,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Yoder Concrete, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 36025  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/17/2025  
Damage Location: 822 West Cleveland Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arbor Tech LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 36032  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/19/2025  
Damage Location: 8208 Peterson Boulevard, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Mata  
Other Party: Northern Indiana Public Service Company  
Case Number: 35926  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/7/2025  
Damage Location: 4388 Pennsylvania Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Farmer Concrete, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 36099  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/17/2025  
Damage Location: 1102 Avenue E Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hawpatch Fence & Railing LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 36034  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/20/2025  
Damage Location: 1010 West Pleasant Point, Rome City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Intricate Fencing, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 36040  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/22/2025  
Damage Location: 9930 Illinois Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Javees Underground & Solutions, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 36060  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/3/2025  
Damage Location: 1329 Chesterfield Drive, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnson County Parks and Recreation  
Other Party: CenterPoint Energy Indiana  
Case Number: 35963  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/24/2025  
Damage Location: 7018 South Harrison Street, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Perfect Climate Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 36063  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/4/2025  
Damage Location: 2408 East Warrenton Road, Haubstadt

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & S Concrete, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 36076  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/3/2025  
Damage Location: 7910 East Rio Grande Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Balash Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 36029  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/18/2025  
Damage Location: 105 Diana Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shawn Spaulding Trucking and Excavating, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 36067  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/8/2025  
Damage Location: 1872 Grand Vista Boulevard, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Workman Builders, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 36112  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/30/2025  
Damage Location: 1409 Westgate Road, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Antonio Romero  
Other Party: Northern Indiana Public Service Company  
Case Number: 35826  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/24/2025  
Damage Location: 2933 Sherman Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Day  
Other Party: Northern Indiana Public Service Company  
Case Number: 35830  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/26/2025  
Damage Location: 2769 West Elcona Drive, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carl Smedberg  
Other Party: Northern Indiana Public Service Company  
Case Number: 36120  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/6/2025  
Damage Location: 3068 Broadway Street, Zanesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chelsea McNeil  
Other Party: CenterPoint Energy Indiana  
Case Number: 35851  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/2/2025  
Damage Location: 901 West Cromer Avenue, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Danny Reynolds  
Other Party: CenterPoint Energy Indiana  
Case Number: 35884  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/6/2025  
Damage Location: 608 North Main Street, Bicknell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eric Rainbolt  
Other Party: CenterPoint Energy Indiana  
Case Number: 35945  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/16/2025  
Damage Location: 1015 South 18th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eugene Ritchie  
Other Party: Northern Indiana Public Service Company  
Case Number: 35939  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/14/2025  
Damage Location: 18524 State Road 331, Tippecanoe

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Walton  
Other Party: Community Natural Gas Inc  
Case Number: 35941  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/16/2025  
Damage Location: 2866 Shawnee Trace, Gosport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Krygsheld  
Other Party: Northern Indiana Public Service Company  
Case Number: 35909  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/2/2025  
Damage Location: 7690 West 155th Avenue, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Jeremy Durflinger  
Other Party: Northern Indiana Public Service Company  
Case Number: 36045  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/24/2025  
Damage Location: 304 North 2nd Street, Mount Ayr

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Jerry Ruble  
Other Party: CenterPoint Energy Indiana  
Case Number: 35898  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/15/2025  
Damage Location: 199 South Robinson Road, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kyle Anderson  
Other Party: Northern Indiana Public Service Company  
Case Number: 35549  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/23/2025  
Damage Location: 4498 East Defreese Road, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matthew Mccall  
Other Party: CenterPoint Energy Indiana  
Case Number: 35955  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/17/2025  
Damage Location: 1100 Bomar Lane, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Randy Titzer  
Other Party: CenterPoint Energy Indiana  
Case Number: 35962  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/23/2025  
Damage Location: 11804 South 200 East, Haubstadt

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Raymundo Acosta  
Other Party: Northern Indiana Public Service Company  
Case Number: 36028  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/18/2025  
Damage Location: 229 West Linden Avenue, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shawn Little  
Other Party: CenterPoint Energy Indiana  
Case Number: 36107  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/23/2025  
Damage Location: 4604 North Main Street, North Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Morris  
Other Party: Midwest Natural Gas Corporation  
Case Number: 36138  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 1/14/2026  
Damage Location: 26 Radio Tower Road, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Enlow  
Other Party: Northern Indiana Public Service Company  
Case Number: 35908  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/2/2025  
Damage Location: 3903 East 400 South, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Snider Group, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35343  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/3/2025  
Damage Location: Olympic Court and Shenandoah Street, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Key Concrete, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35037  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 7/24/2025  
Damage Location: 1401 Swinney Park Place, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brumbaugh Construction Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35626  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/10/2025  
Damage Location: 2380 Liberty Avenue, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & R Aerial, LLC  
Other Party: Fountaintown Gas Company, Inc  
Case Number: 34434  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 5/22/2025  
Damage Location: 504 E Franklin St., Saint Paul

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & B Plumbing LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34991  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 7/16/2025  
Damage Location: 191 Meadows, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Fountain  
Other Party: CenterPoint Energy Indiana  
Case Number: 35605  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/3/2025  
Damage Location: 1546 3rd Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paul Russell  
Other Party: Citizens Gas  
Case Number: 35382  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/21/2025  
Damage Location: 535 N Woodruff Pl Middle Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Blaine Walters, UPPAC Member



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Everdry of Greater Indiana  
Other Party: CenterPoint Energy Indiana  
Case Number: 35754  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/27/2025  
Damage Location: 861 Walnut Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Illiana Fence LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35692  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/8/2025  
Damage Location: 3301 Vermont Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Priority Underground Services, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35594  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/1/2025  
Damage Location: 695 South Peterman Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pulver Asphalt Paving, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35493  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/4/2025  
Damage Location: 208 Morning Wind Place, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lease Excavating & Hauling LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 36053  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/28/2025  
Damage Location: 2324 Country Club Drive South, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Valley View Lawn and Landscape LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35756  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/27/2025  
Damage Location: Bridlewood Lane Lot 317, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Perez Fence LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35460  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/29/2025  
Damage Location: 500 Sterchi Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Top Tier Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35824  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/24/2025  
Damage Location: 53294 Palmetto Drive, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tredway Pools Plus Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 35927  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/11/2025  
Damage Location: 12405 Saint Joe Road, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Two Wire Comm  
Other Party: Northern Indiana Public Service Company  
Case Number: 35487  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/3/2025  
Damage Location: 935 Pawnee Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jason Deferbrache  
Other Party: Northern Indiana Public Service Company  
Case Number: 35144  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/5/2025  
Damage Location: 1407 East Lexington Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jorge Debernardi  
Other Party: CenterPoint Energy Indiana  
Case Number: 36070  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/9/2025  
Damage Location: 4008 Jackson Highway, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bobby Luttrell & Sons L.L.C.  
Other Party: CenterPoint Energy Indiana  
Case Number: 36073  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/10/2025  
Damage Location: 826 North State Road 161, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hope Plumbing, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35877  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/7/2025  
Damage Location: 110 Pamela Parkway, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Development Systems, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35768  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/29/2025  
Damage Location: 3201 West State Road 45, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Metcalf, Payne & Bell, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 36050  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/26/2025  
Damage Location: 135 West EMS 11 Lane, North Webster

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Onway Underground Corp  
Other Party: CenterPoint Energy Indiana  
Case Number: 36069  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/9/2025  
Damage Location: 7071 Bridgemont Court, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Maroska Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35229  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/25/2025  
Damage Location: 5729 West State Road 38, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade Industries, Inc. - Electric  
Other Party: Northern Indiana Public Service Company  
Case Number: 36128  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/8/2025  
Damage Location: 1 Buffington Harbor, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Rex Construction Company, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35668  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/2/2025  
Damage Location: 4550 Pennsylvania Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hittle Landscaping, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35347  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/6/2025  
Damage Location: 5372 Hill Creek Drive, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: S & S Fiberoptics Corp  
Other Party: CenterPoint Energy Indiana  
Case Number: 35335  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/2/2025  
Damage Location: 12309 Petersburg Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D C Construction Services, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34855  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 7/15/2025  
Damage Location: 1115 Saint Joseph Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Hittle Landscaping, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35610  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/7/2025  
Damage Location: 5307 Nettleton Way, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35699  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/9/2025  
Damage Location: 6048 Harrison Street, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35602  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/3/2025  
Damage Location: 5101 Charlestown Road, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Directional Boring, LTD  
Other Party: Northern Indiana Public Service Company  
Case Number: 36125  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 12/10/2025  
Damage Location: 5025 South Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H Bury and Bore  
Other Party: CenterPoint Energy Indiana  
Case Number: 35882  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/10/2025  
Damage Location: 1002 Adams Creek Drive, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Land Construction Corp.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35899  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/15/2025  
Damage Location: 285 North Lee Street, Markle

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Boone County REMC  
Other Party: CenterPoint Energy Indiana  
Case Number: 36181  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 1/15/2026  
Damage Location: 925 West County Road 800 North, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brothers Cable LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35550  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/23/2025  
Damage Location: 23618 Stonegate Court Lot 39, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Compactor, Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 36038  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 11/21/2025  
Damage Location: 205 South Broadway, Beverly Shores

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Liberty Fence  
Other Party: CenterPoint Energy Indiana  
Case Number: 35469  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 9/30/2025  
Damage Location: 3355 Firethorn Drive, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nova Underground LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34427  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 5/14/2025  
Damage Location: Madison Street and Washington Street, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Portillomax Construction LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35279  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 8/19/2025  
Damage Location: 115 West Main Street, Camden

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Prostar Underground LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34857  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 7/15/2025  
Damage Location: 4100 West 800 North, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sturgeon Excavating  
Other Party: CenterPoint Energy Indiana  
Case Number: 35623  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/9/2025  
Damage Location: 415 Wabash Street, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fred Oosterhoff  
Other Party: Northern Indiana Public Service Company  
Case Number: 35838  
Date of Advisory Meeting: 3/19/2026  
Date of Damage: 10/28/2025  
Damage Location: 13528 Delaware Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rodriguez Landscaping & Construction Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 35704  
Date of Advisory Meeting: 2/19/2026  
Date of Damage: 10/10/2025  
Damage Location: 1236 Quiet Harbor, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gradex, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35254  
Date of Advisory Meeting: 1/9/2026  
Date of Damage: 8/29/2025  
Damage Location: 2104 East National Highway, Washington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman