

Commissioner	Yes	No	Not Participating
Huston	V		
Bennett	V		
Freeman	٧		
Veleta	V		
Ziegner	V		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

)

)

)

IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.

APPROVED: AUG 02 2023

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: AUG 02 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Star Electric & Maintenance
Other Party:	Northern Indiana Public Service Company
Case Number:	28949
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/2/2022
Damage Location:	1148 North 325 East, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Angeloff Construction
Other Party:	Citizens Gas
Case Number:	28710
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/29/2022
Damage Location:	8588 Hague Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Anything Underground LLC
Other Party:	Citizens Gas
Case Number:	28685
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/3/2022
Damage Location:	4 West Banta Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Asplundh Construction Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	28911
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/21/2022
Damage Location:	10599 Spamount CV, Leo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	B Cardenas Construction Co Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	28570
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/9/2022
Damage Location:	9800 Old State Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ben Schmucker Construction, LLP
Other Party:	Northern Indiana Public Service Company
Case Number:	28388
Date of Advisory Meeting:	5/18/2023
Date of Damage:	9/14/2022
Damage Location:	1825 McKinnie Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blackmore Construction LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28634
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/24/2022
Damage Location:	11104 Hamilton Run, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blazer Farms
Other Party:	Northern Indiana Public Service Company
Case Number:	28838
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/31/2022
Damage Location:	11 Green Hills Court, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blue Ocean Contractors
Other Party:	CenterPoint Energy Indiana
Case Number:	28300
Date of Advisory Meeting:	5/18/2023
Date of Damage:	9/26/2022
Damage Location:	12700 Cold Water Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bob's Construction, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29038
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/1/2022
Damage Location:	320 Briar Hill Drive, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bojrab Landscape Management, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28910
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/21/2022
Damage Location:	7395 East State Road 120, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bontrager & Sons Excavating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28885
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/14/2022
Damage Location:	4305 North 675 West, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brad Carter
Other Party:	CenterPoint Energy Indiana
Case Number:	28595
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/2/2022
Damage Location:	1803 Arrowwood Dr, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brad Kirkman
Other Party:	Midwest Natural Gas Corporation
Case Number:	28193
Date of Advisory Meeting:	5/18/2023
Date of Damage:	9/10/2022
Damage Location:	144 West Simpson Chapel Road, Newberry

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bradley Myers Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28566
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/7/2022
Damage Location:	11071 Cornell Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brinks Investments LLC, dba Brinks Boring
Other Party:	Community Natural Gas Inc
Case Number:	28940
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/13/2022
Damage Location:	9010 Cleveland Rd., Cynthiana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C & H Lawncare & Landscaping, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28286
Date of Advisory Meeting:	5/18/2023
Date of Damage:	9/21/2022
Damage Location:	1615 Treadwell Lane, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C C T Underground, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28923
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/26/2022
Damage Location:	2280 Cardinal Drive, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C M H Homes, Inc. d/b/a Clayton Homes
Other Party:	Northern Indiana Public Service Company
Case Number:	28959
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/8/2022
Damage Location:	5515 Squiredale Ln, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	C & H Lawncare & Landscaping, Inc.
Case Number:	28302
Date of Advisory Meeting:	5/18/2023
Date of Damage:	9/26/2022
Damage Location:	1628 South Bellmeade Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of New Castle
Case Number:	28533
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/12/2022
Damage Location:	712 Redbud Lane, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	M & M Underground Construction, Inc.
Case Number:	28556
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/4/2022
Damage Location:	1204 Smokey Row Ln, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Merritt Contracting, Inc.
Case Number:	28564
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/7/2022
Damage Location:	818 Mcarthur Dr, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Vertical Underground LLC
Case Number:	28568
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/8/2022
Damage Location:	2518 E 7 th St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Target One Services LLC
Case Number:	28573
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/9/2022
Damage Location:	1303 N Catamaran Cir, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	A M A Construction LLC
Case Number:	28585
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/15/2022
Damage Location:	9139 Cayes Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	B & B Construction of Richmond, Inc.
Case Number:	28590
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/16/2022
Damage Location:	727 S 8th St, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	The Uncloggables LLC
Case Number:	29044
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	1727 Central Avenue, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Dave O'Mara Contractor, Inc.
Case Number:	29048
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/6/2022
Damage Location:	416 East Tipton Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Overhead Underground Services LLC
Case Number:	29054
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/9/2022
Damage Location:	230 Austin Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Vertical Underground LLC
Case Number:	29059
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/12/2022
Damage Location:	4461 East 3 rd Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Jackson Plumbing, LLC
Case Number:	29061
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/10/2022
Damage Location:	715 South Luick Avenue, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Handyman Service LLC
Case Number:	29065
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/14/2022
Damage Location:	1528 Spruce Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chris Friesen
Other Party:	Northern Indiana Public Service Company
Case Number:	28882
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/12/2022
Damage Location:	10642 Benton Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Christopher Cadle
Other Party:	Northern Indiana Public Service Company
Case Number:	28898
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/16/2022
Damage Location:	5020 Marquette Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Energy Group - Water
Other Party:	Citizens Gas
Case Number:	28668
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/24/2022
Damage Location:	2457 Manita Dr., Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Citizens Energy Group - Water
Case Number:	28665
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/24/2022
Damage Location:	1458 Bank Place, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Evansville (Water & Sewer Departments)
Other Party:	CenterPoint Energy Indiana
Case Number:	29051
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	8105 Heather Court, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Concrete Tailors LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29066
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/7/2022
Damage Location:	1457 Sundown Circle, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CorGroup, LLC
Other Party:	Citizens Gas
Case Number:	28666
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/24/2022
Damage Location:	2822 North Illinois, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crystal Creek Concrete LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28960
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/8/2022
Damage Location:	3236 Parnell Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Double Bee Fence Co.
Other Party:	CenterPoint Energy Indiana
Case Number:	28558
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/4/2022
Damage Location:	2247 Lafayette Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Draper Fencing Company LLC
Other Party:	Citizens Gas
Case Number:	28690
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/7/2022
Damage Location:	755 East 96 th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Draper Fencing Company LLC
Other Party:	Citizens Gas
Case Number:	28712
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/22/2022
Damage Location:	3127 Ruckle Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Duane Yoder
Other Party:	Northern Indiana Public Service Company
Case Number:	28954
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	14770 County Road 8, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Eclipse Outdoor LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28909
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/21/2022
Damage Location:	377 Sassafras Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Electricom, Inc.
Other Party:	Community Natural Gas Inc
Case Number:	28941
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/7/2022
Damage Location:	780 West 1575 North, Gentryville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Electricom, Inc.
Other Party:	Fountaintown Gas Company, Inc
Case Number:	28942
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/3/2022
Damage Location:	126 East Johnson Street, Morristown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Environmental Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29050
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	353 Richmond Avenue, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Eugenius Construction Inc
Other Party:	Citizens Gas
Case Number:	28705
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/3/2022
Damage Location:	2059 Houston Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Eusebios Ramos
Other Party:	Northern Indiana Public Service Company
Case Number:	28963
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/8/2022
Damage Location:	119 East Garfield Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fisher & Son Drilling, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28872
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/10/2022
Damage Location:	1001 East Northshore Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fleck's Trenching & Backhoe Service, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28970
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/13/2022
Damage Location:	180 N Chippewa St, Roann

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fort Wayne City Utilities
Other Party:	Northern Indiana Public Service Company
Case Number:	28967
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/12/2022
Damage Location:	1314 & 1316 West Wayne Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	28865
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/8/2022
Damage Location:	14972 US Highway 20, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	28890
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/15/2022
Damage Location:	5230 Value Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Frady Excavating & Transporting, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29043
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	2416 Tamarack Pl., Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Frank Porter
Other Party:	CenterPoint Energy Indiana
Case Number:	29040
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/3/2022
Damage Location:	622 South Bennett Pl., West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G V J Underground LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28969
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/12/2022
Damage Location:	57749 County Road 18, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Graham's Trucking & Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28899
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/16/2022
Damage Location:	3950 West 73rd Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H I S Constructors, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29039
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/1/2022
Damage Location:	6211 West 400 North, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H R P Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28953
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	315 West 350 North, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hail Damage Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	28879
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/11/2022
Damage Location:	2609 East 140th Pl., East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Howard's Tree Service
Other Party:	Northern Indiana Public Service Company
Case Number:	28869
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/9/2022
Damage Location:	80 East 58th Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hydro, Inc.
Other Party:	Citizens Gas
Case Number:	28398
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/11/2022
Damage Location:	2058 Carrollton Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Imperial Design LLC
Other Party:	Citizens Gas
Case Number:	28659
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/28/2022
Damage Location:	4045 East 75 th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	International Inc.
Other Party:	Citizens Gas
Case Number:	28996
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/9/2022
Damage Location:	8203 Pelham Place, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ivan Vasquez
Other Party:	Northern Indiana Public Service Company
Case Number:	28907
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/19/2022
Damage Location:	6115 Wallace Road, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	James Salkeld
Other Party:	Indiana Natural Gas Corporation
Case Number:	29073
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/6/2022
Damage Location:	6993 North State Road 337, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jay Shideler's Personal Services
Other Party:	Northern Indiana Public Service Company
Case Number:	28955
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	929 Stanley St, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jesus Victor-Barbon
Other Party:	Citizens Gas
Case Number:	28997
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/9/2022
Damage Location:	7364 English Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Joseph McCall
Other Party:	Northern Indiana Public Service Company
Case Number:	28849
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/2/2022
Damage Location:	18460 Brewster, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K L S Underground, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28894
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/15/2022
Damage Location:	9748 West 500 South, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kanizer Excavating Company LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29045
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/1/2022
Damage Location:	1888 South State Road 63, Hillsdale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28832
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/29/2022
Damage Location:	716 Pasadena Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Legacy Plumbing Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	29068
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/15/2022
Damage Location:	614 West Howard Street, Parker City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Leo Lara's Landscaping
Other Party:	Northern Indiana Public Service Company
Case Number:	28837
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/31/2022
Damage Location:	9948 New Devon Street, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lightspeed Utility LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28828
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/28/2022
Damage Location:	2910 Speicher Road, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	M & J Asphalt Paving Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28715
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/1/2022
Damage Location:	2834 Highway Avenue, Highland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	M Line Electric, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29000
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/20/2022
Damage Location:	54501 Old Bedford Trail, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Malan Construction, LLC
Other Party:	Indiana Natural Gas Corporation
Case Number:	29074
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/15/2022
Damage Location:	11371 West Grandview Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mario Soto
Other Party:	Citizens Gas
Case Number:	28698
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/18/2022
Damage Location:	2225 East Michigan Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mark Marschitz
Other Party:	Northern Indiana Public Service Company
Case Number:	29002
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/20/2022
Damage Location:	802 Cedar Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Maximum Contracting And Realestate LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28571
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/8/2022
Damage Location:	13618 Thistlewood E Dr, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	McCalister Brothers, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	28563
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/7/2022
Damage Location:	2455 Lafayette Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Millennium Concrete and Excavating, Ltd.
Other Party:	Northern Indiana Public Service Company
Case Number:	29013
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/27/2022
Damage Location:	6880 West South Lake Gage Drive, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	NIPSCO - Gas
Other Party:	Northern Indiana Public Service Company
Case Number:	28888
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/15/2022
Damage Location:	2527 Shannon Lane, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nobis Technology LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28511
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/5/2022
Damage Location:	11296 Lantern Road, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nobis Technology LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28575
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/8/2022
Damage Location:	5251 Cheyenne Moon, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nobis Technology LLC
Other Party:	Citizens Gas
Case Number:	28704
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	818 Rosebay Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Noel Salinas
Other Party:	Northern Indiana Public Service Company
Case Number:	28913
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/22/2022
Damage Location:	4525 East Amos Drive, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Dirt Diggers Excavating, INC.
Case Number:	28829
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/28/2022
Damage Location:	9841 North 490 East, Demotee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	NIPSCO - Electric
Case Number:	28850
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/3/2022
Damage Location:	55114 County Road 27, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Northeastern REMC
Case Number:	28878
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/11/2022
Damage Location:	13916 Spring Hollow Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Indiana American Water Co. DBA Indiana American
Case Number:	28889
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/15/2022
Damage Location:	2491 Maryland Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Medallion Developers LLC
Case Number:	28896
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/8/2022
Damage Location:	6480 East State Road 10, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Crossroads Construction Concepts LLC
Case Number:	28897
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/11/2022
Damage Location:	410 Bach Street, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Columbia City
Case Number:	28928
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/30/2022
Damage Location:	1255 East State Road 205, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	B & B Roofing & Construction, Inc.
Case Number:	28944
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/18/2022
Damage Location:	844 Rush street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Hendershot Fence Construction, Inc.
Case Number:	28947
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/1/2022
Damage Location:	620 Avalon Court, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Von Excavating, Inc.
Case Number:	28950
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/2/2022
Damage Location:	1734 Elderberry Circle, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	MapleNet Wireless, Inc.
Case Number:	28951
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/2/2022
Damage Location:	2426 Cassopolis Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Amor Excavating, Inc.
Case Number:	28958
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/7/2022
Damage Location:	2318 Weisser Park Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Fort Wayne City Utilities
Case Number:	28964
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/9/2022
Damage Location:	459 Eckart Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Ley Excavating LLC
Case Number:	28972
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/13/2022
Damage Location:	5405 Hanna Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Northern Indiana Public Service CompanyOther Party:Town of OssianCase Number:28976Date of Advisory Meeting:5/18/2023Date of Damage:12/14/2022Damage Location:612 Shady Lane, Ossian

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Clarkco, Inc.
Case Number:	29001
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/20/2022
Damage Location:	2525 John Weaver Parkway, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Novinium, Inc.
Other Party:	Citizens Gas
Case Number:	28684
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/3/2022
Damage Location:	7025 Thickett Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Parrish Excavating, Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	28966
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/12/2022
Damage Location:	11499 East 605 North, Orland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Philip Ternes
Other Party:	Northern Indiana Public Service Company
Case Number:	28971
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/13/2022
Damage Location:	708 Colfax Ave, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	PirTano Construction Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28968
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/12/2022
Damage Location:	Rose Rd & US Highway 20, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Quality Concrete Construction LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28561
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/4/2022
Damage Location:	6981 Uniontown Dr, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Quality Concrete Construction LLC
Other Party:	Citizens Gas
Case Number:	28688
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/3/2022
Damage Location:	11113 Saddlebred Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Quality Craft
Other Party:	Community Natural Gas Inc
Case Number:	28938
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/16/2022
Damage Location:	582 N New Years Day, Santa Claus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R C Underground, LLC
Other Party:	Citizens Gas
Case Number:	28669
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/21/2022
Damage Location:	10253 Winlee Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Raymond Sylveter
Other Party:	Northern Indiana Public Service Company
Case Number:	28860
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/8/2022
Damage Location:	140 Lane, 650AE Snow Lk., Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Reed Trucking & Excavating
Other Party:	CenterPoint Energy Indiana
Case Number:	29057
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/10/2022
Damage Location:	4450 Jonesville Road, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28875
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/10/2022
Damage Location:	6013 Industrial Highway, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28929
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/30/2022
Damage Location:	West 10 th Street & Washington Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Roaming Networks Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	28835
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/29/2022
Damage Location:	58074 Joshua Drive, Lot 28, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Robert Schmidt
Other Party:	Northern Indiana Public Service Company
Case Number:	28962
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/8/2022
Damage Location:	1937 W 200 S, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ronald Harmon
Other Party:	Northern Indiana Public Service Company
Case Number:	28931
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/28/2022
Damage Location:	527 Reynolds Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rothenberger Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28812
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/24/2022
Damage Location:	4310 Albert Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S & S Cable Company
Other Party:	Northern Indiana Public Service Company
Case Number:	28924
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/28/2022
Damage Location:	17930 Fieldstone Ln, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Serve Force LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28824
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/27/2022
Damage Location:	1038 College Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Site Worx Services LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28857
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/7/2022
Damage Location:	817 Hawthorne Drive, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Summers Plumbing Heating & Cooling
Other Party:	Northern Indiana Public Service Company
Case Number:	28945
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/1/2022
Damage Location:	1214 Nuttman Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Suriel Quintana
Other Party:	Northern Indiana Public Service Company
Case Number:	28833
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/29/2022
Damage Location:	1602 Vance Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Thieneman Construction, Inc.
Other Party:	Ohio Valley Gas Corp
Case Number:	28936
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/3/2022
Damage Location:	501 Herzelle Street, Cannelton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Thieneman Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29064
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/13/2022
Damage Location:	14091 Trade Center Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Thrasher Landscape Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29042
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/5/2022
Damage Location:	245 South Cave Creek Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tom Decavitch
Other Party:	Northern Indiana Public Service Company
Case Number:	28961
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/8/2022
Damage Location:	509 Sherwood Dr, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	United Connections LLC
Other Party:	Citizens Gas
Case Number:	28995
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/12/2022
Damage Location:	7212 Bruin Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	United Connections LLC
Other Party:	Citizens Gas
Case Number:	28695
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/17/2022
Damage Location:	6527 Calla Lily Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Vela Precision Drilling
Other Party:	Northern Indiana Public Service Company
Case Number:	27921
Date of Advisory Meeting:	5/18/2023
Date of Damage:	7/30/2022
Damage Location:	56585 Best Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Vela Precision Drilling
Other Party:	Northern Indiana Public Service Company
Case Number:	28429
Date of Advisory Meeting:	5/18/2023
Date of Damage:	9/17/2022
Damage Location:	58516 County Road 105, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Vela Precision DrillingOther Party:27403Case Number:27403Date of Advisory Meeting:5/18/2023Date of Damage:6/16/2022Damage Location:Sunnyside Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Vela Precision DrillingOther Party:27404Case Number:27404Date of Advisory Meeting:5/18/2023Date of Damage:6/16/2022Damage Location:Sunnyside Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Vela Precision DrillingOther Party:27405Case Number:27405Date of Advisory Meeting:5/18/2023Date of Damage:6/17/2022Damage Location:Edgewater Pl., Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Verns Concrete Finishing
Other Party:	CenterPoint Energy Indiana
Case Number:	29047
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/6/2022
Damage Location:	811 S Scatterfield Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	W D Fencing, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	28946
Date of Advisory Meeting:	5/18/2023
Date of Damage:	12/1/2022
Damage Location:	2628 Lincolnway East, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wallace Construction Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	28567
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/8/2022
Damage Location:	1009 S Main St, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Weiler, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	28830
Date of Advisory Meeting:	5/18/2023
Date of Damage:	10/28/2022
Damage Location:	3941 South Lake Shore Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Young's Concrete
Other Party:	Citizens Gas
Case Number:	28687
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/3/2022
Damage Location:	5252 Channing Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Z.K. Harlow Excavating LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	28582
Date of Advisory Meeting:	5/18/2023
Date of Damage:	11/14/2022
Damage Location:	291 Province St, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren