

**ORIGINAL**

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ober	√		
Ziegner	√		

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER** )  
**APPROVING ADVISORY COMMITTEE** )  
**RECOMMENDATIONS PURSUANT TO** )  
**INDIANA CODE CHAPTER 8-1-26.** )

**APPROVED: AUG 11 2021**

**ORDER OF THE COMMISSION**

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

**IT IS SO ORDERED.**

**HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR:**

**APPROVED: AUG 11 2021**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

---

**Dana Kosco**  
**Secretary of the Commission**



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Phend & Brown  
Other Party: Northern Indiana Public Service Company  
Case Number: 21576  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 10/29/2019  
Damage Location: 204 N Wayne St, Milford

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: W B Associates Construction, LLC  
Other Party: Citizens Gas  
Case Number: 22515  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 3/9/2020  
Damage Location: 1518 Columbia Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**\$1,500; training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information: **The excavator concealed the damage by bending the line and taping it, then covering it back up and leaving the job site without reporting the damage. It was discovered through a homeowner odor complaint about two months later.**

APPROVED:

 /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Apex Paving & Excavating Inc.  
Other Party: Citizens Gas  
Case Number: 22597  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/16/2020  
Damage Location: 1717 W 10th St, Fishers

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Classic Lawncare, LLC  
Other Party: Citizens Gas  
Case Number: 22598  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/15/2020  
Damage Location: 63 E Southport, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Will Power Excavation LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 22621  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/9/2020  
Damage Location: 10461 Robinwood Ct, Cicero

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Energy Group – Westfield Water & Wastewater  
Other Party: CenterPoint Energy Indiana  
Case Number: 22643  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/15/2020  
Damage Location: 2904 E 151 St, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED: *Delva J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Concrete Specialties, Inc.  
Other Party: CenterPoint Energy Delivery  
Case Number: 22672  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 6/17/2020  
Damage Location: 1484 Woods cliff Dr, Markleville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fort Wayne Trees LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22792  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/9/2020  
Damage Location: 333 Glenmoor Drive, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brown & Sons Concrete, LLC  
Other Party: Citizens Gas  
Case Number: 22883  
Date of Advisory Meeting: 4/13/2021  
Date of Damage: 7/7/2020  
Damage Location: 3470 N High School Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C B E X  
Other Party: Citizens Gas  
Case Number: 22886  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/30/2020  
Damage Location: 4938 Whisenand Dr, New Albany

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Service Un Limited  
Other Party: Citizens Gas  
Case Number: 22887  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/29/2020  
Damage Location: 5935 Carrollton Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D R Watson Co, Inc.  
Other Party: Citizens Gas  
Case Number: 22891  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/23/2020  
Damage Location: 1238 Evison St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Betz Backhoeing  
Other Party: Community Natural Gas Inc  
Case Number: 22895  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 424 E Tinsel Circle, Lot 195, Schnellville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baldwin Excavating  
Other Party: Citizens Gas  
Case Number: 22897  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/8/2020  
Damage Location: 4347 Rhapsody Lane, Fortville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000, respondent can complete training instead of paying \$3,000 (failed to train in Case 17642)**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baumgartner & Co Asphalt Services  
Other Party: CenterPoint Energy Indiana  
Case Number: 22905  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/6/2020  
Damage Location: 808 Surrey Hill Ln, Fishers

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Burch's Sewer & Drain Cleaning LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 22908  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/8/2020  
Damage Location: 730 Brookwood Ct, Brownstown

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & B Septic LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 22910  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/2/2020  
Damage Location: 4036 S CR 250 W, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: EnviroHeat LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 22911  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/9/2020  
Damage Location: 104 Windhorst Ct, Seymour

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fences Unlimited LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 22912  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/2/2020  
Damage Location: 1270 Maxwell Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lund Inn Construction, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 22918  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/9/2020  
Damage Location: 1485 Broadway St, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500; training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information: **After damaging the gas line, the excavator turned off gas at the curb. They did not notify the operator about the damage for 8 days. They also failed to call 911 and 811 after the damage.**

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Max Haas Holdings LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 22919  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/7/2020  
Damage Location: 9180 Whitestown Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Phil Lindsey  
Other Party: CenterPoint Energy Indiana  
Case Number: 22924  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/9/2020  
Damage Location: 1550 Charles St, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Custom Concrete Foundations, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22937  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/16/2020  
Damage Location: 60 Braemar Drive, Westville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Brackett  
Other Party: Northern Indiana Public Service Company  
Case Number: 22939  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/16/2020  
Damage Location: 508 Van Buren Street, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rex Construction Company, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22940  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/16/2020  
Damage Location: 3950 Broadway, Schererville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Sutherland  
Other Party: Northern Indiana Public Service Company  
Case Number: 22942  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/16/2020  
Damage Location: 2131 North Olive Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gunningham & Sons Construction Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22947  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/18/2020  
Damage Location: 7926 Howard Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Craig Ferris  
Other Party: Northern Indiana Public Service Company  
Case Number: 22948  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/18/2020  
Damage Location: 210 Niles Street, La Porte

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kenny Kunes  
Other Party: Northern Indiana Public Service Company  
Case Number: 22949  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/18/2020  
Damage Location: 23 Smoke Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chester Turner  
Other Party: Northern Indiana Public Service Company  
Case Number: 22955  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/21/2020  
Damage Location: 444 East Tortoise Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Frank Owsley  
Other Party: Northern Indiana Public Service Company  
Case Number: 22956  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/21/2020  
Damage Location: 12026 North Raggedy Ann Drive, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Star Homes, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22957  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/22/2020  
Damage Location: 1525 Tallgrass Trail, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Elite Electrical, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22961  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/23/2020  
Damage Location: 313 South 6th Street, Bristol

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kathryn Kelly  
Other Party: Northern Indiana Public Service Company  
Case Number: 22962  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/23/2020  
Damage Location: 9501 Sea Pines Way, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hochstetler Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22964  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/24/2020  
Damage Location: 550 East 2nd Street, Millersburg

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & W Construction, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22968  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/24/2020  
Damage Location: 1437 South Reed Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nelson Brother's Mobile Home Transport, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22969  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/24/2020  
Damage Location: 11132 North Quiet Water Road, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fred C Doppler & Sons Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 22970  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/24/2020  
Damage Location: 724 South Indiana Street, Griffith

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Redro Nieves  
Other Party: Northern Indiana Public Service Company  
Case Number: 22971  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/25/2020  
Damage Location: 4117 Polk Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co. DBA Indiana American  
Other Party: Northern Indiana Public Service Company  
Case Number: 22974  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/25/2020  
Damage Location: 4061 Van Buren Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$5,000; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tony Vandiver  
Other Party: Northern Indiana Public Service Company  
Case Number: 22979  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/27/2020  
Damage Location: 119 North Front Street, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Larry Givens  
Other Party: Northern Indiana Public Service Company  
Case Number: 22980  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/27/2020  
Damage Location: 2365 Marshall Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Clifford  
Other Party: Northern Indiana Public Service Company  
Case Number: 22981  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/29/2020  
Damage Location: 501 East Hanna Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chuck's Custom Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22985  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/29/2020  
Damage Location: 40 Lane 585B Lake James, Fremont

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brackney, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 22986  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/30/2020  
Damage Location: 365 West Water Street, Brookville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Layne's Landscape & Lawncare  
Other Party: Northern Indiana Public Service Company  
Case Number: 22989  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 6/30/2020  
Damage Location: 815 Meridian Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: A-1 Concrete Leveling  
Other Party: CenterPoint Energy Indiana  
Case Number: 23009  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/22/2020  
Damage Location: 449 E King St, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Careom Concrete Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23013  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 228 Caplinger Pl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Harding Group, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23020  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 1032 Warwick Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hoosier Underground Utilities LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23021  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 7 McCracken Dr, Mitchell

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Malpica Construction LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23025  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/20/2020  
Damage Location: 122 W Fowler, W Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Neal's Concrete, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23029  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/22/2020  
Damage Location: 3309 Juniper Ln, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Redman Excavating LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23030  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 103 North A Street, Sharpsville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Specialties Co. LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23031  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 816 W Centennial, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Whalen Construction Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23036  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/28/2020  
Damage Location: 51 S Vaught St, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Walters**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Luke Barker  
Other Party: CenterPoint Energy Indiana  
Case Number: 23041  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/18/2020  
Damage Location: 204 E 5th St, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Wesbecher  
Other Party: CenterPoint Energy Indiana  
Case Number: 23044  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/16/2020  
Damage Location: 8166 Heather Dr, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Donald Reynolds  
Other Party: Northern Indiana Public Service Company  
Case Number: 23051  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/1/2020  
Damage Location: 57959 Morgan Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: All Around Concrete, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23052  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/1/2020  
Damage Location: 1828 East Markland Avenue, Monrovia

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michels Pipeline Construction Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23053  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/1/2020  
Damage Location: 1540 Genesis Drive, Brownsville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Camerons Construction, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23054  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/1/2020  
Damage Location: 908 West Mishawaka Avenue, Niles

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Landis & Sons Drainage Corp  
Other Party: Northern Indiana Public Service Company  
Case Number: 23056  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/2/2020  
Damage Location: 2500 E 350 N, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Epworth Forest Conference Center  
Other Party: Northern Indiana Public Service Company  
Case Number: 23057  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/2/2020  
Damage Location: 8486 East Maple Court, North Webster

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richardson Disposal Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23060  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/3/2020  
Damage Location: 1145 Fillmore Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: New Generation Landscaping & Lawn, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23061  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/4/2020  
Damage Location: 53347 Catalina Court, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brandon Cobb  
Other Party: Northern Indiana Public Service Company  
Case Number: 23064  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/6/2020  
Damage Location: 508 Edgewater Drive, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Walsh  
Other Party: Northern Indiana Public Service Company  
Case Number: 23066  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/6/2020  
Damage Location: 4182 N 450 W, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Makin-It Construction  
Other Party: Northern Indiana Public Service Company  
Case Number: 23070  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/7/2020  
Damage Location: 3645 Manor Drive, Highland

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Laurel Holt  
Other Party: Northern Indiana Public Service Company  
Case Number: 23071  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/7/2020  
Damage Location: 723 East 3rd Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Randy Scalvitti  
Other Party: Northern Indiana Public Service Company  
Case Number: 23073  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/7/2020  
Damage Location: 9897 Hart Street, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Geneva  
Other Party: Northern Indiana Public Service Company  
Case Number: 23075  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/8/2020  
Damage Location: 103 Deep Water Court, Geneva

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nicholas Branyan  
Other Party: Northern Indiana Public Service Company  
Case Number: 23076  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/8/2020  
Damage Location: 1232 Burk Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(out)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Solid Finish Construction Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23077  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/8/2020  
Damage Location: 4th Street & High Street, Galveston

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dana A. Bontrager Excavating & Trucking, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23082  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/8/2020  
Damage Location: 302 West Chicago Street, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City Lights & Signals, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23086  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/9/2020  
Damage Location: 2149 Edgehill Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Gibson  
Other Party: Northern Indiana Public Service Company  
Case Number: 23090  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/11/2020  
Damage Location: 6621 East Harrold Road, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Badalamenti  
Other Party: Northern Indiana Public Service Company  
Case Number: 23091  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/11/2020  
Damage Location: 1833 Gruber Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Home's Pro Renovations by Jaada  
Other Party: Northern Indiana Public Service Company  
Case Number: 23092  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/11/2020  
Damage Location: 703 South Brook Avenue, Granger

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Walter Macchiarella  
Other Party: Northern Indiana Public Service Company  
Case Number: 23093  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/11/2020  
Damage Location: 282 Streamwood Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gary Jenczalik  
Other Party: Northern Indiana Public Service Company  
Case Number: 23094  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/12/2020  
Damage Location: 2954 W 875 N Lot 4, Lake Village

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Farver Construction Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 23095  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/13/2020  
Damage Location: 127 South Shore Drive, Ashley

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone, self-repair**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Terry Phillips  
Other Party: Northern Indiana Public Service Company  
Case Number: 23097  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/14/2020  
Damage Location: 11439 Wicker Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & P Concrete  
Other Party: Northern Indiana Public Service Company  
Case Number: 23098  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/14/2020  
Damage Location: 8506 Illinois Road, Grabill

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NIPSCO - Gas  
Other Party: Northern Indiana Public Service Company  
Case Number: 23099  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/14/2020  
Damage Location: 504 South Meridian Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Creativescapes of NWI, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23100  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/14/2020  
Damage Location: 4902 Waters Edge Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shane Chestnut  
Other Party: Northern Indiana Public Service Company  
Case Number: 23102  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/15/2020  
Damage Location: 2302 South Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Pipeline Construction Company  
Other Party: Northern Indiana Public Service Company  
Case Number: 23103  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/15/2020  
Damage Location: 1303 East Vaile Avenue, Chicago

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Earth Worx, LLC  
Other Party: Batesville Water & Gas  
Case Number: 23105  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/7/2020  
Damage Location: 6 & 8 Hailey Drive, Batesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C T C Dirt Works LLC  
Other Party: Ohio Valley Gas Corp  
Case Number: 23107  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/12/2020  
Damage Location: 4520 Bell Hollow Rd., Branchville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mattingly Concrete, Inc.  
Other Party: Citizens Gas  
Case Number: 23109  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/17/2020  
Damage Location: 5349 Whitemarsh Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Quality Fence Company, Inc.  
Other Party: Citizens Gas  
Case Number: 23111  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/13/2020  
Damage Location: 3345 S Pennsylvania St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.  
Other Party: Citizens Gas  
Case Number: 23117  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/5/2020  
Damage Location: 6908 W 10th St, Lowell

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 4/7/21)**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adams Water & Sewer Service, Inc.  
Other Party: Citizens Gas  
Case Number: 23118  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/4/2020  
Damage Location: 1138 Tecumseh St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,500, respondent can complete training instead of paying \$1,500 (failed to train in Case 4457)**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richmond Exteriors LLC  
Other Party: Citizens Gas  
Case Number: 23120  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/31/2020  
Damage Location: 1322 E New York St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D B L Communications LLC  
Other Party: Citizens Gas  
Case Number: 23122  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/29/2020  
Damage Location: 4716 Broadway St, Kansas City

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pat Cross Electric, Inc.  
Other Party: Citizens Gas  
Case Number: 23124  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 2808 Pointe Harbour Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 8/4/21)**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Addison Underground Utilities LLC  
Other Party: Citizens Gas  
Case Number: 23125  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 7 E Hill Valley Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$10,000; training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information: **The penalty is escalated due to an extensive history of noncompliance with penalties issued.**

APPROVED: *Delva J. Poon* /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.  
Other Party: Citizens Gas  
Case Number: 23129  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 7002 E Edgewood Ave, Goshen

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AmeriFence, Inc.  
Other Party: Citizens Gas  
Case Number: 23130  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/21/2020  
Damage Location: 9736 E 10th, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R Chavez Construction Company, Inc.  
Other Party: Citizens Gas  
Case Number: 23133  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/15/2020  
Damage Location: 1531 Yandes St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Restorations LLC  
Other Party: Citizens Gas  
Case Number: 23134  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/14/2020  
Damage Location: 4521 N Vine Wood, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hursey's, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23137  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/16/2020  
Damage Location: 9894 Marine Key Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M C Welding & Machining Co., Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23139  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/16/2020  
Damage Location: 6049 1st Road, Kingsbury

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northwest Indiana Tents & Events, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23141  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/16/2020  
Damage Location: 213 Fraser Lane, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: River Valley Communities LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23142  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/17/2020  
Damage Location: 391 South Wood Sage Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jerome Davison  
Other Party: Northern Indiana Public Service Company  
Case Number: 23143  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/17/2020  
Damage Location: 1854 Paw Paw Creek Court, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Universal Exteriors & Interiors, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23145  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/18/2020  
Damage Location: 3376 Randolph Place, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grimmer Construction Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23146  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/20/2020  
Damage Location: West 7th Avenue & Grant Street, Highland

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Baird's Directional Drilling LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23148  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/20/2020  
Damage Location: 155 W 600 N, Gallipolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shambaugh & Son, LP  
Other Party: Northern Indiana Public Service Company  
Case Number: 23149  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/20/2020  
Damage Location: 14410 Coldwater Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training (completed 3/19/21)**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jackie Juzysta  
Other Party: Northern Indiana Public Service Company  
Case Number: 23155  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/22/2020  
Damage Location: 827 Creek Drive, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Directional Boring, LTD  
Other Party: Northern Indiana Public Service Company  
Case Number: 23157  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/22/2020  
Damage Location: 6525 Stony Brook Drive, Bryan

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mendez Tree Lawn Service LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23161  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 7516 Haida Way, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nate Nisley  
Other Party: Northern Indiana Public Service Company  
Case Number: 23163  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 13740 County Road 34, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Felix Stanker  
Other Party: Northern Indiana Public Service Company  
Case Number: 23164  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 23619 Highland Street, Schneider

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23165  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: Beck Drive & CO RD 17, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lewis Backhoe, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23166  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 5330 Fir Road, Rochester

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brickley Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 23168  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 270 North Main Street, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wissco Irrigation, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23169  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/23/2020  
Damage Location: 1010 North Eddy Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gilbert Service  
Other Party: Northern Indiana Public Service Company  
Case Number: 23171  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/24/2020  
Damage Location: 409 Christ Street, Ossian

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kankakee Valley REMC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23180  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/28/2020  
Damage Location: 232 S 675 W, Wanatah

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co. DBA Indiana American  
Other Party: Northern Indiana Public Service Company  
Case Number: 23186  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/29/2020  
Damage Location: 3685 Jefferson Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Asplundh Construction Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23187  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/30/2020  
Damage Location: 1366 Woodland Pass, Livonia

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mr Underground Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23189  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/30/2020  
Damage Location: 604 Middleton Run Road, Shippshewana

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Low Voltage Industries, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23190  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/30/2020  
Damage Location: 210 East 113th Avenue, Hammond

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Walsh & Kelly  
Other Party: Northern Indiana Public Service Company  
Case Number: 23193  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 7/31/2020  
Damage Location: 9614 Merrillville Road Apartment 177, Griffith

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B & T Drainage, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23198  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/3/2020  
Damage Location: 320 S 16th St, Marshall

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Weber Concrete Construction  
Other Party: CenterPoint Energy Indiana  
Case Number: 23199  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/3/2020  
Damage Location: 525 W Main St, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Darmstadt  
Other Party: CenterPoint Energy Indiana  
Case Number: 23205  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/5/2020  
Damage Location: 124 E Wortman Rd, Darmstadt

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dave O'Mara Contractor, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23206  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/4/2020  
Damage Location: 940 N Marr Rd, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ragle, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23213  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/8/2020  
Damage Location: 1015 N Fares, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: W R Johnson Excavation LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23214  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/13/2020  
Damage Location: 3187 S Overlook Pass, Franklin

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Van Hoy & Sons Contracting, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23219  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/13/2020  
Damage Location: Bell Rd & Telephone Rd, Washington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Garry Schuetter  
Other Party: CenterPoint Energy Indiana  
Case Number: 23221  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/8/2020  
Damage Location: 99 W Washington St, Hagerstown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dave O'Mara Contractor, Inc.  
Other Party: Sycamore Gas Company  
Case Number: 23237  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/13/2020  
Damage Location: 1076 Steelman Lane, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Montoya Directional Drilling LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23246  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/7/2020  
Damage Location: 2150 Parkview Place, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chloe James  
Other Party: Northern Indiana Public Service Company  
Case Number: 23247  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/9/2020  
Damage Location: 519 West 10th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dimension Fence, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23250  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/11/2020  
Damage Location: 5402 Woodland Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Walsh & Kelly  
Other Party: Northern Indiana Public Service Company  
Case Number: 23254  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/13/2020  
Damage Location: 1230 Fairbanks Avenue, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reeves Fence Services, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23255  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/13/2020  
Damage Location: 5807 Anthony Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Smith & Sons Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23263  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/3/2020  
Damage Location: 821 East Lake Front Drive, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23265  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/5/2020  
Damage Location: 3200 Middlebury Street, Wabash

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Fort Wayne  
Other Party: Northern Indiana Public Service Company  
Case Number: 23267  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/10/2020  
Damage Location: 2605 Otsego Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Pipeline Construction Company  
Other Party: Northern Indiana Public Service Company  
Case Number: 23268  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/11/2020  
Damage Location: 1309 East Markland Avenue, Chicago

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dyer Construction Co., Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23269  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/1/2020  
Damage Location: Sun Drive & Nautical Drive, Dyer

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: PinPoint Directional Drilling, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23270  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/10/2020  
Damage Location: 110 West Whitley Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23271  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/13/2020  
Damage Location: 1002 Middlebury Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lamb Excavating LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23295  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/19/2020  
Damage Location: 5912 Sheffield Ln, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Helebo Trenching, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23296  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/19/2020  
Damage Location: 4256 Red Barn Dr, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kings Trucking & Excavation, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23298  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/19/2020  
Damage Location: CR 900N & 250W, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shephard Services, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23299  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/20/2020  
Damage Location: 3861 Blackford Rd E, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Thayer Power & Communication Line Construction  
Company, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 23303

Date of Advisory Meeting: 5/18/2021

Date of Damage: 8/19/2020

Damage Location: 7735 S 950 E, Fairview

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jack Young  
Other Party: CenterPoint Energy Indiana  
Case Number: 23328  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/23/2020  
Damage Location: 1463 Sandalwood Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A C Irrigation LLC  
Other Party: Citizens Gas  
Case Number: 23351  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/19/2020  
Damage Location: 8540 Hunting Trl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Techno Drill, LLC  
Case Number: 23357  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/11/2020  
Damage Location: 627 Shady Creek Drive, Franciso

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: The Hydaker-Wheatlake Company  
Case Number: 23365  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/14/2020  
Damage Location: 923 Captain Frank Rd, Franciso

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23402  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/18/2020  
Damage Location: 316 South Chauncey Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: True Line Fence (Merrilville)  
Other Party: Northern Indiana Public Service Company  
Case Number: 23403  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/18/2020  
Damage Location: 3142 Austgen Place, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: failure to plan**

Abstentions: **Smith**

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Site Services Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 23408  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/19/2020  
Damage Location: 8320 Northcote Avenue, Highland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Serrano's Remodeling LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23415  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 8/22/2020  
Damage Location: 1021 West 145th Street Apartment 1, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Baseline Communications  
Case Number: 23463  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/23/2020  
Damage Location: 313 W McDonald St, Franciso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: *Delva J. Poon* /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Low Voltage Industries, Inc.  
Case Number: 23765  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/15/2020  
Damage Location: 610 East Mishawaka Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Hipkind Concrete Corp  
Case Number: 23818  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/16/2020  
Damage Location: 7227 Cranberry Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Selge Construction Co., Inc.  
Case Number: 23820  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/16/2020  
Damage Location: 930 East Lincoln Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Q C Communications, Inc.  
Case Number: 23826  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/18/2020  
Damage Location: 526 North Line Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: S H & S Construction Company  
Case Number: 23838  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/22/2020  
Damage Location: 1970 East Bair Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Baumgardner Excavating LLC  
Case Number: 23841  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/22/2020  
Damage Location: 159 South High Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Teracom, Inc.  
Case Number: 23843  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/23/2020  
Damage Location: 533 East Hawthorne Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Amor Excavating, Inc.  
Case Number: 23844  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/23/2020  
Damage Location: 760 North Seminary Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Thompson Excavating  
Case Number: 23845  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/23/2020  
Damage Location: 975 W 275 N, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Benton County Highway Department  
Case Number: 23848  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/24/2020  
Damage Location: 1101 East Lingle Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Asplundh Construction Corp.  
Case Number: 23849  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/24/2020  
Damage Location: 6788 Covington Creek Trail, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: A W C Concrete & Excavating LLC  
Case Number: 23854  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/25/2020  
Damage Location: 1422 West Lusher Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Elijah Maez  
Case Number: 23855  
Date of Advisory Meeting: 5/18/2021  
Date of Damage: 9/27/2020  
Damage Location: 1806 South Twyckenham Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman