

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
 APPROVING ADVISORY COMMITTEE)
 RECOMMENDATIONS PURSUANT TO)
 INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: AUG 30 2022

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, AND ZIEGNER CONCURE:

APPROVED: AUG 30 2022

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brendonwood Common Inc.
Other Party: Citizens Gas
Case Number: 25972
Date of Advisory Meeting: 6/28/2022
Date of Damage: 10/13/2021
Damage Location: 5925 Braewick Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: M & M Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26238
Date of Advisory Meeting: 6/28/2022
Date of Damage: 10/11/2021
Damage Location: 9608 N Box Elder CT, McCordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stiltner Electric, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26362
Date of Advisory Meeting: 6/28/2022
Date of Damage: 9/23/2021
Damage Location: 2150 E Grey Hound Pass, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Structural Foundations, LLC
Other Party: Citizens Gas
Case Number: 26382
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/17/2021
Damage Location: 499 Forest Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ernesto Vibamontes
Other Party: Northern Indiana Public Service Company
Case Number: 26418
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/13/2021
Damage Location: 714 S Lombardy Dr, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Juan Delacruz
Other Party: Northern Indiana Public Service Company
Case Number: 26435
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/16/2021
Damage Location: 1171 5B Road, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McCaslin Concrete Contractors LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26491
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/1/2021
Damage Location: 7325 Middle Mount Vernon Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gregorio Sanchez
Other Party: Citizens Gas
Case Number: 26373
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/30/2021
Damage Location: 2 Manti Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Pittman
Other Party: Midwest Natural Gas Corporation
Case Number: 26384
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/15/2021
Damage Location: 2878 N SR 59, Linton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mari Serrano
Other Party: Northern Indiana Public Service Company
Case Number: 26406
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/9/2021
Damage Location: 1212 Huestis Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nick Divich
Other Party: Northern Indiana Public Service Company
Case Number: 26420
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/13/2021
Damage Location: 7632 Locust Ave, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Otoniel Navarro
Other Party: Northern Indiana Public Service Company
Case Number: 26427
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/15/2021
Damage Location: 2435 Bonds Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ryan Riendeav
Other Party: CenterPoint Energy Indiana
Case Number: 26549
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 303 S 1st St, Lafontaine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Earl Zimmerman
Other Party: Northern Indiana Public Service Company
Case Number: 26639
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 20734 Michigan Rd Bldg B, Argos

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A M P P Construction Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26505
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/11/2021
Damage Location: 1176 W SR 28, Alexandria

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information: **no ticket escalation - additional \$1,000**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C S U, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26551
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/6/2022
Damage Location: Cross St and Lincoln St, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Elmer's Service, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26602
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/31/2022
Damage Location: 57473 Apple Ridge Way, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J D & M B LLC DBA Barnett Contracting
Other Party: Northern Indiana Public Service Company
Case Number: 26604
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/31/2022
Damage Location: 11510 Magnolia Dr, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Amick Excavating & Trucking, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26638
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/3/2022
Damage Location: 423 Commerical St, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C S U, Inc.
Other Party: Citizens Gas
Case Number: 26651
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/7/2022
Damage Location: 2435 Kentucky Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eugenius Construction Inc
Other Party: Citizens Gas
Case Number: 26652
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/6/2022
Damage Location: 1350 W 31st St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ground Systems LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26417
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/13/2021
Damage Location: 500 Commerce Dr, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J.A.M. Tribal Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25885
Date of Advisory Meeting: 6/28/2022
Date of Damage: 9/14/2021
Damage Location: 222 South Home Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Commuter Transportation District
Other Party: Northern Indiana Public Service Company
Case Number: 25926
Date of Advisory Meeting: 6/28/2022
Date of Damage: 9/21/2021
Damage Location: 2690 East Dunes Highway, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: River Anchor Holdings LLC d/b/a River Anchor Renovations
Other Party: Northern Indiana Public Service Company
Case Number: 26394
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/2/2021
Damage Location: 3832 NW Shaffer Dr Street C Lot 41, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rockland Plumbing, Inc. d/b/a Rockland Plumbing & Sewer
Other Party: Northern Indiana Public Service Company
Case Number: 26425
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/15/2021
Damage Location: 2450 Colfax St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lewis Property Solutions LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26440
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/20/2021
Damage Location: 1102 Foster St., South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Allsop Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 26429
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/6/2021
Damage Location: 19700 Osborne Rd, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A J the Plumber LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26453
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/30/2021
Damage Location: 611 Durbin Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Serve Force LLC
Other Party: Northern Indiana Public Service Company
Case Number: 25580
Date of Advisory Meeting: 6/28/2022
Date of Damage: 8/9/2021
Damage Location: 1211 Division Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kim Cox
Other Party: Northern Indiana Public Service Company
Case Number: 26461
Date of Advisory Meeting: 6/28/2022
Date of Damage: 11/17/2021
Damage Location: 1700 Kimal Trl, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J P Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26492
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/1/2021
Damage Location: 6060 Woodmill Dr, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J. Co. Construction, LLC
Other Party: Citizens Gas
Case Number: 26581
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 740 Questover Cir, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C C Concrete & Excavation Solutions
Other Party: Pittsboro, Town of
Case Number: 26371
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/14/2022
Damage Location: 763 Jefferson Park Drive, Pittsboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robinson Trenching & Directional Boring, Inc.
Other Party: Citizens Gas
Case Number: 26649
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/9/2022
Damage Location: 1696 Countryside Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: M7 Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26392
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/2/2021
Damage Location: 222 Glencoe Dr, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26495
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/6/2021
Damage Location: 230 S Franklin St, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ragle, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26611
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/20/2022
Damage Location: Hwy 61 & Kennedy Ave, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: SDM Real Estate Inc. dba SDM Construction
Other Party: CenterPoint Energy Indiana
Case Number: 26614
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/24/2022
Damage Location: 1135 Park Pl, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lykins Contracting Limited Liability Company
Other Party: CenterPoint Energy Indiana
Case Number: 26609
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/19/2022
Damage Location: 440 Highland St, Morgantown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Brazil
Other Party: CenterPoint Energy Indiana
Case Number: 26627
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/8/2022
Damage Location: 410 Pinckley, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Telecom Placement, Inc.
Other Party: Citizens Gas
Case Number: 26648
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/9/2022
Damage Location: 3502 E New York St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 26607
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/18/2022
Damage Location: 315 Sycamore St, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Henkels & McCoy, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26625
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/1/2022
Damage Location: 207 S Willow Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J C Escobar Construction
Other Party: Northern Indiana Public Service Company
Case Number: 26454
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/27/2021
Damage Location: 316 Persimmon Cv, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Hull Brothers Contracting LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26592
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/19/2022
Damage Location: 236 Marcliffe Dr, Apt, 1 Bldg 7, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Eicher Sewer Service LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26595
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/21/2022
Damage Location: 4049 County Rd 35, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mr. Electric of South Bend
Other Party: Northern Indiana Public Service Company
Case Number: 26596
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/21/2022
Damage Location: 608 W 9th St, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bender's Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26603
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/31/2022
Damage Location: 5936 E Searfross Dr, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wildeman Septic and Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26637
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/1/2022
Damage Location: 3615 E Boonville New Harmony Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A T & T
Other Party: Northern Indiana Public Service Company
Case Number: 26597
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/21/2022
Damage Location: 1230 W 96th Pl Lot 156, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information: ; **no ticket escalation - additional \$1,000**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Irving Materials, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26618
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/26/2022
Damage Location: 1001 E County Rd 600 N, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information: **no ticket escalation - additional \$1,000**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: The Snider Group, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26630
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/9/2022
Damage Location: Lot 62, Grassy Branch, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information: **no ticket escalation - additional \$1,000**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: US Radius Services Inc
Other Party: Northern Indiana Public Service Company
Case Number: 26412
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/10/2021
Damage Location: 3672 N Wells St, Apt 1, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26644
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/11/2022
Damage Location: 240 Parker Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Asplundh Construction Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 26590
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/19/2022
Damage Location: 527 Professional Park Drive, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26447
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/23/2021
Damage Location: 2940 Gateway Court, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26413
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/10/2021
Damage Location: 56784 Ramble Wood Lane, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: US Radius Services Inc
Other Party: Northern Indiana Public Service Company
Case Number: 26415
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/12/2021
Damage Location: 4901 Holton Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: United Connections LLC
Other Party: Citizens Gas
Case Number: 26574
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/18/2022
Damage Location: 6927 Thousand Oaks Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Liz Excavating LLC
Other Party: Citizens Gas
Case Number: 26575
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/17/2022
Damage Location: 1277 W 18th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: US Radius Services Inc
Other Party: Citizens Gas
Case Number: 26576
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/15/2022
Damage Location: 3167 N White River Pwky E Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26588
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/18/2022
Damage Location: 405 Larkin St, Laporte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26641
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 1101 Roberts St, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: R. Chavez Construction Company, Inc. d/b/a Chavez
Construction
Other Party: Citizens Gas
Case Number: 24775
Date of Advisory Meeting: 6/28/2022
Date of Damage: 4/25/2021
Damage Location: 6165 Rural Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Mitchell
Other Party: CenterPoint Energy Indiana
Case Number: 26528
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/21/2021
Damage Location: 1223 Hancock Ave, Mitchell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: G & A Contractors LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26529
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/23/2021
Damage Location: 290 Gathering Ln, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: SCM LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26538
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/3/2022
Damage Location: 955 Lasley Dr, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Premier Foundation Solutions, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26539
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 1710 W 5th St, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Vires Excavation & Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26541
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 5010 Progress Way, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A & E Igleheart Foundation
Other Party: CenterPoint Energy Indiana
Case Number: 26565
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/13/2022
Damage Location: 5500 Lincoln Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: RT Electric LLC
Other Party: Citizens Gas
Case Number: 26577
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/14/2022
Damage Location: Fisher Rd Horner Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J S Quality Masonry & Restoration Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26605
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/17/2022
Damage Location: 2515 Mullinix Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Endless Outdoor Creations LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26606
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/18/2022
Damage Location: 2709 W Maryland St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Stoll Construction and Paving Company, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26610
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/19/2022
Damage Location: 3005 Industrial Pkwy, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Patton Plumbing LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26559
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/10/2022
Damage Location: 897 S Home Ave, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information: ; **no ticket escalation - additional \$1,000**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mitchell & Starks Construction Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26570
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/11/2022
Damage Location: 3513 Pumphouse Rd, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information: **no ticket escalation - additional \$1,000**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Berry-It, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26613
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/24/2022
Damage Location: 1274 Banbury Pl, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information: **no ticket escalation - additional \$1,000**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lineal Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26519
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/13/2021
Damage Location: 3507 Edwards Ct, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Natural Gas Corp.
Other Party: Indiana Natural Gas Corporation
Case Number: 26536
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/27/2022
Damage Location: 169 S 3rd Street, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Estes Contracting LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26546
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/3/2022
Damage Location: 1900 Broadway St, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lazer Excavating Company
Other Party: CenterPoint Energy Indiana
Case Number: 26554
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 5322 Citadel Dr, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lineal Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26556
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/5/2022
Damage Location: 2685 S Wexley Rd, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Arc Construction Company Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26561
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/10/2022
Damage Location: 1 N Burkhardt Rd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bullseye Directional Boring, LLC
Other Party: Citizens Gas
Case Number: 26578
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/12/2022
Damage Location: 4923 Wisteria Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.
Other Party: Citizens Gas
Case Number: 26580
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/5/2022
Damage Location: 8426 Southern Springs Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Septic Service & Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26626
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/7/2022
Damage Location: 1524 Berry Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Energy Group
Other Party: Citizens Gas
Case Number: 26168
Date of Advisory Meeting: 4/14/2022
Date of Damage: 11/21/2021
Damage Location: 927 Waring Dr E, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Exceptional Excavating, LLC
Case Number: 26278
Date of Advisory Meeting: 6/28/2022
Date of Damage: 11/10/2021
Damage Location: 4146 Spirea Dr, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Cheesman, Inc.
Case Number: 26493
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/3/2021
Damage Location: 960 Shootingstar Ct, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: AmeriFence, Inc.
Case Number: 26496
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/4/2021
Damage Location: 2464 Grand Fir Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: R T Moore, Co., Inc.
Case Number: 26501
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/9/2021
Damage Location: 12318 Palmetto Bay St, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dotlich Contractors Inc.
Case Number: 26514
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/14/2021
Damage Location: 10267 E US Highway 136, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Gary's Plumbing Service, Inc.
Case Number: 26516
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/15/2021
Damage Location: 200 S Alvord Blvd, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Always Underground, Inc.
Case Number: 26522
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/20/2021
Damage Location: 12449 Charing Cross Rd, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: D R Watson Co Inc.
Case Number: 26531
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/22/2021
Damage Location: 552 Coronado Pl, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Dotson Construction, Inc.
Case Number: 26535
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/30/2021
Damage Location: 805 E Oak St, Fort Branch

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Municipal Water Department, City of Anderson
Case Number: 26542
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/3/2022
Damage Location: 708 Ellen Hurst, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: L J Z Excavating LLC
Case Number: 26548
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/5/2022
Damage Location: 2669 US Highway 231 S, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Morphey Construction, Inc.
Case Number: 26552
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/5/2022
Damage Location: 8950 Technology Dr, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: AAAAAAA Roto Rooter (Muncie)
Case Number: 26564
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/13/2022
Damage Location: 2110 Roosevelt St, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J & K Underground Utilities, LLC
Case Number: 26566
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/13/2022
Damage Location: 130 Woodland Dr, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Lineal Contracting, Inc.
Case Number: 26571
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/13/2022
Damage Location: 3329 Rolling Oak Dr, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mainstream Fiber Networks, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24638
Date of Advisory Meeting: 6/28/2022
Date of Damage: 3/17/2021
Damage Location: 1200 W & Division Road, Wolcott

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Exquisite Scapes LLC
Other Party:
Case Number: 26368
Date of Advisory Meeting: 6/28/2022
Date of Damage: 3/30/2021
Damage Location: 4444 Evergreen Trl, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Peterman Heating, Cooling & Plumbing, Inc.
Other Party:
Case Number: 26583
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/24/2022
Damage Location: 336 Main St, Hope

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Peterman Heating, Cooling & Plumbing, Inc.
Other Party:
Case Number: 26584
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/28/2022
Damage Location: 336 Main St, Hope

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arp Plumbing Inc.
Other Party:
Case Number: 26585
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/7/2022
Damage Location: 3718 W 97th St, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B M B, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26250
Date of Advisory Meeting: 6/28/2022
Date of Damage: 11/2/2021
Damage Location: 6844 Lexington Dr, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: 2 Brothers Fencing LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26509
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/13/2021
Damage Location: 717 Fireside Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500 fine plus training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brackney, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26515
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/14/2021
Damage Location: 612 Sheridan St, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brackney, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26524
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/21/2021
Damage Location: 1334 R Ave, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: C A Advanced, Inc.
Case Number: 25031
Date of Advisory Meeting: 6/28/2022
Date of Damage: 5/25/2021
Damage Location: 115 Packett Ave, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Exterior Service LLC
Case Number: 26393
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/2/2021
Damage Location: 3710 S Washington Rd, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Carlisle Utility Contractors, Inc.
Case Number: 26395
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/3/2021
Damage Location: 2590 Southlake Mall, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Jason Acord
Case Number: 26396
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/3/2021
Damage Location: 324 W Morgan, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 26400
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/6/2021
Damage Location: 29297 US 33, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: J D G Construction & Services LLC
Case Number: 26402
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/6/2021
Damage Location: 1436 W 96th Ave, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Ground Systems LLC
Case Number: 26405
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/7/2021
Damage Location: 105 S Michigan St, Lakeville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: American Electric Power DBA Indiana Michigan
Power
Case Number: 26407
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/9/2021
Damage Location: 2535 Wayne Trace, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Teracom, Inc.
Case Number: 26424
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/15/2021
Damage Location: 1321 S State Rd 119, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: City of Michigan City
Case Number: 26436
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/16/2021
Damage Location: 130 Arndt St, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Nick Kirkpatrick
Case Number: 26437
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/17/2021
Damage Location: 5885 N 175 W, Howe

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: A J the Plumber LLC
Case Number: 26441
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/20/2021
Damage Location: 1153 Polk St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: G & B Directional Boring LLC
Case Number: 26446
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/23/2021
Damage Location: 23740 River Lane Boulevard, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Tyler Smith
Case Number: 26598
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/22/2022
Damage Location: 3219 Cherry Tree Lane, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Citizens Energy Group - Water
Case Number: 26617
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/20/2022
Damage Location: 8642 Knollway Ct, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T C S Communications, LLC
Other Party: Citizens Gas
Case Number: 26063
Date of Advisory Meeting: 6/28/2022
Date of Damage: 10/29/2021
Damage Location: 9350 E Washington St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jon Shope
Other Party: Citizens Gas
Case Number: 26579
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/9/2022
Damage Location: 7834 Fall Creek Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26635
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/14/2022
Damage Location: 9059 Lieven St, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AmeriFence, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26615
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/20/2022
Damage Location: 732 Cembra Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Will Power Excavation LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26616
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/24/2022
Damage Location: 10110 Ditch Rd, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: DeLattre Excavating and Landscaping
Other Party: CenterPoint Energy Indiana
Case Number: 26620
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/27/2022
Damage Location: 10450 E US Highway 40, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26632
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/10/2022
Damage Location: 215 Sycamore St, Chesterfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Tim Dillingham
Other Party: CenterPoint Energy Indiana
Case Number: 26569
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/15/2022
Damage Location: 108 W Lincoln St, Swayzee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Corner Cable, Inc.
Case Number: 26572
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/14/2022
Damage Location: 310 Hill Dr, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Infrasource Construction, LLC
Case Number: 26599
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/25/2022
Damage Location: 12743 County Road 38, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Brackney, Inc.
Case Number: 26608
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/19/2022
Damage Location: 609 Sheridan St, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: L J Z Excavating LLC
Case Number: 26612
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/21/2022
Damage Location: 380 Brown St, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Teracom, Inc.
Case Number: 26619
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/24/2022
Damage Location: Stringtown Pike And Vos Hiatt Ave, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: United Connections LLC
Case Number: 26621
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/25/2022
Damage Location: 17125 Folly Brook Rd, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 26623
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/27/2022
Damage Location: 2805 N 1st Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Blankenberger Brothers, Inc.
Case Number: 26624
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/31/2022
Damage Location: 740 N Sonntag Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 26634
Date of Advisory Meeting: 6/28/2022
Date of Damage: 2/14/2022
Damage Location: 2902 First Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 26640
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 4228 Monroe St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: FFC Fencing Co.
Case Number: 26642
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/6/2022
Damage Location: 952 Devonshire Lane, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Hammond
Case Number: 26643
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/10/2022
Damage Location: 6405 Kennedy Ave, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: C.I. Services LLC
Case Number: 26646
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/13/2022
Damage Location: 5851 S US Highway 31, Lot 42, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Electric
Case Number: 26647
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/14/2022
Damage Location: 6285 E State Rd 120, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hill Excavation, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26130
Date of Advisory Meeting: 6/28/2022
Date of Damage: 11/4/2021
Damage Location: 2010 E Farnsworth Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jewett Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 26414
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/11/2021
Damage Location: 2519 Pleasant Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infinity Technology Group
Other Party: Northern Indiana Public Service Company
Case Number: 26443
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/21/2021
Damage Location: 705 Turtle Drive, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Teeters Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26520
Date of Advisory Meeting: 6/28/2022
Date of Damage: 12/15/2021
Damage Location: 9874 E 700 S, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daystar Directional Drilling, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 26537
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/3/2022
Damage Location: 2354 S Bingham Pl, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: KS Energy Services, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26547
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/4/2022
Damage Location: 411 E Oak St, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parkman Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 26587
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/18/2022
Damage Location: 870 N County Line Rd, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Addison Underground Utilities LLC
Other Party: CenterPoint Energy Indiana
Case Number: 26622
Date of Advisory Meeting: 6/28/2022
Date of Damage: 1/27/2022
Damage Location: 4006 Claybrooke Ct, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$10,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman