

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	V		
Bennett	V		
Freeman	V		
Veleta	V		
Ziegner	V		

INDIANA UTILITY REGULATORY COMMISSION

)

)

IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.

APPROVED: OCT 11 2023

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: OCT 11 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	101 Lakes Landscaping, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29484
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/23/2023
Damage Location:	40 Lane 200H, Lake James, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A K & M Trenching, Inc.
Other Party:	Citizens Gas
Case Number:	29541
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/20/2023
Damage Location:	7165 Sayers Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A M P P Construction Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29384
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/8/2023
Damage Location:	2200 East Delta Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A P I Construction Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	29330
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/14/2023
Damage Location:	311 East Main Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A-1 Well Drilling and Repair, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29491
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/28/2023
Damage Location:	318 Nordale Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Addison Underground Utilities LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29226
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/14/2023
Damage Location:	11 Al Mar Drive, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$10,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Advance Property Maintenance
Other Party:	Northern Indiana Public Service Company
Case Number:	29312
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	212 East Lasalle Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Pro Drilling, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29404
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/15/2023
Damage Location:	1530 Nuebling Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Star Paving Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29206
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/1/2023
Damage Location:	653 South Vine Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Altstadt Hoffman Plumbing Service, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29423
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/30/2023
Damage Location:	1035 Covert Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Always Underground, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29287
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/17/2023
Damage Location:	26711 Durness Woods Drive, Lot 13, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Always Underground, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29399
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/13/2023
Damage Location:	780 Wilson Terrace, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Andrew Gossett
Other Party:	CenterPoint Energy Indiana
Case Number:	29685
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/6/2023
Damage Location:	7714 Home Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Andrew Tieken
Other Party:	CenterPoint Energy Indiana
Case Number:	29591
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/15/2023
Damage Location:	517 Van Dusen Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Anna Vazquez
Other Party:	Northern Indiana Public Service Company
Case Number:	29429
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/1/2023
Damage Location:	209 South 7th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Axis Fiber Solutions
Other Party:	CenterPoint Energy Indiana
Case Number:	29171
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/13/2023
Damage Location:	1209 North Kirk Avenue, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	B Cardenas Construction Co Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	29229
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/15/2023
Damage Location:	5000 Country Lake Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Backbone Power Systems, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29626
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/25/2023
Damage Location:	Center Street & Southeast 9th Street, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Baldwin Excavating
Other Party:	CenterPoint Energy Indiana
Case Number:	29260
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	6899 Equality Boulevard, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Barton Pool Company LLC
Other Party:	Citizens Gas
Case Number:	29542
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/20/2023
Damage Location:	7310 Lantern Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Beaty Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29357
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/1/2023
Damage Location:	150 Yandes Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Beaty Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29238
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/17/2023
Damage Location:	368 Yandes Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Berry-It, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29177
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/17/2023
Damage Location:	7555 South County Road 1000 East, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blackmore Construction LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29192
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/23/2023
Damage Location:	16697 Alex Drive, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blankenberger Brothers, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29417
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/27/2023
Damage Location:	Vine & 2 ^{nd,} Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blankenberger Brothers, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29413
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/22/2023
Damage Location:	5025 Constellation Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blankenberger Brothers, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29580
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/10/2023
Damage Location:	2613 East Walnut Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blue Fence Company, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29378
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/8/2023
Damage Location:	2216 Alpena Court, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Blue Ocean Contractors
Other Party:	CenterPoint Energy Indiana
Case Number:	29153
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/6/2023
Damage Location:	1540 Village Court, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brackney, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29218
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/7/2023
Damage Location:	847 East Street, Madison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000; training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brackney, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29405
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/16/2023
Damage Location:	116 Wildwood Drive, Madison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brackney, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29617
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/17/2023
Damage Location:	14100 Daleville Road, Daleville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brackney, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29701
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/10/2023
Damage Location:	213 Sunrise Drive, Madison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brad Evans Property Improvement LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29200
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/31/2023
Damage Location:	685 West 1050 North, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brian's Plumbing Service, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29134
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/6/2023
Damage Location:	307 West Oakley Avenue, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Built to Last Construction LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29181
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/18/2023
Damage Location:	3222 Golfview Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Burns Construction
Other Party:	CenterPoint Energy Indiana
Case Number:	29364
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/2/2023
Damage Location:	1114 West 1st Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C & R Construction and Consulting LLC
Other Party:	Indiana Utilities Corporation
Case Number:	29120
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/27/2023
Damage Location:	180 Harrison Drive, Corydon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C C T Underground, LLC
Other Party:	Citizens Gas
Case Number:	29276
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/8/2023
Damage Location:	3113 Hodson Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C T S Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29183
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/18/2023
Damage Location:	Tacoma Boulevard, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cano's Services, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29244
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/21/2023
Damage Location:	3504 East Winston Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29147
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/4/2023
Damage Location:	Iowa Street & 2 nd Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Hartford City
Case Number:	29155
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/6/2023
Damage Location:	405 East Hickory Grove Road, Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Axis Fiber Solutions
Case Number:	29156
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/9/2023
Damage Location:	North Sherman & West Blaine Street, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	H G Heinz Inc.
Case Number:	29162
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	508 Main Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Overhead Underground Services LLC
Case Number:	29164
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	174 Nicole Boulevard, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Sweetwater Plumbing
Case Number:	29166
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	8784 Slevins Drive, Nineveh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Vertical Underground LLC
Case Number:	29168
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	1524 California Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Brinks Investments LLC, dba Brinks Boring
Case Number:	29170
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/13/2023
Damage Location:	61 & County Road 900 South, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Epic Fiber Solutions LLC
Case Number:	29173
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/13/2023
Damage Location:	1124 South Graywell Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Evansville (Water & Sewer Departments)
Case Number:	29187
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/19/2023
Damage Location:	1651 South Linwood Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	T & T Underground & Contracting, LLC
Case Number:	29190
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/20/2023
Damage Location:	Division Street, Bicknell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29191
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/21/2023
Damage Location:	7700 Old Boonville Highway, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Anderson
Case Number:	29195
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/23/2023
Damage Location:	1048 Sycamore Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29198
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/27/2023
Damage Location:	951 1 st Avenue, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Meece Construction, Inc.
Case Number:	29201
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/31/2023
Damage Location:	3191 West County Road 50 North, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Southmid Fiber LLC
Case Number:	29208
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/6/2023
Damage Location:	Alaina & Highland Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Gerten Drilling LLC
Case Number:	29209
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/6/2023
Damage Location:	1120 West Baseline Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	B M B, Inc.
Case Number:	29211
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/7/2023
Damage Location:	Martin Road & Center Ridge, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Electricom, Inc.
Case Number:	29212
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/8/2023
Damage Location:	333 South Eickhoff Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Voorhies Contracting, LLC
Case Number:	29213
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/8/2023
Damage Location:	504 West 6 th Street, Bicknell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Jumpstart Communications LLC
Case Number:	29215
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/6/2023
Damage Location:	1386 West Huntsville Road, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29231
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/6/2023
Damage Location:	511 South Main Street, Jonesboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29232
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/13/2023
Damage Location:	125 West North Street, Dunkirk

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	29233
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/15/2023
Damage Location:	508 South Indiana Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	National Ondemand, Inc.
Case Number:	29236
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/1/2023
Damage Location:	1779 Durkees Ferry Road, West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	RLA Utilities, Inc.
Case Number:	29239
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/18/2023
Damage Location:	1124 Barrington Ridge, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	B Cardenas Construction Co Inc
Case Number:	29240
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/18/2023
Damage Location:	6001 North Saint Joseph Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	29265
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/27/2023
Damage Location:	1831 North 24 th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29605
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/17/2023
Damage Location:	2527 Schutte Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Gehring Underground, Inc.
Case Number:	29618
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/18/2023
Damage Location:	751 Hiatt Avenue, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29637
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/19/2023
Damage Location:	1628 South Morton, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Down To Earth
Case Number:	29667
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/29/2023
Damage Location:	North County Road 575 East, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Ragle, Inc.
Case Number:	29671
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/1/2023
Damage Location:	8499 Sycamore Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Brackney, Inc.
Case Number:	29672
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/2/2023
Damage Location:	7916 South John Street, Daleville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	E F D Works, LLC
Case Number:	29703
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/10/2023
Damage Location:	1122 South Center Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Helebo Trenching, Inc.
Case Number:	29241
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/20/2023
Damage Location:	6928 Prairie Creek Lane, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	J P Construction LLC
Case Number:	29249
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/23/2023
Damage Location:	1330 Beechwood Avenue, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Wabash Utilities, Inc.
Case Number:	29252
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/23/2023
Damage Location:	307 West Spruce Road, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	In Depth Boring, LLC
Case Number:	29255
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/24/2023
Damage Location:	Owensville & Mann Road, Haubstadt

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	J M C Communications LLC
Case Number:	29256
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/25/2023
Damage Location:	7171 East Rising Sun Circle South, Camby

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Richard Courtney Construction Corp.
Case Number:	29257
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/23/2023
Damage Location:	1415 West South Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Duke Energy Indiana
Case Number:	29259
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	1560 South 5 th Street, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Roto Rooter - Indianapolis
Case Number:	29261
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	1234 North Willow Street, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Lafayette
Case Number:	29263
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	289 South 8th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Internattional INC.
Case Number:	29264
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/24/2023
Damage Location:	6011 Fawnwood Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Aaron Solms dba Solms Excavating
Case Number:	29266
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	1038 East Main Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Always Underground, Inc.
Case Number:	29354
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/1/2023
Damage Location:	10450 Sand Creek Boulevard, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	B & B Earthworks, LLC
Case Number:	29358
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/1/2023
Damage Location:	North Walnut Street & East 296th Street, Atlanta

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Superior Underground, LLC
Case Number:	29365
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/1/2023
Damage Location:	9000 West 510 South, West Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Jumpstart Communications LLC
Case Number:	29371
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/6/2023
Damage Location:	328 West 53 rd Street, Lot 4, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Electricom, Inc.
Case Number:	29373
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/7/2023
Damage Location:	8848 West County Road 850 South, Knightstown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Axis Fiber Solutions
Case Number:	29385
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/10/2023
Damage Location:	100 North Forest Avenue, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29387
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/13/2023
Damage Location:	1210 Harrelton Court, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Lykins Contracting LLC
Case Number:	29391
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/9/2023
Damage Location:	3001 North Memorial, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Done Home Services, LLC
Case Number:	29394
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/14/2023
Damage Location:	4505 West Mill Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Jumpstart Communications LLC
Case Number:	29398
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/13/2023
Damage Location:	5213 Main Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Providence Directional Boring, LLC
Case Number:	29407
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/17/2023
Damage Location:	633 Hunting Creek Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Blankenberger Brothers, Inc.
Case Number:	29408
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/17/2023
Damage Location:	2912 East Walnut Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Vincennes
Case Number:	29424
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/30/2023
Damage Location:	1504 Busseron Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Don Gress Construction, Inc.
Case Number:	29425
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/28/2023
Damage Location:	600 Northeast 6 th Street, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	K & N Communications LLC
Case Number:	29562
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/3/2023
Damage Location:	848 Durkees Ferry Road, West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Niedhammer Excavating, Inc.
Case Number:	29565
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/4/2023
Damage Location:	901 Hoing Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Howard Companies Inc
Case Number:	29571
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/6/2023
Damage Location:	502 Pearl Street, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	29579
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/6/2023
Damage Location:	504 North 7th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Broadband of Indiana LLC
Case Number:	29583
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/12/2023
Damage Location:	9400 Schmitt Road, Haubstadt

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Brothers Excavating LLC
Case Number:	29593
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/14/2023
Damage Location:	8911 Technology Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Byers Inc.
Case Number:	29604
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/17/2023
Damage Location:	5601 Lloyd Expressway, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	E D K Company/Center Point
Case Number:	29561
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/3/2023
Damage Location:	8472 Meadow Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Central Indy Outdoors LLC
Other Party:	Citizens Gas
Case Number:	29274
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/6/2023
Damage Location:	5107 Triple Crown Way, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Energy Group - Water
Other Party:	Citizens Gas
Case Number:	29269
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/18/2023
Damage Location:	5703 East 17 th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Citizens Energy Group - Water
Case Number:	28987
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/4/2023
Damage Location:	1840 Lesley Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	I Just Buried, LLC
Case Number:	29661
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/24/2023
Damage Location:	8430 Catamaran Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Greenwood
Other Party:	CenterPoint Energy Indiana
Case Number:	29576
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/10/2023
Damage Location:	308 Maple Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Lafayette
Other Party:	CenterPoint Energy Indiana
Case Number:	29587
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/11/2023
Damage Location:	1701 Morton Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Lafayette
Other Party:	CenterPoint Energy Indiana
Case Number:	29375
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/7/2023
Damage Location:	4509 East 50 North, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Vincennes
Other Party:	CenterPoint Energy Indiana
Case Number:	29157
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/9/2023
Damage Location:	1807 Ridgeway Avenue, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cobalt Civil, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29588
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/13/2023
Damage Location:	824 North Wabash Avenue, Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cobalt Civil, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29674
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/2/2023
Damage Location:	910 North Wabash Avenue, Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Other Party: Case Number: Date of Advisory Meeting: Date of Damage: Damage Location: Hartford City Cobalt Civil, LLC CenterPoint Energy Indiana 29702 8/17/2023 5/9/2023 North Wabash Avenue & West Perkins Street,

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Commercial Signs Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29138
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/9/2023
Damage Location:	10230 Avalon Way, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Commercial Team Construction LLC
Other Party:	Citizens Gas
Case Number:	29349
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/9/2023
Damage Location:	3849 North Richardt Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Community Green Landscape Group, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29613
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/19/2023
Damage Location:	3101 Zoller Lane, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training; self-repair attempt escalation - additional \$1,500

Abstentions:

Additional Information: Penalty escalated for self repair, and excavator also engaged in concealment and gas valve isolation.

James R. Surd for Ben Warren

Ben Warren, Chairman

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Complete Electrical & Communications, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29182
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/18/2023
Damage Location:	3934 North Aviation Way, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	29555
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/13/2023
Damage Location:	4501 North Post Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crosby Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29467
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/20/2023
Damage Location:	918 East Pontiac Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Culy Contracting, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29368
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/6/2023
Damage Location:	305 Shawnee Avenue, Cambridge City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Custom Concrete - Oki LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29204
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/1/2023
Damage Location:	2840 Twain Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dan Cristiani Excavating Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29172
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/13/2023
Damage Location:	Main & Court Avenue, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dan Cristiani Excavating Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29581
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/12/2023
Damage Location:	107 Noblewood Boulevard, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dave O'Mara Contractor, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29193
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/23/2023
Damage Location:	109 Weberpal Circle, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Deig Bros Lumber & Construction Co, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29196
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/27/2023
Damage Location:	1429 Tupman Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Deutscher Construction, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29432
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/6/2023
Damage Location:	3217 Lake Shore Drive, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	E & B Paving, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29638
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/26/2023
Damage Location:	1300 South Jefferson Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Elzinga Masonry, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29142
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	3217 West 121st Avenue, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information: Impeding the flow of gas is a safety hazard.

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Escanor Capital Investments, LLC
Other Party:	Citizens Gas
Case Number:	29268
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	201 McKim Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Evorik Electric Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29458
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/8/2023
Damage Location: Point	5507 East State Road 231, B Building Barn, Crown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	F & K Construction Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29251
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/23/2023
Damage Location:	570 Maple Avenue, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	F X Underground
Other Party:	CenterPoint Energy Indiana
Case Number:	29179
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/17/2023
Damage Location:	Miami Street, Bicknell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	F X Underground
Other Party:	CenterPoint Energy Indiana
Case Number:	29243
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/19/2023
Damage Location:	211 North Main Street, Bicknell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	CenterPoint Energy Indiana
Case Number:	29184
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/18/2023
Damage Location:	Asher Drive & 500 East, Markle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	29291
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/23/2023
Damage Location:	Pearl Street & Webster Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Frederick Services and Demolition
Other Party:	CenterPoint Energy Indiana
Case Number:	29205
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/1/2023
Damage Location:	1810 West 53rd Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G & G Underground Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29376
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/8/2023
Damage Location:	5245 Abbeygate Boulevard, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G. William Walker Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29325
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/8/2023
Damage Location:	745 West US Highway 30, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gehring Underground, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29602
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/17/2023
Damage Location:	161 Walker Drive, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gerten Drilling LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29161
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	3000 West Baseline Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Grimmer Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29493
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/28/2023
Damage Location:	4848 West 45 th , Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H & G Underground Utilities, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29317
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/2/2023
Damage Location:	1401 East 35 th Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H & G Underground Utilities, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29492
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/28/2023
Damage Location:	538 East US Highway 20, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H3 Drilling
Other Party:	CenterPoint Energy Indiana
Case Number:	29216
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/9/2023
Damage Location:	Lot 143, Tipperary Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hittle Landscaping, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29222
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/13/2023
Damage Location:	3088 Sharon Circle, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hoosier Home Services LLC
Other Party:	Citizens Gas
Case Number:	29275
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/6/2023
Damage Location:	310 North Warman, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Internattional INC.
Other Party:	Citizens Gas
Case Number:	28985
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/6/2023
Damage Location:	8115 Harrison Drive, Lawrence

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J C Underground Services Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29295
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/26/2023
Damage Location:	255 Westport Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J D H Contracting, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29318
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/3/2023
Damage Location:	142 South Olive Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith & Sontag

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J G Case Construction, Inc.
Other Party:	Citizens Gas
Case Number:	29273
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/2/2023
Damage Location:	1801 East 86 th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J W's Plumbing Services LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29246
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/21/2023
Damage Location:	20341 Chatham Creek Drive, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	James Burge
Other Party:	Ohio Valley Gas Corp
Case Number:	29282
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/20/2023
Damage Location:	426 East Elm Street, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jasonville Gas Utility
Other Party:	Lubovich Excavating, Inc.
Case Number:	29072
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/26/2023
Damage Location:	6710 Public Road, Coalmont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Joe Bolin, Incorporated
Other Party:	CenterPoint Energy Indiana
Case Number:	29197
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/27/2023
Damage Location:	830 Locust Street, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John McCullough
Other Party:	CenterPoint Energy Indiana
Case Number:	29186
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/18/2023
Damage Location:	1340 North Mishler Road, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Johnny Rays Auction
Other Party:	CenterPoint Energy Indiana
Case Number:	29169
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	114 West State Route 68, Lynnville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Johnson County Highway Department
Other Party:	CenterPoint Energy Indiana
Case Number:	29606
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/18/2023
Damage Location:	4174 Redman Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jonathan Greenwell
Other Party:	CenterPoint Energy Indiana
Case Number:	29262
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	2222 Bayard Park Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Joshua Green
Other Party:	CenterPoint Energy Indiana
Case Number:	29382
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/11/2023
Damage Location:	13034 North Bray Road, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K & K Fence, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29194
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/23/2023
Damage Location:	1528 South Burlington Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K D Trenching, Inc.
Other Party:	Westfield Gas Corporation
Case Number:	28983
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/10/2023
Damage Location:	231 East 161 Street, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kevin Anderson
Other Party:	CenterPoint Energy Indiana
Case Number:	29230
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/15/2023
Damage Location:	1021 Mayfair Avenue, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kingston Excavating LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29569
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/6/2023
Damage Location:	1730 Bennington Court, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kleis Construction
Other Party:	CenterPoint Energy Indiana
Case Number:	29575
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/7/2023
Damage Location:	12802 Hamilton Crossing Boulevard, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Koehne Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29694
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/9/2023
Damage Location:	85 South Oak Court, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L G S Plumbing, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29482
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/22/2023
Damage Location:	16008 Morse Street, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L G S Plumbing, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29494
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/29/2023
Damage Location:	16074 Morse Street, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lighthouse Recovery Center, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29253
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/24/2023
Damage Location:	1276 East 250 North, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lykins Contracting LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29214
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/8/2023
Damage Location:	1918 Cottage Avenue, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Majority Builders Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	29284
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/16/2023
Damage Location:	24601 Research Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Martin & Sons Drainage, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29497
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/30/2023
Damage Location:	60726 County Road 11, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Michael Hobkrik
Other Party:	Northern Indiana Public Service Company
Case Number:	29290
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/23/2023
Damage Location:	4621 Thompson Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mid Ohio Utilities LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29158
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/10/2023
Damage Location:	West South Street & Elm Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29149
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/5/2023
Damage Location:	751 East Main Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29163
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	Lake Shore Drive & Lake Forest Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29220
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/10/2023
Damage Location:	2119 East National Highway, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29247
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/20/2023
Damage Location:	State Street & Highway 50, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29420
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/27/2023
Damage Location:	121 South Lebanon Street, Jamestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29471
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/20/2023
Damage Location:	6191 Ziggy Cove, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mr. Fence, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29415
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/24/2023
Damage Location:	4515 Ohara Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mr. Fence, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29223
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/14/2023
Damage Location:	5545 Ryan Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Muncie Mission
Other Party:	CenterPoint Energy Indiana
Case Number:	29237
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/10/2023
Damage Location:	400 West Memorial Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nelson Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29145
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/12/2023
Damage Location:	11421 West 121st Place, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nick Rarick
Other Party:	Northern Indiana Public Service Company
Case Number:	29144
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/12/2023
Damage Location:	61 Ski Hill Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Indiana American Water Co. DBA Indiana American
Case Number:	29132
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/1/2023
Damage Location:	2927 Bryant Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	American Electric Power DBA Indiana Michigan Power
Case Number:	29137
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/9/2023
Damage Location:	5932 & 5686 South, 50 57 West, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Bluffton
Case Number:	29139
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/9/2023
Damage Location:	1559 Wexford Court, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Crown Point
Case Number:	29140
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/10/2023
Damage Location:	511 South Court Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Northern Indiana Public Service CompanyOther Party:Brandon BrindleCase Number:29286Date of Advisory Meeting:8/17/2023Date of Damage:1/17/2023Damage Location:22 Astrup Drive, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Ritschard Brothers, Inc.
Case Number:	29288
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/18/2023
Damage Location:	1410 Ivy Court, Apt. C7, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Electricom, Inc.
Case Number:	29294
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/25/2023
Damage Location:	12065 State Road 17, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	The Robert Henry Corporation
Case Number:	29307
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/21/2023
Damage Location:	76 East US Highway 6, Lot 26, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	A P I Construction Corp.
Case Number:	29308
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/21/2023
Damage Location:	East 5th Street & Union Street, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Infrasource Construction, LLC
Case Number:	29314
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/28/2023
Damage Location:	359 South 00 EW, Apartment Rear, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Eaton Fencing, LLC
Case Number:	29323
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/7/2023
Damage Location:	1803 Oak Wood Drive, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Fort Wayne City Utilities
Case Number:	29326
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/8/2023
Damage Location:	Luther Street & South Anthony, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Michigan City Department of Waterworks
Case Number:	29332
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/15/2023
Damage Location:	815 Washington Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	L G S Plumbing, Inc.
Case Number:	29335
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/15/2023
Damage Location:	16109 Morse Street, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Gatlin Plumbing & Heating, Inc.
Case Number:	29336
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/15/2023
Damage Location:	13507 Utopia Drive, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Northern Indiana Public Service CompanyOther Party:City of DecaturCase Number:29428Date of Advisory Meeting:8/17/2023Date of Damage:3/1/2023Damage Location:41 Homestead, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Northern Indiana Public Service Company
Always Underground, Inc.
29443
8/17/2023
3/10/2023
5614 East 3 rd Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Northern Pipeline Construction Company
Case Number:	29444
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/11/2023
Damage Location:	9893 East US 35, Galveston

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	A P I Construction Corp.
Case Number:	29451
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/15/2023
Damage Location:	1036 Hartzell Avenue, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Baseline N X C LLC
Case Number:	29452
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/15/2023
Damage Location:	1291 North Bradford Drive, Lot 6, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	K & L Excavating LLC
Case Number:	29453
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/15/2023
Damage Location:	601 South Maple Street, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Crosby Excavating, Inc.
Case Number:	29465
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/17/2023
Damage Location:	2702 John Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	The Robert Henry Corporation
Case Number:	29480
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/21/2023
Damage Location:	9356 Leo Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	PirTano Construction Company, Inc.
Case Number:	29485
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/24/2023
Damage Location:	594 North 50 West, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Michiana Contracting Co.
Case Number:	29490
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/28/2023
Damage Location:	1108 East Pontiac Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ohio Valley Gas Corp
Other Party:	Culy Contracting, LLC
Case Number:	29279
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/5/2023
Damage Location: Street, Winchester	Goodrich Park; West of Union Street, North of 4 th

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ohio Valley Gas Corp
Other Party:	L & D Communication LLC
Case Number:	29280
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	25442 Mt. Pleasant Road, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Payton & Son Concrete, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29150
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/5/2023
Damage Location:	1725 Pelham Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Phillips Hardy, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29410
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/20/2023
Damage Location:	South Nucor Road, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	PirTano Construction Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29436
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/7/2023
Damage Location:	487 East Michigan Street, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Poindexter Excavating Inc.
Other Party:	Westfield Gas Corporation
Case Number:	29658
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/27/2023
Damage Location:	45 West Tournament Trail, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Poisel Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29362
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/2/2023
Damage Location:	2120 River Road, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Power Source 1, LLC
Other Party:	Sycamore Gas Company
Case Number:	29122
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/2/2023
Damage Location:	2226 Bateman Drive, Bright

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Priority Underground Services, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29180
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/17/2023
Damage Location:	19966 Chatham Green Drive, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Priority Underground Services, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29151
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/5/2023
Damage Location:	166 Elmsborough Bend, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Professional Concrete Cutting and Drilling LLC
CenterPoint Energy Indiana
29381
8/17/2023
3/10/2023
6010 Street, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Providence Directional Boring, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29564
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/4/2023
Damage Location:	6419 Six School Road, Vanderburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Q C Communications, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29250
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/23/2023
Damage Location:	201 Shandell Drive, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29199
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/27/2023
Damage Location:	3425 O'Ferrell Road, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Riley Mckeen
Other Party:	CenterPoint Energy Indiana
Case Number:	29227
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/14/2023
Damage Location:	2710 John Williams Boulevard, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	RLA Utilities, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29409
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/20/2023
Damage Location:	313 Southwest F Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Robinson Trenching & Directional Boring, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29705
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/11/2023
Damage Location:	5448 Oak Knoll, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Roto Rooter - Cincinnati
Other Party:	Ohio Valley Gas Corp
Case Number:	29283
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/17/2023
Damage Location:	12803 Lenover Street, Dillsboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S A M M Trucking & Excavating Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29165
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	400 West Main Street, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S L B Pipe Solutions LLC
Other Party:	Community Natural Gas Inc
Case Number:	29131
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/2/2023
Damage Location:	250 McCormicks Creek Drive, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Second Nature Landscape Management, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29258
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/27/2023
Damage Location:	5850 North Happe Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Snedegar Construction, Inc.
Other Party:	Community Natural Gas Inc
Case Number:	29296
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/22/2023
Damage Location:	115 South Lessie Street, Worthington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stemaly Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29628
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/27/2023
Damage Location:	2412 Joan Court, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stephen Petershein
Other Party:	Northern Indiana Public Service Company
Case Number:	29133
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/2/2023
Damage Location:	6675 West 200 South, Topeka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Summers of Fort Wayne, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29297
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/16/2023
Damage Location:	1017 Columbia Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information: Impeding the flow of gas is a safety hazard.

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Swinney Brothers Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29395
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/15/2023
Damage Location:	North Ferguson Road, Camby

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Techno Drill, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29616
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/20/2023
Damage Location:	407 Chestnut Street, Dana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Techno Drill, LLCOther Party:CenterPoint Energy IndianaCase Number:29152Date of Advisory Meeting:8/17/2023Date of Damage:1/5/2023Damage Location:7770 East 236th Street, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Telecom Placement, Inc.
Other Party:	Citizens Gas
Case Number:	28982
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/11/2023
Damage Location:	4145 East 71 st Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Telecom Placement, Inc.
Other Party:	Citizens Gas
Case Number:	28986
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/5/2023
Damage Location:	4016 South Meridian Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Telecom Placement, Inc.
Other Party:	Citizens Gas
Case Number:	29272
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/31/2023
Damage Location:	11917 Cardis Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Temple & Temple Excavating & Paving Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29175
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/13/2023
Damage Location:	West Harrison & Agnew, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	The Fishel Company
Other Party:	Sycamore Gas Company
Case Number:	29457
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/21/2023
Damage Location:	Boardwalk Drive, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	The Hamstra Group, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29311
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/24/2023
Damage Location:	10527 Bunker Drive, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Thieneman Construction, Inc.
Other Party:	Ohio Valley Gas Corp
Case Number:	29281
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/16/2023
Damage Location:	2 nd & Herzelle Street, Cannelton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Thieneman Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29328
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/13/2023
Damage Location:	126 West Scott Street, Wolcott

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Thomas Turner
Other Party:	CenterPoint Energy Indiana
Case Number:	29621
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/23/2023
Damage Location:	1118 Brookline Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tom Drexler Plumbing, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29585
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/13/2023
Damage Location:	504 Evergreen Drive, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Town of Mooresville
Other Party:	CenterPoint Energy Indiana
Case Number:	29697
Date of Advisory Meeting:	8/17/2023
Date of Damage:	5/10/2023
Damage Location:	61 Sunbury Drive, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Utility Safety & Design, Inc.
Other Party:	Ohio Valley Gas Corp
Case Number:	29403
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/13/2023
Damage Location:	3401 State Road 61, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Walsh Construction Company II LLC dba Walsh/Herzog Joint Venture
Other Party:	Northern Indiana Public Service Company
Case Number:	29486
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/24/2023
Damage Location:	1102 Spring Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Watson Excavating, Inc. (Anderson)
Other Party:	CenterPoint Energy Indiana
Case Number:	29586
Date of Advisory Meeting:	8/17/2023
Date of Damage:	4/14/2023
Damage Location:	2511 West 11th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Weihe Construction Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29159
Date of Advisory Meeting:	8/17/2023
Date of Damage:	1/10/2023
Damage Location:	15782 East 113th Street, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Whalen Construction Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29210
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/7/2023
Damage Location:	Sunmeadow Circle, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Will Power Excavation LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29397
Date of Advisory Meeting:	8/17/2023
Date of Damage:	3/14/2023
Damage Location:	5734 West 750 North, McCordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Young's Communications, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29217
Date of Advisory Meeting:	8/17/2023
Date of Damage:	2/9/2023
Damage Location:	3880 East Regents Circle, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren