

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Bennett	√		
Veleta	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: OCT 15 2025

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, VELETA, AND ZIEGNER CONCUR:

APPROVED: OCT 15 2025

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Community Natural Gas Inc
Other Party: Smithville Telephone Company, Inc.
Case Number: 34003
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/14/2025
Damage Location: 5081 Blue Springs Dr., Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Osma Inc
Case Number: 34005
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/1/2025
Damage Location: 7840 Wicker Avenue, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: J & E Utilities
Case Number: 34024
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/13/2025
Damage Location: 61022 Waterwood Lane, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Community Natural Gas Inc
Other Party: Woods Electrical Contractors Inc
Case Number: 34152
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/14/2025
Damage Location: 8225 Market St., Stinesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Premier Directional Boring Inc.
Case Number: 34187
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/4/2025
Damage Location: 1712 South West Point Drive, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Northwest Indiana Fence Co.
Case Number: 34195
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/8/2025
Damage Location: 291 Apple Grove Lane Lot 105, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Slabaugh Excavation LLC
Case Number: 34197
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/9/2025
Damage Location: 6701 North Kalorama Road, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Laughlin Construction LLC
Case Number: 34198
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/10/2025
Damage Location: 422 North Riley Street, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Mike & Sons Fencing LLC
Case Number: 34211
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 305 Lincoln Highway Building Garage, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: John Davies
Case Number: 34301
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/25/2025
Damage Location: 9928 North Happiness Street, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Jeffersonville
Case Number: 34362
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/15/2025
Damage Location: 1809 Long Street, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Legacy Lines Inc
Case Number: 34364
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/15/2025
Damage Location: 2529 East State Road 42, Clay

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Structure Fence
Case Number: 34374
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/15/2025
Damage Location: 1505 E Kelly St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Shane Hedger
Case Number: 34438
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/16/2025
Damage Location: 1919 South Mauxferry Road, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: L & D Communication LLC
Case Number: 34442
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/17/2025
Damage Location: 2814 Mount Tabor Road, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Evansville (Water & Sewer)
Case Number: 34449
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/21/2025
Damage Location: Southeast 1st Street & Chestnut Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dave O'Mara Contractor, Inc.
Case Number: 34450
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/21/2025
Damage Location: 2025 Maryland Avenue, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Hoosierland Excavating, LLC
Case Number: 34534
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/2/2025
Damage Location: 5109 Colin Court, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: M & M Underground Construction, Inc.
Case Number: 34547
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/6/2025
Damage Location: 867 Moate Circle, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Hoosier Edison Line Company LLC
Case Number: 34552
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/9/2025
Damage Location: 4740 Masons Ridge Road, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: M C Underground Inc
Case Number: 34560
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/10/2025
Damage Location: 31 West Washington Street, Williamsport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Precision Utilities Group, Inc.
Case Number: 34565
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/11/2025
Damage Location: 24 North Gillespie Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: C S U, Inc.
Case Number: 34566
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/11/2025
Damage Location: 320 West Country Club Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Always Underground, Inc.
Case Number: 34570
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/11/2025
Damage Location: 404 West Main Street, New Market

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Brad Evans Property Improvement LLC
Case Number: 34574
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/12/2025
Damage Location: 3509 River Bluff Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 34575
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/13/2025
Damage Location: 1919 East 23Rd Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: A A A Godfrey Septic Services
Case Number: 34584
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/12/2025
Damage Location: 125 East Schlomer Road, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Home-Aid
Other Party:
Case Number: 34068
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/14/2025
Damage Location: 7123 E Rising Sun Cir S, Camby

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hill-T Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34119
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/17/2025
Damage Location: 404 West Rogers Street, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Solid Ground Solutions LLC
Other Party: Citizens Gas
Case Number: 34155
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/3/2025
Damage Location: 7557 Perilla Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Zionsville
Other Party: CenterPoint Energy Indiana
Case Number: 34536
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/3/2025
Damage Location: 355 West Walnut Street, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Solutions Directional Drilling LLC
Other Party: Indiana Utilities Corporation
Case Number: 34492
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/6/2025
Damage Location: 3469 Fogel Rd, Corydon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gary Material Supply LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34127
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/20/2025
Damage Location: 741 West 79th Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grimmer Construction Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34124
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/19/2025
Damage Location: 4185 Ellsworth Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jose Silvia
Other Party: Citizens Gas
Case Number: 33994
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/17/2025
Damage Location: 623 N Parker Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brad Buckingham
Other Party: CenterPoint Energy Indiana
Case Number: 34028
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/18/2025
Damage Location: 540 West Henry Road, Kirklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Caleb Hirsch
Other Party: CenterPoint Energy Indiana
Case Number: 34059
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/29/2025
Damage Location: 7611 Sherra Lane, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S L B Pipe Solutions LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34090
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/8/2025
Damage Location: 1404 South Sare Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Hernandez
Other Party: Northern Indiana Public Service Company
Case Number: 34117
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/16/2025
Damage Location: 702 Johnson Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cass County Highway Department
Other Party: Northern Indiana Public Service Company
Case Number: 34125
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/19/2025
Damage Location: 2110 Clifton Avenue, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alan Eisenhower
Other Party: Northern Indiana Public Service Company
Case Number: 34130
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/22/2025
Damage Location: 9406 State Road 17, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A P I Construction Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 34132
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/24/2025
Damage Location: 105 East Lake Street, Topeka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co.
Other Party: Northern Indiana Public Service Company
Case Number: 34134
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/24/2025
Damage Location: 3421 Pennsylvania Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Amor Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34135
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/25/2025
Damage Location: 205 Brians Place, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Target One Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34141
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/27/2025
Damage Location: 140 Lane 530A Lake James, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L M Underground
Other Party: Northern Indiana Public Service Company
Case Number: 34145
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/29/2025
Damage Location: 310 Jackson Avenue, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Parrish
Other Party: Citizens Gas
Case Number: 34158
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/9/2025
Damage Location: 1151 N Vinewood Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Isai Castillo
Other Party: Citizens Gas
Case Number: 34164
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/13/2025
Damage Location: 14 N Gray St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Enoch Hernandez
Other Party: Citizens Gas
Case Number: 34172
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/26/2025
Damage Location: 777 N Fenton Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chuck Rudisell
Other Party: Sycamore Gas Company
Case Number: 34173
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/3/2025
Damage Location: 542 Nowlin Ave, Greendale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Buford
Other Party: Citizens Gas
Case Number: 34180
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/1/2025
Damage Location: 1473 W 34Th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chris Brown
Other Party: Northern Indiana Public Service Company
Case Number: 34186
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/3/2025
Damage Location: 165 East 6th Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ron Presley
Other Party: Northern Indiana Public Service Company
Case Number: 34188
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/5/2025
Damage Location: 57715 County Road 29, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jose Castro Hernandez
Other Party: Northern Indiana Public Service Company
Case Number: 34189
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/5/2025
Damage Location: 352 North Saint Clair Court Lot 53, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Team Fishel
Other Party: Northern Indiana Public Service Company
Case Number: 34191
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/7/2025
Damage Location: 31480 Edison Road, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pezlo Utility Construction Incorporated
Other Party: Northern Indiana Public Service Company
Case Number: 34193
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/7/2025
Damage Location: 9001 Fairbanks Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kenyon Scott
Other Party: Northern Indiana Public Service Company
Case Number: 34214
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 25 EMS W23C Lane, North Webster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Kurtz
Other Party: CenterPoint Energy Indiana
Case Number: 34246
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/26/2025
Damage Location: 5461 Forest Glen Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Josh Brinson
Other Party: CenterPoint Energy Indiana
Case Number: 34247
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/26/2025
Damage Location: 40 East College Avenue, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brad Clark
Other Party: CenterPoint Energy Indiana
Case Number: 34248
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/27/2025
Damage Location: 4790 South Walnut Street Pike, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Andy Monroe
Other Party: Midwest Natural Gas Corporation
Case Number: 34264
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/11/2025
Damage Location: 418 N West St, Odon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Stryzinski
Other Party: CenterPoint Energy Indiana
Case Number: 34354
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/13/2025
Damage Location: 213 West 7th Street, Bicknell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Scott Engelking
Other Party: Indiana Natural Gas Corporation
Case Number: 34368
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/31/2025
Damage Location: 11965 Locust Lane, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Quenten Holman
Other Party: CenterPoint Energy Indiana
Case Number: 34441
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/18/2025
Damage Location: 2702 North C Street, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Phillip Wright
Other Party: CenterPoint Energy Indiana
Case Number: 34444
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/19/2025
Damage Location: 220 South 24th Street, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paul Lindsey
Other Party: Community Natural Gas Inc
Case Number: 34479
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/21/2025
Damage Location: 208 N 2nd Ave., Holland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ron E Lohrum
Other Party: CenterPoint Energy Indiana
Case Number: 34550
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/7/2025
Damage Location: 2097 South County Road 60 Southwest, Burney

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Wiley
Other Party: CenterPoint Energy Indiana
Case Number: 34571
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/12/2025
Damage Location: 6210 North Wheeling Avenue, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Allen Graber
Other Party: Midwest Natural Gas Corporation
Case Number: 34591
Date of Advisory Meeting: 8/20/2025
Date of Damage: 7/4/2025
Damage Location: 4896 N 875 E, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Development Systems, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33184
Date of Advisory Meeting: 8/20/2025
Date of Damage: 9/18/2024
Damage Location: 2224 North Salisbury Street, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Seasons Underground Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33497
Date of Advisory Meeting: 8/20/2025
Date of Damage: 10/28/2024
Damage Location: 2331 Smith Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: We Love Trees LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33975
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/8/2025
Damage Location: 4192 Waterbrook Way, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bedford Belle
Other Party: Community Natural Gas Inc
Case Number: 34004
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/25/2025
Damage Location: 218 N East St., Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & W Consultants
Other Party: Northern Indiana Public Service Company
Case Number: 34019
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/10/2025
Damage Location: 5722 Magoun Avenue, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Escobar Construction
Other Party: Northern Indiana Public Service Company
Case Number: 34023
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/13/2025
Damage Location: 4219 Lafayette Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Dunes National Park Services
Other Party: Northern Indiana Public Service Company
Case Number: 34025
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/14/2025
Damage Location: 64 East Dunes Highway, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lockerts Lawn Care LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34058
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/29/2025
Damage Location: 10908 Wharton Lane, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Price Construction & Excavating LLC
Other Party: Ohio Valley Gas Corp
Case Number: 34074
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/25/2025
Damage Location: 23946 Grubbs Rd, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William E Groves Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34085
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/4/2025
Damage Location: 4340 Hilliard Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rice Tree Company Inc
Other Party: Northern Indiana Public Service Company
Case Number: 34121
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/18/2025
Damage Location: 510 East Boulevard, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Akins Earthworks & Pools
Other Party: Northern Indiana Public Service Company
Case Number: 34123
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/18/2025
Damage Location: 1610 Osolo Road, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Veilleux Concrete & Cutting LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34128
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/21/2025
Damage Location: 5541 South Richey Lane, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wagler & Associates Inc
Other Party: Northern Indiana Public Service Company
Case Number: 34131
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/24/2025
Damage Location: 1990 West Maumee Street, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Green Team Turf LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34136
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/25/2025
Damage Location: 1928 West Primrose Court Lot 34, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: American Dirt Works LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34150
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/31/2025
Damage Location: 4205 Hobson Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B M G Exteriors LLC
Other Party: Citizens Gas
Case Number: 34156
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/3/2025
Damage Location: 1440 Broadway St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Artisan Landscape LLC
Other Party: Citizens Gas
Case Number: 34168
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 402 Edgemere Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sunnybrook Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34203
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/11/2025
Damage Location: 7465 North 1200 West, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Broyles Plumbing Heating & Cooling, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34216
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/16/2025
Damage Location: 1225 Saint James Drive, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & D Hughes Well Pump Service Plumbing
Other Party: CenterPoint Energy Indiana
Case Number: 34082
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/2/2025
Damage Location: 1700 Cicero Road, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training; concealment escalation - additional \$1,500

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DirecTV, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33965
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/1/2025
Damage Location: 4807 East Summerfield Drive, Camby

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Promised Land Concrete Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34115
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 239 Point West, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Amigos Maintenance, LLC
Other Party: Citizens Gas
Case Number: 34154
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/1/2025
Damage Location: 8442 Catamaran Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Badger Daylighting Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 34201
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/10/2025
Damage Location: 2375 North 400 West, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Seasons Underground Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34209
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/14/2025
Damage Location: 1421 Hurd Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & C Concrete Company, Inc.
Other Party: Citizens Gas
Case Number: 33995
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/19/2025
Damage Location: 11804 Vale Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34014
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/10/2025
Damage Location: 2223 Goshen Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34182
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/1/2025
Damage Location: 1716 North Tyland Boulevard, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Metro Excavating Corporation
Other Party: Northern Indiana Public Service Company
Case Number: 34026
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/14/2025
Damage Location: 13791 Alexander Street Lot 23, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: F H Decks & Landscaping, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34011
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/7/2025
Damage Location: 896 South Shore Drive, Culver

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K L S Underground, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34020
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/11/2025
Damage Location: Intersection of 1025 East & 300 North, Grovertown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Graber Excavating & Trucking, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34118
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/17/2025
Damage Location: 5053 Whittlebury Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33953
Date of Advisory Meeting: 8/20/2025
Date of Damage: 2/24/2025
Damage Location: Eleanor Drive & Emmett Court, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34010
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/6/2025
Damage Location: 132 Park Manor Drive, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34151
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/31/2025
Damage Location: 30373 Dunhill Crossing Lot 21, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Barber Construction Co.
Other Party: Citizens Gas
Case Number: 34170
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/18/2025
Damage Location: 2743 Guilford Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training, \$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Knox Septic & Sewer Service
Other Party: Citizens Gas
Case Number: 34171
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/22/2025
Damage Location: 5043 Robison Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Melvin's Landscaping, LLC
Other Party: Citizens Gas
Case Number: 34176
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/27/2025
Damage Location: 1515 N Beville Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & J Century Concrete LLC
Other Party: Citizens Gas
Case Number: 34181
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/5/2025
Damage Location: 2909 Winthrop Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Maldonados & Friends Concrete LLC
Other Party: Citizens Gas
Case Number: 34175
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/26/2025
Damage Location: 7323 Lesley Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Area Wide Electric Inc
Other Party: Citizens Gas
Case Number: 34373
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/15/2025
Damage Location: 2512 Founders Square, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evergreen Outdoor LLC dba Evergreen Tree Service
 Other Party: Citizens Gas
 Case Number: 34376
 Date of Advisory Meeting: 8/20/2025
 Date of Damage: 5/15/2025
 Damage Location: 640 Oakwood Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  _____
 Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: WCA Group, LLC dba Williams Comfort Air (Mr. Plumber)
Other Party: Citizens Gas
Case Number: 34177
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/28/2025
Damage Location: 3850 Ruckle St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Conexco Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34077
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/1/2025
Damage Location: 470 Waterview Boulevard, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Conexco Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34106
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/14/2025
Damage Location: 101 Lakeview Drive, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Paving LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34240
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/23/2025
Damage Location: 10211 Greenfield Avenue, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction
Other Party: CenterPoint Energy Indiana
Case Number: 34041
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/26/2025
Damage Location: 701 North Jackson Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction
Other Party: CenterPoint Energy Indiana
Case Number: 34259
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/30/2025
Damage Location: 610 North Jackson Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & M Construction LLC
Other Party: Citizens Gas
Case Number: 34167
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 7802 Marsh Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Conexco Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33970
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/3/2025
Damage Location: 14277 Charles Eric Way, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(out)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McDougalle Contracting, Inc.
Other Party: Citizens Gas
Case Number: 34162
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/12/2025
Damage Location: 1531 E Kelly St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: P J E Lawncare & Landscaping
Case Number: 34234
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/22/2025
Damage Location: 10619 Geist View Drive, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Indiana Earthworks, LLC
Case Number: 34251
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/28/2025
Damage Location: 206 South Lincoln Street, Frankton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Setser Cable Construction LLC
Case Number: 34262
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/22/2025
Damage Location: 905 West 100 North, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Howard Companies, Inc
Case Number: 34321
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/1/2025
Damage Location: 992 Spring Meadow Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: B J Landscaping Services
Case Number: 34325
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/1/2025
Damage Location: 360 South Parke Street, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Calumet Civil Contractors, Inc.
Case Number: 34329
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/2/2025
Damage Location: 810 East Washington Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Precision Fiber Solutions LLC
Case Number: 34330
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/2/2025
Damage Location: 406 East Staunton Riley Street, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: L & S Underground, Inc.
Case Number: 34352
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/12/2025
Damage Location: Lot 36 Becca Street, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: L & D Communication LLC
Case Number: 34358
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/14/2025
Damage Location: 4504 Grant Line Road, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Hoosier Underground Utilities LLC
Case Number: 34361
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/15/2025
Damage Location: 12000 Block 550 & Ski Drive, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: T P I Utility Construction, LLC
Case Number: 34371
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/12/2025
Damage Location: 6287 Bishops Pond Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Conexco Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34029
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/18/2025
Damage Location: 450 Waterview Boulevard, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Conexco Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34222
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/17/2025
Damage Location: 101 Lakeview Drive, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & M Underground LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33973
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/6/2025
Damage Location: 3112 New Chapel Road, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Priority Underground Services, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33984
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/10/2025
Damage Location: 1429 Starling Avenue, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Peterman Heating, Cooling & Plumbing, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34027
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/17/2025
Damage Location: 614 West 6th Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Paving LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34220
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/17/2025
Damage Location: 230 South West Street, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34231
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/21/2025
Damage Location: 791 Tall Timber Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Q C Communications, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34243
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/25/2025
Damage Location: 601 East Memorial Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A N B Communications Inc
Other Party: Northern Indiana Public Service Company
Case Number: 34009
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/5/2025
Damage Location: 5393 Aspen Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thompson Landworks LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34218
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/16/2025
Damage Location: 7220 East Blackford Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D M J
Other Party: CenterPoint Energy Indiana
Case Number: 34221
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/17/2025
Damage Location: 1910 West Lake Ridge 720 North, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R V H Contracting Inc
Other Party: CenterPoint Energy Indiana
Case Number: 34226
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/18/2025
Damage Location: 1440 Wigwam Lane, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Green Light Lawn Care Inc
Other Party: CenterPoint Energy Indiana
Case Number: 34227
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/18/2025
Damage Location: 6140 Naschette Parkway, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & S Capital Group LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34230
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/21/2025
Damage Location: 1207 South 17th Street, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bobby Luttrell & Sons LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34254
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/28/2025
Damage Location: 6738 West State Road 66, Richland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: On Grade Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34339
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/7/2025
Damage Location: 11570 US-231, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Property Management Company Inc
Other Party: CenterPoint Energy Indiana
Case Number: 34543
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/5/2025
Damage Location: 9303 Gleneagle Court, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mike Gault
Other Party: CenterPoint Energy Indiana
Case Number: 34108
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/14/2025
Damage Location: 3402 East Wilson Drive, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: John Stanich
Other Party: CenterPoint Energy Indiana
Case Number: 34334
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/4/2025
Damage Location: 10 Adams Street, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Edward Dillon
Other Party: CenterPoint Energy Indiana
Case Number: 34349
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/9/2025
Damage Location: 1802 Theater Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Black Diamond Excavating & Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34037
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/20/2025
Damage Location: 6234 Munsee Drive, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J W's Plumbing Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34089
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/7/2025
Damage Location: 661 Old Ashbury Road, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Telecom Placement, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34116
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/3/2025
Damage Location: 2426 East Main Street, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Pro Drilling, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34032
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/20/2025
Damage Location: 5162 Jackson Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Accu-Dig, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34235
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/18/2025
Damage Location: 425 Woods Edge Court, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Quality Craft Construction, Inc.
 Other Party: Boonville Natural Gas Corporation
 Case Number: 34383
 Date of Advisory Meeting: 8/20/2025
 Date of Damage: 5/29/2025
 Damage Location: Intersection of Highway 161 & Maxville road,
 Boonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosierland Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34453
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/21/2025
Damage Location: 1016 Caiman Court, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Revelation Concrete Cutting
Other Party: CenterPoint Energy Indiana
Case Number: 34224
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/17/2025
Damage Location: 184 Spring Meadow Lane, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Glover & Sons Concrete
Other Party: Northern Indiana Public Service Company
Case Number: 34271
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/18/2025
Damage Location: 13957 Rosemary Lane, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R V Sutton, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34276
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/18/2025
Damage Location: 2940 Matson Drive, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K B L Transport, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34284
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/22/2025
Damage Location: 1246 Mill Pond Road, Berne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James H Drew Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 34546
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/5/2025
Damage Location: 1782 North 400 East, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cottrell Excavation LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34034
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/20/2025
Damage Location: 603 North Meridian Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reynolds Construction of Indiana, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34040
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/21/2025
Damage Location: 504 South Georgia Street, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: MAC Construction & Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34046
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/21/2025
Damage Location: 601 Hamburg Way, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alex Neblett
Other Party: Fountaintown Gas Company, Inc
Case Number: 34073
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/27/2025
Damage Location: 115 S Jefferson St, Sulper Springs

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C C & T Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34080
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/1/2025
Damage Location: 1576 Prestwick Lane, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Eric Group, LLC d/b/a Smith Projects, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34088
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/7/2025
Damage Location: 7701 North Center Street, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Done All Done Construction & Roofing LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34146
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/30/2025
Damage Location: 7943 North Hickory Lane, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brooks Construction Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34148
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/31/2025
Damage Location: 723 East 7th Street, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Rochester
Other Party: Northern Indiana Public Service Company
Case Number: 34196
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/9/2025
Damage Location: 129 East 14th Street, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 34583
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/14/2025
Damage Location: 2 Dennis Drive, Markleville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Midwestern Electric, Inc.
Case Number: 34313
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/28/2025
Damage Location: Intersection of East Chicago Avenue and Parrish Avenue, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hill Excavating LLC
Case Number: 34316
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/30/2025
Damage Location: 20 Kloeckner Drive, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Alec Coleman
Case Number: 34401
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/6/2025
Damage Location: 1107 South 23rd Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Pierce Electric Co. Inc.
Case Number: 34410
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/8/2025
Damage Location: 1134 Corby Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Grimmer Construction Inc.
Case Number: 34425
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/14/2025
Damage Location: 304 East Alyea Street, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co.
Case Number: 34426
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/14/2025
Damage Location: 4129 Mississippi Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Sage Drilling, Inc
Case Number: 34431
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/15/2025
Damage Location: 5681 North 350 East, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: S & S Directional Boring, LTD
Case Number: 33955
Date of Advisory Meeting: 8/20/2025
Date of Damage: 2/24/2025
Damage Location: 2619 North Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: D R Watson Co Inc.
Case Number: 34095
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/8/2025
Damage Location: 597 Dalton Way, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: 5 Star Electric, LLC
Case Number: 34225
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/16/2025
Damage Location: 2720 Bo Street, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: P T Construction
Case Number: 34350
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/12/2025
Damage Location: 3380 East Main Steet, Hendricks

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Troy Construction, LLC of Texas
Case Number: 34473
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/30/2025
Damage Location: 4540 US Highway 52 West, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J P Pipe Installation LLC
Case Number: 34548
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/6/2025
Damage Location: 116 North 9th Street, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Rock N Dirt Excavating, LLC
Case Number: 34577
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/13/2025
Damage Location: 1401 3rd Street, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: M D Directional Boring LLC
Case Number: 34007
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/3/2025
Damage Location: 9980 East King Arthur Trail, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Meade, Inc. - Gas
Case Number: 34015
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/10/2025
Damage Location: 609 Grant Avenue, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: T K Electric, LLC
Case Number: 34016
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/10/2025
Damage Location: 3151 Willowcreek Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Q C Communications, Inc.
Case Number: 34017
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/10/2025
Damage Location: 2414 East 350 North, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Lot Mod Solutions
Case Number: 34018
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/10/2025
Damage Location: 9801 US Highway 12 Lot 27, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: R & D Construction 1 Inc.
Case Number: 34021
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/12/2025
Damage Location: 6100 East 6th Place, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: A Plus Fence LLC
Case Number: 34133
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/24/2025
Damage Location: 778 Surrey Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Bluffton
Case Number: 34137
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/26/2025
Damage Location: 417 South Main Street, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: C S U, Inc.
Case Number: 34138
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/26/2025
Damage Location: 9721 North Clinton Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: L G S Plumbing, Inc.
Case Number: 34147
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/31/2025
Damage Location: 2 East Valparaiso Street, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Rodriguez Landscaping & Construction Inc
Case Number: 34149
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/31/2025
Damage Location: 400 Lane 140 Lake George, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Westfield Gas Corporation
Other Party: Citizens Energy Group - Gas
Case Number: 34179
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/30/2025
Damage Location: Springmill & Countryside, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E & B Paving, Inc.
Other Party: Ohio Valley Gas Corp
Case Number: 34075
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/14/2025
Damage Location: 335 Franklin Street, Troy

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Energy Group - Gas
Other Party: Citizens Gas
Case Number: 34160
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/11/2025
Damage Location: 7629 Washington Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: _____

Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H & D Removal
Other Party: Citizens Gas
Case Number: 34161
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/11/2025
Damage Location: 6451 Rucker Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Trisler Construction Co Inc
Other Party: Citizens Gas
Case Number: 34166
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 555 W Hanna Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hope Plumbing, LLC
Other Party: Citizens Gas
Case Number: 34178
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/29/2025
Damage Location: 4910 Carvel Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Connors Lawn & Landscape LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34208
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/14/2025
Damage Location: 3879 Kingsway Drive Lot 1222L, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 34219
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/17/2025
Damage Location: 3191 South 600 West, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Erik Sabie
Other Party: Northern Indiana Public Service Company
Case Number: 34287
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/22/2025
Damage Location: 4459 West Schultz Road, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AmeriDream Fence & Deck Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 34212
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 82 Beiriger Drive Lot 27, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Skymont Contractors LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34213
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/15/2025
Damage Location: 2381 North 950 West, Etna Green

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Precision Fiber Solutions LLC
Case Number: 34060
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/31/2025
Damage Location: 2535 North 9th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 34063
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/25/2025
Damage Location: 50 N Railroad St, Ft Branch

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Dykstra Plumbing LLC
Case Number: 34194
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/7/2025
Damage Location: 168 Coral Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Standard Optic General Services Corp
Case Number: 34204
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/11/2025
Damage Location: 13120 Sawmill Road, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Crosby Excavating, Inc.
Case Number: 34268
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/16/2025
Damage Location: 2540 Edsall Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: ACE Underground Services LLC
Case Number: 34270
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/16/2025
Damage Location: 1200 North Main Street, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Graham's Trucking & Excavating, Inc.
Case Number: 34280
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/21/2025
Damage Location: 3151 Willowcreek Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: PirTano Construction Company, Inc.
Case Number: 34283
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/21/2025
Damage Location: 10050 Crane Court, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Miller Pipeline, LLC
Case Number: 34298
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/25/2025
Damage Location: 2510 Sheridan Road Lot 7, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp
Other Party: K C Dewese & Company LLC
Case Number: 34265
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/1/2025
Damage Location: 7600 St Rd 46, Riley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Calumet Civil Contractors, Inc.
Case Number: 34336
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/5/2025
Damage Location: 810 East Washington Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dan Cristiani Excavating Co., Inc.
Case Number: 34338
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/6/2025
Damage Location: 760 Highlander Point Drive, Floyds Knobs

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Natural Gas Corporation
Other Party: Dave O'Mara Contractor, Inc.
Case Number: 34174
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/7/2025
Damage Location: Rear of 623 N. State St. in alley, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Helebo Trenching, Inc.
Case Number: 34347
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/8/2025
Damage Location: 2210 Stony Creek Drive, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Marco Utility Underground LLC
Case Number: 34357
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/14/2025
Damage Location: 5240 Valeah Drive, Wadesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Perry Spencer Rural Telephone Cooperative Inc
Case Number: 34477
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/28/2025
Damage Location: 2088 Red Brush Road, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 34469
Date of Advisory Meeting: 8/20/2025
Date of Damage: 5/29/2025
Damage Location: 2nd Street, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 34533
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/2/2025
Damage Location: 6239 Springfield Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 34541
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/4/2025
Damage Location: Bldg 3395, Crane

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Natural Gas Corporation
Other Party: David Gorbett Construction
Case Number: 34478
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/8/2025
Damage Location: 115 S. Stilwell St., Brownstown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Indiana Structural Foundations, LLC
Case Number: 34569
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/11/2025
Damage Location: 10404 Ditch Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 34572
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/12/2025
Damage Location: 4827 East 100 South, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: SouthMid Fiber LLC
Case Number: 34580
Date of Advisory Meeting: 8/20/2025
Date of Damage: 6/13/2025
Damage Location: Goldfinch Drive and Mistflower Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 34094
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/8/2025
Damage Location: 350 South and 550 East, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stambaugh's Handyman Service Inc
Other Party: CenterPoint Energy Indiana
Case Number: 34101
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/11/2025
Damage Location: 559 South Jackson Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wabash Valley Tree Service LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34223
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/17/2025
Damage Location: 7455 Mesker Park Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M C Underground Inc
Other Party: CenterPoint Energy Indiana
Case Number: 34260
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/30/2025
Damage Location: 1224 White Street, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Fiberoptics Corp
Other Party: CenterPoint Energy Indiana
Case Number: 34232
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/21/2025
Damage Location: 270 South 100 West, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Imagiscapes LLC
Other Party: CenterPoint Energy Indiana
Case Number: 34238
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/23/2025
Damage Location: 720 West King Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Raja Srivasta
Other Party: CenterPoint Energy Indiana
Case Number: 34239
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/23/2025
Damage Location: 1719 McConnell Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R O Services
Other Party: CenterPoint Energy Indiana
Case Number: 34245
Date of Advisory Meeting: 8/20/2025
Date of Damage: 4/26/2025
Damage Location: 109 West Jackson Street, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M D Directional Boring LLC
Other Party: Northern Indiana Public Service Company
Case Number: 34012
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/7/2025
Damage Location: 12022 Sir Gallahad Place, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pascual Cruz
Other Party: Northern Indiana Public Service Company
Case Number: 34144
Date of Advisory Meeting: 8/20/2025
Date of Damage: 3/28/2025
Damage Location: 203 South Montgomery Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Metz Sewer Plumbing & Pumping LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33669
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/20/2024
Damage Location: 3846 Schneider Street

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Metz Sewer Plumbing & Pumping LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33669
Date of Advisory Meeting: 4/24/2025
Date of Damage: 11/20/2024
Damage Location: 3846 Schneider Street

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman