

ORIGINAL

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda			√
Ober	√		
Ziegner	√		

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: OCT 28 2020

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, OBER, AND ZIEGNER CONCUR; KREVDA ABSENT:

APPROVED: OCT 28 2020

I hereby certify that the above is a true and correct copy of the Order as approved.

Mary M. Schneider
Secretary of the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ben Schmucker Construction, LLP**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21598**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Beville Excavating**
Other Party: **Vectren Energy Delivery**
Case Number: **21526**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Blackford County Roto Rooter**
Other Party: **Vectren Energy Delivery**
Case Number: **21638**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/27/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brent King Trucking & Excavating**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21579**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/31/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brooks Construction Co., Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21668**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brown's Construction Inc.**
Other Party: **Citizens Gas**
Case Number: **20835**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **8/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bud's Plumbing Service**
Other Party: **Vectren Energy Delivery**
Case Number: **21651**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Comcast**
Other Party: **Vectren Energy Delivery**
Case Number: **21850**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Highway Safety Services, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21683**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Infinity Technology Group**
Case Number: **21782**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Fort Wayne City Utilities**
Case Number: **21783**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **PirTano Construction Company, Inc.**
Case Number: **21786**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of South Bend**
Case Number: **21787**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Carlisle Utility Contractors, Inc.**
Case Number: **21789**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Always Underground, Inc.**
Case Number: **21790**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **NIPSCO - Gas**
Case Number: **21865**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of LaPorte**
Case Number: **21867**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Rex Construction Company, Inc.**
Case Number: **21869**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Q C Communications, Inc.**
Case Number: **21873**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/20/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **D Luginbill Trucking, LLC**
Case Number: **21877**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Always Underground, Inc.**
Case Number: **21881**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Phend & Brown, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21576**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/29/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ryan Barnett**
Other Party: **Vectren Energy Delivery**
Case Number: **21719**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **W R Johnson Excavation LLC**
Other Party: **Citizens Gas**
Case Number: **21582**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/20/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000**
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty**
- Civil penalty of**
- No ticket escalation* - additional civil penalty of \$1,000**
- Other** _____

Abstentions:

Additional Information: **Already trained 1/27/20**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Milestone Contractors, LP**
Other Party: **Vectren Energy Delivery**
Case Number: **21691**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone Failure to Plan Self-Repair
 - Damaging Lines Potholing Using Stakes/ Post Hole Diggers
 - Dig Tickets Probing White Lining
 - Demolitions

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **R & W Contracting, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21730**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/21/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town of Upland**
Other Party: **Vectren Energy Delivery**
Case Number: **21690**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **United Construction Services LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21639**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Weihe Construction Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21711**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/13/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Imminger Concrete**
Other Party: **Vectren Energy Delivery**
Case Number: **21674**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kopec Electric LLC**
Other Party: **Citizens Gas**
Case Number: **21473**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: **Excavator damaged a line with a backhoe, attempted an unauthorized repair, and did not report the damage but did complain to the operator two days later about a gas odor. Excavator also tampered with the valve to turn off the flow of gas in order to attempt the unauthorized repair.**

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lake County Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21561**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lewis Septic Services**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21578**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Liberty Developing, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21459**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **M & J Concrete, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21568**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Melton Excavating**
Other Party: **Fountaintown Gas Company, Inc**
Case Number: **21409**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Dave O'Mara Contractor, Inc.**
Case Number: **21706**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Citizens Energy Group - Water**
Case Number: **21852**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **City of Lafayette**
Case Number: **21854**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/30/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **L & S Underground, Inc.**
Case Number: **21886**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/2/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **G & G Construction**
Case Number: **21888**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/6/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **C L S Construction**
Case Number: **21891**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/7/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Accu-Dig, Inc.**
Case Number: **21892**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/7/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Deig Bros Lumber & Construction Co, Inc.**
Case Number: **21905**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/14/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Infrastructure Systems, Inc.**
Case Number: **21910**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/15/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **B M B, Inc.**
Case Number: **21911**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/15/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Corner Cable, Inc.**
Case Number: **21937**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/16/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **J C P Concrete LLC**
Case Number: **21941**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/16/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fox Contractors Corp.**
Other Party: **Vectren Energy Delivery**
Case Number: **21653**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Helebo Trenching, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21735**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Joe Spiker Excavating, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21740**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **M T D Drilling LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21733**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Peterman Heating, Cooling & Plumbing, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21627**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000**
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty**
- Civil penalty of**
- No ticket escalation* - additional civil penalty of \$1,000**
- Other** _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Primco, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21572**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **The excavator impeded with two pieces of wood and vice grips, which is very dangerous.**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Veltor Underground**
Other Party: **Citizens Gas**
Case Number: **21467**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone Failure to Plan Self-Repair
 - Damaging Lines Potholing Using Stakes/ Post Hole Diggers
 - Dig Tickets Probing White Lining
 - Demolitions

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cletus Bontrager**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21538**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eugene Lilly**
Other Party: **Vectren Energy Delivery**
Case Number: **21529**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hector Hernandez**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21601**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Isaac Villagrana**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21570**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James Bolden**
Other Party: **Vectren Energy Delivery**
Case Number: **21504**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jonathan Blagg**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21569**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Juan Sandoval**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21551**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kathaleen Smith**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21455**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **John's Excavating**
Case Number: **21919**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/6/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Clarkco, Inc.**
Case Number: **21929**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/15/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **NIPSCO - Gas**
Case Number: **21966**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/16/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **J & J Electric of Indiana, Inc.**
Case Number: **21970**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/20/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Indiana American Water Co. DBA Indiana American**
Case Number: **21971**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/21/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Niblock Excavating, Inc.**
Case Number: **21972**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/21/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Wilhelm Construction, Inc.**
Case Number: **21708**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/13/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **M T D Drilling LLC**
Case Number: **21710**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **City of Tipton**
Case Number: **21716**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Electricom, Inc.**
Case Number: **21727**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **EnviroHeat LLC**
Case Number: **21736**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **21846**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Meade, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21575**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Meade, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21603**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Citizens Gas**
Case Number: **21801**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21692**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21613**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21622**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21754**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/20/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rex Construction Company, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21614**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rex Construction Company, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21618**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Niblock Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21605**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Exterior Service LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21547**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **J E Reedy, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21642**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/28/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$4,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Property X LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21549**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$1,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **Bent over the damaged plastic line, failed to report damage, continued excavating and left the scene after damaging a second line, was reported by passerby who smelled gas (training recommended in companion Case 21550 where damage occurred shortly after this one)**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Property X LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21550**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of \$1,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **failed to report damage and left the scene, was reported by passerby who smelled gas**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Thayer Power & Communication Line Construction Company, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21633**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Young Plumbing & Mechanical, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21646**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B & J Tree Farms, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21661**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Crosby Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21537**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Internattional Inc.**
Case Number: **21803**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **21806**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Veltor Underground**
Case Number: **21809**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **S R Meny, Inc.**
Case Number: **21816**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Vectren Energy Delivery**
Case Number: **21817**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Corner Cable, Inc.**
Case Number: **21821**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Berry-It, Inc.**
Case Number: **21822**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Town of Seelyville**
Case Number: **21827**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Internattional Inc.**
Case Number: **21833**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Millennium Contractors, LLC**
Case Number: **21834**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Dan Cristiani Excavating Co., Inc.**
Case Number: **21835**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Q C Communications, Inc.**
Case Number: **21837**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **12/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Altstadt Plumbing Service, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21732**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bayer's Plumbing, Inc.**
Other Party: **Huntingburg Gas Utility, City of**
Case Number: **21463**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brackney, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21644**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/28/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E & S Construction, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21617**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Force Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **21728**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/20/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Niblock Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21595**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E & S Construction, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21604**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Schrock Homes, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21554**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wissco Irrigation, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21556**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Matt Lawrence**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21559**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mid Ohio Utilities, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21641**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mike Rodgers**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21600**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Neema LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21635**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/17/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Plant Brothers Excavating**
Other Party: **Vectren Energy Delivery**
Case Number: **21650**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Klemp and Tobin Mitchell**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21555**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Serviscape, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21456**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Trent Bontrager**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **21352**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/14/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Aurora Utilities**
Other Party: **C C T Underground, LLC**
Case Number: **21914**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/29/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **H & H Construction Services, Inc.**
Case Number: **21858**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/8/2020**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Accucom Group LLC**
Case Number: **21859**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/8/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **United Excavating & General Contracting, Inc.**
Case Number: **21932**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **2/3/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Community Natural Gas Inc**
Other Party: **C C T Underground, LLC**
Case Number: **21590**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Hire Construction, Inc.**
Case Number: **21626**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Community Fiber - a New Paris Telephone Co.**
Case Number: **21751**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Yeakle's Concrete, Inc.**
Case Number: **21756**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/21/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Solid Finish Construction Inc.**
Case Number: **21760**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Infrasource Construction, LLC**
Case Number: **21762**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Fort Wayne City Utilities**
Case Number: **21766**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Fort Wayne City Utilities**
Case Number: **21772**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/27/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fort Wayne City Utilities**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21577**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/29/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$4,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Greenwald Enterprises, Inc.**
Other Party: **Citizens Gas**
Case Number: **21864**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/25/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,500**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hasse Construction Co., Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21767**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hughes Paving Company, Inc.**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **21411**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Infrasource Construction, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21750**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/18/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Larry Hedge**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21594**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Morphey Construction, Inc.**
Other Party: **Citizens Gas**
Case Number: **21584**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **N Y C Communication Inc.**
Other Party: **Citizens Gas**
Case Number: **21588**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/13/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Orange County Highway Department**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **21475**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Stone Brothers Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21546**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Straw Electric**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21602**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Strawser Bros, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21567**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Swift & Son Excavating LLC**
Other Party: **Fountaintown Gas Company, Inc**
Case Number: **21408**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Terminix Indianapolis**
Other Party: **Vectren Energy Delivery**
Case Number: **21636**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tom T Electric**
Other Party: **Sycamore Gas Company**
Case Number: **21465**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town of Syracuse**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21454**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000**
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty**
- Civil penalty of**
- No ticket escalation* - additional civil penalty of \$1,000**
- Other** _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vigo County Highway Department**
Other Party: **Ohio Valley Gas Corp**
Case Number: **21296**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wharff Excavating, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21523**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **21901**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/13/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Deig Bros Lumber & Construction Co, Inc.**
Case Number: **21944**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/21/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **21945**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/21/2020**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **American Utility Corp, Inc.**
Case Number: **21947**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/22/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **3D Company, Inc.**
Case Number: **21949**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/23/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Miller Pipeline, LLC**
Case Number: **21950**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/23/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **City of Anderson**
Case Number: **21953**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/27/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **City of Evansville (Water & Sewer Departments)**
Case Number: **21954**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/28/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Henkels & McCoy, Inc.**
Case Number: **21955**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/28/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Dotson Construction, Inc.**
Case Number: **21959**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/29/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **J B I Construction, Inc.**
Case Number: **21961**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **1/30/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **A-1 Septic Service & Excavating, Inc.**
Case Number: **21990**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **2/1/2020**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Addison Underground Utilities LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21726**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training**
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of \$10,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: **Company has 13 prior violations. The company refused to pay monetary penalties and has refused to take training despite being required in 5 cases and offered as optional in 4 other cases.**

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Atlas Excavating, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21695**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$5,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C King Construction LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **21707**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone Failure to Plan Self-Repair
 - Damaging Lines Potholing Using Stakes/ Post Hole Diggers
 - Dig Tickets Probing White Lining
 - Demolitions

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Core Bore, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21753**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D & Z Irrigation**
Other Party: **Vectren Energy Delivery**
Case Number: **21723**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/18/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dillingham Property Repair & Renovation LLP**
Other Party: **Vectren Energy Delivery**
Case Number: **21715**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Don & Sons Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21765**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fleming Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **21619**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **11/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes/ Post Hole Diggers
 - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of _____
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Koberstein Contracting, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **21649**
Date of Advisory Meeting: **9/8/2020**
Date of Damage: **10/24/2019**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes/ Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can complete training instead of paying \$1,500 penalty
- Civil penalty of **\$3,000**
- No ticket escalation* - additional civil penalty of \$1,000
- Other _____

Abstentions:

Additional Information: _____

APPROVED:  /for Ben Warren
Ben Warren, Chairman