

**ORIGINAL**

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ober	√		
Ziegner	√		

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE )  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )**

**APPROVED: NOV 17 2021**

**ORDER OF THE COMMISSION**

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

**IT IS SO ORDERED.**

**HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR:**

**APPROVED: NOV 17 2021**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

\_\_\_\_\_  
**Dana Kosco**  
**Secretary of the Commission**



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C A Advanced, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23306  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 8/20/2020  
Damage Location: Harvest Glenn Blvd & Shady Knoll Dr, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C A Advanced, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 22422  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 5/12/2020  
Damage Location: College Ave, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Geans Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23251  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 8/12/2020  
Damage Location: 51371 Colleen Court, Granger

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Duke Energy Indiana  
Other Party: CenterPoint Energy Indiana  
Case Number: 23318  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 8/28/2020  
Damage Location: 1013 E Jackson, Attica

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Alvin Wagler  
Case Number: 23460  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/19/2020  
Damage Location: 108 N Red Gold Dr, Trafalgar

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Concrete Specialties, Inc.  
Case Number: 23471  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/24/2020  
Damage Location: 117 Redbud Circle, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Infrasource Construction, LLC  
Case Number: 23859  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 1123 Harrison Boulevard, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: INDOT  
Case Number: 23860  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: Southwest Corner of 241st Avenue & Wicker Avenue,  
Schneider

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Electricom, Inc.  
Case Number: 23861  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 7249 11th Road, Bourban

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Gas  
Other Party: Calumet Civil Contractors, Inc.  
Case Number: 23873  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/27/2020  
Damage Location: 906 Bremerton Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Tyler Excavating  
Case Number: 23897  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 9455 Jamaica Way, DeMott

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Brent King Trucking & Excavating  
Case Number: 23901  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/2/2020  
Damage Location: 307 Union Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Interior Channel  
Case Number: 23904  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/2/2020  
Damage Location: 4033 Weisser Park Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Electricom, Inc.  
Case Number: 23905  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/2/2020  
Damage Location: 8594 North State Road 39, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Brainard Excavating LLC  
Case Number: 23913  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: 509 Crown Hill Drive, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Grimmer Construction Inc.  
Case Number: 23916  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: 764 Garfield Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Woodruff & Sons, Inc.  
Case Number: 23918  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: 425 West 67th Lane, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Midwest Paving LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23493  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/26/2020  
Damage Location: 602 W Franklin St, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Matt Abrell  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23448  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/18/2020  
Damage Location: 495 N. Third St., North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets, self-repair**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Denise Sanders  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23450  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/22/2020  
Damage Location: 117 Railroad St., Henryville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: A R Custom Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23914  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: 2694 S 500 W, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C C T Underground, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23468  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/30/2020  
Damage Location: 4131 Maiden Ct, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction  
Other Party: CenterPoint Energy Indiana  
Case Number: 23472  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/19/2020  
Damage Location: 401 N Gates, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Evansville (Water & Sewer Departments)  
Other Party: CenterPoint Energy Indiana  
Case Number: 23479  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 1725 S Fares, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: A R P Plumbing Inc.  
Other Party: Citizens Gas  
Case Number: 23527  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 5011 Broadway St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rudig Paving & Maintenance, Inc.  
Other Party: Citizens Gas  
Case Number: 23534  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/19/2020  
Damage Location: 1260 Terminal Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000, respondent can complete training instead of paying \$3,000 (failed to train in Case 19724)**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lawrence Building Corp.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23489  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/30/2020  
Damage Location: 1806 N Riley Hwy, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Shelbyville  
Other Party: CenterPoint Energy Indiana  
Case Number: 23469  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 847 Meridian St, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Always Underground, Inc.  
Case Number: 23919  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: 418 West Avenue H, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Allen's Snow Removal & Lawn Care, Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 23899  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 941 North Vanderburg Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Total Development Systems, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23506  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 2641 Marsh Hawk Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indysod.com LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23022  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 7/29/2020  
Damage Location: 8931 Stone Grove Ct, McCordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$500; training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information: **Excavator damaged a line, reburied it, and failed to report the damage. Excavator stated that requesting a locate ticket interferes with deadlines to complete his jobs, he did not report the damage and claimed there was no odor and it was a dead line but**

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Borillas LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23909  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/5/2020  
Damage Location: 124 East Branning Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: C & S Concrete Quality LLC  
Other Party: Citizens Gas  
Case Number: 23890  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/5/2020  
Damage Location: 1030 Stallion Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: C L Concrete, Inc.  
Other Party: Citizens Gas  
Case Number: 23880  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/21/2020  
Damage Location: 1124 Navajo Trl South Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gabhart, INC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23477  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/24/2020  
Damage Location: 705 Fellowship Dr, Bedford

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Scottsburg  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23449  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/21/2020  
Damage Location: 904 S. Elm St., Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Clark's Cutting Edge, Inc.  
Other Party: Rensselaer Municipal Gas System, City of  
Case Number: 23541  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/15/2020  
Damage Location: 10469 Locksley Dr, Rensselaer

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cobalt Civil, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23470  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 291 E Summitville St, Summitville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Colonial Classics, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23779  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/12/2020  
Damage Location: 3601 Lakewood Dr, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Custom Home Improvement, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23473  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 12 Midland Ct, Danville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: D S & S  
Other Party: Northern Indiana Public Service Company  
Case Number: 23924  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/8/2020  
Damage Location: 3175 E 200 S, Knox

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Hinderliter Environmental Services, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23484  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/24/2020  
Damage Location: 2308 Commercial Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D S Construction & Contracting LLC  
Other Party: Ohio Valley Gas Inc  
Case Number: 23456  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/22/2020  
Damage Location: 406 E. Mill St., Shelburn

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: F H Paschen, S N Nielsen & Associates LLC  
Other Party: Citizens Gas  
Case Number: 23532  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/24/2020  
Damage Location: I-65 and Southport Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A N R Underground  
Other Party: Citizens Gas  
Case Number: 23521  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/1/2020  
Damage Location: 502 N Rural St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Warren**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian East  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23523  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/3/2020  
Damage Location: 139 S. Perry Street, Medora

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Williams Comfort Air (Mr. Plumber)  
Other Party: Citizens Gas  
Case Number: 23530  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 47 N Holmes Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Warren**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: 317 Grow, LLC  
Other Party: Citizens Gas  
Case Number: 23528  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 2161 N Pennsylvania St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C L S Construction LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23776  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/14/2020  
Damage Location: 1324 Stanley Rd, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Swinney Brothers Excavating, Inc.  
Other Party: Citizens Gas  
Case Number: 23535  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/18/2020  
Damage Location: 18170 Grand Park Blvd, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: James H Drew Corp.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23789  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 12610 Ford Dr, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Patricia O'Brien  
Other Party: Rensselaer Municipal Gas System, City of  
Case Number: 23542  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/10/2020  
Damage Location: 10376 Lockley Dr., Rensselaer

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets, self-repair**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Van Hoy & Sons Contracting, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23507  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/23/2020  
Damage Location: 2733 Bell Rd, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Whalen Construction Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23508  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 185 S 8th St, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Don Williams Plumbing & Heating  
Other Party: CenterPoint Energy Indiana  
Case Number: 23813  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/8/2020  
Damage Location: 914 Greenwood Ct, New Albany

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23777  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 821 N Madison Ave, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: CenterPoint Energy Indiana  
Case Number: 23811  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/5/2020  
Damage Location: 5615 Stone Grove Ct, McCordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gradex, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23481  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/23/2020  
Damage Location: 1330 Morton Ave, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: City of Evansville (Water & Sewer Departments)  
Other Party: CenterPoint Energy Indiana  
Case Number: 23784  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/5/2020  
Damage Location: 2220 Perfection Ct, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matthew Hayworth  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23720  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/2/2020  
Damage Location: 2523 N SR 45, Solsberry

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dawit Demoze  
Other Party: CenterPoint Energy Indiana  
Case Number: 23781  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/14/2020  
Damage Location: 8765 E County Road 600 N, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gold Star Services LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23834  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/21/2020  
Damage Location: 375 North Jackson Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Evan Finecy  
Other Party: CenterPoint Energy Indiana  
Case Number: 23783  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 6215 E Roselyn Dr, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Jordyn Baker  
Other Party: CenterPoint Energy Indiana  
Case Number: 23790  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/10/2020  
Damage Location: 912 Sweetbriar Dr, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rock Solid Stabilization & Reclamation, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23836  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/22/2020  
Damage Location: 226 N 250 W, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Justin Wilson  
Other Party: CenterPoint Energy Indiana  
Case Number: 23791  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/8/2020  
Damage Location: 723 E Washington St, Williamport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets, self-repair**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: L M B Contracting  
Other Party: CenterPoint Energy Indiana  
Case Number: 23793  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/8/2020  
Damage Location: 1913 Burgess Dr, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American  
Other Party: CenterPoint Energy Indiana  
Case Number: 23485  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/30/2020  
Damage Location: 4006 Trinity Dr, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$5,000; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information: **The UPPAC notes that the excavator has had an increase in damages in 2020, including several no ticket violations. The UPPAC encourages the excavator to consider additional training, in particular related to having a valid dig ticket prior to excavating.**

APPROVED:

 /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Utility Management & Construction, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23810  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/9/2020  
Damage Location: 6107 Flagler Lane, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gray's Total Green Energy Solutions, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23868  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/30/2020  
Damage Location: 559 Timber Lake Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Electricom, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23837  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/22/2020  
Damage Location: 7088 11th Road, Bourbon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Henry Schelter  
Other Party: Northern Indiana Public Service Company  
Case Number: 23829  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/20/2020  
Damage Location: 2162 East Linker Road, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:


**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H P Masonry & Remodeling LLC  
Other Party: Citizens Gas  
Case Number: 23883  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/16/2020  
Damage Location: 2020 Central Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A & M Home Services Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 23832  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/21/2020  
Damage Location: 2016 Vance Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Hayes Brothers Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23907  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/3/2020  
Damage Location: 214 North Dixon Road, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: J C Smith Excavating Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23487  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/17/2020  
Damage Location: 6993 McCain, Carmel

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jam Excavating Services Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23788  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/12/2020  
Damage Location: 1405 E 106th, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Everest Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23857  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/28/2020  
Damage Location: 4990 N 250 E, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information: **Excavator bent the line and impeded the flow of gas; this is a very dangerous action.**

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Mid-America Milling Company, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23867  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/30/2020  
Damage Location: 0828 East Sportsman Lane, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: B & T Drainage, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23461  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/28/2020  
Damage Location: 1123 S Center St, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Madison County Highway Dept  
Other Party: Lapel, Town of  
Case Number: 23869  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/28/2020  
Damage Location: 6933 Old State Road 132, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Todd's Concrete LLC  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23871  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 11/3/2020  
Damage Location: 1724 Augusta Pkwy, Henryville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American  
Other Party: Northern Indiana Public Service Company  
Case Number: 23865  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 11155 Fayette Street Lot 26, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Internattional Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23786  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: Brighton Ln & Brighton Cir, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23510  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/21/2020  
Damage Location: 54 S 15th, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joseph Herring  
Other Party: Citizens Gas  
Case Number: 23529  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 4221 N Emerson Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Goodman Plumbing LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23842  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/22/2020  
Damage Location: 2309 Oakenwald Drive, Long Beach

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dean Feller  
Other Party: Northern Indiana Public Service Company  
Case Number: 23847  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/23/2020  
Damage Location: 1348 East Calvert Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kessinger Construction & Concrete LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23488  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 6916 Longview Beach Rd, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adams Water & Sewer Service, Inc.  
Other Party: Citizens Gas  
Case Number: 23888  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/7/2020  
Damage Location: 722 Elm St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$3,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED:

 /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Asplundh Construction Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23850  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 6730 Mallard Cove Terrace, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$3,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kidders Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 23902  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/2/2020  
Damage Location: 55961 Jefferson Knolls Drive, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lake Country Landscaping LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23900  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 728 South Clear Lake Drive Apt House, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Hiscock  
Other Party: Northern Indiana Public Service Company  
Case Number: 23851  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 1010 Quimby Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: A Fence Guy, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23852  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 320 Sherman Avenue, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: failure to plan**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ideal Decks & Fencing  
Other Party: Northern Indiana Public Service Company  
Case Number: 23853  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 2000 Ambassador Lane, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Old German Baptist Brethren Church  
Other Party: Northern Indiana Public Service Company  
Case Number: 23858  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 1013 West State Road 114, North Manchester

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lawn & Shrub, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23792  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/14/2020  
Damage Location: 222 N Chauncey Ave, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M C Construction Management LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23491  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/23/2020  
Damage Location: 1160 Nantucket Dr, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Craig Brandenburg  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23870  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/26/2020  
Damage Location: 2879 N. US 31, Austin

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mowery  
Other Party: Citizens Gas  
Case Number: 23874  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/26/2020  
Damage Location: 7924 Hunters Path, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M D Company Landscape & More, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23492  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/20/2020  
Damage Location: 555 James Dr, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: M H Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 22987  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 6/30/2020  
Damage Location: 15352 Canyon Run Bay, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Midwest Plumbing Inc.  
Other Party: Citizens Gas  
Case Number: 23892  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 1147 S State Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cin Hrang  
Other Party: Citizens Gas  
Case Number: 23875  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/26/2020  
Damage Location: 7044 Manker St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niece's Tree Service  
Other Party: CenterPoint Energy Indiana  
Case Number: 23496  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/19/2020  
Damage Location: 1310 Sportsman Dr, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Our Property Management, LLC  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23895  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/24/2020  
Damage Location: Lot 33 Eastview Trailer Court, Bloomfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pete's Trenching  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23770  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/15/2020  
Damage Location: 1412 N. Canton Rd., Canton

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**trained (already completed 12/21/20)**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Efren Moreno  
Other Party: Citizens Gas  
Case Number: 23876  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/25/2020  
Damage Location: 843 Westbrook Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: A K & M Trenching, Inc.  
Other Party: Citizens Gas  
Case Number: 23878  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/23/2020  
Damage Location: 8741 Faulkner Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**  
**Special instructions: clearance/tolerance zone**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L D Smith Plumbing, Inc.  
Other Party: Citizens Gas  
Case Number: 23881  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/20/2020  
Damage Location: 6122 Central Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23494  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/23/2020  
Damage Location: 40 S Peru St, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Poolery Plus Incorporated  
Other Party: CenterPoint Energy Indiana  
Case Number: 23497  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/18/2020  
Damage Location: 421 Nitsche Dr, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eager Beaver Directional Drilling LLC  
Other Party: Citizens Gas  
Case Number: 23884  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/16/2020  
Damage Location: 6019 Terrytown Pkwy, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: clearance/tolerance zone**

Abstentions: **Warren**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Specialties Co. LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23862  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/29/2020  
Damage Location: 2715 North Bendix Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: R & S Bobcat Service, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23831  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/21/2020  
Damage Location: 5095 Hammock Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23795  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/8/2020  
Damage Location: 5288 Performance Way, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Telecom Placement, Inc.  
Other Party: Citizens Gas  
Case Number: 23885  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/15/2020  
Damage Location: 8726 Rue Madeleine St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: R G & J Lawn & Landscaping  
Other Party: Northern Indiana Public Service Company  
Case Number: 23917  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: 14413 Illinois Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rural Water Maintenance Co. Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 22490  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 5/28/2020  
Damage Location: 6286 E SR 45, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S C Case Excavating LLC  
Other Party: Citizens Gas  
Case Number: 23525  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/30/2020  
Damage Location: 5013 N Kitley, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Donald Tabor  
Other Party: Citizens Gas  
Case Number: 23887  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/7/2020  
Damage Location: 1840 Lake Of The Pines Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



## STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hector Ballares  
Other Party: Citizens Gas  
Case Number: 23891  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/3/2020  
Damage Location: 3030 Cherry Lake Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Warren**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sandusky Construction LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23802  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/14/2020  
Damage Location: 2622 E Center St, Clinton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Schwartz Electric, Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 23906  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/2/2020  
Damage Location: 68129 CO Rd 1, Wakarusa

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Showplace Lawncare & Landscaping, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23502  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/23/2020  
Damage Location: 430 Janis Ave, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman





STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe McCarty  
Other Party: Indiana Utilities Corporation  
Case Number: 23893  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/27/2020  
Damage Location: 21 S Highway 337, Corydon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fiber 1 Communications  
Other Party: Citizens Gas  
Case Number: 23886  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/8/2020  
Damage Location: 4720 N Keystone Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag  
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sizemore Outdoor Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 23503  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/25/2020  
Damage Location: 8507 Copperfield Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Starke County Highway Department  
Other Party: Northern Indiana Public Service Company  
Case Number: 23856  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/28/2020  
Damage Location: South Washington Street & West Petro Street,  
San Pierre

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John's Excavation LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 23898  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/1/2020  
Damage Location: 401 West 2nd Street, Ligonier

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stemaly Excavating, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23504  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/24/2020  
Damage Location: 945 N Burkhardt, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chris Wieck  
Other Party: Indiana Utilities Corporation  
Case Number: 23894  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 11/1/2020  
Damage Location: 2290 West Haven DR NW, Corydon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Teracom, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23911  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/5/2020  
Damage Location: 3610 Lafayette Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: The Pool Store Indiana LLC  
Other Party: Ohio Valley Gas Corp  
Case Number: 23457  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/23/2020  
Damage Location: 154 W. 200 N., Portland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eddie Emily  
Other Party: Midwest Natural Gas Corporation  
Case Number: 23896  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 11/7/2020  
Damage Location: 1806 W. SR 56, Salem

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Treedom Tree Service  
Other Party: Indiana Natural Gas Corporation  
Case Number: 23524  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/5/2020  
Damage Location: 150 S School House Lane, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Niblock Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23833  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/21/2020  
Damage Location: 507 North Walnut Street, LaGrange

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Payton & Son Concrete, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23797  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/7/2020  
Damage Location: 6452 E Edna Mills, Camby

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Cesar Olvera Magana  
Other Party: Northern Indiana Public Service Company  
Case Number: 23910  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/5/2020  
Damage Location: 514 South Chicago Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23839  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/22/2020  
Damage Location: 5601 West 29th Ave, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ryan Beathea  
Other Party: Northern Indiana Public Service Company  
Case Number: 23920  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/6/2020  
Damage Location: 23784 State Road 2, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

**Special instructions: dig tickets**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman





**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Q C Communications, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23824  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/17/2020  
Damage Location: 625 East University Drive, Granger

The IURC Pipeline Safety Division finds the following violation(s):


**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23840  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/22/2020  
Damage Location: 311 Apple Street, Argos

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 23500  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 9/24/2020  
Damage Location: 308 W Worthsfield Rd, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



**STATE OF INDIANA**

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE**  
1433 Holey Moley Way  
Greenwood, Indiana 46143

**Recommendation to IURC from the  
Indiana Underground Plant Protection Advisory Committee**

Respondent: Square 1 Builders, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23903  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/2/2020  
Damage Location: 23821 US 33, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren  
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION  
ADVISORY COMMITTEE  
1433 Holey Moley Way  
Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Electricom, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 23923  
Date of Advisory Meeting: 8/24/2021  
Date of Damage: 10/7/2020  
Damage Location: 8115 State Road 39, Buffalo

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:

  
\_\_\_\_\_/for Ben Warren  
Ben Warren, Chairman