

Commissioner	Yes	No	Not Participating
Huston	V		
Freeman	V		
Krevda	V		
Veleta	V		
Ziegner	V		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

)

)

)

IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.

APPROVED: NOV 30 2022

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, VELETA, AND ZIEGNER CONCUR:

APPROVED: NOV 30 2022

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Joshua Bass
Other Party:	Northern Indiana Public Service Company
Case Number:	25533
Date of Advisory Meeting:	9/23/2022
Date of Damage:	7/26/2021
Damage Location:	204 S James St, Milford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chuck's Sewer & Drain Cleaning, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	26986
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	2502 S Washington St, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	JJB Hardscaping and Landscaping LLP
Other Party:	CenterPoint Energy Indiana
Case Number:	27066
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/20/2022
Damage Location:	1108 Hedgewood Drive, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Vickrey Remodeling Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27072
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/23/2022
Damage Location:	2775 North County Road 150 West, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Aaron Solms dba Solms Excavating
Other Party:	CenterPoint Energy Indiana
Case Number:	27074
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	1200 South 4th Avenue, Jonesboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S & J Excavation & Concrete LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27076
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	1333 Indiana Avenue, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hause Surveying & Engineering, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27080
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/25/2022
Damage Location:	1324 South East Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:T & R Trucking LLCOther Party:CenterPoint Energy IndianaCase Number:27191Date of Advisory Meeting:9/23/2022Date of Damage:5/18/2022Damage Location:324 SW G Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Earley Electric, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27203
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/23/2022
Damage Location:	2700 Windemere Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Martinez Weatherization Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	27261
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	810 Brian Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bragg Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27268
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/12/2022
Damage Location:	1256 North 400 West, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	B&D Lighting LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27277
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/1/2022
Damage Location:	2302 South Copperstone Drive, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Loren Wood Builders, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27306
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/13/2022
Damage Location:	1278 East Short Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Juan Cintora
Other Party:	Northern Indiana Public Service Company
Case Number:	26908
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/1/2022
Damage Location:	305 Tremont Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wanda Betancourt
Other Party:	Northern Indiana Public Service Company
Case Number:	27006
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/16/2022
Damage Location:	1213 Thomas Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ladonna Bolden
Other Party:	Northern Indiana Public Service Company
Case Number:	27007
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/16/2022
Damage Location:	2121 Roger Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ryan Huston
Other Party:	Northern Indiana Public Service Company
Case Number:	27008
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/16/2022
Damage Location:	105 West Vine Street, Oxforoad

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bradley Popa
Other Party:	Northern Indiana Public Service Company
Case Number:	27033
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	8309 East 124th Lane, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Abe Blumenfeld
Other Party:	Northern Indiana Public Service Company
Case Number:	27034
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	4401 West US Hwy 20, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mark Swain
Other Party:	Northern Indiana Public Service Company
Case Number:	27047
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/28/2022
Damage Location:	4499 South State Road 9, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Andrew Diltz
Other Party:	Northern Indiana Public Service Company
Case Number:	27052
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/30/2022
Damage Location:	57522 Beech Road, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L N R Companies, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27065
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	4167 Alderborough Way, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K.E.P. Electric, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27237
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/2/2022
Damage Location:	6627 Prairie Chase Drive, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Clemens Contracting Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27266
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/12/2022
Damage Location:	14710 Oakridge Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Acculevel, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27280
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/1/2022
Damage Location:	1029 North 7th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	US Radius Services Inc
Other Party:	Citizens Gas
Case Number:	26987
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/27/2022
Damage Location:	5301 W 56Th, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Warren

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Overhead Underground Services LLC
Other Party:	Citizens Gas
Case Number:	26988
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/26/2022
Damage Location:	4259 Robertson Blvd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jam Excavating Services Inc.
Other Party:	Citizens Gas
Case Number:	27000
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/7/2022
Damage Location:	6236 Margaux Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hasler Excavating, LLC
Other Party:	Midwest Natural Gas Corporation
Case Number:	27054
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/10/2022
Damage Location:	679 South Baseline Road, Bloomfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ohio Valley Gas Corp
Other Party:	Ohio Valley Gas Corp
Case Number:	27058
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/16/2022
Damage Location:	1028 E. County Road 775 N., Shelburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C C T Underground, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27096
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	113 Winterwood Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bryan Stumler Excavating Incorporated
Other Party:	Indiana Utilities Corporation
Case Number:	27099
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/23/2022
Damage Location:	871 Pacer Court, Corydon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G & C Communications Inc.
Other Party:	Indiana Natural Gas Corporation
Case Number:	27129
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/2/2022
Damage Location:	1599 North State Road 37, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: Excavator covered the damage with dirt to impede the flow of gas.

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Broadband of Indiana LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27186
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/16/2022
Damage Location:	8600 North Green River Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Frankfort
Other Party:	CenterPoint Energy Indiana
Case Number:	27204
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/20/2022
Damage Location:	301 E Clinton Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bontrager & Sons Excavating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	26913
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/4/2022
Damage Location:	16980 County Road 34, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Thayer Power & Communication Line Construction
Company, LLCOther Party:Citizens GasCase Number:26996Date of Advisory Meeting:9/23/2022Date of Damage:4/11/2022Damage Location:3518 Union St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED:

/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Quality Concrete Construction LLC
Other Party:	Citizens Gas
Case Number:	27105
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/28/2022
Damage Location:	11003 Saddlebred Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Michael Enterprises LLC dba Michael Landscaping
Other Party:	Northern Indiana Public Service Company
Case Number:	26909
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/1/2022
Damage Location:	15830 Wilderness Creek Court, Leo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J.E. Landscaping LLC-S
Other Party:	Northern Indiana Public Service Company
Case Number:	26946
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	205 Woodside Lane, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J J Construction & Fencing
Other Party:	Northern Indiana Public Service Company
Case Number:	26947
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	519 S Brook Avenuenue, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Homer Tree Service, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27010
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/18/2022
Damage Location:	54641 Northern Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	T. Cook Concrete and Contracting LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27042
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/27/2022
Damage Location:	5091 Balor Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hess Irrigation LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27044
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/27/2022
Damage Location:	213 West Homer Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rosen Tire
Other Party:	Northern Indiana Public Service Company
Case Number:	27045
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/28/2022
Damage Location:	4912 Industrial Hwy, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Shawnee Construction & Engineering Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27157
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	1633 Goldspur Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Matthew Dermott dba Dermott Services
Other Party:	Northern Indiana Public Service Company
Case Number:	27160
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	203 Meadows, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Zach Daniel
Other Party:	Northern Indiana Public Service Company
Case Number:	27139
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/4/2022
Damage Location:	17274 Institutional Drive, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dalila Brajas
Other Party:	Northern Indiana Public Service Company
Case Number:	27141
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/4/2022
Damage Location:	833 East 25th Avenue, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Adrienne Grant
Other Party:	Northern Indiana Public Service Company
Case Number:	27153
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/8/2022
Damage Location:	2401 North Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jamie Lavy
Other Party:	Northern Indiana Public Service Company
Case Number:	27180
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/15/2022
Damage Location:	22748 County Road 18, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Diana Furlow
Other Party:	Northern Indiana Public Service Company
Case Number:	27341
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/22/2022
Damage Location:	900 Autumn Hill Drive Lot 73, Avilla

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	William Kistler
Other Party:	Northern Indiana Public Service Company
Case Number:	27352
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/24/2022
Damage Location:	584 West 250 South, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rogelio Hernandez
Other Party:	Northern Indiana Public Service Company
Case Number:	27359
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/26/2022
Damage Location:	2915 West 38th Place, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kip Tom
Other Party:	Northern Indiana Public Service Company
Case Number:	27363
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/28/2022
Damage Location:	495 East 900 North, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Raymond Snider
Other Party:	Northern Indiana Public Service Company
Case Number:	27365
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/28/2022
Damage Location:	51211 County Road 5, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Donnie Lee Cobb
Other Party:	Northern Indiana Public Service Company
Case Number:	27368
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/30/2022
Damage Location:	3182 Eastwind Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Michael Holmes
Other Party:	Northern Indiana Public Service Company
Case Number:	27369
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/30/2022
Damage Location:	418 South 5th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Phil Hodges
Other Party:	CenterPoint Energy Indiana
Case Number:	27209
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/27/2022
Damage Location:	311 East High Street, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Davidson Engineering Corporation
Other Party:	Midwest Natural Gas Corporation
Case Number:	27217
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/19/2022
Damage Location:	14913 McClellan Road, Memphis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lutgring Bros Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	27270
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/14/2022
Damage Location:	610 West Main Street, Francisco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	JVS Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27291
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/6/2022
Damage Location:	4340 Stuart Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Terry Wallace
Other Party:	CenterPoint Energy Indiana
Case Number:	27312
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/14/2022
Damage Location:	6005 East State Road 64, Francisco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27212
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/23/2022
Damage Location:	118 East Mill Street, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CorGroup, LLC
Other Party:	Citizens Gas
Case Number:	27223
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/6/2022
Damage Location:	6801 North Rural Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED

D: //Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Seymour
Other Party:	CenterPoint Energy Indiana
Case Number:	27290
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/6/2022
Damage Location:	839 Sarasota Drive, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rex Gress & Sons, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27304
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/10/2022
Damage Location:	2422 Sunrise Drive, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Berry-It, Inc.
Other Party:	Citizens Gas
Case Number:	27388
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/17/2022
Damage Location:	8640 Spring Mill Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brown Hill Nursery & Landscape Design LLC
Other Party:	Indiana Natural Gas Corporation
Case Number:	27219
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/29/2022
Damage Location:	11111 West Grandview Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Biehle Electric, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27296
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/8/2022
Damage Location:	4683 East Windsor Lane, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	White's Electrical, LLC
Other Party:	Citizens Gas
Case Number:	27221
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/8/2022
Damage Location:	11109 Sloop Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED

D: //Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Doug & Steve Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27354
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/25/2022
Damage Location:	720 Summit Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mid-States Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27362
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/27/2022
Damage Location:	53697 County Road 9, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Modernstone LLC
Other Party:	Citizens Gas
Case Number:	27384
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/20/2022
Damage Location:	7925 Carlington Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Paul H. Rohe Company, Inc.
Other Party:	Sycamore Gas Company
Case Number:	26905
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/3/2022
Damage Location:	1397 Fairfield Ave, Brookville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Epic Fiber Underground Construction LLC
Other Party:	Citizens Gas
Case Number:	26995
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/11/2022
Damage Location:	3627 North Sherman Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED

D: //Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	National Underground Systems, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	26916
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/4/2022
Damage Location:	8843 Schafer Drive, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G T Cable Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	26945
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	507 Shannon Driveive, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Super Mario Innovations LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	26950
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	760-1 W 50 N, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Aaron Houston
Other Party:	CenterPoint Energy Indiana
Case Number:	26967
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/10/2022
Damage Location:	111 Mcclellan Rd, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Property Restoration Preservation Continuation LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	26984
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/15/2022
Damage Location:	7933 Scottsdale Dr, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Julio Rebolledo
Other Party:	Citizens Gas
Case Number:	26990
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/23/2022
Damage Location:	3318 Saint Paul Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Quality Fencing, LTD
Other Party:	Northern Indiana Public Service Company
Case Number:	27017
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/20/2022
Damage Location:	425 North State Street Apt A, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	David Wilson
Other Party:	CenterPoint Energy Indiana
Case Number:	27079
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/23/2022
Damage Location:	347 North Dover Cliffs, Ellettsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	McCullough Electric LLC
Other Party:	Citizens Gas
Case Number:	27118
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/13/2022
Damage Location:	7840 Rockville Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Craig Kimberlin
Other Party:	Citizens Gas
Case Number:	26582
Date of Advisory Meeting:	9/23/2022
Date of Damage:	1/4/2022
Damage Location:	1018 Saint Paul Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

:_____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C and J Underground
Other Party:	Fountaintown Gas Company, Inc
Case Number:	26903
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	702 Half St, Shirley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	On the Level Excavation Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	27078
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	138 Echo Lake East Drive, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Woodruff & Sons, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27013
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	309 Felton Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rick Kljajic dba K B K Construction
Other Party:	Northern Indiana Public Service Company
Case Number:	26930
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/11/2022
Damage Location:	711 Olive Hill Driveive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bullseye Directional Boring, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27026
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/21/2022
Damage Location:	18960 Apache Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	On the Level Fence & Deck Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27016
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	540 Seminole Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Oneline Solutions, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27089
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/28/2022
Damage Location:	1839 East Main Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Specialties Co. LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27356
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/25/2022
Damage Location:	Lincoln Highway & US 31, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Albert Andrews
Other Party:	Northern Indiana Public Service Company
Case Number:	27370
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/30/2022
Damage Location:	755 Clark Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Matt Albers dba Albers Landscaping
Other Party:	CenterPoint Energy Indiana
Case Number:	26968
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/5/2022
Damage Location:	288 W Silver Shadow Trail, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bowen Engineering Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	26975
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/8/2022
Damage Location:	409 S College Ave, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brackney, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	26979
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	711 Sheridan St, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dan Church dba WeFix Indy
Other Party:	Citizens Gas
Case Number:	26993
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	1200 East Bradbury Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Pro Gate LLC
Other Party:	Citizens Gas
Case Number:	26994
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/12/2022
Damage Location:	1045 Harding Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

:_____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana Foundation Service, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27197
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/19/2022
Damage Location:	13777 East 1300 North, Dunkirk

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Terrain Paving & Construction, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27297
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/3/2022
Damage Location:	Brookwood Drive & Birch Drive, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Star Paving Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27305
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/13/2022
Damage Location:	1617 Cottage Avenue, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K & K Fence, Inc.
Other Party:	Citizens Gas
Case Number:	27393
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/13/2022
Damage Location:	1325 East 82nd Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	M & M Underground LLC
Other Party:	Citizens Gas
Case Number:	27397
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/8/2022
Damage Location:	329 East 30th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED

D: //Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J E Reedy, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27307
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/13/2022
Damage Location:	1169 Thorny Lane, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tim Ball
Other Party:	Westfield Gas Corporation
Case Number:	26989
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/25/2022
Damage Location:	261 S 1100 E, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

:_____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	James Dickerson
Other Party:	CenterPoint Energy Indiana
Case Number:	27061
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	551 Alhambra Avenue, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Garrett Hedge
Other Party:	CenterPoint Energy Indiana
Case Number:	27086
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/27/2022
Damage Location:	East Henry Sievers Road, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	David Pierce
Other Party:	CenterPoint Energy Indiana
Case Number:	27095
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	525 Valley Drive, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Harold Calvert
Other Party:	Lapel, Town of
Case Number:	27098
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/30/2022
Damage Location:	316 West 10th Street, Lapel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Katie Adcock
Other Party:	Community Natural Gas Inc
Case Number:	27218
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/23/2022
Damage Location:	108 North Main Street, Dale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Harry Britton
Other Party:	CenterPoint Energy Indiana
Case Number:	27271
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/11/2022
Damage Location:	419 Lafayette Avenue, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jennifer Franz
Other Party:	CenterPoint Energy Indiana
Case Number:	27272
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/14/2022
Damage Location:	2037 Silver Street, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chris Kellermeyer
Other Party:	CenterPoint Energy Indiana
Case Number:	27288
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/4/2022
Damage Location:	205 North John Street, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ian Smith
Other Party:	CenterPoint Energy Indiana
Case Number:	27311
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/14/2022
Damage Location:	3847 East 250 South, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kevin Helsley
Other Party:	CenterPoint Energy Indiana
Case Number:	27322
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/10/2022
Damage Location:	415 Brown Street, Elberfeld

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CME Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	26319
Date of Advisory Meeting:	9/23/2022
Date of Damage:	11/3/2021
Damage Location:	314 North High Street, Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Michel Enterprise, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	26980
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	3001 Muensterman Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tip Top Tents & Party Rentals LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	26983
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	1684 Sweetgum Dr, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R L Johnson, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	26712
Date of Advisory Meeting:	9/23/2022
Date of Damage:	2/18/2022
Damage Location:	2173 N State St, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Renascent, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	26958
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/6/2022
Damage Location:	90 Nimitz Drive, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ike's Sewer Service, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	26962
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/8/2022
Damage Location:	4120 Black Forest Lane, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Whalen Construction Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	26977
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/13/2022
Damage Location:	2486 Bridle Way, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D R Watson Co Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27085
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/27/2022
Damage Location:	4037 Omaha Drive (Lot# 28), Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana Reclamation & Excavating, Inc.
Other Party:	Citizens Gas
Case Number:	27121
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/16/2022
Damage Location:	60 South Biltmore Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Community Natural Gas Inc
Other Party:	JHS Schwartz Brothers Construction LLC dba Schwartz Plumbing
Case Number:	26899
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/4/2022
Damage Location:	204 W Indiana Street, Holland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Timber Ridge Fence Company, LLC
Case Number:	27003
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/1/2022
Damage Location:	5504 Eastbourne Circle, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	D R Watson Co Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	26964
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/9/2022
Damage Location:	2383 Eagle Ave, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	26976
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/11/2022
Damage Location:	10538 E Lakeshore Dr, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana University Building Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	27060
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/18/2022
Damage Location:	502 N Fess Avenue, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brothers Excavating LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27070
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	222 Waterfront Court, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Helebo Trenching, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27068
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/21/2022
Damage Location:	960 Sand Hollow Drive, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rice Contracting LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27083
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/26/2022
Damage Location:	625 Apple Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stover Excavating & Lawn Care LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	27090
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	1994 Downey Lane, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Elevation Excavation, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27092
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	10660 Pete Dye Ridge, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana Reclamation & Excavating, Inc.
Other Party:	Citizens Gas
Case Number:	27379
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/24/2022
Damage Location:	8179 Lafayette Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Greenwald Enterprises, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	26954
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/5/2022
Damage Location:	3003 W Broderie Ln, Monrovia

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C A Advanced, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27082
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/26/2022
Damage Location:	8245 Bearberry Lane, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Duane Grimm
Other Party:	Sycamore Gas Company
Case Number:	26164
Date of Advisory Meeting:	9/23/2022
Date of Damage:	11/9/2021
Damage Location:	23835 Salt Fork Rd, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	26991
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/15/2022
Damage Location:	839 Rosebay Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information: Excavator failed to notify the association (Indiana 811) of the excavation and of the damage to the line. They failed to notify 911 of the damage to the line. They attempted to impede the flow of gas by bending the line and securing it with tape.

APPROVED: //Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Lineal Contracting, Inc.
Case Number:	26973
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/12/2022
Damage Location:	3152 S Coppertree Dr, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	The Hydaker-Wheatlake Company
Case Number:	26974
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/12/2022
Damage Location:	23 E Eberwine Ave, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Lineal Contracting, Inc.
Case Number:	26978
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/13/2022
Damage Location:	451 S Park Ridge Rd, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Tanner Utilities Inc.
Case Number:	26981
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	5960 South State Road 71, Dana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Karma Utility Incorporated
Case Number:	26985
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/15/2022
Damage Location:	4221 Wabash Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	27059
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/18/2022
Damage Location:	410 N Cherry Street, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	E & B Paving, Inc.
Case Number:	27064
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	104 East High Street, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Bullseye Fence Design Inc.
Case Number:	27071
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/21/2022
Damage Location:	708 Nevelle Lane, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Joink LLC
Case Number:	27073
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	16 Hudson Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Town of Warren - Utilities
Case Number:	27077
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	10643 South Hartford City Rd, Warren

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Nobis Technology LLC
Case Number:	27081
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	15334 Ten Point Drive, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	David Price Excavating, Inc.
Case Number:	27087
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/27/2022
Damage Location:	802 Lane Avenue, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Infrastructure Systems, Inc.
Case Number:	27084
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/26/2022
Damage Location:	Boss Ave And Schaefer Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Buttz Excavating, Inc.
Case Number:	27093
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	16674 Bowesmont Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	MJG Construction LLC
Case Number:	27097
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	605 North Livy Court, Ellettsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	RLA Utilities, Inc.
Case Number:	27187
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/16/2022
Damage Location:	2203 Gilmore Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	27201
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/20/2022
Damage Location:	914 North Denmark Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Mark Morron Excavating, LLC
Case Number:	27202
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/23/2022
Damage Location:	162 Echo Lake East Drive, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	27210
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/27/2022
Damage Location:	2660 Schuyler Avenue, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	J & J Electric of Indiana, Inc.
Case Number:	27238
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/2/2022
Damage Location:	Olympic Boulevard & Hulton Road, Pendleton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Utility Management and Construction LLC
Case Number:	27243
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/4/2022
Damage Location:	1140 East Hadley Road, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Professional Concrete Cutting and Drilling LLC
Case Number:	27244
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/4/2022
Damage Location:	5817 Ohara Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Morphey Construction, Inc.
Case Number:	27245
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/4/2022
Damage Location:	10234 North New Jersey Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Dashiell Contracting, Inc.
Case Number:	27251
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	4875 West Church Street, Mecca

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Lykins Contracting Limited Liability Company
Case Number:	27254
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	781 Suzanne Court, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Salsbery Brothers Landscaping, Inc.Other Party:27055Case Number:27055Date of Advisory Meeting:9/23/2022Date of Damage:5/27/2022Damage Location:2895 Stoneway Lane, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Salsbery Brothers Landscaping, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27069
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/21/2022
Damage Location:	10918 Holliday Farms Boulevard, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	27125
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/20/2022
Damage Location:	7003 East 38th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L & S Underground, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27207
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/24/2022
Damage Location:	5712 Teak Lane, Oaklandon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	27225
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/2/2022
Damage Location:	8510 Broadway Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L & S Underground, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27267
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/12/2022
Damage Location:	6313 North Woodhaven Drive, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Energy Group - Gas
Other Party:	Citizens Gas
Case Number:	27375
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/25/2022
Damage Location:	5803 Wheeler Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED

D: //Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Energy Group - Steam Division
Other Party:	Citizens Gas
Case Number:	27398
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/8/2022
Damage Location:	234 South Meridan Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED

:_____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Salsbery Brothers Landscaping, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27075
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	12235 Hobby Horse Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Westfield Gas Corporation
Case Number:	27232
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/27/2022
Damage Location:	10 East 191st Street, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crider & Crider Construction
Other Party:	Citizens Gas
Case Number:	27396
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/9/2022
Damage Location:	6102 Boy Scout Road, Lawrence

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	27174
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/13/2022
Damage Location:	331 Midway Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	27014
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	1148 Fillmore Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	27041
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/26/2022
Damage Location:	406 Clark Road, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	27332
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/17/2022
Damage Location:	4357 Connecticut Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Teracom, Inc.
Case Number:	26842
Date of Advisory Meeting:	9/23/2022
Date of Damage:	3/2/2022
Damage Location:	117 Graywood Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Teracom, Inc.
Case Number:	26907
Date of Advisory Meeting:	9/23/2022
Date of Damage:	3/29/2022
Damage Location:	311 N Wayne Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Solid Finish Construction Inc.
Case Number:	26933
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/11/2022
Damage Location:	100 Court Park, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	True Line Fence (Merrilville)
Case Number:	26934
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/11/2022
Damage Location:	134 Genoa Court, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Windy City Underground, Inc.
Case Number:	26935
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/11/2022
Damage Location:	2625 W 65Th Place, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Teracom, Inc.
Case Number:	26941
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/12/2022
Damage Location:	28711 County Road 16, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	S A R Excavating
Case Number:	26949
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/14/2022
Damage Location:	408 West 4th Street, Milford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	NIPSCO - Electric
Case Number:	27005
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/8/2022
Damage Location:	10 West Madison Street, Hamlet

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED /for Warren

Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Q C Communications, Inc.
Case Number:	27011
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/18/2022
Damage Location:	1000 N Townline Road Apt 18, Lagrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Winhoven Pipeline LLC
Case Number:	27015
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	17102 Hurshtown Road, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	DeYoung's Dirt Works, Inc.
Case Number:	27021
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/20/2022
Damage Location:	3420 West 61St Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Northern Indiana Public Service Company
Rex Construction Company, Inc.
27025
9/23/2022
4/21/2022
3927 Monroe St, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Rex Construction Company, Inc.
Case Number:	27028
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/21/2022
Damage Location:	241 South Connecticut Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Accucom Group LLC
Case Number:	27165
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/11/2022
Damage Location:	127 US Highway 30, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	D H M Contracting LLC
Case Number:	27168
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/12/2022
Damage Location:	622 West Creighton Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Lewis Backhoe, Inc.
Case Number:	27173
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/13/2022
Damage Location:	1309 Ewing Road, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Selge Construction Co., Inc.
Case Number:	27323
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/16/2022
Damage Location:	13349 North Eastshore Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Dickie & Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Allen County Fence LLC
Case Number:	27328
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/17/2022
Damage Location:	3902 Willshire Court, Ft Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Gross Drainage Inc
Case Number:	27334
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/18/2022
Damage Location:	East 500 North & North 400 East, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Always Underground, Inc.
Case Number:	27335
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/18/2022
Damage Location:	3109 West 73rd Avenue, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Niblock Excavating, Inc.
Case Number:	27337
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/19/2022
Damage Location:	54367 Adams Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Infrasource Construction, LLC
Case Number:	27345
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/23/2022
Damage Location:	Kings Highway & Argonne Road, Winona Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Ligonier Tele Communication Consultants, Inc. (Heartland Cellular)
Case Number:	27349
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/24/2022
Damage Location:	855 West US Highway 6 Lot 2, Ligonier

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

augu

/Jeremy Comeau for

APPROVED:



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Derry Electric, Inc.
Case Number:	27355
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/25/2022
Damage Location:	205 West Commerce Street, Macy

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Core Bore, LLC
Case Number:	27358
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/26/2022
Damage Location:	4255 North State Road 39, La Porte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Lechners, Inc.Other Party:27181Case Number:27181Date of Advisory Meeting:9/23/2022Date of Damage:6/2/2022Damage Location:2575 Terry Lane, Jasper

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500; training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: Standard penalty is \$500, but audio of 811 call shows that the excavator intentionally, knowingly disragarded the 811 law and requested an emergency locate, eventhough the situation was not an emergency.

APPROVED:

_/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crosby Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	26922
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/7/2022
Damage Location:	2805 White Oak Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crosby Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	26915
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/4/2022
Damage Location:	2821 White Oak Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brandon Sullivan dba Specialty Maintenance Solutions LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	26591
Date of Advisory Meeting:	9/23/2022
Date of Damage:	1/19/2022
Damage Location:	613 East King Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training, \$1,500

Abstentions: Smith

Additional Information: Standard penalty is a warning letter for first time violations, but excavator taped and used a trash bag to self repair.

APPROVED:

_/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Teracom, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	26837
Date of Advisory Meeting:	9/23/2022
Date of Damage:	3/1/2022
Damage Location:	2111 E Jackson Boulevard, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Amor Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	27009
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/18/2022
Damage Location:	263 Clark Street, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

___/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C S U, Inc.
Other Party:	Citizens Gas
Case Number:	27110
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/3/2022
Damage Location:	5106 Delmar Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Warren

Additional Information:

APPROVED

D: _____/Jeremy Comeau for Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	St John Paving Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	27319
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/10/2022
Damage Location:	1202 Formula Drive Suite G, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	B & D Sewer & Backhoe Service
Case Number:	27029
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/21/2022
Damage Location:	1535 Junction Avenue, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	27049
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	1401 East Jackson Boulevard, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Geiger Trenchless Solutions LLC
Case Number:	27051
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	8199 East Rosella Street, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	T-E Incorporated
Case Number:	27131
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/2/2022
Damage Location:	431 E Brackenridge Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	D. A. Dodd, LLC
Case Number:	27145
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/5/2022
Damage Location:	200 Lumber Center Road, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	O'Neal Excavating & Construction, Inc.
Case Number:	27147
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/5/2022
Damage Location:	811 Lavina Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	H R P Construction, Inc.
Case Number:	27149
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/6/2022
Damage Location:	3879 South 400 West, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Selge Construction Co., Inc.
Case Number:	27155
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	13225 North Eastshore Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Dickie & Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Western Utility Contractors Inc.
Case Number:	27158
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	3201 East Lincoln Highway, Merrillville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	H R P Construction, Inc.
Case Number:	27163
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/10/2022
Damage Location:	3895 400 South, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Grimmer Construction Inc.
Case Number:	27164
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/11/2022
Damage Location:	1523 East Commercial Avenue, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	S E I Excavating Corp.
Case Number:	27255
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/9/2022
Damage Location:	2130 West Oak Hill Road, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Rex Gress & Sons, Inc.
Case Number:	27259
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/11/2022
Damage Location:	381 Hastings Street, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Miller Pipeline, LLC
Case Number:	27264
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/12/2022
Damage Location:	1201 North Red Bank Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	David Price Excavating, Inc.
Case Number:	27275
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/1/2022
Damage Location:	518 Water Street, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

____/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Bloomington
Case Number:	27276
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/1/2022
Damage Location:	2400 East Queens Way, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Joe Bolin, Incorporated
Case Number:	27281
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/2/2022
Damage Location:	7801 Marx Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	DD3 Underground, LLC
Case Number:	27284
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/2/2022
Damage Location:	5401 Highway 41 North, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Robert Harrell
Case Number:	27287
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/4/2022
Damage Location:	11543 Raleigh Lane, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Integrity Kokosing Pipeline Services, LLC
Case Number:	27293
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/6/2022
Damage Location:	511 Sawmill Road, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Dorsey Excavating, Inc.
Case Number:	27294
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/1/2022
Damage Location:	5 Municipal Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana
WCA Group, LLC dba Williams Comfort Air (Mr. Plumber)
27298
9/23/2022
6/7/2022
225 South Railroad Street, Atlanta

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

augu

APPROVED:

___/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Mr. G Guarantee Roofing Corporation
Case Number:	27308
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/13/2022
Damage Location:	7297 Westwood Lane, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Calumet Civil Contractors, Inc.
Case Number:	27318
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/15/2022
Damage Location:	1314 South Rangeline Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chris Stasi
Other Party:	Northern Indiana Public Service Company
Case Number:	27035
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/24/2022
Damage Location:	409 Niagara Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cano's Services, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	26919
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/7/2022
Damage Location:	14355 Teal Court, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Larry Norman
Other Party:	Northern Indiana Public Service Company
Case Number:	26937
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/12/2022
Damage Location:	408 N Maple Street, Akron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C N B Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27023
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/20/2022
Damage Location:	2301 Columbus Drive, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ground Systems LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27012
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/18/2022
Damage Location:	55255 Wintercrest Drive, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R & R Excavating
Other Party:	Northern Indiana Public Service Company
Case Number:	27050
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/29/2022
Damage Location:	18181 Douglas Road, Notre Dame

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G & B Directional Boring LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27032
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/22/2022
Damage Location:	53772 Kershner Lane, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Elmer's Service, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	27039
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/26/2022
Damage Location:	54219 Pebblestone Lane, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED

/Jeremy Comeau for



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dan Cristiani Excavating Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	27067
Date of Advisory Meeting:	9/23/2022
Date of Damage:	4/19/2022
Damage Location:	640 North Clark Boulevard, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dan Cristiani Excavating Co., Inc.
Other Party:	Midwest Natural Gas Corporation
Case Number:	27103
Date of Advisory Meeting:	9/23/2022
Date of Damage:	6/2/2022
Damage Location:	13924 Bluelick Road, Memphis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	27214
Date of Advisory Meeting:	9/23/2022
Date of Damage:	5/24/2022
Damage Location:	2231 North Martha Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED

Ben Warren, Chairman