

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman	√		
Krevda	√		
Ober	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: DEC 15 2021

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR:

APPROVED: DEC 15 2021

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & M Underground LLC
Other Party: Citizens Gas
Case Number: 24004
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/30/2020
Damage Location: 4945 W 13th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R T Moore, Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23977
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/22/2020
Damage Location: 5355 Locust Ct, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Van Hoy & Sons Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 24061
Date of Advisory Meeting: 9/14/2021
Date of Damage: 11/2/2020
Damage Location: 2611 Bell Rd, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chuck's Custom Concrete LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23948
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/14/2020
Damage Location: 4716 Illinois Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B & T Drainage, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 24060
Date of Advisory Meeting: 9/14/2021
Date of Damage: 11/2/2020
Damage Location: 2345 Frisco Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H & G Underground Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23950
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/14/2020
Damage Location: 25th Avenue & Washington Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 23992
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: 580 W 150 S, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24025
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/20/2020
Damage Location: 215 K Street, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Miller Pipeline, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24017
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/19/2020
Damage Location: 23700 Marquette Boulevard Lot 33, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24038
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/26/2020
Damage Location: 105 East Ellsworth Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, LP
Other Party: Northern Indiana Public Service Company
Case Number: 24042
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/27/2020
Damage Location: East Monroe Street & North Dodge Street, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T S W Utility Solutions, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23985
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: Tillson Dr and N Michigan Rd, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Hipkind Concrete Corp
Case Number: 23926
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/8/2020
Damage Location: 923 Cherry Blossom Lane, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Selge Construction Co., Inc.
Case Number: 23929
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/8/2020
Damage Location: 1305 E Lincoln Avenue, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Key Concrete, Inc.
Case Number: 23934
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/12/2020
Damage Location: 5702 Challenger Parkway, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: John Boettcher Sewer & Excavating Contractor, LTD
Case Number: 23943
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/13/2020
Damage Location: 4609 Grape Road Suite B4, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: B & T Drainage, Inc.
Case Number: 23956
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/16/2020
Damage Location: 2455 Lafayette Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Joel Edwards Construction
Case Number: 23962
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/16/2020
Damage Location: 600 E Broadway Ave, Arcadia

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Hendricks County REMC
Case Number: 23967
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/21/2020
Damage Location: 6476 Crystal Springs Dr, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J E Reedy, Inc.
Case Number: 23966
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/21/2020
Damage Location: 2306 Scoria Ct, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Sub-Surface of Indiana, Inc.
Case Number: 23971
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/21/2020
Damage Location: 3579 W Roberts Rd, Trafalgar

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Crosby Excavating, Inc.
Case Number: 23952
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/15/2020
Damage Location: 5215 Lone Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 23951
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/15/2020
Damage Location: 57 Deer Path Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: T S W Utility Solutions, Inc.
Case Number: 24019
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/19/2020
Damage Location: 1713 N Main Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Indiana American Water Co. DBA Indiana American
Case Number: 24033
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/22/2020
Damage Location: 4381 Grant Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Techno Drill, LLC
Case Number: 23969
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/22/2020
Damage Location: 714 South St, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: C A Advanced, Inc.
Case Number: 23973
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/23/2020
Damage Location: 247 Vestal Rd, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Libs Paving Company, Inc.
Case Number: 23975
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/23/2020
Damage Location: 1812 Corydon Pk, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Schutte Excavating Inc.
Case Number: 23974
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/23/2020
Damage Location: 8th & Cherry St, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Action Plumbing, Inc. (Cedar Lake)
Case Number: 24037
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/26/2020
Damage Location: 841 Village Glenn Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Gary Material Supply LLC
Case Number: 24053
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/26/2020
Damage Location: West 27th Avenue and Calhoun Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Helebo Trenching, Inc.
Case Number: 23979
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/26/2020
Damage Location: 9570 Hunt Club Rd, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Roto-Rooter of Kokomo
Case Number: 24039
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/26/2020
Damage Location: 1853 Warhawk Road, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: A T C Group Services LLC
Case Number: 23983
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: 3315 Kent Ave, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Blankenberger Brothers, Inc.
Case Number: 24059
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: 2 Washington Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carlisle Utility Contractors, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23931
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/9/2020
Damage Location: 17813 Oak Park Lane Lot 150, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Powers Welding
Other Party: CenterPoint Energy Indiana
Case Number: 23989
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: S. Meridian / Hwy 50W, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wills Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23981
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/27/2020
Damage Location: 7389 Farlin Dr, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J D & M B LLC DBA Barnett Contracting
Other Party: Northern Indiana Public Service Company
Case Number: 23947
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/14/2020
Damage Location: 8972 North US Highway 24, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: F & K Construction Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23949
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/14/2020
Damage Location: 308 East Main Street, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: PirTano Construction Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24028
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/21/2020
Damage Location: 1225 Arrowhead Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: M & C Trenching
Other Party: Northern Indiana Public Service Company
Case Number: 24043
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/27/2020
Damage Location: 700 South Clear Lake Drive, Fremont

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D C Construction Services, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23995
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: E Mckeever & State St, Andrews

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tony Unger
Other Party: Northern Indiana Public Service Company
Case Number: 23937
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/12/2020
Damage Location: 930 North Niles Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A-1 Suburban Plumbing Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23954
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/5/2020
Damage Location: 17345 Sequoia Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Greg Stowers
Other Party: Northern Indiana Public Service Company
Case Number: 24015
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/17/2020
Damage Location: 5482 E 500 S, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Walker Services
Other Party: CenterPoint Energy Indiana
Case Number: 23959
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/17/2020
Damage Location: 1921 N Valley View Dr, Ellettsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: SG Service Group LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23990
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/30/2020
Damage Location: 10458 Robinwood Ct, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Santamara Bates
Other Party: Citizens Gas
Case Number: 24001
Date of Advisory Meeting: 9/14/2021
Date of Damage: 11/2/2020
Damage Location: 1202 W 29th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Decks By Design of Indiana, Inc.
Other Party: Citizens Gas
Case Number: 24002
Date of Advisory Meeting: 9/14/2021
Date of Damage: 11/2/2020
Damage Location: 648 E 25th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training, \$1500

Abstentions: **Warren**

Additional Information: **Escalated because excavator failed to immediately report damage, attempted self repair with tape, and continued work, hitting the line 2 additional times.**

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kim Painting Solutions & More LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23410
Date of Advisory Meeting: 9/14/2021
Date of Damage: 8/20/2020
Damage Location: 1925 South Armstrong, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: M C G O Services
Other Party: Northern Indiana Public Service Company
Case Number: 23925
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/8/2020
Damage Location: 4632 South Strawtown Pike, Peru

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bradley's Professional Lawn & Landscape
Other Party: Northern Indiana Public Service Company
Case Number: 23942
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/13/2020
Damage Location: 1714 Kentucky Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Nova Basement Systems
Other Party: Northern Indiana Public Service Company
Case Number: 23945
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/13/2020
Damage Location: 12811 Fawn Court, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Columbus
Other Party: CenterPoint Energy Indiana
Case Number: 23965
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/20/2020
Damage Location: 3520 W 200 S, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Poteet Concrete Construction
Other Party: CenterPoint Energy Indiana
Case Number: 23970
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/20/2020
Damage Location: 1235 Hanging Rock Dr, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Fox Paving & Construction Inc
Other Party: CenterPoint Energy Indiana
Case Number: 23982
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: 3838 State Road 38 E, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Careom Concrete Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23984
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: 2542 Creekland, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Marshall Electrical Contracting LLC
Other Party: CenterPoint Energy Indiana
Case Number: 23988
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: 13577 E 126th St, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Merritt & Son Excavating, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23946
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/13/2020
Damage Location: 30 West Main Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Gary's Plumbing Service, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 23987
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/28/2020
Damage Location: 11 Old Orchard, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Roto Rooter - Bloomington (Woodland Enterprises LLC)
Other Party: CenterPoint Energy Indiana
Case Number: 23993
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/30/2020
Damage Location: 5927 S Catherine St, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Glycerin Traders
Other Party: Northern Indiana Public Service Company
Case Number: 24051
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/31/2020
Damage Location: 3522 South State Road 104 Ste Main Building 1,
LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information: **modify excavator to be professional excavator**

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Prough Unlimited
Other Party: Northern Indiana Public Service Company
Case Number: 24054
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/27/2020
Damage Location: 5280 North State Road 3, Howe

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: American Eagle Home Improvements
Other Party: Northern Indiana Public Service Company
Case Number: 24021
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/19/2020
Damage Location: 535 North Miami Street, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Feters Construction, Inc
Other Party: Northern Indiana Public Service Company
Case Number: 24029
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/21/2020
Damage Location: 4310 Homestead Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Riggs Drilling Solutions Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24032
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/22/2020
Damage Location: 1601 West State Road 114, North Manchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: A G Concrete, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24034
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/23/2020
Damage Location: 14667 Cerro Verde Run Lot 45, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: I F C Fence Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24045
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/29/2020
Damage Location: 207 South Old US Highway 41, Boswell

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Salu Rivera
Other Party: Citizens Gas
Case Number: 23889
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/7/2020
Damage Location: 3381 W 42nd St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions: **Warren**

Additional Information:

APPROVED:  /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: James Krueger
Other Party: Northern Indiana Public Service Company
Case Number: 23935
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/12/2020
Damage Location: 4601 Merriam Park Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ryan Tosh
Other Party: Northern Indiana Public Service Company
Case Number: 23936
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/12/2020
Damage Location: 9543 Wicker Avenue, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Antonio Cervantes
Other Party: Northern Indiana Public Service Company
Case Number: 23940
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/13/2020
Damage Location: 2504 Glad Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Bowles
Other Party: CenterPoint Energy Indiana
Case Number: 23957
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/16/2020
Damage Location: 1929 E Overcoat Rd, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Breanna Norris
Other Party: CenterPoint Energy Indiana
Case Number: 23960
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/16/2020
Damage Location: 725 T St, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jimmie Childers
Other Party: CenterPoint Energy Indiana
Case Number: 23963
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/18/2020
Damage Location: 9604 E Jackson St, Selma

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jim Crane
Other Party: CenterPoint Energy Indiana
Case Number: 23972
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/22/2020
Damage Location: 631 S 7th St, Mitchell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Danny Ball
Other Party: Ohio Valley Gas Corp
Case Number: 24009
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/16/2020
Damage Location: 5719 Scotch Pine Rd., Cannelton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lisa Overmyer
Other Party: Northern Indiana Public Service Company
Case Number: 24013
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/17/2020
Damage Location: 1130 Ponitac Street, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Edwin Beltran
Other Party: Northern Indiana Public Service Company
Case Number: 24016
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/17/2020
Damage Location: 1344 Johnson Street Apartment 1, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Samuel Mace
Other Party: CenterPoint Energy Indiana
Case Number: 23991
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/30/2020
Damage Location: 6391 Barley Dr, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: U S A Rent a Fence Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23938
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/12/2020
Damage Location: 129 North Hamilton Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Allan Delagrange Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 23941
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/13/2020
Damage Location: 10918 North Southshore Drive, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Sunrise Telecom Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 23944
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/13/2020
Damage Location: 17475 Dugdale Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ron Schmoll
Other Party: CenterPoint Energy Indiana
Case Number: 23994
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/31/2020
Damage Location: 6782 W CR 375 N, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sacha Gee Burns
Other Party: Northern Indiana Public Service Company
Case Number: 24014
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/17/2020
Damage Location: 9777 W 250 S, Westville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: M B Construction
Other Party: Northern Indiana Public Service Company
Case Number: 24023
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/20/2020
Damage Location: 600 Noble Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D B S Construction Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24031
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/22/2020
Damage Location: 609 West Ridge Road, Gary

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kevin Ahaus
Other Party: Citizens Gas
Case Number: 24003
Date of Advisory Meeting: 9/14/2021
Date of Damage: 11/1/2020
Damage Location: 6502 Marble Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Darrell Corey
Other Party: Northern Indiana Public Service Company
Case Number: 24026
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/20/2020
Damage Location: 453 Fairmount Road, Kingsford Heights

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Malott
Other Party: Northern Indiana Public Service Company
Case Number: 24030
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/21/2020
Damage Location: 27062 County Road 20, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Randall Sharkey
Other Party: Northern Indiana Public Service Company
Case Number: 24035
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/24/2020
Damage Location: 1217 Shore Lane, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Beaver Built Fences
Other Party: CenterPoint Energy Indiana
Case Number: 23978
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/26/2020
Damage Location: 1006 S 25th, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Jerry Albright
Other Party: Northern Indiana Public Service Company
Case Number: 24046
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/30/2020
Damage Location: 620 East 350 South, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Farrer
Other Party: Northern Indiana Public Service Company
Case Number: 24047
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/31/2020
Damage Location: 7307 Kristine Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:


_____/for Ben Warren
Ben Warren, Chairman

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Terri Conley
Other Party: Northern Indiana Public Service Company
Case Number: 24048
Date of Advisory Meeting: 9/14/2021
Date of Damage: 10/31/2020
Damage Location: 892 East 1100, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter
Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED:  /for Ben Warren
Ben Warren, Chairman