

#### STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	٧		
Bennett	٧		
Freeman	٧		
Veleta	٧		
Ziegner	٧		

#### INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER	)	
APPROVING ADVISORY COMMITTEE	)	APPROVED: DEC 20 2023
RECOMMENDATIONS PURSUANT TO	)	
INDIANA CODE CHAPTER 8-1-26.	)	

#### **ORDER OF THE COMMISSION**

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

#### IT IS SO ORDERED.

#### **HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:**

APPROVED: DEC 20 2023

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ed Myers (Higher Ground Tree Service)
Other Party:	Northern Indiana Public Service Company
Case Number:	29733
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/20/2023
Damage Location:	3109 Chris Court, Kokomo
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
Sall	
Δ PPR ∩VED.	James P. Surd for Ren Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Clint Hammes	
Other Party:	Indiana Natural Gas Corporation	
Case Number:	29647	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	4/15/2023	
Damage Location:	1512 Tanglewood Lane, Nashville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
Carl S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairman		



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jason Stauffacher
Other Party:	Northern Indiana Public Service Company
Case Number:	29782
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/6/2023
Damage Location:	160 Lane 280 Lake James, Angola
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Thomas Crousore
Other Party:	Northern Indiana Public Service Company
Case Number:	29791
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/9/2023
Damage Location:	2317 Pinehurst Lane, Kokomo
The IURC Pipeline Safety Div  IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	John Vanmatre
Other Party:	Northern Indiana Public Service Company
Case Number:	29808
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/14/2023
Damage Location:	10366 East 155 South, Greentown
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
` ,	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Marty Jaranowski
Other Party:	Northern Indiana Public Service Company
Case Number:	29811
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/15/2023
Damage Location:	1008 Dune Sand Court, Dyer
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Grace Brin
Other Party:	Northern Indiana Public Service Company
Case Number:	29813
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/15/2023
Damage Location:	204 North Clay Street, San Pierre
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	William Kraus
Other Party:	Northern Indiana Public Service Company
Case Number:	29819
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/16/2023
Damage Location:	1023 South 27th Street, South Bend
	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b> Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lewis Neal
Other Party:	Northern Indiana Public Service Company
Case Number:	29825
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	3745 West 75th Court, Merrillville
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
A DDD OVED.	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kevin Smith
Other Party:	Northern Indiana Public Service Company
Case Number:	29827
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/18/2023
Damage Location:	515 North West Boulevard, Elkhart
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Joseph Bontreger
Other Party:	Northern Indiana Public Service Company
Case Number:	29831
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/20/2023
Damage Location:	1880 North 100 West, LaGrange
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Timothy Schumacher
Other Party:	Northern Indiana Public Service Company
Case Number:	29840
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	16231 County Line Road, Hebron
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rick Kindle
Other Party:	Northern Indiana Public Service Company
Case Number:	29852
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/25/2023
Damage Location:	626 West Jefferson Street, Monticello
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29805
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/12/2023
Damage Location:	920 Baker Street, Culver
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Zachary Mortimer
Other Party:	Northern Indiana Public Service Company
Case Number:	29860
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/26/2023
Damage Location:	763 West 350 North, Hobart
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	David Harris
Other Party:	Northern Indiana Public Service Company
Case Number:	29862
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/28/2023
Damage Location:	601 West Woodcreek Drive, Ossian
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Michael Hyleck
Other Party:	Northern Indiana Public Service Company
Case Number:	29864
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/29/2023
Damage Location:	5224 West Shore Drive, Bremen
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:	Devon Hill
Other Party:	CenterPoint Energy Indiana
Case Number:	29886
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/20/2023
Damage Location:	557 South White Church Road, Princeton
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	David Lehenbauer
Other Party:	CenterPoint Energy Indiana
Case Number:	29909
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/21/2023
Damage Location:	688 North Yeagy Court, Greenwood
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Adam Meekin	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29914	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/26/2023	
Damage Location:	463 Swan Street, Huntington	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Dennis Shuck	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29928	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/31/2023	
Damage Location:	515 Cherry Hill Drive, Evansville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Stephanie Hagan
Other Party:	Citizens Gas
Case Number:	29936
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/19/2023
Damage Location:	7127 Carlsen Avenue, Indianapolis
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
raditional information.	
APPROVED:	James D. Sund for South Souths
Scott Sontag, Vice (	James R. Surd for Scott Sontag
Scott Bolling, Vice	~11W1111W11



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Nabil Rezkalla
Other Party:	Citizens Gas
Case Number:	29938
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/18/2023
Damage Location:	7611 Baywood Drive South, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	ee Chairman



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Jose Torres
Other Party:	Citizens Gas
Case Number:	29943
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/9/2023
Damage Location:	10042 East Southport Road, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Justin Huxford	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29963	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/2/2023	
Damage Location:	10807 South 625 West, Rosedale	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brandon Wilhite
Other Party:	CenterPoint Energy Indiana
Case Number:	29967
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/4/2023
Damage Location:	313 South Stout Street, Princeton
The IURC Pipeline Safety Divisio	n finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	ends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



Respondent:	Vanessa Bustos	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29980	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/6/2023	
Damage Location:	130 East Brown Street, Seymour	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brandon Shafer
Other Party:	CenterPoint Energy Indiana
Case Number:	30001
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/10/2023
Damage Location:	2589 West US Highway 40, Greenfield
The IURC Pipeline Safety Divis  IC 8-1-26-16(h)	ion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chair	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alexander Giurovici
Other Party:	Northern Indiana Public Service Company
Case Number:	30126
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/3/2023
Damage Location:	1048 North County Road 200 East, Chesterton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Edward Hood
Other Party:	Northern Indiana Public Service Company
Case Number:	30145
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/9/2023
Damage Location:	5868 North Center Street, Columbia City
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Shaffers Fencing, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29799
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/11/2023
Damage Location:	925 South Armstrong Street, Kokomo
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Town of Highland
Other Party:	Northern Indiana Public Service Company
Case Number:	29821
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	9337 Kleinman Road, Highland
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	ommends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ran Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Ways Plumbing, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29844
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	2140 North Locke Street, Kokomo
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Foyle Plumbing
Other Party:	Northern Indiana Public Service Company
Case Number:	29848
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	1202 Shore Lane, Syracuse
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Horizon Fence & Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29853
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/25/2023
Damage Location:	526 Raven Road, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED.	James R Surd for Ren Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Dan Armey
Other Party:	Northern Indiana Public Service Company
Case Number:	29806
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/12/2023
Damage Location:	629 Ross Avenue, Warsaw
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	George England
Other Party:	Northern Indiana Public Service Company
Case Number:	29837
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	2205 East 770 South, Wolcottville
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Raymond Dziezak
Other Party:	Northern Indiana Public Service Company
Case Number:	29851
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/25/2023
Damage Location:	3428 Ross Place, Highland
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Thompson Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29845
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	633 South Buffalo Street, Warsaw
The IURC Pipeline Safety Div	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Utility Solutions Midwest Division, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29869
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/31/2023
Damage Location:	10094 East Baseline Road, Avilla
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	MasTec, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30118
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/1/2023
Damage Location:	304 West US Highway 6, Valparaiso
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	H & G Underground Utilities, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29846
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	70927 County Road 7, Nappanee
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Verita Telecommunications Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	29858
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/26/2023
Damage Location:	1706 West Till Road, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29865
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/30/2023
Damage Location:	4002 Avondale Drive, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	30119
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/1/2023
Damage Location:	17341 US Highway 20, Goshen
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Premier Directional Boring Inc.
Case Number:	29817
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/15/2023
Damage Location:	701 River Breeze Court, Albion
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ban Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	29820
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/16/2023
Damage Location:	1111 Academy Road, Culver
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	On the Level Fence & Deck Inc.
Case Number:	29823
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	8760 Monroe Avenue, Munster
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Alex Baker
Case Number:	29830
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/20/2023
Damage Location:	9182 Merrimack Court, Saint John
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Mishawaka
Case Number:	29833
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	514 1/2 East Lincoln Way, Mishawaka
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
Δ PPR ∩VFD·	James P. Surd for Ren Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Osmose Utilities Services, Inc.
Case Number:	29838
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	14320 Elm Place, Cedar Lake
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	B & D Sewer & Backhoe Service
Case Number:	29859
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/26/2023
Damage Location:	7005 East 117 <sup>th</sup> Avenue, Winfield
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Langfeldt Excavating
Case Number:	29866
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/30/2023
Damage Location:	217 Gilmore Street, Plymouth
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	William Eric Group, LLC d/b/a Smith Projects, Inc.
Case Number:	29933
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	6021 South Arlington Avenue, Indianapolis
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Citizens Gas
Other Party:	Laurel Macallister
Case Number:	30099
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/4/2023
Damage Location:	4702 Briar Patch Court, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Milestone Contractors North, Inc.
Case Number:	30132
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/6/2023
Damage Location:	118 Beverly Place, Munster
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Daystar Directional Drilling, Inc.	
Case Number:	30397	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/17/2023	
Damage Location:	1995 West Mckenzie Road, Greenfield	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana	
Other Party:	Southmid Fiber LLC	
Case Number:	29888	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/21/2023	
Damage Location:	2190 North Cullen Avenue, Evansville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recom	mends the following civil penalty:	
\$1,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chair	James R. Surd for Ben Warren	



Respondent:

#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Community Natural Gas Inc

-	•	
Other Party:	Don Mobley	
Case Number:	29596	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	4/15/2023	
Damage Location:	105 Thompson Lane, Owensville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Carlisle Utility Contractors, Inc.
Case Number:	30116
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/25/2023
Damage Location:	8205 Grand Boulevard, Merrillville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	L & S Underground, Inc.
Case Number:	30417
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/21/2023
Damage Location:	709 West Broadway Street, Fortville
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	)
The Advisory Committee recon	nmends the following civil penalty:
\$1,000	
<b>+</b> -, · · · ·	
Abstentions:	
A 11'' 1 T C	
Additional Information:	
ADDROLLED SAME	
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren
,	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana	
Other Party:	K & N Communications LLC	
Case Number:	29895	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	18517 South 250 East, Clinton	
The IURC Pipeline Safety Divisio	on finds the following violation(s):	
IC 8-1-26-18(h)(records)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
· /		
Abstentions:		
Additional Information:		
	7	
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Rieth-Riley Construction Co., Inc.
Case Number:	29931
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	8802 Bash Street, Indianapolis
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Addison Underground Utilities LLC
Case Number:	29986
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/8/2023
Damage Location:	2201 North 16th Street, Terre Haute
The IURC Pipeline Safety Divisi	ion finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee recomm	mends the following civil penalty:
\$1,000	
,	
Abstentions:	
Additional Information:	
Carl S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	man



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Northwestern Indiana Telephone Co.
Case Number:	30115
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	215 Roosevelt Street, Chesterton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Rex Construction Company, Inc.
Case Number:	30124
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/3/2023
Damage Location:	6940 Forest Avenue, Gary
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	United Piping, Inc.
Case Number:	30129
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/5/2023
Damage Location:	75 North 600 West, Valparaiso
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Northwestern Indiana Telephone Co.
Case Number:	30133
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/6/2023
Damage Location:	701 East Porter Avenue, Chesterton
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Fort Wayne
Case Number:	30137
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/7/2023
Damage Location:	3330 Chestnut Street, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	John Hall Construction, Inc.
Case Number:	29664
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/19/2023
Damage Location:	5380 Rockville Road, Indianapolis
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Lawyer Excavation	
Case Number:	30411	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/20/2023	
Damage Location:	199 North US Highway 31, New Whiteland	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)(no-response)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairn	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Sam Dotlich
Other Party:	CenterPoint Energy Indiana
Case Number:	29903
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/16/2023
Damage Location:	830 Ironwood Drive East, Brownsburg
The IURC Pipeline Safety Divisi	on finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recomm	mends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairn	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Scott Camp
Other Party:	Northern Indiana Public Service Company
Case Number:	30125
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/3/2023
Damage Location:	111 Cedar Drive, Walkerton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	AmeriDream Fence & Deck Inc.	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29772	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/2/2023	
Damage Location:	633 Fillmore Avenue, Dyer	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee reco	mmends the following civil penalty:	
\$1,500, respondent can comp	lete training instead of paying \$1,500	
Abstentions: <b>Smith</b>		
Additional Information:		
APPROVED:	James P. Surd for Ren Warren	

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Solutions Directional Drilling LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29992
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/8/2023
Damage Location:	1915 West Broadway Street, Princeton
The IURC Pipeline Safety Div. IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Gall 1	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Nelson Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29145
Date of Advisory Meeting:	10/19/2023
Date of Damage:	1/12/2023
Damage Location:	11421 West 121st Place, Cedar Lake
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Anderson Remodeling
Other Party:	CenterPoint Energy Indiana
Case Number:	29896
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/23/2023
Damage Location:	320 Garwood Road, Richmond
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



Respondent:	Nanlee Engineering Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29913	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/26/2023	
Damage Location:	2217 Industrial Park Drive, Building C, Bedford	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-20(a)(1)		
· / · /		
The Advisory Committee recon	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
<b>1</b>	1 8	
Abstentions:		
Additional Information:		
Additional information.		
APPROVED:	James D. Sund for Dan Warren	
Ben Warren, Chair	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Indys Finest Fence LLC
Other Party:	Citizens Gas
Case Number:	29939
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	351 Central State Boulevard, Indianapolis
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



Respondent:	Case Construction, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29908	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/25/2023	
Damage Location:	2300 South Mock Avenue, Muncie	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty: \$3,500		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Ben Warren, Chairman

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brooks Construction Company, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29842
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/23/2023
Damage Location:	2005 North Michigan Street Building 785, Plymouth
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	All Star Paving Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29987	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/8/2023	
Damage Location:	390 Briar Hill Drive, Whiteland	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:  \$4,000		
<b>9-1,000</b>		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Niblock Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29744
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/25/2023
Damage Location:	2602 College Avenue, Goshen
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Blankenberger Brothers, Inc.

Other Party:	CenterPoint Energy Indiana	
Case Number:	29960	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/2/2023	
Damage Location:	2709 East Walnut Street, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recomm	nends the following civil penalty:	
\$5,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S & S Directional Boring, LTD
Other Party:	Northern Indiana Public Service Company
Case Number:	30127
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/5/2023
Damage Location:	616 West Superior Street, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Infrasource Construction, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30120
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/1/2023
Damage Location:	2155 North State Road 9, LaGrange
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

0.1 7	mt - 36 11 177.111.1
Other Party:	Tipton Municipal Utilities
Case Number:	29993
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/8/2023
Damage Location:	320 West Adams Street, Tipton
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil penalty:
01 000	
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:	James D. Stand for Dan Warran
Ben Warren, Chairm	James R. Surd for Ben Warren
,	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Monroe LLC	
Case Number:	29998	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/9/2023	
Damage Location:	11120 Saint Charles Place, Carmel	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30006	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/12/2023	
Damage Location:	2317 East 10th Street, Jeffersonville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
41,000		
Abstentions:		
A 1112 17 0 2		
Additional Information:		
and S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Blankenberger Brothers, Inc.	
Case Number:	30010	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/13/2023	
Damage Location:	2801 East Walnut Street, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomn	nends the following civil penalty:	
\$1,000		
Φ1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



Respondent:	CenterPoint Energy Indiana	
Other Party:	C T S I, LLC	
Case Number:	30022	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/15/2023	
Damage Location:	324 North Elm Street, Brazil	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
Carl C		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Calumet Civil Contractors, Inc.	
Case Number:	30023	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/15/2023	
Damage Location:	8215 Oak Street, Zionsville	
The IURC Pipeline Safety Division	n finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Howard Companies Inc
Case Number:	30025
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/15/2023
Damage Location:	Southway Drive & Southway Court, Bargersville
The IURC Pipeline Safety Divis	ion finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recom \$1,000	mends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Snedegar Construction, Inc.
Case Number:	30030
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/15/2023
Damage Location:	904 North Illinois Street, Bloomington
The IURC Pipeline Safety Divisi	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recom	mends the following civil penalty:
\$1,000	
<b>91,000</b>	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Howard Companies Inc	
Case Number:	30181	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/20/2023	
Damage Location:	383 Southway Court, Bargersville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Joink LLC	
Case Number:	30182	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/20/2023	
Damage Location:	643 Monterey Avenue, Terre Haute	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Draper Fencing Company LLC	
Case Number:	30190	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/21/2023	
Damage Location:	23 Valley Way Place, Greenwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomn	nends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



Respondent:	CenterPoint Energy Indiana	
Other Party:	Ragle, Inc.	
Case Number:	30192	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/21/2023	
Damage Location:	607 Sunny Acres Drive, Bedford	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	South Mid Fiber	
Case Number:	30197	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/22/2023	
Damage Location:	6121 Weiss Road, Evansville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
•	come are reasoning or a pomision	
\$1,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

CenterPoint Energy Indiana
S & S Fiberoptics Corp
30200
10/19/2023
6/23/2023
3816 Saint Remy Drive, Bloomington
on finds the following violation(s):
nends the following civil penalty:
James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Petersburg
Case Number:	30215
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/27/2023
Damage Location:	503 White River Avenue, Petersburg
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Blankenberger Brothers, Inc.	
Case Number:	30221	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/29/2023	
Damage Location:	401 Vann Avenue, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
41,000		
Abstentions:		
Additional Information:		
Sall &		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



Respondent:	CenterPoint Energy Indiana	
Other Party:	Bowen Engineering Corporation	
Case Number:	30224	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/26/2023	
Damage Location:	329 Dehart Street, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	C A Advanced, Inc.	
Case Number:	30226	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/21/2023	
Damage Location:	8720 Lester Place, Pendleton	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	C S U, Inc.	
Case Number:	30227	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/27/2023	
Damage Location:	North 18th Street, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:	CenterPoint Energy Indiana	
Other Party:	Lankford Excavating, LLC	
Case Number:	30233	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/29/2023	
Damage Location:	2422 Maple Avenue, Terre Haute	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
,		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Corner Cable, Inc.	
Case Number:	30301	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/5/2023	
Damage Location:	96 Gnarled Oak Lane, Whiteland	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Duke Energy Indiana	
Case Number:	30302	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/6/2023	
Damage Location:	908 West Country Club Drive, Bloomington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:  \$1,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Kinetics Xcavating LLC
Case Number:	30304
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/6/2023
Damage Location:	1608 South Center Street, Terre Haute
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Beck's Excavating LLC
Case Number:	30305
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/6/2023
Damage Location:	814 North Jefferson St, Hartford City
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Dave O'Mara Contractor, Inc.	
Case Number:	30320	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/13/2023	
Damage Location:	241 West South Street, Shelbyville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
Additional information.		
Sull		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	1811	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Howard Companies Inc
Case Number:	30326
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/10/2023
Damage Location:	401 Mooreland Drive, New Whiteland
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Case Construction, Inc.	
Case Number:	30328	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/13/2023	
Damage Location:	2221 Noble Street, Anderson	
The IURC Pipeline Safety Divisio	n finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Miller Pipeline, LLC	
Case Number:	30333	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/11/2023	
Damage Location:	311 West North Street, Eaton	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-18(h)		
· ,		
The Advisory Committee recom	mends the following civil penalty:	
\$1,000		
Ψ1,000		
Abstentions:		
Additional Information:		
Sall		
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren	
Den wanen, Chan	Hidii	



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

CenterPoint Energy Indiana

Other Party:	Delaware County Highway Department	
Case Number:	30334	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/11/2023	
Damage Location:	7800 South Walnut Street, Muncie	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
\$1,000	iends the following civil penalty.	
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Selge Construction Co., Inc.
Case Number:	29868
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/31/2023
Damage Location:	30 EMS C28E1 Lane, Warsaw
The IURC Pipeline Safety Div IC 8-1-26-18(h)	vision finds the following violation(s):
The Advisory Committee reco	emmends the following civil penalty:
\$1,000	
Abstentions: <b>Dickie &amp; Smith</b> Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Creekside Outdoor Services, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29756
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/27/2023
Damage Location:	1725 McKibben Street, Wabash
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED.	James P. Surd for Ren Warren



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Dan Kelly
Other Party:	Citizens Gas
Case Number:	30106
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/15/2023
Damage Location:	518 North Oriental Street, Indianapolis
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Hipskind Concrete Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	29839
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	8808 Village Grove Drive, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hipskind Concrete Corp
Other Party:	Northern Indiana Public Service Company
Case Number:	29835
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	9018 Willow Grove Drive, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Ben Warren, Chairman

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	29829
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/20/2023
Damage Location:	1740 Carolina Street, Gary
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	nmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Internattional Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29798
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/10/2023
Damage Location:	11210 Albany Ridge Drive Lot 216, Osceola
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Internattional Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29812
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/15/2023
Damage Location:	10140 McKinley Highway, Osceola
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29843
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	10985 McKinley Highway, Osceola
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Miller Pipeline, LLC

Other Party:	CenterPoint Energy Indiana
Case Number:	30189
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/21/2023
Damage Location:	200 Saint James Boulevard, Evansville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Miller Pipeline, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30232
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/30/2023
Damage Location:	1510 North Kinser Pike, Bloomington
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Miller Pipeline, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30309	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/7/2023	
Damage Location:	11045 Hamilton Run, Zionsville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	_	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Miller Pipeline, LLC

Other Party:	CenterPoint Energy Indiana
Case Number:	30327
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/10/2023
Damage Location:	1355 South Pendleton Avenue, Pendleton
Гhe IURC Pipeline Safety Divisio	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
Abstentions: Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



Ben Warren, Chairman

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	29790
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/9/2023
Damage Location:	1198 Old Porter Road, Chesterton
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recor	nmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29793
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/10/2023
Damage Location:	1127 Straford Road, New Haven
The IURC Pipeline Safety Divis IC 8-1-26-20(a)(3)(a)	sion finds the following violation(s):
The Advisory Committee recom	nmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Service Experts Heating & Air Conditioning, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29755
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/27/2023
Damage Location:	2015 Vance Avenue, Fort Wayne
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Miller Pipeline, LLC	
Case Number:	29711	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/15/2023	
Damage Location:	700 South Kentucky Avenue, Evansville	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Southmid Fiber LLC	
Case Number:	29714	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/15/2023	
Damage Location:	6545 West Boonville New Harmony, Evansville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	C T S I, LLC	
Case Number:	29874	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/17/2023	
Damage Location:	303 North Forest Avenue, Brazil	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Jim Marshall Plumbing
Case Number:	29876
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	2142 North 22nd Street, Terre Haute
TI HDGD' I' G G D'	
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
\$1,000	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	ırman



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	FC Electric, Inc.	
Case Number:	29877	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/17/2023	
Damage Location:	2921 Old Romney Road, Lafayette	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Mink Excavating, Inc.	
Case Number:	29882	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/18/2023	
Damage Location:	144 North Vine Street, Plainfield	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	247Group.Us LLC	
Case Number:	29885	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/19/2023	
Damage Location:	1883 South 725 West, Morgantown	
The IURC Pipeline Safety Divisi	ion finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
<b>4-</b> ,000		
Abstentions:		
A 11'' 17 C		
Additional Information:		
ANS		
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren	
Don warren, Chain	iimii	



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Nobis Technology LLC	
Case Number:	29887	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/20/2023	
Damage Location:	1572 Willowview Lane, Greenfield	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Low Voltage Industries, Inc.	
Case Number:	29889	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/18/2023	
Damage Location:	468 Hospital Road, Franklin	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Hoosier Edison Line Company LLC
Case Number:	29891
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/22/2023
Damage Location:	1312 North County Road 325 West, West Lafayette
The IURC Pipeline Safety Division IC 8-1-26-18(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Cobalt Civil, LLC	
Case Number:	29898	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	1201 North Wabash Avenue, Hartford City	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)  The Advisory Committee recommends the following civil penalty:		
\$1,000 Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Midwest Paving LLC	
Case Number:	29899	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	2705 Kossuth Street, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:	CenterPoint Energy Indiana	
Other Party:	Wabash Valley Plumbing LLC	
Case Number:	29900	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/24/2023	
Damage Location:	1401 South 4th Street, Terre Haute	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



Respondent:	CenterPoint Energy Indiana	
Other Party:	City of Terre Haute	
Case Number:	29901	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/24/2023	
Damage Location:	3701 Wallace Avenue, Terre Haute	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Total Development Systems, LLC	
Case Number:	29904	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	East 191 Street, Noblesville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
, -, · · ·		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	1811	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	City of Terre Haute	
Case Number:	29912	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/26/2023	
Damage Location:	3728 Wallace Avenue, Terre Haute	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	mends the following civil penalty:	
\$1,000		
Ψ1,000		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	пап	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Watson Excavating, Inc. (Redkey)	
Case Number:	29915	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/24/2023	
Damage Location:	106 North West Street, Arcadia	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Addison Underground Utilities LLC
Case Number:	29918
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/30/2023
Damage Location:	1439 Lafayette Avenue, Terre Haute
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
A DDD OVED.	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Fox Contractors Corp.	
Case Number:	29925	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/31/2023	
Damage Location:	636 Brookview Drive, Greenwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Five Star Energy Services LLC
Case Number:	29927
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/31/2023
Damage Location:	1543 Thornburg Street, New Castle
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
• ,	
Abstentions:	
A 11'4' 1T C 4'	
Additional Information:	
Sall	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren
Z II Wallen, Shann	<del></del>



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	White Construction, LLC	
Case Number:	29959	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/1/2023	
Damage Location:	936 Lindberg Road, West Lafayette	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomn	nends the following civil penalty:	
\$1,000		
Φ1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



Respondent:	CenterPoint Energy Indiana	
Other Party:	National Ondemand, Inc.	
Case Number:	29964	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/2/2023	
Damage Location:	3044 Somerville Road, Lynnville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Broadband of Indiana LLC	
Case Number:	29968	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/5/2023	
Damage Location:	5535 Warrenton Road, Evansville	
The IURC Pipeline Safety Divisio	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Fence Enterprises LLC	
Case Number:	29970	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/5/2023	
Damage Location:	2112 West Ridge Drive, Mount Vernor	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:  \$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Fox Contractors Corp.	
Case Number:	29971	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/5/2023	
Damage Location:	435 Meadow Circle, Greenwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
,		
Abstentions:		
Additional Information:		
raditional information.		
and L		
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren	
ben warren, Chairn	1411	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Jessica Lacobee	
Case Number:	29974	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/5/2023	
Damage Location:	91 Forest Drive, Jeffersonville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	B M B, Inc.	
Case Number:	29976	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/6/2023	
Damage Location:	2700 Walnut Street, Newburgh	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:  \$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Retain - It Landscaping Inc
Case Number:	29978
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/6/2023
Damage Location:	1912 South Park Avenue, Alexandria
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	C A Advanced, Inc.	
Case Number:	29988	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/8/2023	
Damage Location:	5310 Portman Drive, Noblesville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
,		
Abstentions:		
Additional Information		
Additional Information:		
Sall		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	
Den warren, Chann	1411	



#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Daviess-Martin County Rural Telephone Corporation d/b/a R T C Communications
Case Number:	29990
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/8/2023
Damage Location:	111 East 9th Street, Bicknell
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



Respondent:	Weihe Construction Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29965
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/2/2023
Damage Location:	809 Hummingbird Drive, Brownsburg
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Town of Gosport
Other Party:	Community Natural Gas Inc
Case Number:	29597
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/17/2023
Damage Location:	155 East Main Street, Gosport
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
	nmends the following civil penalty: lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
Sala	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Princeton
Other Party:	CenterPoint Energy Indiana
Case Number:	29878
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	311 South Stout Street, Princeton
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
\$1,500, respondent can compl	ete training instead of paying \$1,500
Abstentions:	
Additional Information:	
A DDD OVED	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K & K Dirtworks, Inc.
Other Party:	Community Natural Gas Inc
Case Number:	29639
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/15/2023
Damage Location:	7381 State Road 62, Dale
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



Respondent:	Pitcher Brye Construction, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29713
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/15/2023
Damage Location:	5205 South 600 West, Trafalgar
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
and S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Voorhies Contracting, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29905
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/25/2023
Damage Location: Bloomington	West Gordon Pike & South Rogers Street,
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	McConnell Plumbing Heating & Air Conditioning In	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29997	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/9/2023	
Damage Location:	609 Hendricks Street, Anderson	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha		



Respondent:	City of Evansville (Water & Sewer Departments)
Other Party:	CenterPoint Energy Indiana
Case Number:	29710
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/15/2023
Damage Location:	3240 Lost Creek Drive, Evansville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	ends the following civil penalty:
\$3,000	
. ,	
Abstentions:	
Additional Information:	
Additional information.	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	<u> </u>



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Conexco Inc.
Other Party:	Citizens Gas
Case Number:	29937
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/19/2023
Damage Location:	10424 Rainbow Lane, Indianapolis
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	on finds the following violation(s):
The Advisory Committee recommendations \$3,000	nends the following civil penalty:
35,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Milam Used Cars	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29957	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/1/2023	
Damage Location:	4721 North State Road 135 A, Franklin	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairr	James R. Surd for Ben Warren	
zen waren, enam	******	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Bryan Cooper
Other Party:	CenterPoint Energy Indiana
Case Number:	29966
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/3/2023
Damage Location:	1210 South Alvord Boulevard, Evansville
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	IIIIIaII



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Weihe Construction Inc.
Other Party:	Citizens Gas
Case Number:	30097
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/1/2023
Damage Location:	9008 Jagged Lane, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	White Construction, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30186
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/20/2023
Damage Location:	1001 East Springhill Drive, Terre Haute
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recom	nmends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



Respondent:	Always Underground, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30188
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/21/2023
Damage Location:	105 Park Avenue, Alexandria
The IURC Pipeline Safety Division	n finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	ends the following civil penalty:
\$5,000	
,	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	an



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	White Construction, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30432
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/25/2023
Damage Location:	Northwestern Avenue, West Lafayette
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
Abstentions: Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



Respondent:	White Construction, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30176
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/19/2023
Damage Location:	Lindberg Road, West Lafayette
The IURC Pipeline Safety Divisio	on finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recomm	ends the following civil penalty:
\$5,000	
. ,	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	_



Respondent:	Florida Underground Systems, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29631
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/28/2023
Damage Location:	201 South Meadowbrook Drive, Bloomington
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Carallet	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rocking G Property Management LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29818
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/16/2023
Damage Location:	189 Sylvan Lake Avenue, Rome City
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
Sall	
Δ PPR ∩VED.	James P. Surd for Ren Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Authentic Exteriors LLP
Other Party:	Northern Indiana Public Service Company
Case Number:	29822
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	1193 Morningside Drive, Chesterton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Sundown Gardens Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29884
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/19/2023
Damage Location:	12802 Chapel Square Street, Carmel
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



Respondent:	Willard Wittmer & Sons	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29176	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	1/16/2023	
Damage Location:	2301 East Boonville New Harmony Road, Evansville	
The IURC Pipeline Safety Div	vision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha		



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Price Construction Group, LLC
Other Party:	Citizens Gas
Case Number:	29657
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/28/2023
Damage Location:	9406 Spring Lakes Drive, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
Carol 1	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	John Hall Construction, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29921	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	6025 Bree Lane, Plainfield	
The HIPC Dineline Sefety Divisi	on finds the following violation(s):	
The TORC Espensie Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(out)		
The Advisory Committee recomm	nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information.		
Additional Information:		
and S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	C D O Group, Incorporated
Other Party:	CenterPoint Energy Indiana
Case Number:	30017
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/14/2023
Damage Location:	4606 Charlestown Road, New Albany
The IURC Pipeline Safety Div  IC 8-1-26-16(h)(expire)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Benchmark Excavating
Other Party:	Northern Indiana Public Service Company
Case Number:	30164
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/15/2023
Damage Location:	414 South Bluff Street, Monticello
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED.	James R. Surd for Ren Warren



Respondent:	Sunco Construction Company, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30210
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/26/2023
Damage Location:	240 West Carlisle Street, Mooresville
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Summers of Marion, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30216
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/27/2023
Damage Location:	2422 South Adams Street, Marion
The IURC Pipeline Safety Divi IC 8-1-26-16(h)(expire)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
GM S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Indiana Earthworks, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30324
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/13/2023
Damage Location:	1201 North Wabash Avenue, Hartford City
The IURC Pipeline Safety Div IC 8-1-26-16(h)(out)	ision finds the following violation(s):
1C 8-1-20-10(II)(UUL)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Majestic Irrigation, Landscape & Design, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29777
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/4/2023
Damage Location:	21514 Golden Maple Court, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	G E Marshall, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29850
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/25/2023
Damage Location:	1460 West Street Suite A, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Vertical Underground LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29897	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	3661 Washington Street, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(out)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
raditional information.		
ADDROVED SAME		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Restoration and Design Concepts LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29983
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/7/2023
Damage Location:	713 South Woodlawn Avenue, Bloomington
The IURC Pipeline Safety Division IC 8-1-26-16(h)(expire)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



Ben Warren, Chairman

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kissinger Electric, Inc.	
Other Party:	Northern Indiana Public Service Company	
Case Number:	30135	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/6/2023	
Damage Location:	603 East Green Street Apartment Eastside, Butler	
The IURC Pipeline Safety Division IC 8-1-26-16(h)(expire)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



Respondent:	Fredericks, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30229	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/30/2023	
Damage Location:	7820 American Way, Anderson	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
( / ( 1 /		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	-	
Den wanen, Challi	1411	



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Kim Phillips

Other Party:	CenterPoint Energy Indiana	
Case Number:	29996	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/9/2023	
Damage Location:	357 East Lakeview Drive, Princes Lake	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)(expire)		
The Advisory Committee recomn  Warning letter	nends the following civil penalty:	
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Nathan Delisle	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30198	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/23/2023	
Damage Location:	7737 Shagbark Court, Brownsburg	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(out)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Keith Coopman	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30234	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/30/2023	
Damage Location:	468 Cormorant Court, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)(out)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	29879
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	40 West Old Plank Road, Bargersville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	ends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Dan Cristiani Excavating Co., Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	29911
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	630 Mulberry Street, Sellersburg
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
,	
Abstentions:	
Additional Information:	
Additional information.	
A DDD OVED.	L DC 1C D W
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren
,	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	Citizens Gas
Case Number:	29930
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/31/2023
Damage Location:	9010 Corporation Drive, Indianapolis
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
Carl 1	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Rieth-Riley Construction Co., Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	29975
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/5/2023
Damage Location:	730 East Washington Street, Lebanon
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



Respondent:	Milestone Contractors, L.P.
Other Party:	CenterPoint Energy Indiana
Case Number:	30027
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/15/2023
Damage Location:	South Williams Street & East Main Street, Lewisville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Citizens Gas
Case Number:	30104
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/14/2023
Damage Location:	230 East Saint Joseph Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	CenterPoint Energy Indiana
Case Number:	30180
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/19/2023
Damage Location:	501 West Knight Street, Brazil
The IURC Pipeline Safety Divisio	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	ends the following civil penalty:
\$5,000	
,	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	_



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Milestone Contractors, L.P.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30325	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/13/2023	
Damage Location:	415 Columbia Street, Lafayette	
The IURC Pipeline Safety Divisio	n finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Florida Underground Systems, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29883	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/19/2023	
Damage Location:	2615 East 5th Street, Bloomington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
•		
Abstentions:		
A 11'4' 1 T C 4'		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Rinehart Excavating, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29916	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/24/2023	
Damage Location:	State Road 38 East, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)(expire)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Exceptional Excavating, LLC
Other Party:	Westfield Gas Corporation
Case Number:	29941
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/10/2023
Damage Location:	17303 Lillian Street, Westfield
The IURC Pipeline Safety Division IC 8-1-26-16(h)(expire)	sion finds the following violation(s):
The Advisory Committee recon \$3,000	nmends the following civil penalty:
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



Respondent:	Milestone Contractors, L.P.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29958	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/1/2023	
Damage Location:	305 East Main Street, Lewisville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
10 0 1 20 10(11)		
The Advisory Committee recomm	nends the following civil penalty:	
\$5,000; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
Additional information:		
and L		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	M & M Underground LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29982
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/7/2023
Damage Location:	2854 Deer Creek Lane, Whitestown
The IURC Pipeline Safety Divis	ion finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recom	mends the following civil penalty:
\$1,500, respondent can comple	ete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Southmid Fiber LLC

Other Party:	CenterPoint Energy Indiana	
Case Number:	29984	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/7/2023	
Damage Location:	4400 Seven Hills Road, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
The Advisory Committee manning	and the fellowing sivil govern	
The Advisory Committee recommends the following civil penalty:		
\$3,000		
Abstentions:		
Additional Information:		
and L		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	
Den warren, Chaim	1411	



Respondent:	Florida Underground Systems, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29991	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/8/2023	
Damage Location:	South Graywell Drive & Gentry Drive, Bloomington	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-20(a)(2)  The Advisory Committee recommends the following civil penalty:		
\$3,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Snedegar Construction, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30000	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/9/2023	
Damage Location:	1406 Illinois Court, Bloomington	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)(out)		
The Advisory Committee recommends the following civil penalty:		
\$5,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Rieth-Riley Construction Co., Inc.

Other Party:	CenterPoint Energy Indiana	
Case Number:	30019	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/14/2023	
Damage Location:	805 East Washington Street, Lebanon	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:  \$5,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Secure Links Fence LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30204
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/19/2023
Damage Location:	636 Hawthorn Bloom Drive, New Whiteland
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Secure Links Fence LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30208
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/26/2023
Damage Location:	112 Shelby Avenue, Edinburgh
The IURC Pipeline Safety Division IC 8-1-26-20(a)(3)(a)	ion finds the following violation(s):
•	mends the following civil penalty:
\$1,500, respondent can comple	te training instead of paying \$1,500
Abstentions:	
Additional Information:	
Al S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	M & M Underground Construction, Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	30213
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/27/2023
Damage Location:	1850 Parkside Drive, Columbus
The IURC Pipeline Safety Divis IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
\$1,500, respondent can comple	ete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Dan Cristiani Excavating Co., Inc.

Other Party:	CenterPoint Energy Indiana	
Case Number:	30401	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/18/2023	
Damage Location:	5007 Old Vincennes Road, Floyds Knobs	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recomm	nends the following civil penalty:	
\$5,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	
,		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Q-Extra Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29857
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/26/2023
Damage Location:	1451 Treviso Bay Drive, Valparaiso
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bluffton Plumbing, Heating, & Electric, Inc.	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29861	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/26/2023	
Damage Location:	1332 West Cherry Street, Bluffton	
The IURC Pipeline Safety Div	vision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: <b>Smith</b>		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Inree Nail Concrete LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29906	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/25/2023	
Damage Location:	700 West Garden Street, Fortville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
1C 0-1-20-10(n)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
A 11'.' 17 C		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	S & H Data Networks LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29922
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/26/2023
Damage Location:	10429 Bosahan Court, Carmel
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jerry Horsley Construction Co Inc.	
Other Party:	Westfield Gas Corporation	
Case Number:	29932	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	2143 Ryder Place, Westfield	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
$\$1,\!500,$ respondent can complete training instead of paying $\$1,\!500;$ no ticket escalation - additional $\$1,\!000$		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice C	Chairman	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Vires Excavation & Concrete LLC	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	29950	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/9/2023	
Damage Location:	7016 East Old State Road 56, Salem	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Dominguez Monjaras

Other Party:	Midwest Natural Gas Corporation
Case Number:	29952
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/17/2023
Damage Location:	310 North Jackson Street, Crothersville
The IURC Pipeline Safety Division	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	J M Construction	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29956	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/1/2023	
Damage Location:	638 Park Road Lot 8, Greensburg	
The IURC Pipeline Safety Divisi	ion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	mends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sall S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Eubank Brothers Excavating Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	29969
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/5/2023
Damage Location:	14528 Herriman Boulevard, Noblesville
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



Respondent:	M J & J Landscaping LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29977
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/6/2023
Damage Location:	16739 Alex Drive, Noblesville
The IURC Pipeline Safety Divisi	ion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	mends the following civil penalty:
Training or \$5,000 if responde	nt fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



Respondent:	Trumpy's Masonry & Restoration LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29994	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/8/2023	
Damage Location:	44 West Street, Hanover	
The IURC Pipeline Safety Divisi	ion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chair	James R. Surd for Ben Warren	
Don wanten, Chain	шан	



Respondent:	Circle City Trees LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30011
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/13/2023
Damage Location:	550 East 96th Street, Carmel
The IURC Pipeline Safety Divisi	ion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recommendation	mends the following civil penalty:
Training or \$5,000 if responde	nt fails to complete training
Abstentions:	
Additional Information:	
and S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Schark Services LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30029	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/15/2023	
Damage Location:	706 East Lewis and Clark Parkway, Clarksville	
The IURC Pipeline Safety Div. IC 8-1-26-16(h)	ision finds the following violation(s):	
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
A PPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brad Kinkoph
Other Party:	Citizens Gas
Case Number:	30103
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/13/2023
Damage Location:	7516 East Thomspon Road, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Good Buddy's Home Service
Other Party:	Northern Indiana Public Service Company
Case Number:	30117
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/1/2023
Damage Location:	1131 East 19th Avenue, Gary
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED.	James R Surd for Ren Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Glen Yoder
Other Party:	Northern Indiana Public Service Company
Case Number:	30121
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/2/2023
Damage Location:	215 East Elm Street, Millersburg
•	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco Warning letter	mmends the following civil penalty:
Abstentions: Smith	
Additional Information:	
APPROVED:	Lance D. Cond. Con Dec. We
ALLIOVED.	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Ellis Hardwoods LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30138
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/7/2023
Damage Location:	7865 North 1200 East, Walkerton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED.	James R Surd for Ren Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Bischoff's Excavating, LLC
Other Party:	Ohio Valley Gas Corp
Case Number:	30167
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/9/2023
Damage Location:	9430 Spades Road, Sunman
The IURC Pipeline Safety Divi	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
Sal S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	EnSite USA	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30191	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/21/2023	
Damage Location:	2211 South High Street, Bloomington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED:Ben Warren, Chairn	James R. Surd for Ben Warren	



Respondent:	Nigh Group
Other Party:	CenterPoint Energy Indiana
Case Number:	30201
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/23/2023
Damage Location:	2234 West Haines Pass, Greenfield
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	



Respondent:	Flynn & Sons Excavating & Paving, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30219	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/29/2023	
Damage Location:	1207 West 2nd Street, Bloomington	
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):	
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Caral S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	irman	



Respondent:	Gaspar Renovations LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30230	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/30/2023	
Damage Location:	1008 South Adams Street, Marion	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recon	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chai	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ida Snyder	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30306	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/3/2023	
Damage Location:	310 West Logan Street, Markle	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Integrity Kokosing Pipeline Services, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29871	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/16/2023	
Damage Location: Shelbyville	West County Road 300 & South County Road 425,	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recon	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sal		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chai	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Joyce Field Services LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29892	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	514 Tague Street, Greenfield	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)(prior)		
The Advisory Committee recommends the following civil penalty:  Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



Respondent:	Ryan Incorporated Central	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30013	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/13/2023	
Damage Location:	Doral Drive, Whitestown	
The IURC Pipeline Safety Divisi IC 8-1-26-16(h)(prior)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
A DDD OVED.	James D. Could fan Day Warren	
APPROVED:Ben Warren, Chairr	James R. Surd for Ben Warren	
Don wantin, Chall	11011	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Aquila Construction Services, LLC.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30193	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/21/2023	
Damage Location:	172 West King Street, Franklin	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	rman	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Ozoh Engineering & Construction LLC	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29778	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/5/2023	
Damage Location:	4843 Olcott Avenue, East Chicago	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: <b>Smith</b>		
Additional Information:		
APPROVED:	James P. Surd for Ben Warren	



Respondent:	Gluesenkamp's Designscape Horticultural Services Inc
Other Party:	Indiana Natural Gas Corporation
Case Number:	30038
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/12/2023
Damage Location:	11661 West Grandview Drive, Columbus
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Cuall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Laswell Excavating, LLC	
Other Party:	Community Natural Gas Inc	
Case Number:	30112	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/27/2023	
Damage Location:	Lot 48 West Prancer North, Santa Claus	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Christian Fellowship Church	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30218	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/28/2023	
Damage Location:	8405 Hedden Road, Evansville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:	J & J Electric of Indiana, Inc.		
Other Party:	CenterPoint Energy Indiana		
Case Number:	30299		
Date of Advisory Meeting:	10/19/2023		
Date of Damage:	7/3/2023		
Damage Location:	480 Brittania Drive, Huntington		
The IURC Pipeline Safety Divisio	The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(2)			
The Advisory Committee recomm	ends the following civil penalty:		
\$3,000			
,			
Abstentions:			
Additional Information:			
APPROVED:	James R. Surd for Ben Warren		
Ben Warren, Chairm	an		



Respondent:	Mark Morron Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30300
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/5/2023
Damage Location:	5947 West County Road 200 South, New Palestine
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	on finds the following violation(s):
The Advisory Committee recomm \$3,000	ends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Backyard Solutions LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30405
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/17/2023
Damage Location:	4989 Kingswood Drive, Carmel
The IURC Pipeline Safety Divis IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recom	nmends the following civil penalty:
Training or \$5,000 if respondent fails to complete training	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of South Bend
Other Party:	Northern Indiana Public Service Company
Case Number:	29774
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/4/2023
Damage Location:	738 East Woodside Street, South Bend
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:	Naas & Sons, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	29917
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/26/2023
Damage Location:	564 East 1025 South, Haubstadt
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(3)(b)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
\$1,500, respondent can compl	ete training instead of paying \$1,500
Abstentions:	
Additional Information:	
ADDROVED	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	IIIIaii



Respondent:	Marlow Excavating & Utility
Other Party:	CenterPoint Energy Indiana
Case Number:	29923
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/30/2023
Damage Location:	2800 Harlan Drive, Terre Haute
The IURC Pipeline Safety Divis  IC 8-1-26-20(a)(3)(b)	sion finds the following violation(s):
1C 0-1-20 20(a)(b)(b)	
The Advisory Committee recom	mends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions:	
Additional Information:	
Carl C	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Mattingly Excavating, Inc.	
Other Party:	Citizens Gas	
Case Number:	29934	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/22/2023	
Damage Location:	7625 Oaklandon Road, Indianapolis	
The IURC Pipeline Safety Divis	ion finds the following violation(s):	
IC 8-1-26-20(a)(3)(b)		
The Advisory Committee recom	mends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: <b>Warren</b>		
Austentions. warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Cobalt Civil, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	29981
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/7/2023
Damage Location:	1400 North Wabash Avenue, Hartford City
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recon	nmends the following civil penalty:
\$4,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	



Respondent:

#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Bayer's Plumbing Inc

Other Party:	CenterPoint Energy Indiana
Case Number:	30009
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/13/2023
Damage Location:	2633 Hauschild Drive, Evansville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recomm	nends the following civil penalty:
\$3,000	
φ <b>2</b> ,000	
Abstentions:	
rostentions.	
Additional Information:	
and C	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	nan



Ben Warren, Chairman

#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Malott Contracting, Inc.	
Other Party:	Northern Indiana Public Service Company	
Case Number:	30136	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/6/2023	
Damage Location:	North Jackson Street & West 3rd Street, Auburn	
The IURC Pipeline Safety Divisi IC 8-1-26-20(a)(3)(b)	on finds the following violation(s):	
The Advisory Committee recomm	mends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Smith		
Additional Information:		
and L		
APPROVED:	James R. Surd for Ben Warren	



Respondent:	Oler Fence Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30323
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/13/2023
Damage Location:	201 West Main Street, Centerville
The IURC Pipeline Safety Divisi	on finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recomm	mends the following civil penalty:
Training or \$5,000 if respondent fails to complete training	
Abstentions:	
Additional Information:	
Caral C	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairr	nan



Respondent:	Rudolf Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30329
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/13/2023
Damage Location:	11085 Spring Mill Lane, Carmel
•	sion finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
	nmends the following civil penalty:  ete training instead of paying \$1,500
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



Respondent:	AAAAAA Roto Rooter (Muncie)	
Other Party:	Ohio Valley Gas Corp	
Case Number:	29641	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	4/13/2023	
Damage Location:	612 North Main Street, Shirley	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J M D Construction, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	29720
Date of Advisory Meeting:	10/19/2023
Date of Damage:	4/16/2023
Damage Location:	4425 Vermont Court, Gary
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED.	James R Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Schmucker Construction Co. Inc.	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29769	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/1/2023	
Damage Location:	10084 Eby Road, Fort Wayne	
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):	
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: <b>Smith</b>		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Refugio Santana Castaneda Co.
Other Party:	Northern Indiana Public Service Company
Case Number:	29794
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/10/2023
Damage Location:	3037 Huntington Street, Hobart
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Wrightway Construction, L Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29824
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	3419 East Market Street, Logansport
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED.	James R Surd for Ren Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Miller Sewer Cleaning	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29828	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/19/2023	
Damage Location:	610 North Main, Goshen	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: <b>Smith</b>		
Additional Information:		
APPROVED.	James R Surd for Ren Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Franklin Builders LLC	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29832	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/21/2023	
Damage Location:	5840-4842 Adams Street, Merrillville	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	M J Pranger Construction LLC	
Other Party:	Northern Indiana Public Service Company	
Case Number:	29836	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/22/2023	
Damage Location:	121-123 West Wayne Street, Fort Wayne	
The IURC Pipeline Safety Div	rision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: <b>Smith</b>		
Additional Information:		
APPROVED:	James P. Surd for Ren Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ideal Electric, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29873	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/17/2023	
Damage Location:	5592 Forester Way, Charlestown	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Call C		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairman		



Respondent:	Anchor Construction of Centerville Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29875	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/17/2023	
Damage Location:	750 Keyser Lane, Richmond	
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):	
The Advisory Committee recon	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
and S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chai	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Eddyn Construction LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29881	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/18/2023	
Damage Location:	445 Clear Creek Drive, Bloomington	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sal S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	ırman	



Respondent:	Dirt Worx	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29902	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/24/2023	
Damage Location:	805 Depot Street, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



Respondent:	Rick's Drain Care	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29910	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/23/2023	
Damage Location:	729 South Poplar Street, Seymour	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Training or \$5,000 if respondent fails to complete training		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Fleming Excavation
Other Party:	Midwest Natural Gas Corporation
Case Number:	29948
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/5/2023
Damage Location:	605 West Market Street, Salem
The IURC Pipeline Safety Division	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if responder	nt fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James D. Sund for Don Warren
Ben Warren, Chairn	James R. Surd for Ben Warren
Don wanting Chann	LIWII



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Axis Fiber Solutions
Other Party:	CenterPoint Energy Indiana
Case Number:	29872
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/17/2023
Damage Location:	3174 West County Road 625 South, Trafalgar
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,000; no ticket escalation -	additional \$1,000
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Aaron Hobbs	
Other Party:	Batesville Water & Gas	
Case Number:	29946	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/18/2023	
Damage Location:	101 Columbus Avenue, Batesville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:	Briana Baker	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30174	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/17/2023	
Damage Location:	11320 Thomas Drive, Evansville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kyle Bennett	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30177	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/17/2023	
Damage Location:	10982 Hoosier Road, Fishers	
The IURC Pipeline Safety Division	n finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	James Forrest	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30179	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/19/2023	
Damage Location:	225 North Maple Street, Dana	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:	Rick Wallis
Other Party:	CenterPoint Energy Indiana
Case Number:	30199
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/23/2023
Damage Location:	17127 Old Petersburg Road/Pole Barn, Evansville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Johnny Clouser	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30313	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/10/2023	
Damage Location:	2405 Northeast Street, Elwood	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Richard Bales	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30422	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	7/23/2023	
Damage Location:	4004 Penny Packer Mill Road, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jerry Garland	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30026	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/15/2023	
Damage Location:	406 15th Street, Bedford	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Sam Eirhart
Other Party:	CenterPoint Energy Indiana
Case Number:	30002
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/11/2023
Damage Location:	5461 West Ocean Drive, Bloomington
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recomm	ends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	E & B Paving, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	29847
Date of Advisory Meeting:	10/19/2023
Date of Damage:	5/24/2023
Damage Location:	1010 South Main Street, Bluffton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: <b>Smith</b>	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Wallace Construction Inc

Other Party:	CenterPoint Energy Indiana	
Case Number:	30015	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/13/2023	
Damage Location:	260 South Grant Street, Martinsville	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-20(a)(2)  The Advisory Committee recommends the following civil penalty:  53,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	wallace Construction Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29919	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	5/30/2023	
Damage Location:	Rohn Road & Fields Avenue, Brooklyn	
The IURC Pipeline Safety Division IC 8-1-26-16(h)(expire)	sion finds the following violation(s):	
The Advisory Committee recon	nmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chai	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CTSI, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30187	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/16/2023	
Damage Location:	420 North Ashley Street, Brazil	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	_	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Reed & Sons Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30400
Date of Advisory Meeting:	10/19/2023
Date of Damage:	7/18/2023
Damage Location:	4000 South Clear View Drive, Bloomington
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Taylor Sweeny Excavation	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	29951	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/14/2023	
Damage Location:	1800 Wisteria Lane, Scottsburg	
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	ion finds the following violation(s):	
The Advisory Committee recomm	mends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
and L		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	RLA Utilities, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	29999	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/9/2023	
Damage Location:	2820 Flintwood Drive, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
Additional information.		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Warrick County Highway Department	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30008	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/12/2023	
Damage Location:	2733 Bullocktown Road, Boonville	
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	ion finds the following violation(s):	
The Advisory Committee recomm	mends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Five Star Energy Services LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30003	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/12/2023	
Damage Location:	963 South 22 <sup>nd</sup> Street, New Castle	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Hoosier Edison Line Company LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30004	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/12/2023	
Damage Location:	4578 Heraldy Drive, Lafayette	
The IURC Pipeline Safety Divis	sion finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recom	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Trevor Newman	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30021	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/14/2023	
Damage Location:	2100 South 8th Street, Terre Haute	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	S K Exteriors	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30028	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/15/2023	
Damage Location:	1281 South Park Drive, Greenwood	
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):	
The Advisory Committee recon	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Town of Opland
Other Party:	CenterPoint Energy Indiana
Case Number:	30031
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/15/2023
Damage Location:	120 West Washington Street, Upland
The IURC Pipeline Safety Divisi IC 8-1-26-20(a)(2)	ion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
Training or \$5,000 if responde	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Done Right Excavating LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30185	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/16/2023	
Damage Location:	165 North 37th Street, Terre Haute	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	_	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Gregory's Landscaping inc
Other Party:	CenterPoint Energy Indiana
Case Number:	30203
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/24/2023
Damage Location:	4346 Varner Road, Brownsburg
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-20(a)(2)	
The Advisory Committee recommends the following civil penalty:  Training or \$5,000 if respondent fails to complete training	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	ıan



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Heidorn Excavating LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30206
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/26/2023
Damage Location:	865 Christ Road, Evansville
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James D. Sand for Den Warren
AFFRU V ED.	James R. Surd for Ben Warren



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

R T Moore, Co., Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	30005
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/12/2023
Damage Location:	2826 Old Rose Bud Lane, Westfield
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recommends the following civil penalty:	
\$3,000	
,	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	ıan



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	J D H Contracting, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30018
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/14/2023
Damage Location:	2300 East Main Street, Plainfield
	ion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recommunities s3,000	mends the following civil penalty:
Abstentions: Sontag	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	William Eric Group, LLC d/b/a Smith Projects, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	30032	
Date of Advisory Meeting:	10/19/2023	
Date of Damage:	6/15/2023	
Damage Location:	1201 East Main Street, Attica	
The IURC Pipeline Safety Divis	ion finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$3,500		
,		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	E & B Paving, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30122
Date of Advisory Meeting:	10/19/2023
Date of Damage:	6/2/2023
Damage Location:	1309 North 3 <sup>rd</sup> Street, Logansport
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recors \$4,000	mmends the following civil penalty:
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren