

ORIGINAL

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	√		
Freeman			√
Krevda	√		
Ober	√		
Ziegner	√		

INDIANA UTILITY REGULATORY COMMISSION

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: DEC 28 2021

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, KREVDA, OBER, AND ZIEGNER CONCUR; FREEMAN ABSENT:

APPROVED: DEC 28 2021

I hereby certify that the above is a true and correct copy of the Order as approved.

_____ on behalf of
Dana Kosco
Secretary of the Commission



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Good Shepherd Fence Company LLC
Other Party: Citizens Gas
Case Number: 24163
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/7/2020
Damage Location: 510 GRIFFIN RD, INDIANAPOLIS

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Wills Excavating, Inc.
Other Party: Westfield Gas Corporation
Case Number: 24279
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/18/2020
Damage Location: 1407 Moose Ridge Ln, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: DeYoung's Dirt Works, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24145
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/13/2020
Damage Location: 785 W 275 S, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000 (\$4,500)

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hasse Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24146
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/13/2020
Damage Location: 3623 Guthrie Street, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & M Underground LLC
Other Party: Citizens Gas
Case Number: 24151
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/1/2020
Damage Location: 7950 Pendleton Pike, Lawrence

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J B I Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 24076
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/6/2020
Damage Location: 3076 Bell Rd, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C L S Construction LLC
Other Party: Citizens Gas
Case Number: 24166
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/4/2020
Damage Location: LINDEN DR E STOP 10 RD, INDIANAPOLIS

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Utilities Group, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 24221
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/18/2020
Damage Location: 1610 E CR 350 S, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(a)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24024
Date of Advisory Meeting: 10/19/2021
Date of Damage: 10/20/2020
Damage Location: 1036 Columbia Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Payton & Son Concrete, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 24082
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/10/2020
Damage Location: 256 Thistle Wood Dr, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bowen Engineering Corporation
Other Party: CenterPoint Energy Indiana
Case Number: 24108
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/30/2020
Damage Location: 1847 S Fox Ridge Ave, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J E Reedy, Inc.
Other Party: Citizens Gas
Case Number: 24158
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/13/2020
Damage Location: 6210 Robinwood Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 24169
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/17/2020
Damage Location: 2400 Hamstrom Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dunigan Bros., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24174
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/18/2020
Damage Location: 425 South Whitley Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 24331
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/7/2021
Damage Location: 4948 RHODE ISLAND ST, GARY

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Fences Unlimited LLC
Case Number: 24062
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/2/2020
Damage Location: 3042 Lucerne Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 24064
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/2/2020
Damage Location: 1512 Ashwood Ct, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: KJ Express
Case Number: 24066
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/3/2020
Damage Location: 2562 Oak Ridge Dr, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milldrill, LLC
Case Number: 24067
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/3/2020
Damage Location: 9999 Lumberyard Rd, Edwardsport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Transport, Inc.
Case Number: 24069
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 41 Reagan Park Dr, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Waterford Woodworks
Case Number: 24070
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 333 W Dillman Rd, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: C C E, Inc.
Case Number: 24072
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 723 Brittany Ln, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Techno Drill, LLC
Case Number: 24074
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/6/2020
Damage Location: 1575 Pleasant St, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: D C Construction Services, Inc.
Case Number: 24075
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/6/2020
Damage Location: 255 E McKeever St, Andrews

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Verita Telecommunications Corp.
Case Number: 24088
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/13/2020
Damage Location: 9246 E US Highway 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Legend Underground Construction LLC
Case Number: 24089
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/13/2020
Damage Location: 1800 Dutch Ln, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Mitchell's Cable Construction, LLC
Case Number: 24096
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/16/2020
Damage Location: Lantern Rd & Glass Chimney Ln, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Gregory C Sego Masonry, LLC
Case Number: 24097
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/17/2020
Damage Location: 4819 E Ridgewood Dr, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: L N R Companies, Inc.
Case Number: 24103
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/16/2020
Damage Location: 3872 Cherwell Dr, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Grimmer Construction Inc.
Case Number: 24115
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/2/2020
Damage Location: 1923 West 8th Avenue, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Wheeler Mechanical Services, LLC
Case Number: 24122
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: 1802 - 16 Fox Point Trail, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Kankakee Valley REMC
Case Number: 24143
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/12/2020
Damage Location: 6635 W 250 S, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Von Excavating, Inc.
Case Number: 24147
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/13/2020
Damage Location: 10900 Delaware Pky, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Genovese Excavating LLC
Case Number: 24168
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/16/2020
Damage Location: 624 W 250 S, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: The Robert Henry Corporation
Case Number: 24172
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/17/2020
Damage Location: 1415 213th Street, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Q C Communications, Inc.
Case Number: 24178
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/20/2020
Damage Location: 4728 ILLINOIS RD, FORT WAYNE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Aaron Marvel
Case Number: 24180
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/24/2020
Damage Location: 51350 CHERRY RD, GRANGER

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Elkhart
Case Number: 24186
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/30/2020
Damage Location: 206 W GARFIELD AVE, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Americrawl Midwest Inc.
Case Number: 24189
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/30/2020
Damage Location: 1864 STRAWTOWN PIKE, PERU

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sycamore Gas Company
Other Party: Quantum Network Integrators, LLC
Case Number: 24191
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/17/2020
Damage Location: 730 Willow Street, Rising Sun

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: J B T Mechanical Inc.
Case Number: 24207
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/13/2020
Damage Location: 2905 W Godman Ave, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 24211
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/14/2020
Damage Location: N Linwood Ave & E Michigan St, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Jam Excavating Services Inc.
Case Number: 24214
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/16/2020
Damage Location: 287 Shady Brook Heights, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Lykins Contracting Limited Liability Company
Case Number: 24215
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/16/2020
Damage Location: 3718 W 97th St, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Secure Links Fence LLC
Case Number: 24216
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/16/2020
Damage Location: 6324 Stoner Dr, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: New Generation Mechanical LLC
Case Number: 24217
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/17/2020
Damage Location: 8725 Wabash Ave, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: A M P P Construction Inc.
Case Number: 24222
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/19/2020
Damage Location: 9060 South E 00 West, Fairmount

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Lykins Contracting Limited Liability Company
Case Number: 24224
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/21/2020
Damage Location: 3714 W 97th St, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: City of Brazil
Case Number: 24226
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/22/2020
Damage Location: 713 N Forest Ave, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: R & R Excavating
Case Number: 24236
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/1/2020
Damage Location: 23700 MARQUETTE BLVD LOT 67, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Precision Trenching, Inc.
Case Number: 24238
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/1/2020
Damage Location: 9167 N CO RD 330 W APT 1, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: L G S Plumbing, Inc.
Case Number: 24239
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/1/2020
Damage Location: 1605 E ELM ST, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Cypher Logic, Inc.
Case Number: 24245
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/4/2020
Damage Location: 3324 CRAIG DR, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Beachy & Son Concrete & Construction, Inc.
Case Number: 24247
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/6/2020
Damage Location: 305 Walnut St, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Fort Wayne City Utilities
Case Number: 24257
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/9/2020
Damage Location: 3511 ENGLE RD, FORT WAYNE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Lapel, Town of
Other Party: Town of Lapel
Case Number: 24269
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/6/2021
Damage Location: 1011 Woodward Street, Lapel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Gas
Other Party: T S W Utility Solutions, Inc.
Case Number: 24271
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/7/2021
Damage Location: 6007 Crows Nest Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Citizens Gas
Other Party: D R Watson Co, Inc.
Case Number: 24274
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/5/2021
Damage Location: 1039 E Castle Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Young's Concrete
Case Number: 24276
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/23/2020
Damage Location: 5252 Channing Ct, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Hope Plumbing, LLC
Case Number: 24280
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/15/2020
Damage Location: 5306 E Minnesota St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED: *Elizabeth Walker* /for Scott Sontag
Scott Sontag, Vice Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: PinPoint Directional Drilling, Inc.
Case Number: 24290
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/17/2020
Damage Location: 422 CLARK ST, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Cobalt Civil, LLC
Case Number: 24293
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/20/2020
Damage Location: 1500 S Wabash St, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Berry-It, Inc.
Case Number: 24295
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/21/2020
Damage Location: 302 W CENTER, Royal Center

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 24298
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/22/2020
Damage Location: 201 E MICHIGAN ST, LaGrange

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 24299
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/22/2020
Damage Location: 4880 S 1125 W, Millersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 24300
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/29/2020
Damage Location: 7750 W JEFFERSON BLVD, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Seiler Excavating, Inc.
Case Number: 24301
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/30/2020
Damage Location: 195 LANE 780 SNOW LAKE, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Kosciusko REMC
Case Number: 24329
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/6/2021
Damage Location: 777 E RIVIERA DR, WARSAW

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hire Construction, Inc.
Case Number: 24330
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/6/2021
Damage Location: 1336 GOSHEN AVE, FORT WAYNE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company
Other Party: Hank's Plumbing & Heating Co.
Case Number: 24336
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/11/2021
Damage Location: 1415 W WASHINGTON BLVD, FORT WAYNE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Lykins Contracting Limited Liability Company
Case Number: 24344
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/5/2021
Damage Location: 830 Southview Dr, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: The Snider Group, Inc.
Case Number: 24348
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/7/2021
Damage Location: Lot 90 Murphy Dr, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 24353
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/11/2021
Damage Location: Avon Ave & Troy Ave, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Goshen
Other Party: Northern Indiana Public Service Company
Case Number: 24284
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/16/2020
Damage Location: 1909 WOODMERE LANE, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Weddle Bros. Construction Co., Inc.
Other Party: Citizens Gas
Case Number: 23999
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 9115 Hague Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

**\$1,500; respondent can complete training instead of paying \$1,500 +
\$1,000 no ticket escalation**

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dashiell Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 24086
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/11/2020
Damage Location: 325 S 9th Street, West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Action Plumbing, Inc. (Cedar Lake)
Other Party: Northern Indiana Public Service Company
Case Number: 24118
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 2406 Clear Brook Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Acorn Fence & Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24140
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/11/2020
Damage Location: 7141 Bracken Parkway Lot 124, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Roto Rooter - Indianapolis
Other Party: Citizens Gas
Case Number: 24152
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/23/2020
Damage Location: 102 W Southern Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Summers of Kokomo, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24188
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/30/2020
Damage Location: 711 N INDEPENDENCE ST, WINDFALL

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ground Works Excavating, LLC
Other Party: Citizens Gas
Case Number: 24270
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/7/2021
Damage Location: 400 W Regent St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500; respondent can complete training instead of paying \$1,500 + \$1,000

Abstentions:

Additional Information: **Additional \$1,000 penalty because the excavator shut off gas at the operator's valve, which should only be done by operator trained employees. Excavator also failed to call 911, 811, and the operator after the damage occurred.**

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S C Case Excavating LLC
Other Party: Citizens Gas
Case Number: 23997
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/10/2020
Damage Location: 4807 N Kenyon Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lawnmoore LLC
Other Party: Indiana Natural Gas Corporation
Case Number: 24006
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/9/2020
Damage Location: 420 S Roosevelt St, Orleans

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Phillips Waterproofing & Concrete
Other Party: Midwest Natural Gas Corporation
Case Number: 24007
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/11/2020
Damage Location: 1004 Jackson St., Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED:

Elizabeth Walker /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Foster Construction
Other Party: CenterPoint Energy Indiana
Case Number: 24068
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 8802 Whitestown Rd, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Millstone Management LLC
Other Party: CenterPoint Energy Indiana
Case Number: 24071
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 307 S Cory Ln, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Fortville
Other Party: CenterPoint Energy Indiana
Case Number: 24073
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/6/2020
Damage Location: 234 N Merrill St, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alstatt Lawn Care
Other Party: CenterPoint Energy Indiana
Case Number: 24083
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/10/2020
Damage Location: 3188 Summit Ct, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jent Construction, LLC
Other Party: Sycamore Gas Company
Case Number: 24091
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/6/2020
Damage Location: 20008 Georgetown Rd, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: New Style Landscaping LLC
Other Party: CenterPoint Energy Indiana
Case Number: 24092
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/16/2020
Damage Location: 5538 W Woodhaven Dr, McCordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)


The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED:

 /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Riley's Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 24100
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/18/2020
Damage Location: 6050 Boulder Pass, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calvin Landscape, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 24106
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/20/2020
Damage Location: 3615 Parkview Dr, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Moon's Landscape Creations, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24117
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/3/2020
Damage Location: 586 West 213 South, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bradbury Builders
Other Party: Northern Indiana Public Service Company
Case Number: 24119
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 350 Chateau Drive, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mathews Farm Buildings Inc
Other Party: Northern Indiana Public Service Company
Case Number: 24124
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: 12 Main Street, Onward

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Nate's Lawn & Landscape, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24125
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: 885 West Hill Street, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Accurate Probuild Solutions, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24127
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: 802 South Lafayette Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Solar Energy Systems, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24134
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/9/2020
Damage Location: 63320 County Road 33, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Kissinger Electric, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24141
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/12/2020
Damage Location: 4000 Parnell Ave, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Krieg Carpentry LLC
Other Party: Northern Indiana Public Service Company
Case Number: 24142
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/12/2020
Damage Location: 1126 Jackson Heights Road, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Northrup
Other Party: CenterPoint Energy Indiana
Case Number: 24223
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/19/2020
Damage Location: 97 E Monroe St, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED:

Elizabeth Walker /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ohio Valley Gas Corp
Other Party: Ohio Valley Gas Corp
Case Number: 24233
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/7/2020
Damage Location: 1336 E. 500 N., Saratoga

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Schuck
Other Party: Ohio Valley Gas Corp
Case Number: 24234
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/15/2020
Damage Location: 2108 Ohio Ave., Connersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shambaugh & Son, LP
Other Party: Northern Indiana Public Service Company
Case Number: 24261
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/11/2020
Damage Location: 7209 POMODORO PARKWAY, FORT WAYNE

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carter's My-Plumber
Other Party: Citizens Gas
Case Number: 24281
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/10/2020
Damage Location: 5459 E 34th St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED:

Elizabeth Walker /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CorGroup, LLC
Other Party: Citizens Gas
Case Number: 24460
Date of Advisory Meeting: 10/19/2021
Date of Damage: 8/30/2020
Damage Location: 4120 E NAOMI ST, INDIANAPOLIS

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training; \$5,000 if respondent fails to complete training.

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R & R Commlectric LLC
Other Party: Citizens Gas
Case Number: 23998
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: E 62nd St Dorset Pl, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Greencroft Goshen
Other Party: Q C Communications, Inc.
Case Number: 24056
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: 1334 Oak Court, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Grid One Solutions Inc
Other Party: CenterPoint Energy Indiana
Case Number: 24085
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/10/2020
Damage Location: 1309 E Oak St, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Redline Homes & Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 24087
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/12/2020
Damage Location: 7850 Ridgebrook Dr, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Midwest Excavating & Hauling LLC
Other Party: Sycamore Gas Company
Case Number: 24090
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: 1354 St. Andrews, Greendale

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rick Winterheimer
Other Party: CenterPoint Energy Indiana
Case Number: 24095
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/17/2020
Damage Location: 3039 Windy Way, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cletus Yoder
Other Party: CenterPoint Energy Indiana
Case Number: 24101
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/19/2020
Damage Location: 5972 S Glendale Rd, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: William Stroud
Other Party: Indiana Natural Gas Corporation
Case Number: 24109
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/1/2020
Damage Location: 8167 E Schnellville Road, Bridseye

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ronald Shrope
Other Party: Community Natural Gas Inc
Case Number: 24110
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/24/2020
Damage Location: 101 Gilmer St. Spencer, IN 47460, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: J C I Bridge Group, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24112
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/2/2020
Damage Location: 10507 Vistula Road, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Harman & Associates, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24116
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/3/2020
Damage Location: 261 North Chicago Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: failure to plan

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Cooks Flooring & Contracting
Other Party: Northern Indiana Public Service Company
Case Number: 24120
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/4/2020
Damage Location: 3 Wycombe Drive, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Billy Ruan
Other Party: Northern Indiana Public Service Company
Case Number: 24126
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/5/2020
Damage Location: 786 Meridian Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K-FEX, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 24130
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/6/2020
Damage Location: 129 East Front Street, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steven Burns
Other Party: Northern Indiana Public Service Company
Case Number: 24131
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/7/2020
Damage Location: 2909 East 10th Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Ricardo Centeno
Other Party: Northern Indiana Public Service Company
Case Number: 24132
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/7/2020
Damage Location: 11915 East 300 North, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter
Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hank's Plumbing & Heating Co.
Other Party: Northern Indiana Public Service Company
Case Number: 24135
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/9/2020
Damage Location: 2521 Hubertus Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Peter Morin
Other Party: Northern Indiana Public Service Company
Case Number: 24137
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/10/2020
Damage Location: 5003 Beacon Ridge, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Raymond Kendle
Other Party: Northern Indiana Public Service Company
Case Number: 24138
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/10/2020
Damage Location: 3506 Pleasant Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Angela Dowdy
Other Party: Northern Indiana Public Service Company
Case Number: 24144
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/12/2020
Damage Location: 1717 Georgian Dr, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rusty Flavors
Other Party: Northern Indiana Public Service Company
Case Number: 24148
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/14/2020
Damage Location: 1906 Spear Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steven Heath
Other Party: Citizens Gas
Case Number: 24153
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/23/2020
Damage Location: 108 N Traub Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jennifer Davies
Other Party: Citizens Gas
Case Number: 24157
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/14/2020
Damage Location: 5411 Broadmoor Plz, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E M P Construction & Excavating, LLC
Other Party: Indiana Natural Gas Corporation
Case Number: 24160
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/7/2020
Damage Location: 2123 N 500 W, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: American Underground LLC
Other Party: Citizens Gas
Case Number: 24161
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/8/2020
Damage Location: 9260 E 82ND ST, INDIANAPOLIS

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Alex Takayama
Other Party: Northern Indiana Public Service Company
Case Number: 24176
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/18/2020
Damage Location: 1311 Cedar Court, Auburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Felipe Garcia
Other Party: Northern Indiana Public Service Company
Case Number: 24177
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/19/2020
Damage Location: 0265 West 1000 North, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Creek
Other Party: Northern Indiana Public Service Company
Case Number: 24183
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/28/2020
Damage Location: 440 PENN AVE, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Olga Dorado
Other Party: Northern Indiana Public Service Company
Case Number: 24184
Date of Advisory Meeting: 10/19/2021
Date of Damage: 11/28/2020
Damage Location: 734 South WARREN ST, SOUTH BEND

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Steven Stone
Other Party: CenterPoint Energy Indiana
Case Number: 24206
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/11/2020
Damage Location: 7800 W Cornbread Rd, Yorktown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kris Mote
Other Party: CenterPoint Energy Indiana
Case Number: 24230
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/29/2020
Damage Location: 116 N Lansdown Way, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Rodney Waters
Other Party: Northern Indiana Public Service Company
Case Number: 24248
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/6/2020
Damage Location: 52930 Timberland Dr, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bent Rod Drilling LLC
Other Party: Westfield Gas Corporation
Case Number: 24273
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/6/2021
Damage Location: Sr 32 Hwy Spring Mill Rd, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Bob Shackelford
Other Party: Citizens Gas
Case Number: 24275
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/4/2021
Damage Location: 1530 E Epler Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Directional Boring Specialists LLC
Other Party: Citizens Gas
Case Number: 24278
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/19/2020
Damage Location: 659 Woods Crossing Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: K & K Fence, Inc.
Other Party: Citizens Gas
Case Number: 24282
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/9/2020
Damage Location: 614 E North St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: failure to plan

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Brent Saber
Other Party: Northern Indiana Public Service Company
Case Number: 24296
Date of Advisory Meeting: 10/19/2021
Date of Damage: 12/21/2020
Damage Location: 4638 E 650 N, Leesburge

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Chris Estel
Other Party: Northern Indiana Public Service Company
Case Number: 24325
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/3/2021
Damage Location: 54033 INDEPENDENCE STREET, ELKHART

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: dig tickets

Abstentions: **Smith**

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Dick Moore
Other Party: Sycamore Gas Company
Case Number: 24402
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/9/2021
Damage Location: 309 S. High St, Rising Sun

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman



STATE OF INDIANA

ERIC J. HOLCOMB, Governor

Ben Warren, Chairman

**INDIANA UNDERGROUND PLANT PROTECTION
ADVISORY COMMITTEE**
1433 Holey Moley Way
Greenwood, Indiana 46143

**Recommendation to IURC from the
Indiana Underground Plant Protection Advisory Committee**

Respondent: Erie Cable Services, LLC
Other Party: Sycamore Gas Company
Case Number: 24403
Date of Advisory Meeting: 10/19/2021
Date of Damage: 1/7/2021
Damage Location: 20654 Augusta Dr, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning Letter

Special instructions: clearance/tolerance zone

Abstentions:

Additional Information:

APPROVED: *Elizabeth Walker* /for Ben Warren
Ben Warren, Chairman