

IHCP *bulletin*

INDIANA HEALTH COVERAGE PROGRAMS BT2020104 SEPTEMBER 24, 2020

Annual update of ICD-10 codes is effective October 1, 2020

The annual update of the International Classification of Diseases, Tenth Revision (ICD-10) Clinical Modification (CM) diagnosis codes and Procedure Coding System (PCS) procedure codes will be effective for the Indiana Health Coverage Programs (IHCP) on October 1, 2020 (federal fiscal year [FFY] 2021). The IHCP has updated its policies to reflect the updates to the ICD-10-CM and ICD-10-PCS codes. These new diagnosis and procedure codes will be updated in the appropriate code tables accessible from the [Code Sets](#) page at [in.gov/medicaid/providers](#). To review the full list of new, revised, and discontinued ICD codes, see the [2021 ICD-10-CM](#) page and the [2021 ICD-10-PCS](#) page on the Centers for Medicare & Medicaid Services (CMS) website at [cms.gov](#).



Chiropractic diagnosis codes

The IHCP reimburses chiropractors for designated services only when such services are necessitated by a condition-related diagnosis approved for chiropractor billing. The IHCP requires that chiropractors bill with certain diagnosis codes as the primary diagnosis. Effective for DOS on or after October 1, 2020, the IHCP will add the diagnosis codes in Table 1 to the list of primary diagnosis codes allowed for chiropractors. These diagnosis codes will be added to the *ICD-10 Diagnosis Codes Allowed for Chiropractors (Specialty 150)* table in *Chiropractic Services Codes*, accessible from the [Code Sets](#) page at [in.gov/medicaid/providers](#).

Table 1 – ICD-10 primary diagnosis codes added for chiropractic services, effective for DOS on or after October 1, 2020

Diagnosis code	Description
M2489	Other specific joint derangement of other specified joint, not elsewhere classified
M2539	Other instability, other specified joint
M2559	Pain in other specified joint
M2569	Stiffness of other specified joint, not elsewhere classified
R510	Headache with orthostatic component, not elsewhere classified
R519	Headache, unspecified

HAC and POA diagnosis codes

The IHCP follows the CMS determinations for hospital-acquired conditions (HACs) that will not be considered for payment if the diagnoses were not present on admission (POA). The IHCP also follows the CMS determination for codes exempted from POA reporting. The [ICD-10 HAC Diagnoses](#) and the [ICD-10 Diagnosis Codes Exempt from POA](#), effective October 1, 2020, are available on the CMS website at [cms.gov](#).

Hospice diagnosis codes

The IHCP uses existing medical documentation submitted by the hospice provider to determine medical necessity for hospice services. In addition, for certain medical conditions, particular diagnosis codes have been identified as meeting medical necessity for hospice services. Effective for DOS on or after October 1, 2020, the IHCP will add the diagnosis codes in Table 2 to the list of diagnosis codes that meet medical necessity for hospice services for members with liver disease. These diagnosis codes will be added to the *ICD-10 Diagnosis Codes for Liver Disease* table in *Hospice Services Codes*, accessible from the [Code Sets](#) page at in.gov/medicaid/providers.

Table 2 – ICD-10 hospice diagnosis codes added for liver disease, effective for DOS on or after October 1, 2020

Diagnosis code	Description
K7400	Hepatic fibrosis, unspecified
K7401	Hepatic fibrosis, early fibrosis
K7402	Hepatic fibrosis, advanced fibrosis

Emergency Department Autopay List

The diagnosis codes in Table 3 are being added to the managed care entity (MCE) *Emergency Department Autopay List*. These codes are also considered emergency diagnosis codes for fee-for-service (FFS) claims. These diagnosis codes will be added to the *Emergency Department Autopay List*, accessible from the [Code Sets](#) page at in.gov/medicaid/providers. For information on the *Emergency Department Autopay List*, see *IHCP Bulletin BT202009*.

Table 3 – ICD-10 diagnosis codes added to the Emergency Department Autopay list, effective for DOS on or after October 1, 2020

Diagnosis code	Description
A8489	Other tick-borne viral encephalitis
D5703	Hb-SS disease with cerebral vascular involvement
D5709	Hb-SS disease with crisis with other specified complication
D57213	Sickle-cell/Hb-C disease with cerebral vascular involvement
D57218	Sickle-cell/Hb-C disease with crisis with other specified complication
D57413	Sickle-cell thalassemia, unspecified, with cerebral vascular involvement
D57418	Sickle-cell thalassemia, unspecified, with crisis with other specified complication
D57431	Sickle-cell thalassemia beta zero with acute chest syndrome
D57432	Sickle-cell thalassemia beta zero with splenic sequestration
D57433	Sickle-cell thalassemia beta zero with cerebral vascular involvement
D57438	Sickle-cell thalassemia beta zero with crisis with other specified complication
D57439	Sickle-cell thalassemia beta zero with crisis, unspecified
D57451	Sickle-cell thalassemia beta plus with acute chest syndrome
D57452	Sickle-cell thalassemia beta plus with splenic sequestration
D57453	Sickle-cell thalassemia beta plus with cerebral vascular involvement
D57458	Sickle-cell thalassemia beta plus with crisis with other specified complication
D57459	Sickle-cell thalassemia beta plus with crisis, unspecified
D57813	Other sickle-cell disorders with cerebral vascular involvement
D57818	Other sickle-cell disorders with crisis with other specified complication
D7212	Drug rash with eosinophilia and systemic symptoms syndrome
D89831	Cytokine release syndrome, grade 1
D89832	Cytokine release syndrome, grade 2

Table 3 – ICD-10 diagnosis codes added to the Emergency Department Autopay list, effective for DOS on or after October 1, 2020 (Continued)

Diagnosis code	Description
D89833	Cytokine release syndrome, grade 3
D89834	Cytokine release syndrome, grade 4
D89835	Cytokine release syndrome, grade 5
D89839	Cytokine release syndrome, grade unspecified
F10130	Alcohol abuse with withdrawal, uncomplicated
F10131	Alcohol abuse with withdrawal delirium
F10132	Alcohol abuse with withdrawal with perceptual disturbance
F10139	Alcohol abuse with withdrawal, unspecified
F10930	Alcohol use, unspecified with withdrawal, uncomplicated
F10931	Alcohol use, unspecified with withdrawal delirium
F10932	Alcohol use, unspecified with withdrawal with perceptual disturbance
F10939	Alcohol use, unspecified with withdrawal, unspecified
F1113	Opioid abuse with withdrawal
F1213	Cannabis abuse with withdrawal
F13130	Sedative, hypnotic or anxiolytic abuse with withdrawal, uncomplicated
F13131	Sedative, hypnotic or anxiolytic abuse with withdrawal delirium
F13132	Sedative, hypnotic or anxiolytic abuse with withdrawal with perceptual disturbance
F13139	Sedative, hypnotic or anxiolytic abuse with withdrawal, unspecified
F1413	Cocaine abuse, unspecified with withdrawal
F1493	Cocaine use, unspecified with withdrawal
F1513	Other stimulant abuse with withdrawal
F19130	Other psychoactive substance abuse with withdrawal, uncomplicated
F19131	Other psychoactive substance abuse with withdrawal delirium
F19132	Other psychoactive substance abuse with withdrawal with perceptual disturbance
F19139	Other psychoactive substance abuse with withdrawal, unspecified
G40833	Dravet syndrome, intractable, with status epilepticus
G9600	Cerebrospinal fluid leak, unspecified
G9601	Cranial cerebrospinal fluid leak, spontaneous
G9602	Spinal cerebrospinal fluid leak, spontaneous
G9608	Other cranial cerebrospinal fluid leak
G9609	Other spinal cerebrospinal fluid leak
J8282	Acute eosinophilic pneumonia
K2081	Other esophagitis with bleeding
K2091	Esophagitis, unspecified with bleeding
K2101	Gastro-esophageal reflux disease with esophagitis, with bleeding
M800AXA	Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture
M808AXA	Other osteoporosis with current pathological fracture, other site, initial encounter for fracture
N00A	Acute nephritic syndrome with C3 glomerulonephritis
N01A	Rapidly progressive nephritic syndrome with C3 glomerulonephritis

Table 3 – ICD-10 diagnosis codes added to the Emergency Department Autopay list, effective for DOS on or after October 1, 2020 (Continued)

Diagnosis code	Description
P91821	Neonatal cerebral infarction, right side of brain
P91822	Neonatal cerebral infarction, left side of brain
P91823	Neonatal cerebral infarction, bilateral
P91829	Neonatal cerebral infarction, unspecified side
R510	Headache with orthostatic component, not elsewhere classified
R519	Headache, unspecified
S20213A	Contusion of bilateral front wall of thorax, initial encounter
S20214A	Contusion of middle front wall of thorax, initial encounter
S20223A	Contusion of bilateral back wall of thorax, initial encounter
S20224A	Contusion of middle back wall of thorax, initial encounter
S20303A	Unspecified superficial injuries of bilateral front wall of thorax, initial encounter
S20304A	Unspecified superficial injuries of middle front wall of thorax, initial encounter
S20313A	Abrasion of bilateral front wall of thorax, initial encounter
S20314A	Abrasion of middle front wall of thorax, initial encounter
S20343A	External constriction of bilateral front wall of thorax, initial encounter
S20344A	External constriction of middle front wall of thorax, initial encounter
S20353A	Superficial foreign body of bilateral front wall of thorax, initial encounter
S20354A	Superficial foreign body of middle front wall of thorax, initial encounter
T40411A	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter
T40412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter
T40413A	Poisoning by fentanyl or fentanyl analogs, assault, initial encounter
T40414A	Poisoning by fentanyl or fentanyl analogs, undetermined, initial encounter
T40415A	Adverse effect of fentanyl or fentanyl analogs, initial encounter
T40421A	Poisoning by tramadol, accidental (unintentional), initial encounter
T40422A	Poisoning by tramadol, intentional self-harm, initial encounter
T40424A	Poisoning by tramadol, undetermined, initial encounter
T40491A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter
T40492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T40493A	Poisoning by other synthetic narcotics, assault, initial encounter
T40494A	Poisoning by other synthetic narcotics, undetermined, initial encounter
T40495A	Adverse effect of other synthetic narcotics, initial encounter
T868401	Corneal transplant rejection, right eye
T868402	Corneal transplant rejection, left eye
T868403	Corneal transplant rejection, bilateral
T868409	Corneal transplant rejection, unspecified eye
T868411	Corneal transplant failure, right eye
T868412	Corneal transplant failure, left eye
T868413	Corneal transplant failure, bilateral
T868419	Corneal transplant failure, unspecified eye
T868421	Corneal transplant infection, right eye

Table 3 – ICD-10 diagnosis codes added to the Emergency Department Autopay list, effective for DOS on or after October 1, 2020 (Continued)

Diagnosis code	Description
T868422	Corneal transplant infection, left eye
T868423	Corneal transplant infection, bilateral
T868429	Corneal transplant infection, unspecified eye
V00031A	Pedestrian on foot injured in collision with rider of standing electric scooter, initial encounter
V00038A	Pedestrian on foot injured in collision with rider of other standing micro-mobility pedestrian conveyance, initial encounter
V00841A	Fall from standing electric scooter, initial encounter
V00842A	Pedestrian on standing electric scooter colliding with stationary object, initial encounter
V00848A	Other accident with standing micro-mobility pedestrian conveyance, initial encounter
V01031A	Pedestrian on standing electric scooter injured in collision with pedal cycle in nontraffic accident, initial encounter
V01038A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with pedal cycle in nontraffic accident, initial encounter
V01131A	Pedestrian on standing electric scooter injured in collision with pedal cycle in traffic accident, initial encounter
V01138A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with pedal cycle in traffic accident, initial encounter
V01931A	Pedestrian on standing electric scooter injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, initial encounter
V01938A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with pedal cycle, unspecified whether traffic or nontraffic accident, initial encounter
V02031A	Pedestrian on standing electric scooter injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter
V02038A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with two- or three-wheeled motor vehicle in nontraffic accident, initial encounter
V02131A	Pedestrian on standing electric scooter injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter
V02138A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with two- or three-wheeled motor vehicle in traffic accident, initial encounter
V02931A	Pedestrian on standing electric scooter injured in collision with two- or three wheeled motor vehicle, unspecified whether traffic or nontraffic accident, initial encounter
V02938A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with two- or three wheeled motor vehicle, unspecified whether traffic or nontraffic accident, initial encounter
V03031A	Pedestrian on standing electric scooter injured in collision with car, pick-up or van in nontraffic accident, initial encounter
V03038A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with car, pick-up or van in nontraffic accident, initial encounter
V03131A	Pedestrian on standing electric scooter injured in collision with car, pick-up or van in traffic accident, initial encounter
V03138A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with car, pick-up or van in traffic accident, initial encounter
V03931A	Pedestrian on standing electric scooter injured in collision with car, pick-up or van, unspecified whether traffic or nontraffic accident, initial encounter
V03938A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with car, pick-up or van, unspecified whether traffic or nontraffic accident, initial encounter
V04031A	Pedestrian on standing electric scooter injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter
V04038A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with heavy transport vehicle or bus in nontraffic accident, initial encounter
V04131A	Pedestrian on standing electric scooter injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter
V04138A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with heavy transport vehicle or bus in traffic accident, initial encounter

Table 3 – ICD-10 diagnosis codes added to the Emergency Department Autopay list, effective for DOS on or after October 1, 2020 (Continued)

Diagnosis code	Description
V04931A	Pedestrian on standing electric scooter injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, initial encounter
V04938A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident, initial encounter
V05031A	Pedestrian on standing electric scooter injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter
V05038A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with railway train or railway vehicle in nontraffic accident, initial encounter
V05131A	Pedestrian on standing electric scooter injured in collision with railway train or railway vehicle in traffic accident, initial encounter
V05138A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with railway train or railway vehicle in traffic accident, initial encounter
V05931A	Pedestrian on standing electric scooter injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, initial encounter
V05938A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident, initial encounter
V06031A	Pedestrian on standing electric scooter injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter
V06038A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with other nonmotor vehicle in nontraffic accident, initial encounter
V06131A	Pedestrian on standing electric scooter injured in collision with other nonmotor vehicle in traffic accident, initial encounter
V06138A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with other nonmotor vehicle in traffic accident, initial encounter
V06931A	Pedestrian on standing electric scooter injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, initial encounter
V06938A	Pedestrian on other standing micro-mobility pedestrian conveyance injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident, initial encounter
Y7719	Other therapeutic (nonsurgical) and rehabilitative ophthalmic devices associated with adverse incidents
Z03821	Encounter for observation for suspected ingested foreign body ruled out
Z03822	Encounter for observation for suspected aspirated (inhaled) foreign body ruled out
Z03823	Encounter for observation for suspected inserted (injected) foreign body ruled out

Medicaid Rehabilitation Option diagnosis codes

Medicaid Rehabilitation Option (MRO) services are designed to assist in the rehabilitation of a member's optimum functional ability in daily living. IHCP members with a qualifying diagnosis and level of need (LON) may be eligible for an MRO service package in addition to the outpatient behavioral health services (*Indiana Administrative Code 405 IAC 5-20-8*) covered under their existing benefit plan.

Effective for DOS on or after October 1, 2020, the codes in Table 4 will be added as qualifying mental health and addiction diagnosis codes for MRO services. Note that separate diagnosis lists are used for adults (Adults Needs and Strengths Assessment – ANSA) and children or adolescents (Child and Adolescent Needs and Strengths – CANS).

A “Yes” under the applicable ANSA or CANS column can indicate a qualifying MRO diagnosis. A member must have at least one qualifying diagnosis to be eligible for an MRO service package. The qualifying diagnosis for each member must be entered in the Division of Mental Health and Addiction (DMHA) Data Assessment Registry for Mental Health and Addiction (DARMHA) database for a service package to be assigned.

The diagnosis codes in Table 4 will be added to the *ICD-10 Diagnosis Codes for MRO-Eligible Mental Health and Addiction Services* table in *Medicaid Rehabilitation Option (MRO) Services Codes*, accessible from the [Code Sets](#) page at in.gov/medicaid/providers.

Table 4 – Qualifying ICD-10 diagnosis codes added for MRO services, effective for DOS on or after October 1, 2020

Diagnosis code	Description	ANSA	CANS
F10130	Alcohol abuse with withdrawal, uncomplicated	Yes	Yes
F10131	Alcohol abuse with withdrawal delirium	Yes	Yes
F10132	Alcohol abuse with withdrawal with perceptual disturbance	Yes	Yes
F10139	Alcohol abuse with withdrawal, unspecified	Yes	Yes
F1113	Opioid abuse with withdrawal	Yes	Yes
F1213	Cannabis abuse with withdrawal	Yes	Yes
F13130	Sedative, hypnotic or anxiolytic abuse with withdrawal, uncomplicated	Yes	Yes
F13131	Sedative, hypnotic or anxiolytic abuse with withdrawal delirium	Yes	Yes
F13132	Sedative, hypnotic or anxiolytic abuse with withdrawal with perceptual disturbance	Yes	Yes
F13139	Sedative, hypnotic or anxiolytic abuse with withdrawal, unspecified	Yes	Yes
F1413	Cocaine abuse, unspecified with withdrawal	Yes	Yes
F1513	Other stimulant abuse with withdrawal	Yes	Yes
F19130	Other psychoactive substance abuse with withdrawal, uncomplicated	Yes	Yes
F19131	Other psychoactive substance abuse with withdrawal delirium	Yes	Yes
F19132	Other psychoactive substance abuse with withdrawal with perceptual disturbance	Yes	Yes
F19139	Other psychoactive substance abuse with withdrawal, unspecified	Yes	Yes

Presumptive Eligibility for Pregnant Women

Benefits for Presumptive Eligibility for Pregnant Women (PEPW) members are limited to ambulatory prenatal care for certain qualifying diagnoses. Effective for DOS on or after October 1, 2020, the codes in Table 5 will be added as qualifying diagnoses for PEPW services. These diagnosis codes will be added to the *ICD-10 Diagnosis Codes for Presumptive Eligibility for Pregnant Women* table in *Presumptive Eligibility for Pregnant Women Codes*, accessible from the [Code Sets](#) page at in.gov/medicaid/providers.

Table 5 – Qualifying ICD-10 diagnosis codes added for PEPW services, effective for DOS on or after October 1, 2020

Diagnosis code	Description
O34218	Maternal care for other type scar from previous cesarean delivery
O3422	Maternal care for cesarean scar defect (isthmocele)
O99891	Other specified diseases and conditions complicating pregnancy

Renal dialysis diagnosis codes

Specific diagnosis codes are required when billing for hemodialysis and peritoneal dialysis services rendered in a hospital outpatient setting, in an independent renal dialysis facility (also known as end-stage renal disease [ESRD] dialysis facilities), or in a patient’s home. Effective for DOS on or after October 1, 2020, the IHCP will add the diagnosis codes in Table 6 to the list of principal diagnosis codes for renal dialysis. These diagnosis codes will be added to the *ICD-10 Diagnosis Codes for Renal Dialysis* table in *Renal Dialysis Services Codes*, accessible from the [Code Sets](http://in.gov/medicaid/providers) page at in.gov/medicaid/providers.

Table 6 – ICD-10 principal diagnosis codes added for renal dialysis services, effective for DOS on or after October 1, 2020

Diagnosis code	Description
N1830	Chronic kidney disease, stage 3 unspecified
N1831	Chronic kidney disease, stage 3a
N1832	Chronic kidney disease, stage 3b

QUESTIONS?

If you have questions about this publication, please contact Customer Assistance at 1-800-457-4584.

TO PRINT

A [printer-friendly version](#) of this publication, in black and white and without photos, is available for your convenience.

COPIES OF THIS PUBLICATION

If you need additional copies of this publication, please download them from the [Bulletins](#) page of the IHCP provider website at in.gov/medicaid/providers.

SIGN UP FOR IHCP EMAIL NOTIFICATIONS

To receive email notices of IHCP publications, subscribe by clicking the blue subscription envelope or sign up from the [IHCP provider website](#) at in.gov/medicaid/providers.

